13526 - COS Imaging TA and Spectroscopic WCA-PSA/BOA offset verifications

Cycle: 21, Proposal Category: CAL/COS

(Availability Mode: RESTRICTED)

INVESTIGATORS

Name	Institution	E-Mail
Dr. Steven V. Penton (PI) (Contact)	**Space Telescope Science Institute**	**penton@stsci.edu**
Sean Lockwood (CoI)	Space Telescope Science Institute	lockwood@stsci.edu

VISITS

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
01	(2) WD-1657+343 WAVE	COS/FUV COS/NUV	1	07-Oct-2014 21:03:49.0	yes
02	(3) HIP66578 WAVE	COS/FUV COS/NUV	1	07-Oct-2014 21:03:54.0	yes
03	(1) 206W3	COS/NUV	1	07-Oct-2014 21:03:57.0	yes

3 Total Orbits Used

ABSTRACT

This program builds upon the monitoring and calibration of the FGS-to-SI alignment program (13616 - HST Cycle 21- Focal Plane Calibration (SI-FGS Alignment)). HST 13616 performs back-to-back PSA/MIRRORA & PSA/MIRRORB ACQ/IMAGEs, from which all the results herein are bootstrapped.

The FGS-to-SI program is repeated twice a year (every cycle) and we will use its COS exposures as the baseline for this TA co-alignment program. The historical list of FCS-to-SI proposals, & cycles, are:

11878->12399->12781->13171->13616

C17->C18 ->C19->C20->C21

The order in which the alignment is checked is : STIS->WFC3->ACS->COS

The FGS-to-SI program performs a PSA/MIRRORA ACQ/IMAGE on a target that should be centered in the aperture. This verifies the COS NUV PSA aperture position in the SIAF. After this PSA+MIRRORA ACQ/IMAGE, a PSA+MIRRORB ACQ/IMAGE is then performed. This exposure bootstraps the PSA+MIRRORB centering to the PSA+MIRRORA SIAF verification. This allows us to monitor the properties of the PSA+MIRRORB image in a controlled way on a centered target. No spectra or images are taken in 13616 due to time constraints.

Visits 01 & 02 of this program extend the COS SIAF/FGS-to-SI verification of 13616 to the other two ACQ/IMAGE combinations (BOA+MIRRORA & BOA+MIRRORB) by bootstraping from the PSA+MIRRORB verification to co-align all the COS TA imaging modes. The details of the observations are given is the observing section.

Visit 1 of this program bootstraps off 13616 to co-align the PSA+MIRRORB ACQ/IMAGE mode to the BOA+MIRRORA. We prefer that Visit 01 of this program executes within 45 days of Visit 02 of 13616, to ensure that no long term instrument or telescope focus changes impact our results.

Visit 2 of this program follows the style of Visit 01, and bootstraps from the BOA+MIRRORA mode to the BOA+MIRRORB TA imaging mode. Visit 02 should also occur within 45 days of visit 2 of 13616 and within 45 days of Visit 1 of this program.

Visit 3 of this program is an on-hold, contingency visit that will be used to replace the 13616 Visit 02 in case this program is, for whatever reason, not executed as planned. In this case the 1st ACQ/IMAGE is PSA/MIRRORA and the 2nd ACQ/Image is PSA/MIRRORB. This visit also takes several lamp images to measure the WCA-to-PSA imaging offset FSW patchable constants.

In all visits, lamp+target images are taken before and after the TA imaging mode that is being co-aligned (the second ACQ/IMAGE of the program.)

All visits in this program are single orbit visits, this program is very similar to the C20 version (13124)

Update: Visit 03 has been activated and enhanced, see the Observing Description

OBSERVING DESCRIPTION

The process is to perform back-to-back ACQ/IMAGES in two different modes (e.g., PSA/MIRRORB then BOA/MIRRORA). This will allow us to test the cross-calibration to ensure that all TA modes are centering the target to the same point in the aperture. Lamp+target exposures are interleaved throughout the visit to measure and verify the imaging TA AD (along-dispersion and XD (cross-dispersion) WCA-to-PSA offsets. Images will usually use the PtNe#2 (P2) lamp, as it is the primary TA lamp, but some images will use PtNe#1 (P1) to monitor the lamps in imaging mode.

Program 13616 contains a back-to-back PSA/MIRRORA & PSA/MIRRORB ACQ/images on the target 206W3, should this program not execute, we will activate Visit 03 as a replacement.

Visit 01 takes back-to-back PSA/MIRRORB & BOA/MIRRORA ACQ/Images and images (with flashes) and also takes G230L, G285M, G130M, and G140L spectra to test the WCA-to-PSA offsets.

Visit 02 takes back-to-back BOA/MIRRORA & BOA/MIRRORB ACQ/Images and images (with flashes) and also takes G185M, G225M, and G160M spectra to test the WCA-to-PSA offsets. To test Ywalk, we also take G160M/1600 exposures at +/- 0.7"

Visit 02 also takes a "family portait" of all the P1/P2 MIRRORA/B WCA lamp images to any track a potential drifting of the centroids, or changes in the lamps.

--------- Visit 03 Activated --------- September 2014 for execution in October 2014

The background of the NUV detector has risen to the point that the PtNe#2 (P2) lamp at LOW current is producing less counts than the background (in a recent exposure the lamp counts were 420, the background was 520; 30s exposure, 50x300 WCA subarray). We are raising the current for MIRRORB ACQ/images from P2/LOW (3 milli-amps) to P2/MED (10 milli-amps). We expect an increase in counts of about 21x, so from about 15 counts/s to about 300-400 counts/s.

The new visit 03 will also be used to measure or re-measure the WCA-to-PSA offsets for the following lamp/current/mirror combinations: P1/LOW/A, P1/LOW/B, P2/LOW/B, P2/MED/B

Proposal 13526 (STScI Edit Number: 6, Created: Tuesday, October 7, 2014 8:03:58 PM EST) - Overview

The exposures and their purpose are:

Purpose of exposure: (WtP=WCA-to-PSA Offset)

PSA/A ACQ/IMAGE: Center Target in Aperture
 PSA/A Image (P2/LOW): Measurement of WtP offset (A)
 PSA/B Image (P1/LOW): Measurement of WtP (B)
 PSA/B Image (P2/LOW): Measurement of old WtP (B)
 PSA/B Image (P2/MED): Measurement of new WtP (B)
PSA/B ACQ/IMAGE: Test B ACQ/IMAGE (using new setting)
 PSA/B Image (P2/MED): Confirm. check with new lamp setting.
  PSA/B Image (P2/LOW): Confirm. check with old lamp setting.
 PSA/A Image (P2/LOW): Confirm. check with PSA/A lamp.
PSA/A ACQ/IMAGE: Re - Check Target Centering.

All other visits that contain MIRRORB Images now have there current set to P2/MED.

All lamp+target images now use the QESIPARMS USECURRENT and CURRENT to specificially set the lamp and current values.

See the comment of the first exposure of Visit 03 for a description of the expected count rates, exposure times, & buffer times (for the lamps).
--------- Additional Comments ----------

Must be performed on 2 guidestar fine-lock and must not use FGS2. Guidestar pair must be reviewed by the PC.

Visit	**Proposal 13526, PSA/B & BOA/A (01), implementation**		Wed Oct 08 01:03:59 GMT 2014
	Diagnostic Status: Warning		
	Scientific Instruments: COS/NUV, COS/FUV		
	Special Requirements: SCHED 100%; GROUP 01,02 WITHIN 45D		
	Comments: Test to compare the centering of PSA/MIRRORB to BOA/MIRRORA. The target will be the standard star WD1657+343. 100% Schedubility. This Visit (01) should be executed within 45 days of Visit 02 of 13616. Visits 01 & 02 of this program should also execute within 45 days of each other, but in no particular order. The closer in time that they can all be executed, the better. We also take some G230L, G285M, G130M, and G140L spectra to test the WCA-to-PSA offsets.		

Diagnostics	(PSA/B & BOA/A (01)) Warning (Form): If the target coordinates are not known to 0.4" (or better), an ACQ/SEARCH should precede the ACQ/IMAGE.
	(PSA/B & BOA/A (01)) Warning (Form): For the best data quality, it is strongly recommended that all four FP-POS positions be used when observing at a given COS CENWAVE setting.

	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
Fixed Targets	(2)	WD-1657+343	RA: 16 58 51.1200 (254.7130000d)		V=16.1	Reference Frame: ICRS
			Dec: +34 18 53.30 (34.31481d)			
			Equinox: J2000			

Comments: COS.ta.432603 indicates this is a good PSA/MIRB to BOA/MIRA target PSA/MIRB counts = S/N=60 in 11.6s (S/N = 40 in 5.2s); COS.ta.432604 gives S/N=60 in 150.7s for BOA/MIRA

Exposures

#	Label (ETC Run)	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	ACQ/IMAGE (PSA/MIRRORB/P2/MED) (COS.ta.433946)	(2) WD-1657+343	COS/NUV, ACQ/IMAGE, PSA	MIRRORB		GS ACQ SCENARIO BASE1B3		12 Secs (12 Secs) [==>]	[1]
	*Comments: COS.ta.433946 gives S/N=60 in 11.65s. BP = 43 cps. We observed this target in 13124 and the target count rate was 400 cts/s, total cts = 4800 total , BP=24 cts/s That's sqrt(2/3 * 4800) = 56 (S/N)*									
2	PSA/MIRRORB/P2/MED + Target (COS.ta.433946)	(2) WD-1657+343	COS/NUV, TIME-TAG, PSA	MIRRORB	FLASH=S0040D016; BUFFER-TIME=120	QESIPARM USELAMP LINE2; QESIPARM CURRENT MEDIUM		16 Secs (16 Secs) [==>]	[1]
	Comments: COS.ta.433946 gives S/N=60 in 11.65s. BP = 42 cps. We insert a 16s lamp flash to make sure we get enough counts in the lamp image									
3	BOA/MIRRORA/Target (no lamp) (COS.ta.433949)	(2) WD-1657+343	COS/NUV, TIME-TAG, BOA	MIRRORA	BUFFER-TIME=600			150 Secs (150 Secs) [==>]	[1]
	Comments: COS.ta.433949 gives S/N=60 in 150s, followed by a wavecal. The exposure time is driven by the target. We observed this target in 13124, the target count rate was 18.2 cps (2736 counts in 150s (~312 background in 150s over a 50x50 box). This is a BOA image, so we need to add a WAVE image after this exposure. The WAVECAL=YES parameter does not trigger a separate lamp image.									
4	WCA/MIRRORA/P2/LOW (no target)	WAVE	COS/NUV, TIME-TAG, WCA	MIRRORA		QESIPARM USELAMP LINE2; QESIPARM CURRENT LOW		7 Secs (7 Secs) [==>]	[1]
	Comments: For P2/LOW/MIRRORA we get 2900 counts in 7s									
5	ACQ/IMAGE (BOA/MIRRORA/P2/LOW) (COS.ta.433949)	(2) WD-1657+343	COS/NUV, ACQ/IMAGE, BOA	MIRRORA				150 Secs (150 Secs) [==>]	[1]
	Comments: COS.ta.433949 gives S/N=60 in 150s									
6	WCA/MIRRORA/P2/LOW (no target)	WAVE	COS/NUV, TIME-TAG, WCA	MIRRORA		QESIPARM USELAMP LINE2; QESIPARM CURRENT LOW		7 Secs (7 Secs) [==>]	[1]
	Comments: For P2/LOW/MIRRORA we get 2900 counts in 7s									
7	PSA/MIRRORB/P2/MED + Target (COS.ta.433946)	(2) WD-1657+343	COS/NUV, TIME-TAG, PSA	MIRRORB	FLASH=S0040D012; BUFFER-TIME=120	QESIPARM USELAMP LINE2; QESIPARM CURRENT MEDIUM		12 Secs (12 Secs) [==>]	[1]
	*Comments: COS.ta.433946 gives S/N=60 in 11.65s. Brightest Pixel = 42 cps. We insert a 12s lamp flash to make sure we get enough counts in the lamp image. We observed this target in 13124 and the target count rate was 400 counts per second, total counts = 4800 total , BP=24 counts/s. That's sqrt(2/3 * 4800) = 56 in 12s*									
8	ACQ/IMAGE (PSA/MIRRORB/P2/MED) (COS.ta.433946)	(2) WD-1657+343	COS/NUV, ACQ/IMAGE, PSA	MIRRORB				12 Secs (12 Secs) [==>]	[1]
	*Comments: COS.ta.433946 gives S/N=60 in 11.65s. BP = 43 cps. We observed this target in 13124 and the target count rate was 400 cts/s, total cts = 4800, BP=24 cts/s That's sqrt(2/3 * 4800) = 56 (S/N)*									

9	PSA/G230L /2950 (COS.sa.433 964)	(2) WD-1657+343	COS/NUV, TIME-TAG, PSA	G230L 3000 A	BUFFER-TIME=80 0; FP-POS=3; FLASH=YES	QESIPARM USELA MP LINE2; QESIPARM CURR ENT MEDIUM	20 Secs (20 Secs) [==>]	[1]

*Comments: COS.sa.4333964 gives S/N=40 in 2 s, we go for 20s. BT=2/3*1200. Based upon the data from 13124, we expect 3800 counts in 30s in the B-stripe.*

10	PSA/G285 M/2850 (COS.sp.433 971)	(2) WD-1657+343	COS/NUV, TIME-TAG, PSA	G285M 2850 A	BUFFER-TIME=16 00; FP-POS=3; FLASH=S0100D05 0	QESIPARM USELA MP LINE2; QESIPARM CURR ENT MEDIUM	151 Secs (151 Secs) [==>]	[1]

*Comments: COS.sp.433971 gives S/N=40 in the XD in 329 seconds, we BT=2/3 * 2400 = 1600. This exposure gets about 11 c/s in each stripe, we really only need about 1600 counts to center the strip, so 160s is ok. From the 13124 data we expect 3700 counts/334s * 160 = 1744. Normal Tagflashing is not sufficient for our WCA needs (from 13124, we got 457 counts in 2x22 seconds in stripe B). To get 1000 counts, we need at least 100s of lamp. We expect the B-Stripe to be extremely weak as the brightest line has moved off the detector.*

11	PSA/G130 M/1309/3 (COS.sp.433 966)	(2) WD-1657+343	COS/FUV, TIME-TAG, PSA	G130M 1309 A	FP-POS=3; BUFFER-TIME=29 5; FLASH=S0060D02 0	QESIPARM USELA MP LINE2; QESIPARM CURR ENT MEDIUM	20 Secs (20 Secs) [==>]	[1]

*Comments: COS.sp.433966, BT=2/3*442=295, 30s lampflash. In 13124, we got 200k in 110s, In the 30s lampflash we got 4750 counts. We need to save time in this visit, so we are reducing the exposure time to 25s (expected counts = 200k/110 * 20= 36k. 20s Lampflash should get 3200 counts.*

12	PSA/G140L /1280/3 (COS.sp.433 967)	(2) WD-1657+343	COS/FUV, TIME-TAG, PSA	G140L 1280 A	FP-POS=3; BUFFER-TIME=43 0; FLASH=YES	QESIPARM USELA MP LINE2; QESIPARM CURR ENT MEDIUM	7 Secs (7 Secs) [==>]	[1]

*Comments: COS.sp.433967, BT=2/3*647=430 ET=17s, Normal TAGFLASH. In 13124, we got 71K in 30s, we need 10K to get a good centroid, so we are taking this exposure time down to 7s, the lamp duration (2700 counts).*

Visit	**Proposal 13526, BOA/A & BOA/B (02), implementation**	Wed Oct 08 01:03:59 GMT 2014
	Diagnostic Status: Warning	
	Scientific Instruments: COS/NUV, COS/FUV	
	Special Requirements: SCHED 100%; ORIENT 120D TO 30 D; BETWEEN 14-NOV-2014:00:00:00 AND 01-DEC-2014:00:00:00; GROUP 02,01 WITHIN 45D	
	Comments: Test to compare the centering of BOA/MIRRORA to BOA/MIRRORB. 100% Schedubility. This Visit (02) should be executed with 45 days of Visit 02 of 13616. (Currently on the SMS of 10/27/2014). Visits 01 & 02 of this program should also execute within 45 days of each other, in no particular order. The closer in time that they can all be executed, the better. The Orientation Requirement avoids a potential nearby bright object. This roll angle constraint means that this Visit (02) must execute after Sept 14, 2014. We also take G185M, G225M, and G160M spectra to test the WCA-to-PSA offsets. To test Ywalk, we also take G160M/1600 exposures at +/- 0.7"	
	This constraint has also been added as an "Between" Timing Requirement on 14-Nov, 2014 to 01-Dec, 2014. Once Visit 02 of 13616 is scheduled, the timing on this Visit, may need to be refined.	

Diagnostics	(BOA/A & BOA/B (02)) Warning (Form): For the best data quality, it is strongly recommended that all four FP-POS positions be used when observing at a given COS CENWAVE setting.

	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
Fixed Targets	(3)	HIP66578	RA: 13 38 50.4757 (204.7103154d)	Proper Motion RA: -403.65 mas/yr	V=12.773+/-0.024	Reference Frame: ICRS
		Alt Name1: PG1337+705	Dec: +70 17 7.66 (70.28546d)	Proper Motion Dec: -22.0 mas/yr	F(1300)=1.3E-12,	
		Alt Name2: GRW+70.5824	Equinox: J2000	Parallax: 0.03829"	F(1800)=5.2E-13	
				Epoch of Position: 2000		
				Radial Velocity: 26 km/sec		

Comments: COS.ta.432623 S/N=60 in 12s BOA/MIRRORA, BOA/MIRRROB (COS.ta.432624) in 175s

|	#	Label (ETC Run)	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
Exposures	1	ACQ/IMAGE (BOA/MIRRORA/P2/LOW) (COS.ta.432623)	(3) HIP66578	COS/NUV, ACQ/IMAGE, BOA	MIRRORA		GS ACQ SCENARIO BASE1B3		12 Secs (12 Secs) [==>]	[1]
		Comments: Using the standard star HIP66578 to compare the centerings between the BOA/MIRRORA and BOA/MIRRORB ACQ/IMAGE centering options. The ETC gives 12 seconds to reach S/N=60 with this target in the BOA/MIRRORA mode. We observed this target in 13124, with 2961 counts in 12s (target +background in 50x50 box). We will need to follow this with a P2/LOW/WCA/A image.								
	2	WCA/MIRRORA/P2/LOW (no target)	WAVE	COS/NUV, TIME-TAG, WCA	MIRRORA	BUFFER-TIME=2000	QESIPARM USELAMP LINE2; QESIPARM CURRENT LOW		7 Secs (7 Secs) [==>]	[1]
		Comments: For P2/LOW/MIRRORA we get 2900 counts in 7s								
	3	BOA/MIRRORB/Target (no lamp) (COS.ta.432624)	(3) HIP66578	COS/NUV, TIME-TAG, BOA	MIRRORB	BUFFER-TIME=1000			181 Secs (181 Secs) [==>]	[1]
		Comments: Followup BOA/MIRRORB calibration IMAGE with a wavecal to verify proper initial centering (The ETC gives 175 seconds to reach S/N=60 with this target in the BOA/MIRRORA mode.) The BT is ~ 500l as we are only getting about 20 cps from the source. This is a BOA image, so we need to add a WAVE image after this exposure. The WAVECAL=YES parameter does not trigger a separate lamp image								
	4	WCA/MIRRORB/P2/MED (no target)	WAVE	COS/NUV, TIME-TAG, WCA	MIRRORB	BUFFER-TIME=2000	QESIPARM USELAMP LINE2; QESIPARM CURRENT MEDIUM		12 Secs (12 Secs) [==>]	[1]
		Comments: For P2/MED, we expect 300-460 cps, with a Brightest Pixel = 9 cts/s								
	5	ACQ/IMAGE (BOA/MIRRORB/P2/MED) (COS.ta.432624)	(3) HIP66578	COS/NUV, ACQ/IMAGE, BOA	MIRRORB				181 Secs (181 Secs) [==>]	[1]
		Comments: Compare the centerings between the BOA/MIRRORA and BOA/MIRRORB ACQ/IMAGE centering options. The ETC gives 175 seconds to reach S/N=60 with this target in the BOA/MIRRORB mode.								
	6	WCA/MIRRORB/P2/MED (no target)	WAVE	COS/NUV, TIME-TAG, WCA	MIRRORB	BUFFER-TIME=2000	QESIPARM USELAMP LINE2; QESIPARM CURRENT MEDIUM		12 Secs (12 Secs) [==>]	[1]
		Comments: For P2/MED, we expect 300-460 cps, with a Brightest Pixel = 9 cts/s								
	7	WCA/MIRRORA/P2/LOW (no target)	WAVE	COS/NUV, TIME-TAG, WCA	MIRRORA	BUFFER-TIME=2000	QESIPARM USELAMP LINE2; QESIPARM CURRENT LOW		10 Secs (10 Secs) [==>]	[1]
		Comments: For P2/LOW/MIRRORA we get 2900 counts in 7s								
	8	ACQ/IMAGE (BOA/MIRRORA/P2/LOW) (COS.ta.432623)	(3) HIP66578	COS/NUV, ACQ/IMAGE, BOA	MIRRORA				12 Secs (12 Secs) [==>]	[1]
		Comments: Using the standard star HIP66578 to compare the centerings between the BOA/MIRRORA and BOA/MIRRORB ACQ/IMAGE centering options. The ETC gives 12 seconds to reach S/N=60 with this target in the BOA/MIRRORA mode. We observed this target in 13124, with 2961 counts in 12s (target +background in 50x50 box). We will need to follow this with a P2/LOW/WCA/A image.								

#	Config	Target	Mode	Spectral Element	Parameters	Special Requirements	Exp Time	
9	PSA/G185 M/1890 (COS.sp.433 935)	(3) HIP66578	COS/NUV, TIME-TAG, PSA	G185M 1890 A	BUFFER-TIME=41 4; FLASH=S0070D03 0; FP-POS=3	QESIPARM USELA MP LINE2; QESIPARM CURR ENT MEDIUM	40 Secs (40 Secs) [==>]	[1]
	*Comments: COS.sp.433935 gives s/n/re =10 in 35 seconds. BT=2/3 * 623 =414. We want to get a good lamp flash, so 30s should be ok. FPPOS=3*							
10	PSA/G225 M/2306 (COS.sp.433 936)	(3) HIP66578	COS/NUV, TIME-TAG, PSA	G225M 2306 A	BUFFER-TIME=56 7; FLASH=S0200D03 0; FP-POS=3	QESIPARM USELA MP LINE2; QESIPARM CURR ENT MEDIUM	52 Secs (52 Secs) [==>]	[1]
	*Comments: COS.sp.433936 gives s/n/re =10 in 53 seconds. BT=2/3 * 851 =567. We want to get a good lamp flash, so 30s should be ok. FPPOS=3.*							
11	PSA/G160 M/1600/3-0. 0 (COS.sp.615 394)	(3) HIP66578	COS/FUV, TIME-TAG, PSA	G160M 1600 A	FP-POS=3; BUFFER-TIME=11 1; FLASH=S0100D01 8; SEGMENT=A	QESIPARM USELA MP LINE2; QESIPARM CURR ENT MEDIUM	18 Secs (18 Secs) [==>]	[1]
	Comments: COS.sp.615394 gives us 4200 counts/s (seg A only). We set the lamp flash to be ET - 1 s. Buffer time set to min.							
12	PSA/G160 M/1600/3+0 .7 (COS.sp.615 394)	(3) HIP66578	COS/FUV, TIME-TAG, PSA	G160M 1600 A	FP-POS=3; BUFFER-TIME=11 1; FLASH=S0100D01 8; SEGMENT=A	POS TARG null,+0. 7; QESIPARM USELA MP LINE2; QESIPARM CURR ENT MEDIUM	22 Secs (22 Secs) [==>]	[1]
	*Comments: COS.sp.615394 gives us 4200 counts in 25s (seg A only). We set the lamp flash to be the same as the 0" position flash (24s). At 0.7", the target should be vignetted 13% (87% original). We want the same # of counts here on SEGA, so the exposures time is 18/0.87= 21 s, which gives ET = 137s. The BT could be as large as 2/3 * 120/0.87 = 535s, We'll just use 450 to be safe.*							
13	PSA/G160 M/1600/3-0. 7 (COS.sp.615 394)	(3) HIP66578	COS/FUV, TIME-TAG, PSA	G160M 1600 A	FP-POS=3; BUFFER-TIME=45 0; FLASH=S0100D01 8; SEGMENT=A	POS TARG null,-0.7 ; QESIPARM USELA MP LINE2; QESIPARM CURR ENT MEDIUM	22 Secs (22 Secs) [==>]	[1]
	*Comments: COS.sp.615394 gives us 4200 counts in 25s (seg A only). We set the lamp flash to be the same as the 0" position flash (24s). At 0.7", the target should be vignetted 13% (87% original). We want the same # of counts here on SEGA, so the exposures time is 25/0.87= 29->30 s, which gives ET = 137s. The BT could be as large as 2/3 * 2.35E6/4200 = 535s, We'll just use 450 to be safe.*							
14	WCA/MIRR ORA/P1/LO W (no target)	WAVE	COS/NUV, TIME-TAG, WCA	MIRRORA		QESIPARM USELA MP LINE1; QESIPARM CURR ENT LOW	10 Secs (10 Secs) [==>]	[1]
	Comments: For P1/LOW/A, we expect 2620 counts/s. BP = 45 cp/s. This is derived from data in program 13124.							
15	WCA/MIRR ORA/P2/LO W (no target)	WAVE	COS/NUV, TIME-TAG, WCA	MIRRORA		QESIPARM USELA MP LINE2; QESIPARM CURR ENT LOW	10 Secs (10 Secs) [==>]	[1]
	Comments: For P2/LOW/MIRRORA we get 2900 counts in 7s							
16	WCA/MIRR ORB/P1/LO W (no target)	WAVE	COS/NUV, TIME-TAG, WCA	MIRRORB		QESIPARM USELA MP LINE1; QESIPARM CURR ENT LOW	30 Secs (30 Secs) [==>]	[1]
	Comments: For P1/LOW, we expect 82 cts/s, to get 1600 counts in the primary spot, we need 2400 counts. 2400./82 = 30 seconds							

17	WCA/MIRR WAVE ORB/P2/MED (no target)	COS/NUV, TIME-TAG, WCA	MIRRORB	QESIPARM USELA MP LINE2; QESIPARM CURRENT MEDIUM	20 Secs (20 Secs) [==>]	
						[1]

Comments: For P2/MED, we expect 300-460 cps, with a Brightest Pixel = 9 cts/s

Orbit 1

Server Version: 20140605

Visit	**Proposal 13526, PSA/A & PSA/B - MIRRORB@MEDIUM (03), completed**				Wed Oct 08 01:03:59 GMT 2014
	Diagnostic Status: Warning				
	Scientific Instruments: COS/NUV				
	Special Requirements: SCHED 100%				
	Comments: Test to compare the centering of PSA/MIRRORA to PSA/MIRRORB, and to measure the WCA to PSA imaging caltarget offsets, for the following Lamp/Current settings: P1/LOW/A, P1/LOW/B, P2/LOW/B, P2/MED/B. See the comment of the first exposure for an explanation of the exposure and buffer times.				

Diagnostics	(PSA/A & PSA/B - MIRRORB@MEDIUM (03)) Warning (Form): If the target coordinates are not known to 0.4" (or better), an ACQ/SEARCH should precede the ACQ/IMAGE.

	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
Fixed Targets	(1)	206W3	RA: 06 08 55.4600 (92.2310833d)	Proper Motion RA: 0.5 mas/yr	V=14.53+/-0.1	Reference Frame: ICRS
		Alt Name1: MCNAM209	Dec: +24 15 39.59 (24.26100d)	Proper Motion Dec: -2.2 mas/yr	J=13.441,	
		Alt Name2: J060855.46+241539.7	Equinox: J2000	Epoch of Position: 2012.7	B=14.930	

Comments: Target previously observed in Visit 2 of 12781. According to Colin, the target coordinates given here have been adjusted to ~2012.7. I include the UCAC3 PM in case this visit is used again at a later date.
The PSA/MIRRORA had 21,063 counts in 60s (351 ct/s). Max pixel = 1965/60 = 32.75 ct/s
The PSA/MIRRORB had 12,570 counts in 300s (41.9 cts/s). Max pixel = 238/300 = 0.8 ct/s
So, PSA MirrorA/MirrorB = 351.0/41.9 = 8.4 (for this target)
This target is N8CV022007 in GSC2.3.2

Exposures

#	Label (ETC Run)	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	PSA/MIRRORA ACQ/IMAGE (P2/LOW) (COS.ta.634846)	(1) 206W3	COS/NUV, ACQ/IMAGE, PSA	MIRRORA		GS ACQ SCENARIO BASE1B3		15.0 Secs (15 Secs) [==>]	[1]

Comments: This target has previously been observed in 13171.

The measured direct count rates are (S/N are just photon statistics of the lamp or target)
PSA/MIRRORA = 245 count/s (S/N = 40 in 7s, 60 in 15s)
PSA/MIRRORB = 15.6 count/s (S/N = 40 in 102s, 50 in 160, 60 in 230s)
A/B = 15.7 for this target

WCA/P2/MIRRORA@LOW = 7s produced 2900 counts(S/N = 54)
WCA/P2/MIRRORB@LOW = 30s produced 420 counts (S/N = 21)
WCA/P2/MIRRORB@MED = 10s is estimated to produce ~4000 counts (S/N = 52 in the primary spot)
WCA/P1/MIRRORB@LOW = 82 hz, so S/N =50 in 30s
WCA/A(LOW)/B(LOW) = 25-30
WCA/B(MED)/B(LOW) is estimated to be 15-20

To get everything at S/N = 50 we need at least the following exposure times
PSA(target)/A = 10s
PSA(target)/B = 160s
WCA/P2/LOW/A = 6s
WCA/P2/LOW/B = 180s (low current), S/N = 47 in 160s
WCA/P1/LOW/B is 5x brighter than lamp#2, so at least 36s
WCA/P2/MED/B is unknown, but we estimate it to be 15-20x the 2/LOW rate, so at least 12s

For each target image, we will use the 9x9 checkbox method, so the background for PSA exposures is 9x9*(500/(50*300)/30s) based upon 500 counts in 30s in the WCA 50x300 box. This is 1 count in 10s, so we ignore this for the PSA.

For the WCA images, we will be working a 50x300 box, so the rate here is 18 hz, but we are using a median to find the center, so it is not a straightforward S/N situation. We are interested in measuring the centroid in presence of the noise and 2500 lamp counts are sufficient for our needs for WCA/P2/LOW/B. Since, we are defining the WCA-to-PSA offset for WCA/P1/LOW/B and WCA/P2/MED/B, we will shoot for 3000 lamp counts.

For the Buffer Time, we are shooting for S/N = 50. in both the target and the lamp. Lets overshoot to S/N of 60, that's 7200 counts -> BT = 2/3 * 326= 217. We'll be extra conservative and stay short of this.

For PSA/MIRRORA: (COS.ta.634846) We Simulated in ETC as G5, V=13.5 (lit says 14.5), S/N = 60 gives: Time = 13 seconds.Target count rate = 275 cts/s Brightest Pixel 38 cps
*   PSA/MIRRORB: (COS.ta.634849) We Simulated in ETC as G5, V=13.5 (lit says 14.5), S/N = 50 gives: Time = 217 seconds. Target count rate = 11.6 cts/s Brightest Pixel 1.6 cps*

This target was also previously observed in Visit A2 of 12781, with the following REAL count rates (imaging mode)

The PSA/A had 21,063 total counts in 60s (Target = 206W3), after background subtraction = 20,100 = 335 cts/s. PSA/A Brightest Pixel = 32.8 counts/s
The PSA/MIRRORB had 12,570 total counts in 300s, after background subtraction=7150 = 23.8 cts/s. PSA/B Brightest Pixel = 0.8 counts/s

PSA A/B = 14x (lbx1a2ffq/lbx1a2fhq) & PSA A/B (BP) = 41x

Remember that the SED of the target is important in this ratio as the two modes have different responses.

#	Label (ETC Run)	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
2	PSA/MIRRORA IMAGE (P2/LOW) (COS.ta.634846)	(1) 206W3	COS/NUV, TIME-TAG, PSA	MIRRORA	BUFFER-TIME=150; FLASH=S0060D012; CURRENT=LOW	QESIPARM USELAMP LINE2; QESIPARM CURRENT LOW		15.0 Secs (15 Secs) [==>]	[1]

Comments: Lamp and target image to measure the WCA-to-PSA offset for PSA/MIRRORA/P2/LOW current. Expect 416 counts/s from lamp, about the same from the target. We need 12s of each

#	Label (ETC Run)	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
3	PSA/MIRRORB IMAGE (P1/LOW) (OS.ta.634849)	(1) 206W3	COS/NUV, TIME-TAG, PSA	MIRRORB	BUFFER-TIME=200; FLASH=S0200D040; CURRENT=LOW	QESIPARM USELAMP LINE1; QESIPARM CURRENT LOW		160.0 Secs (160 Secs) [==>]	[1]

Comments: Lamp and target image to measure the WCA-to-PSA offset for PSA/MIRRORB/P1/LOW current. Expect 82 counts/s from the lamp. We need 40s of lamp time, 160 of target time.

4	PSA/MIRRORB IMAGE (P2/LOW) (OS.ta.634849)	(1) 206W3	COS/NUV, TIME-TAG, PSA	MIRRORB	BUFFER-TIME=200; FLASH=S0200D180; CURRENT=LOW	QESIPARM USELAMP LINE2; QESIPARM CURRENT LOW	180.0 Secs (180 Secs) [==>]	[1]
Comments: Lamp and target image to measure the WCA-to-PSA offset for PSA/MIRRORB/P2/LOW current. Expect 15 counts/s from the lamp. We need 160 of target exposure, and 180 of lamp.								
5	PSA/MIRRORB IMAGE (P2/MED) (OS.ta.634849)	(1) 206W3	COS/NUV, TIME-TAG, PSA	MIRRORB	BUFFER-TIME=200; FLASH=S0100D020; CURRENT=MEDIUM	QESIPARM USELAMP LINE2; QESIPARM CURRENT MEDIUM	180.0 Secs (180 Secs) [==>]	[1]
Comments: Lamp and target image to measure the WCA-to-PSA offset for PSA/MIRRORB/P2/MED current. Expect ~400 counts/s from the lamp. We need 160s of target time, and at least 12s of lamp time. We'll get 2x 20 to get a good measurement.								
6	PSA/MIRRORB ACQ/IMAGE (P2/MED) (OS.ta.634849)	(1) 206W3	COS/NUV, ACQ/IMAGE, PSA	MIRRORB			160.0 Secs (160 Secs) [==>]	[1]
Comments: PSA/MIRRORB ACQ/Image using P2/MED current. we setting the lampflash time in commanding to 12s. We may update the ACQ/Image MIRRORB time after we analyze this visit.								
7	PSA/MIRRORB IMAGE2 (P2/MED) (OS.ta.634849)	(1) 206W3	COS/NUV, TIME-TAG, PSA	MIRRORB	BUFFER-TIME=200; FLASH=S0100D020; CURRENT=MEDIUM	QESIPARM USELAMP LINE2; QESIPARM CURRENT MEDIUM	180.0 Secs (180 Secs) [==>]	[1]
Comments: Lamp and target image to re-measure the WCA-to-PSA offset for PSA/MIRRORB/P2/MED current. Expect 225-400 counts/s from the lamp. We need 160s of target time, and at least 12s of lamp time. We'll get 2x20 to get a good measurement.								
8	PSA/MIRRORB IMAGE2 (P2/LOW) (OS.ta.634849)	(1) 206W3	COS/NUV, TIME-TAG, PSA	MIRRORB	BUFFER-TIME=200; FLASH=S0200D160; CURRENT=LOW	QESIPARM USELAMP LINE2; QESIPARM CURRENT LOW	160.0 Secs (160 Secs) [==>]	[1]
Comments: Lamp and target image to re-measure the WCA-to-PSA offset for PSA/MIRRORB/P2/LOW current. Expect 15 counts/s from the lamp. We want 160 of target exposure, and 180 of lamp, but only have time for 160.								
9	PSA/MIRRORA IMAGE2 (P2/LOW) (COS.ta.634846)	(1) 206W3	COS/NUV, TIME-TAG, PSA	MIRRORA	BUFFER-TIME=200; FLASH=S0060D012; CURRENT=LOW	QESIPARM USELAMP LINE2; QESIPARM CURRENT LOW	12.0 Secs (12 Secs) [==>]	[1]
Comments: Lamp and target image to re-measure the WCA-to-PSA offset for PSA/MIRRORA/Lamp2/LOW current. Expect 416 counts/s from lamp, about the same from the target. We need 12s of each								
10	PSA/MIRRORA ACQ/IMAGE2 (COS.ta.634846)	(1) 206W3	COS/NUV, ACQ/IMAGE, PSA	MIRRORA			12.0 Secs (12 Secs) [==>]	[1]
Comments: Confirmation PSA/A ACQ/image, see first exposure of this visit for complete comment.								

15