

The following is a summary of changes that were made since the Public Review Draft (November 2023):

<b>Section</b>	<b>Change</b>
Section 1.2.4.1 Climate Change	Section added to include discussion on climate change
Table 1-20 CWRM Gaging Records	Table updated to add gages 162, 199, 207, 241, 248, 250, 261, 283, 284
2.1.2 Public Involvement	Section updated to include meetings with DHHL beneficiaries
2.2.2 Full Build-Out Water Demand Projections	Section updated to provide additional information on the full build-out analysis
2.2.2.5.2 State Department of Hawaiian Home Lands	New paragraph and table added to discuss Water Reservations
ES-4, 2.2.2.10 Planning Objectives, 20X0X-5.3 Recommended Alternatives	Section updated to clarify that <u>untreated</u> surface water is considered a lower quality water source
ES-2.3.1, 2.3.1.1 Full Build-Out, Figures ES-2, ES-3, 2-5, 2-6	Figures added that compare the General Plan and Zoning full build-out to the sustainable yield
Table 20301-14, 20301-2.2 Surface Water	“2017 mediation agreement” revised to “Waimea Watershed Agreement”
20101-2.2 Surface Water	Discussion on Waitā reservoir revised
Figure 20X0X-4 Streams and Diversions	Reservoirs added to the figures
Appendix C Public Meeting Summaries	Added meeting summaries from the DHHL Beneficiary Meetings