

| Command | Description |
|---|--|
| • apropos whatis | Show commands pertinent to string. See also threadsafe |
| • man -t ascii ps2pdf - > ascii.pdf | make a pdf of a manual page |
| which command | Show full path name of command |
| time command | See how long a command takes |
| • time cat | Start stopwatch. Ctrl-d to stop. See also sw |
| dir navigation | |
| • cd - | Go to previous directory |
| • cd | Go to \$HOME directory |
| (cd dir && command) | Go to dir, execute command and return to current dir |
| • pushd . | Put current dir on stack so you can popd back to it |
| file searching | |
| • alias l='ls -l --color=auto' | quick dir listing. See also l |
| • ls -lrt | List files by date. See also newest and find_mm_yyyy |
| • ls /usr/bin pr -T9 -W\$COLUMNS | Print in 9 columns to width of terminal |
| find -name '*.[ch]' xargs grep -E 'expr' | Search 'expr' in this dir and below. See also findrepo |
| find -type f -print0 xargs -0 grep -F 'example' | Search all regular files for 'example' in this dir and below |
| find -maxdepth 1 -type f xargs grep -F 'example' | Search all regular files for 'example' in this dir |
| find -maxdepth 1 -type d while read dir; do echo \$dir; echo cmd2; done | Process each item with multiple commands (in while loop) |
| • find -type f ! -perm -444 | Find files not readable by all (useful for web site) |
| • find -type d ! -perm -111 | Find dirs not accessible by all (useful for web site) |
| • locate -r 'file[^/]*.txt' | Search cached index for names. This re is like glob *file*.txt |
| • look reference | Quickly search (sorted) dictionary for prefix |
| • grep --color reference /usr/share/dict/words | Highlight occurrences of regular expression in dictionary |
| archives and compression | |
| gpg -c file | Encrypt file |
| gpg file.gpg | Decrypt file |
| tar -c dir/ bzip2 > dir.tar.bz2 | Make compressed archive of dir/ |
| bzip2 -dc dir.tar.bz2 tar -x | Extract archive (use gzip instead of bzip2 for tar.gz files) |
| tar -c dir/ gzip gpg -c ssh user@remote 'dd of=dir.tar.gz.gpg' | Make encrypted archive of dir/ on remote machine |
| find dir/ -name '*.txt' tar -c --files-from=- bzip2 > dir_txt.tar.bz2 | Make archive of subset of dir/ and below |
| find dir/ -name '*.txt' xargs cp -a --target-directory=dir_txt/ --parents | Make copy of subset of dir/ and below |
| (tar -c /dir/to/copy) (cd /where/to/ && tar -x -p) | Copy (with permissions) copy/ dir to /where/to/ dir |
| (cd /dir/to/copy && tar -c) (cd /where/to/ && tar -x -p) | Copy (with permissions) contents of copy/ dir to /where/to/ |
| (tar -c /dir/to/copy) ssh -C user@remote 'cd /where/to/ && tar -x -p' | Copy (with permissions) copy/ dir to remote:/where/to/ dir |
| dd bs=1M if=/dev/sda gzip ssh user@remote 'dd of=sda.gz' | Backup harddisk to remote machine |
| rsync (Network efficient file copier: Use the --dry-run option for testing) | |
| rsync -P rsync://rsync.server.com/path/to/file file | Only get diffs. Do multiple times for troublesome downloads |
| rsync --bwlimit=1000 fromfile tofile | Locally copy with rate limit. It's like nice for I/O |
| rsync -az -e ssh --delete ~/public_html/ remote.com:'~/public_html' | Mirror web site (using compression and encryption) |
| rsync -az -e ssh remote:/dir/ . && rsync -az -e ssh . remote:/dir/ | Synchronize current directory with remote one |
| ssh (Secure SHell) | |
| ssh \$USER@\$HOST command | Run command on \$HOST as \$USER (default command=shell) |
| • ssh -f -Y \$USER@\$HOSTNAME xeyes | Run GUI command on \$HOSTNAME as \$USER |
| scp -p -r \$USER@\$HOST: file dir/ | Copy with permissions to \$USER's home directory on \$HOST |
| scp -c arcfour \$USER@\$LANHOST: bigfile | Use faster crypto for local LAN. This might saturate GigE |
| ssh -g -L 8080:localhost:80 root@\$HOST | Forward connections to \$HOSTNAME:8080 out to \$HOST:80 |
| ssh -R 1434:imap:143 root@\$HOST | Forward connections from \$HOST:1434 in to imap:143 |
| ssh-copy-id \$USER@\$HOST | Install public key for \$USER@\$HOST for password-less log in |
| wget (multi purpose download tool) | |
| • (cd dir/ && wget -nd -pHEKk http://www.pixelbeat.org/cmdline.html) | Store local browsable version of a page to the current dir |
| wget -c http://www.example.com/large.file | Continue downloading a partially downloaded file |
| wget -r -nd -np -l1 -A *.jpg' http://www.example.com/dir/ | Download a set of files to the current directory |
| wget ftp://remote/file[1-9].iso/ | FTP supports globbing directly |
| • wget -q -O- http://www.pixelbeat.org/timeline.html grep 'a href' head | Process output directly |
| echo 'wget url' at 01:00 | Download url at 1AM to current dir |
| wget --limit-rate=20k url | Do a low priority download (limit to 20KB/s in this case) |
| wget -nv --spider --force-html -i bookmarks.html | Check links in a file |
| wget --mirror http://www.example.com/ | Efficiently update a local copy of a site (handy from cron) |
| networking (Note ifconfig, route, mii-tool, nslookup commands are obsolete) | |
| ethtool eth0 | Show status of ethernet interface eth0 |
| ethtool --change eth0 autoneg off speed 100 duplex full | Manually set ethernet interface speed |
| iw dev wlan0 link | Show link status of wireless interface wlan0 |
| iw dev wlan0 set bitrates legacy-2.4 1 | Manually set wireless interface speed |
| • iw dev wlan0 scan | List wireless networks in range |
| • ip link show | List network interfaces |
| ip link set dev eth0 name wan | Rename interface eth0 to wan |
| ip link set dev eth0 up | Bring interface eth0 up (or down) |
| • ip addr show | List addresses for interfaces |
| ip addr add 1.2.3.4/24 brd + dev eth0 | Add (or del) ip and mask (255.255.255.0) |
| • ip route show | List routing table |
| ip route add default via 1.2.3.254 | Set default gateway to 1.2.3.254 |
| • ss -tupl | List internet services on a system |
| • ss -tup | List active connections to/from system |
| • host pixelbeat.org | Lookup DNS ip address for name or vice versa |
| • hostname -i | Lookup local ip address (equivalent to host 'hostname') |

| | |
|--|--|
| • whois pixelbeat.org | Lookup whois info for hostname or ip address |
| windows networking (Note samba is the package that provides all this windows specific networking support) | |
| • smbtree | Find windows machines. See also findsmb |
| nmblookup -A 1.2.3.4 | Find the windows (netbios) name associated with ip address |
| smbclient -L windows_box | List shares on windows machine or samba server |
| mount -t smbfs -o fmask=666,guest //windows_box/share /mnt/share | Mount a windows share |
| echo 'message' smbclient -M windows_box | Send popup to windows machine (off by default in XP sp2) |
| text manipulation (Note sed uses stdin and stdout. Newer versions support inplace editing with the -i option) | |
| sed 's/string1/string2/g' | Replace string1 with string2 |
| sed 's\(.*)1\12/g' | Modify anystring1 to anystring2 |
| sed '/^ *#/d; /^ */d' | Remove comments and blank lines |
| sed ':a; \\\$N; s\\n\\n;; ta' | Concatenate lines with trailing \ |
| sed 's/[\t]*\$//' | Remove trailing spaces from lines |
| sed 's\\(["\$"]\\)\\1/g' | Escape shell metacharacters active within double quotes |
| • seq 10 sed "s/^/ /; s/ ^(\{7,\})/\\1/" | Right align numbers |
| • seq 10 sed p paste - - | Duplicate a column |
| sed -n '1000{p;q}' | Print 1000th line |
| sed -n '10,20p;20q' | Print lines 10 to 20 |
| sed -n 's/.*/<title>(.*)</Vtitle>.*\\1/p;T;g' | Extract title from HTML web page |
| sed -i 42d ~/ssh/known_hosts | Delete a particular line |
| sort -t. -k1,1n -k2,2n -k3,3n -k4,4n | Sort IPV4 ip addresses |
| • echo 'Test' tr '[:lower:]' '[:upper:]' | Case conversion |
| • tr -dc [:print:] < /dev/urandom | Filter non printable characters |
| • tr -s '[:blank:]' '\t' </proc/diskstats cut -f4 | cut fields separated by blanks |
| • history wc -l | Count lines |
| • seq 10 paste -s -d '' | Concatenate and separate line items to a single line |
| set operations (Note you can export LANG=C for speed. Also these assume no duplicate lines within a file) | |
| sort -u file1 file2 | Union of unsorted files |
| sort file1 file2 uniq -d | Intersection of unsorted files |
| sort file1 file2 uniq -u | Difference of unsorted files |
| sort file1 file2 uniq -u | Symmetric Difference of unsorted files |
| join -t'\0' -a1 -a2 file1 file2 | Union of sorted files |
| join -t'\0' file1 file2 | Intersection of sorted files |
| join -t'\0' -v2 file1 file2 | Difference of sorted files |
| join -t'\0' -v1 -v2 file1 file2 | Symmetric Difference of sorted files |
| math | |
| • echo '(1 + sqrt(5))/2' bc -l | Quick math (Calculate φ). See also bc |
| • seq -f '4/%g' 1 2 99999 paste -sd+ bc -l | Calculate π the unix way |
| • echo 'pad=20; min=64; (100*10^6)/((pad+min)*8)' bc | More complex (int) e.g. This shows max FastE packet rate |
| • echo 'pad=20; min=64; print (100E6)/((pad+min)*8)' python | Python handles scientific notation |
| • echo 'pad=20; plot [64:1518] (100*10**6)/((pad+x)*8)' gnuplot -persist | Plot FastE packet rate vs packet size |
| • echo 'obase=16; ibase=10; 64206' bc | Base conversion (decimal to hexadecimal) |
| • echo \$(0x2dec)) | Base conversion (hex to dec) ((shell arithmetic expansion)) |
| • units -t '100m/9.58s' 'miles/hour' | Unit conversion (metric to imperial) |
| • units -t '500GB' 'GiB' | Unit conversion (SI to IEC prefixes). See also numfmt |
| • units -t '1 googol' | Definition lookup |
| • seq 100 paste -s -d+ bc | Add a column of numbers. See also add and funcpy |
| calendar | |
| • cal -3 | Display a calendar |
| • cal 9 1752 | Display a calendar for a particular month year |
| • date -d fri | What date is it this friday. See also day |
| • [\$(date -d '12:00 today +1 day' +%d) = '01'] exit | exit a script unless it's the last day of the month |
| • date --date='25 Dec' +%A | What day does xmas fall on, this year |
| • date --date=@2147483647 | Convert seconds since the epoch (1970-01-01 UTC) to date |
| • TZ='America/Los_Angeles' date | What time is it on west coast of US (use tzselect to find TZ) |
| • date --date='TZ="America/Los_Angeles" 09:00 next Fri' | What's the local time for 9AM next Friday on west coast US |
| locales | |
| • printf "%d\n" 1234 | Print number with thousands grouping appropriate to locale |
| • BLOCK_SIZE='1 ls -l | Use locale thousands grouping in ls. See also l |
| • echo "I live in `locale territory`" | Extract info from locale database |
| • LANG=en_IE.utf8 locale int_prefix | Lookup locale info for specific country. See also ccodes |
| • locale -kc \$(locale sed -n 's/\(LC_\)\{4,\}\)=.*\\1/p') less | List fields available in locale database |
| recode (Obsoletes iconv, dos2unix, unix2dos) | |
| • recode -l less | Show available conversions (aliases on each line) |
| recode windows-1252.. file_to_change.txt | Windows "ansi" to local charset (auto does CRLF conversion) |
| recode utf-8/CRLF.. file_to_change.txt | Windows utf8 to local charset |
| recode iso-8859-15..utf8 file_to_change.txt | Latin9 (western europe) to utf8 |
| recode ../b64 < file.txt > file.b64 | Base64 encode |
| recode /qp.. < file.qp > file.txt | Quoted printable decode |
| recode ..HTML < file.txt > file.html | Text to HTML |
| • recode -lf windows-1252 grep euro | Lookup table of characters |
| • echo -n 0x80 recode latin-9/x1..dump | Show what a code represents in latin-9 charmap |
| • echo -n 0x20AC recode ucs-2/x2..latin-9/x | Show latin-9 encoding |
| • echo -n 0x20AC recode ucs-2/x2..utf-8/x | Show utf-8 encoding |
| CDs | |
| gzip < /dev/cdrom > cdrom.iso.gz | Save copy of data cdrom |
| mkisofs -V LABEL -r dir gzip > cdrom.iso.gz | Create cdrom image from contents of dir |
| mount -o loop cdrom.iso /mnt/dir | Mount the cdrom image at /mnt/dir (read only) |

| | |
|---|---|
| wodim dev=/dev/cdrom blank=fast | Clear a CDRW |
| gzip -dc cdrom.iso.gz wodim -tao dev=/dev/cdrom -v -data - | Burn cdrom image (use --prcap to confirm dev) |
| cdparanoia -B | Rip audio tracks from CD to wav files in current dir |
| wodim -v dev=/dev/cdrom -audio -pad *.wav | Make audio CD from all wavs in current dir (see also cdrdao) |
| oggenc --tracknum=\$track track.cdda.wav -o track.ogg | Make ogg file from wav file |
| disk space (See also FSlint) | |
| • ls -Slr | Show files by size, biggest last |
| • du -s * sort -k1,1rn head | Show top disk users in current dir. See also dutop |
| • du -hs /home/* sort -k1,1h | Sort paths by easy to interpret disk usage |
| • df -h | Show free space on mounted filesystems |
| • df -i | Show free inodes on mounted filesystems |
| • fdisk -l | Show disks partitions sizes and types (run as root) |
| • rpm -q -a --qf "%10{SIZE}\t%{NAME}\n" sort -k1,1n | List all packages by installed size (Bytes) on rpm distros |
| • dpkg-query -W -f='\${Installed-Size;10}\t\${Package}\n' sort -k1,1n | List all packages by installed size (KBytes) on deb distros |
| • dd bs=1 seek=2TB if=/dev/null of=ext3.test | Create a large test file (taking no space). See also truncate |
| • > file | truncate data of file or create an empty file |
| monitoring/debugging | |
| • tail -f /var/log/messages | Monitor messages in a log file |
| • strace -c ls >/dev/null | Summarise/profile system calls made by command |
| • strace -f -e open ls >/dev/null | List system calls made by command |
| • strace -f -e trace=write -e write=1,2 ls >/dev/null | Monitor what's written to stdout and stderr |
| • ltrace -f -e getenv ls >/dev/null | List library calls made by command |
| • lsof -p \$\$ | List paths that process id has open |
| • lsof ~ | List processes that have specified path open |
| • tcpdump not port 22 | Show network traffic except ssh. See also tcpdump_not_me |
| • ps -e -o pid,args --forest | List processes in a hierarchy |
| • ps -e -o pcpu,cpu,nice,state,cputime,args --sort pcpu sed '/^ 0.0 /d' | List processes by % cpu usage |
| • ps -e -o rss=,args= sort -b -k1,1n pr -TW\$COLUMNS | List processes by mem (KB) usage. See also ps_mem.py |
| • ps -C firefox-bin -L -o pid,tid,pcpu,state | List all threads for a particular process |
| • ps -p 1,\$\$ -o etime= | List elapsed wall time for particular process IDs |
| • watch -n.1 pstree -Uacp \$\$ | Display a changing process subtree |
| • last reboot | Show system reboot history |
| • free -m | Show amount of (remaining) RAM (-m displays in MB) |
| • watch -n.1 'cat /proc/interrupts' | Watch changeable data continuously |
| • udevadm monitor | Monitor udev events to help configure rules |
| system information (see also sysinfo) ('#' means root access is required) | |
| • uname -a | Show kernel version and system architecture |
| • head -n1 /etc/issue | Show name and version of distribution |
| • cat /proc/partitions | Show all partitions registered on the system |
| • grep MemTotal /proc/meminfo | Show RAM total seen by the system |
| • grep "model name" /proc/cpuinfo | Show CPU(s) info |
| • lspci -tv | Show PCI info |
| • lsusb -tv | Show USB info |
| • mount column -t | List mounted filesystems on the system (and align output) |
| • grep -F capacity: /proc/acpi/battery/BAT0/info | Show state of cells in laptop battery |
| # dmidecode -q less | Display SMBIOS/DMI information |
| # smartctl -A /dev/sda grep Power_On_Hours | How long has this disk (system) been powered on in total |
| # hdparm -i /dev/sda | Show info about disk sda |
| # hdparm -T /dev/sda | Do a read speed test on disk sda |
| # badblocks -s /dev/sda | Test for unreadable blocks on disk sda |
| interactive (see also linux keyboard shortcuts) | |
| • readline | Line editor used by bash, python, bc, gnuplot, ... |
| • screen | Virtual terminals with detach capability, ... |
| • mc | Powerful file manager that can browse rpm, tar, ftp, ssh, ... |
| • gnuplot | Interactive/scriptable graphing |
| • links | Web browser |
| • xdg-open . | open a file or url with the registered desktop application |