



Delaware Weekly Influenza Surveillance Report

Week 03 (January 15 - 21, 2012)

Delaware Division of Public Health

National Synopsis - 2011- 2012

Note: National data is updated Friday of each week. Please visit <http://www.cdc.gov/weekly/> for the most current information.

Both national and state data are provisional and subject to change as additional reports are received.

Delaware Influenza Surveillance 2011-2012: Week ending January 21, 2012

There were no influenza related deaths among Delawareans through week 03.

Influenza Positive¹ and Confirmed² Cases Reported³ through Week 03



Confirmed Influenza Cases by Subtype, Delaware, 2011-2012								
		Wks. 40-52	Wk. 01	Wk. 02	Wk. 03	YTD	YTD Total	YTD Cnty %
Statewide	A (2009 H1)	0	0	0	0	0	5	
	A (H3)	3	0	0	0	3		
	A (snp)*	0	0	0	0	0		
	B	0	1	0	1	2		
New Castle County	A (2009 H1)	0	0	0	0	0	2	40.0%
	A (H3)	2	0	0	0	2		
	A (snp)*	0	0	0	0	0		
	B	0	0	0	0	0		
Kent County	A (2009 H1)	0	0	0	0	0	0	0.0%
	A (H3)	0	0	0	0	0		
	A (snp)*	0	0	0	0	0		
	B	0	0	0	0	0		
Sussex County	A (2009 H1)	0	0	0	0	0	3	60.0%
	A (H3)	1	0	0	0	1		
	A (snp)*	0	0	0	0	0		
	B	0	1	0	1	2		

¹ Based on patients with positive nucleic acid and/or viral culture test results reported to the Division of Public Health.

² Confirmed Influenza cases from all reporting sources (including Delaware Public Health Laboratory)


³ Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.

* (snp) - (sub-typing not performed)




* (snp) - (sub-typing not performed)

**Confirmed Influenza Cases by Sub-type
Delaware, 2011-2012
(Cases through week 03 as of January 21, 2012)**



Confirmed Influenza Cases by Age Group & County, Delaware:2011-2012

		Wks. 40-52	Wk. 01	Wk. 02	Wk. 03	YTD	YTD Total	YTD Cnty
								%
Statewide	0-4 years	1	0	0	1	2	5	
	5-24 years	2	0	0	0	2		
	25-49 years	0	0	0	0	0		
	50-64 years	0	1	0	0	1		
	65+ years	0	0	0	0	0		
	Unknown	0	0	0	0	0		
New Castle County	0-4 years	0	0	0	0	0	2	40.0%
	5-24 years	2	0	0	0	2		
	25-49 years	0	0	0	0	0		
	50-64 years	0	0	0	0	0		
	65+ years	0	0	0	0	0		
	Unknown	0	0	0	0	0		
Kent County	0-4 years	0	0	0	0	0	0	0.0%
	5-24 years	0	0	0	0	0		
	25-49 years	0	0	0	0	0		
	50-64 years	0	0	0	0	0		
	65+ years	0	0	0	0	0		
	Unknown	0	0	0	0	0		
Sussex County	0-4 years	1	0	0	1	2	3	60.0%
	5-24 years	0	0	0	0	0		
	25-49 years	0	0	0	0	0		
	50-64 years	0	1	0	0	1		
	65+ years	0	0	0	0	0		
	Unknown	0	0	0	0	0		



Number of Influenza Hospitalizations by Age-group and Week, Delaware:2011-2012								
		Wks. 40-52	Wk. 01	Wk. 02	Wk. 03	YTD	YTD Total	YTD Cnty %
Statewide	0-4 years	0	0	0	0	0	1	
	5-24 years	0	0	0	0	0		
	25-49 years	0	0	0	0	0		
	50-64 years	0	1	0	0	1		
	65+ years	0	0	0	0	0		
New Castle County	0-4 years	0	0	0	0	0	0	0.0%
	5-24 years	0	0	0	0	0		
	25-49 years	0	0	0	0	0		
	50-64 years	0	0	0	0	0		
	65+ years	0	0	0	0	0		
Kent County	0-4 years	0	0	0	0	0	0	0.0%
	5-24 years	0	0	0	0	0		
	25-49 years	0	0	0	0	0		
	50-64 years	0	0	0	0	0		
	65+ years	0	0	0	0	0		
Sussex County	0-4 years	0	0	0	0	0	1	100.0%
	5-24 years	0	0	0	0	0		
	25-49 years	0	0	0	0	0		
	50-64 years	0	1	0	0	1		
	65+ years	0	0	0	0	0		

Number of Influenza Hospitalizations by Sub-type & County								
		Wks. 40-52	Wk. 01	Wk. 02	Wk. 03	YTD	YTD Total	YTD Cnty %
Statewide	A (2009 H1)	0	0	0	0	0	1	
	A (H3)	0	0	0	0	0		
	A (snp)*	0	0	0	0	0		
	B	0	1	0	0	1		
New Castle County	A (2009 H1)	0	0	0	0	0	0	0.0%
	A (H3)	0	0	0	0	0		
	A (snp)*	0	0	0	0	0		
	B	0	0	0	0	0		
Kent County	A (2009 H1)	0	0	0	0	0	0	0.0%
	A (H3)	0	0	0	0	0		
	A (snp)*	0	0	0	0	0		
	B	0	0	0	0	0		
Sussex County	A (2009 H1)	0	0	0	0	0	1	100.0%
	A (H3)	0	0	0	0	0		
	A (snp)*	0	0	0	0	0		
	B	0	1	0	0	1		

* (snp) - (sub-typing not performed)

Influenza-Related Deaths:

Total Influenza-related Deaths: Delaware 2011-2012 Influenza season	Wks. 40-52	Wk. 01	Wk. 02	Wk. 03	YTD
	0	0	0	0	0

<u>Annual Seasonal Influenza Case Totals</u>	
2004 – 2005	995
2005 – 2006	541
2006 – 2007	508
2007 – 2008	1,401
2008 – 2009	738
2009 – 2010	2,247
2010 – 2011	1,470
2011 – 2012	5

NOTE: The data provided may not be a true reflection of the total number of people who have been infected with influenza virus in Delaware, chiefly due to the following:

- Many people ill with influenza-like symptoms do not seek medical care; and
- Many who do seek medical care are not tested for influenza.


Level of Influenza Activity in Delaware, Week 03, 2012:

Sporadic	➔ : Isolated laboratory confirmed cases <u>OR</u> a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.
➔ Influenza-like illness (ILI) is defined as patients presenting with fever over 100° F, cough and/or sore throat in the absence of a known cause other than influenza.	
<ul style="list-style-type: none">➔ No Activity: No laboratory confirmed cases of influenza and no increase in the number of reports of ILI above regional baseline for the season.➔ Sporadic: Isolated laboratory confirmed cases <u>OR</u> a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.➔ Local: Increased ILI above the regional baseline for the season in a single county; ILI activity in other counties is not increased above baseline AND recent (within the past three weeks) laboratory evidence of influenza in the county with increased ILI <u>OR</u> two or more institutional outbreaks (ILI or laboratory confirmed flu) in a single county AND recent (within the past three weeks) laboratory evidence of influenza in the county with the outbreaks; virus activity is no greater than sporadic in other counties.➔ Regional: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least 2 but less than half the regions of the state. (This level of activity does not apply for small states with 4 or fewer regions.)➔ Widespread: Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed influenza in at least two of the three counties.	

ILINet (Sentinel) Provider Surveillance Network:


ILINet providers conduct surveillance for ILI in collaboration with the Division of Public Health and the Centers for Disease Control and Prevention. Data reported by ILINet providers, in combination with other influenza surveillance data, provide a national and statewide picture of influenza virus and ILI activity in the U.S.

**Influenza-like illness reported from ILINet Providers
Delaware, 2011-2012
9 of 15 Sentinel Providers reporting**




* - Regional Baseline for 2011-2012 applicable to: Region 3 (Delaware, District of Columbia, Maryland, Pennsylvania, Virginia & West Virginia); baseline= 2.5%.


Hospital Electronic Surveillance ILI Data: Delaware, 2011-2012
5 of 7 hospitals reporting (Al DuPont, Beebe, Christiana, Wilmington & St. Francis)




Hospital Manual Surveillance ILI Data: Delaware, 2011-2012
Nanticoke Hospital reporting




**Influenza-like illness reported from Federally Qualified Health Centers (FQHCs):
Delaware 2011-2012
2 of 2 FQHCs reporting**




**Influenza-like illness reported by Long-Term Care Facilities (LTCFs):
Delaware, 2011-2012
15 of 19 facilities reporting**




**Influenza-like illness reported by Colleges/Universities:
Delaware, 2011-2012
2 of 3 schools reporting (Delaware State University & University of Delaware)**



**Influenza-like illness reported by Daycare Providers: Delaware, 2011-2012
5 of 13 providers reporting**



**Influenza-like illness reported by Correctional Facilities:
 Delaware, 2011-2012
 8 of 11 facilities reporting**



The Division of Public Health is committed to serving you better. If you have not found the answers to your questions, please visit flu.delaware.gov or call (302) 744-4704.