



API Reference

# Application Cost Profiler



**API Version 2020-09-10**

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

## Application Cost Profiler: API Reference

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

Welcome .....	1
Actions .....	2
DeleteReportDefinition .....	3
Request Syntax .....	3
URI Request Parameters .....	3
Request Body .....	3
Response Syntax .....	3
Response Elements .....	3
Errors .....	4
See Also .....	4
GetReportDefinition .....	6
Request Syntax .....	6
URI Request Parameters .....	6
Request Body .....	6
Response Syntax .....	6
Response Elements .....	7
Errors .....	8
See Also .....	9
ImportApplicationUsage .....	10
Request Syntax .....	10
URI Request Parameters .....	10
Request Body .....	10
Response Syntax .....	10
Response Elements .....	11
Errors .....	11
See Also .....	12
ListReportDefinitions .....	13
Request Syntax .....	13
URI Request Parameters .....	13
Request Body .....	13
Response Syntax .....	13
Response Elements .....	14
Errors .....	14
See Also .....	15

PutReportDefinition .....	16
Request Syntax .....	16
URI Request Parameters .....	16
Request Body .....	16
Response Syntax .....	17
Response Elements .....	18
Errors .....	18
See Also .....	19
UpdateReportDefinition .....	20
Request Syntax .....	20
URI Request Parameters .....	20
Request Body .....	20
Response Syntax .....	21
Response Elements .....	22
Errors .....	22
See Also .....	23
<b>Data Types .....</b>	<b>24</b>
ReportDefinition .....	25
Contents .....	25
See Also .....	26
S3Location .....	27
Contents .....	27
See Also .....	27
SourceS3Location .....	28
Contents .....	28
See Also .....	29
<b>Common Parameters .....</b>	<b>30</b>
<b>Common Errors .....</b>	<b>33</b>

# Welcome

## Important

AWS Application Cost Profiler API will be discontinued by September 30, 2024 and is no longer accepting new customers.

This reference provides descriptions of the AWS Application Cost Profiler API.

The AWS Application Cost Profiler API provides programmatic access to view, create, update, and delete application cost report definitions, as well as to import your usage data into the Application Cost Profiler service.

For more information about using this service, see the [AWS Application Cost Profiler User Guide](#).

This document was last published on September 5, 2024.

# Actions

The following actions are supported:

- [DeleteReportDefinition](#)
- [GetReportDefinition](#)
- [ImportApplicationUsage](#)
- [ListReportDefinitions](#)
- [PutReportDefinition](#)
- [UpdateReportDefinition](#)

# DeleteReportDefinition

Deletes the specified report definition in AWS Application Cost Profiler. This stops the report from being generated.

## Request Syntax

```
DELETE /reportDefinition/reportId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### reportId

Required. ID of the report to delete.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[0-9A-Za-z\.\-\_]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "reportId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## reportId

ID of the report that was deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[0-9A-Za-z\.\-\_]+\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have permission to perform this action.

HTTP Status Code: 403

### **InternalServerException**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **ThrottlingException**

The calls to AWS Application Cost Profiler API are throttled. The request was denied.

HTTP Status Code: 429

### **ValidationException**

The input fails to satisfy the constraints for the API.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetReportDefinition

Retrieves the definition of a report already configured in AWS Application Cost Profiler.

## Request Syntax

```
GET /reportDefinition/reportId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### reportId

ID of the report to retrieve.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[0-9A-Za-z\.\-\_]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "createdAtdestinationS3LocationbucketprefixformatlastUpdatedreportDescription
```

```
"reportFrequency": "string",  
"reportId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [createdAt](#)

Timestamp (milliseconds) when this report definition was created.

Type: Timestamp

### [destinationS3Location](#)

Amazon Simple Storage Service (Amazon S3) location where the report is uploaded.

Type: [S3Location](#) object

### [format](#)

Format of the generated report.

Type: String

Valid Values: CSV | PARQUET

### [lastUpdated](#)

Timestamp (milliseconds) when this report definition was last updated.

Type: Timestamp

### [reportDescription](#)

Description of the report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .\*\\$.\*

## reportFrequency

Cadence used to generate the report.

Type: String

Valid Values: MONTHLY | DAILY | ALL

## reportId

ID of the report retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[0-9A-Za-z\.\-\_]+\$

# Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## **AccessDeniedException**

You do not have permission to perform this action.

HTTP Status Code: 403

## **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

## **ThrottlingException**

The calls to AWS Application Cost Profiler API are throttled. The request was denied.

HTTP Status Code: 429

## **ValidationException**

The input fails to satisfy the constraints for the API.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ImportApplicationUsage

Ingests application usage data from Amazon Simple Storage Service (Amazon S3).

The data must already exist in the S3 location. As part of the action, AWS Application Cost Profiler copies the object from your S3 bucket to an S3 bucket owned by Amazon for processing asynchronously.

## Request Syntax

```
POST /importApplicationUsage HTTP/1.1
Content-type: application/json

{
  "sourceS3Locationbucketkeyregion
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### sourceS3Location

Amazon S3 location to import application usage data from.

Type: [SourceS3Location](#) object

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{  
    "importId}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### importId

ID of the import request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [0-9A-Za-z\.\-\_]\*

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have permission to perform this action.

HTTP Status Code: 403

### InternalServerError

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### ThrottlingException

The calls to AWS Application Cost Profiler API are throttled. The request was denied.

HTTP Status Code: 429

## ValidationException

The input fails to satisfy the constraints for the API.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListReportDefinitions

Retrieves a list of all reports and their configurations for your AWS account.

The maximum number of reports is one.

## Request Syntax

```
GET /reportDefinition?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### maxResults

The maximum number of results to return.

Valid Range: Minimum value of 1. Maximum value of 100.

### nextToken

The token value from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 102400.

Pattern: ^(?:[A-Za-z0-9+/]{4})\*(?:[A-Za-z0-9+/]{2}==|[A-Za-z0-9+/]{3}=)?\$

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "reportDefinitions": [
    {
      "
```

```
"createdAt": number,
"destinationS3Locationbucket": "string",
    "prefix": "string"
},
"format": "string",
"lastUpdatedAt": number,
"reportDescription": "string",
"reportFrequency": "string",
"reportId": "string"
}
]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### nextToken

The value of the next token, if it exists. Null if there are no more results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 102400.

Pattern: ^(?:[A-Za-z0-9+/]{4})\*(?:[A-Za-z0-9+/]{2}==|[A-Za-z0-9+/]{3}=)?\$

### reportDefinitions

The retrieved reports.

Type: Array of [ReportDefinition](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have permission to perform this action.

HTTP Status Code: 403

## InternalServerException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

## ThrottlingException

The calls to AWS Application Cost Profiler API are throttled. The request was denied.

HTTP Status Code: 429

## ValidationException

The input fails to satisfy the constraints for the API.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutReportDefinition

Creates the report definition for a report in Application Cost Profiler.

## Request Syntax

```
POST /reportDefinition HTTP/1.1
Content-type: application/json

{
  "destinationS3LocationbucketprefixformatreportDescriptionreportFrequencyreportId
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### destinationS3Location

Required. Amazon Simple Storage Service (Amazon S3) location where Application Cost Profiler uploads the report.

Type: [S3Location](#) object

Required: Yes

### format

Required. The format to use for the generated report.

Type: String

Valid Values: CSV | PARQUET

Required: Yes

### reportDescription

Required. Description of the report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .\*\\$ .\*

Required: Yes

### reportFrequency

Required. The cadence to generate the report.

Type: String

Valid Values: MONTHLY | DAILY | ALL

Required: Yes

### reportId

Required. ID of the report. You can choose any valid string matching the pattern for the ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[0-9A-Za-z\.\-\_]+\$

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
    "reportId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [reportId](#)

ID of the report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[0-9A-Za-z\.\-\\_]+\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have permission to perform this action.

HTTP Status Code: 403

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **ServiceQuotaExceededException**

Your request exceeds one or more of the service quotas.

HTTP Status Code: 402

### **ThrottlingException**

The calls to AWS Application Cost Profiler API are throttled. The request was denied.

HTTP Status Code: 429

## ValidationException

The input fails to satisfy the constraints for the API.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateReportDefinition

Updates existing report in AWS Application Cost Profiler.

## Request Syntax

```
PUT /reportDefinition/reportId HTTP/1.1
Content-type: application/json

{
  "destinationS3Locationbucketstring",
    "prefixstring"
  },
  "formatstring",
  "reportDescriptionstring",
  "reportFrequencystring"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### reportId

Required. ID of the report to update.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[0-9A-Za-z\.\-\_]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### destinationS3Location

Required. Amazon Simple Storage Service (Amazon S3) location where Application Cost Profiler uploads the report.

Type: [S3Location](#) object

Required: Yes

### format

Required. The format to use for the generated report.

Type: String

Valid Values: CSV | PARQUET

Required: Yes

### reportDescription

Required. Description of the report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .\*\\$ .\*

Required: Yes

### reportFrequency

Required. The cadence to generate the report.

Type: String

Valid Values: MONTHLY | DAILY | ALL

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "reportId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### reportId

ID of the report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[0-9A-Za-z\.\-\_]+\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have permission to perform this action.

HTTP Status Code: 403

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **ThrottlingException**

The calls to AWS Application Cost Profiler API are throttled. The request was denied.

HTTP Status Code: 429

### **ValidationException**

The input fails to satisfy the constraints for the API.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The AWS Application Cost Profiler API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ReportDefinition](#)
- [S3Location](#)
- [SourceS3Location](#)

# ReportDefinition

The configuration of a report in AWS Application Cost Profiler.

## Contents

### createdAt

Timestamp (milliseconds) when this report definition was created.

Type: Timestamp

Required: No

### destinationS3Location

The location in Amazon Simple Storage Service (Amazon S3) the reports should be saved to.

Type: [S3Location](#) object

Required: No

### format

The format used for the generated reports.

Type: String

Valid Values: CSV | PARQUET

Required: No

### lastUpdatedAt

Timestamp (milliseconds) when this report definition was last updated.

Type: Timestamp

Required: No

### reportDescription

Description of the report

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `.*\$ .*`

Required: No

### **reportFrequency**

The cadence at which the report is generated.

Type: String

Valid Values: MONTHLY | DAILY | ALL

Required: No

### **reportId**

The ID of the report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[0-9A-Za-z\.\-\_]+\$`

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# S3Location

Represents the Amazon Simple Storage Service (Amazon S3) location where AWS Application Cost Profiler reports are generated and then written to.

## Contents

### bucket

Name of the S3 bucket.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: (?=^.{3,63}\$)(?!^(\d+\.).+\d+\$)(^(([a-z0-9] | [a-z0-9][a-z0-9\-\-]\*[a-z0-9])\.)\*([a-z0-9] | [a-z0-9][a-z0-9\-\-]\*[a-z0-9])\$)

Required: Yes

### prefix

Prefix for the location to write to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: .\*\\$.\*

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SourceS3Location

Represents the Amazon Simple Storage Service (Amazon S3) location where usage data is read from.

## Contents

### bucket

Name of the bucket.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: (?=^.{3,63}\$(?!^(\d+\.).+\d+\$)(^(([a-z0-9]|[a-z0-9][a-z0-9\-\-]\*[a-z0-9])\.)\*([a-z0-9]|[a-z0-9][a-z0-9\-\-]\*[a-z0-9])\$)

Required: Yes

### key

Key of the object.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: .\*\\$.\*

Required: Yes

### region

Region of the bucket. Only required for Regions that are disabled by default. For more information about Regions that are disabled by default, see [Enabling a Region](#) in the *AWS General Reference guide*.

Type: String

Valid Values: ap-east-1 | me-south-1 | eu-south-1 | af-south-1

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

## Action

The action to be performed.

Type: string

Required: Yes

## Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request").

The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

#### X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

#### X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

#### X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

# Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

## **ExpiredTokenException**

The security token included in the request is expired

HTTP Status Code: 403

## **IncompleteSignature**

The request signature does not conform to AWS standards.

HTTP Status Code: 403

## **InternalFailure**

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

## **MalformedHttpRequestException**

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

## **NotAuthorized**

You do not have permission to perform this action.

HTTP Status Code: 401

## **OptInRequired**

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

### **RequestAbortedException**

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

### **RequestEntityTooLargeException**

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

### **RequestExpired**

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

### **RequestTimeoutException**

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

### **ServiceUnavailable**

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 400

### **UnrecognizedClientException**

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

## **UnknownOperationException**

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

## **ValidationError**

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400