

**United States Postal Service<sup>®</sup>**

**Technical Specifications**

# **Informed Delivery<sup>®</sup> API**

Mail and Package Campaigns

API Version 1.0 (v1)

Last Updated Date: June 1, 2022

Document Version: 4.0.1

## Preface

This comprehensive technical specification outlines the steps and criteria for submitting Informed Delivery interactive campaigns for Mail and Packages via the Informed Delivery API.

This document has been prepared for commercial shippers, mailers, marketers, or Information Technology (IT) staff members who use data to prepare or produce interactive Informed Delivery campaigns.

The technical specifications in this document provide an overview of the Informed Delivery campaign features, as well as the programming requirements for submitting Informed Delivery interactive campaigns via the Informed Delivery API.

USPS owns the following trademarks: Informed Delivery, Intelligent Mail<sup>®</sup>, IM<sup>®</sup>, IMb<sup>®</sup>, IMpb<sup>®</sup>, Postal Service<sup>™</sup>, The Postal Service<sup>®</sup>, United States Postal Service<sup>®</sup>, USPS<sup>®</sup>, and ZIP Code<sup>™</sup>.

*Email the USPS Informed Delivery API Support Team at [USPSInformedDeliveryAPI@usps.gov](mailto:USPSInformedDeliveryAPI@usps.gov) with any questions or comments related to this guide.*

## Change History Log

Below is a log of all changes made to this document.

Version	Date	Section	Release Functionality	Description
3.0	5/27/2021	2.3	n/a	Signing up for Shipper Campaign Portal – Changed section so that it refers back to the Package Campaign User Guide for instructions on signing up for the Shipper Campaign Portal instead of giving steps on doing this in CAT.
3.0	5/27/2021	2.3	n/a	Signing up for Shipper Campaign Portal – Adding back in the steps on signing up for the Shipper Campaign Portal in the CAT environment.
4.0	7/23/2021		3.2.0	<ul style="list-style-type: none"> <li>Added Troubleshooting section</li> <li>Updated versioning of the API and Schemas</li> <li>Added new features – Edit, Query, Cancel and Delete</li> <li>Added section on the https protocol for USPS</li> <li>Added query string samples</li> <li>Update errors and added new ones for the new features added</li> </ul>
4.0	3/1/2022	All	4.0.0	<ul style="list-style-type: none"> <li>Reviewed all documentation and updated schemas to reflect changes made to new features – Edit, Query, Cancel and Delete.</li> <li>Added Mail Campaign features and configurations.</li> <li>Updated the new IDServerError format for Web Tool and Informed Delivery server-side errors.</li> </ul>
4.0.1	6/1/2022	All	4.0.1	<ul style="list-style-type: none"> <li>Added the TargetAPI tag to all messages to accommodate the addition of Mail Campaigns.</li> <li>Added verbiage for barcode-count field being 0 for MID and SEQ campaigns</li> <li>Added verbiage indicating that eq cannot be used on datetime fields in queries – must use lt, lte, gt, gte on datetime fields and provide two parameters to query a range of dates.</li> <li>Added verbiage on how to handle special characters in the Target URL and other text fields.</li> <li>Updated the RideAlongTargetURL and RideAlongImage fields to a capital A for “Along” in Create Campaign and Edit Campaign Requests.</li> </ul>

## TABLE OF CONTENTS

<b>1</b>	<b>Program Overview .....</b>	<b>6</b>
1.1	Informed Delivery Consumer View .....	6
1.2	Processing Category/Shape Information.....	7
1.3	Informed Delivery Campaign Data Elements .....	7
1.3.1	<i>Mail Campaign Data Elements .....</i>	<i>7</i>
1.3.2	<i>Package Campaign Data Elements .....</i>	<i>8</i>
1.4	Campaign Treatment Application Process .....	8
1.5	Informed Delivery Campaign Reports .....	8
1.5.1	<i>Mail Campaign Reports.....</i>	<i>8</i>
1.5.2	<i>Package Campaign Reports .....</i>	<i>8</i>
1.6	Informed Delivery Application Programming Interface (API) .....	8
<b>2</b>	<b>Informed Delivery API – Onboarding .....</b>	<b>9</b>
2.1	Overview of Steps for ID API Onboarding .....	9
2.2	Creating a Test (CAT) BCG Account and Permit for Testing .....	12
2.2.1	<i>BSA Information .....</i>	<i>17</i>
2.3	Signing up for Shipper or Mailer Campaign Portal in Testing (CAT) BCG .....	18
2.4	Recommended CAT Testing – Prior to Production.....	21
2.5	Quick Start – Setting Up a Testing Environment .....	23
2.5.1	<i>How to Set Up an API Create Campaign CAT Test Environment Using Postman .....</i>	<i>23</i>
2.5.2	<i>How to Set Up an API Create Campaign CAT Test Environment Using ReadyAPI .....</i>	<i>24</i>
<b>3</b>	<b>Informed Delivery API Technical Specification .....</b>	<b>26</b>
3.1	Current Informed Delivery API Versions Supported.....	26
3.2	HTTPS Secure Encryption of Data.....	26
3.3	Informed Delivery API Features Road Map .....	26
3.4	Environments and API Endpoints .....	27
3.4.1	<i>Customer Acceptance Testing (CAT) Environment .....</i>	<i>27</i>
3.4.2	<i>Production (PROD) Environment.....</i>	<i>27</i>
3.5	Create Campaign API - Technical Specification .....	28
3.5.1	<i>ID Create Campaign Request (POST).....</i>	<i>28</i>
3.5.2	<i>ID Create Campaign Response .....</i>	<i>30</i>
3.6	Add Barcode API - Technical Specification .....	32

3.6.1	<i>ID Add Barcode Request (POST)</i> .....	32
3.6.2	<i>ID Add Barcode Response</i> .....	35
3.7	Edit Campaign API - Technical Specification.....	39
3.7.1	<i>ID Edit Campaign Request (PUT)</i> .....	39
3.7.2	<i>ID Edit Campaign Response</i> .....	42
3.8	Query Campaign API - Technical Specification .....	43
3.8.1	<i>ID Query Campaign Request (GET)</i> .....	43
3.8.2	<i>ID Query Campaign Response</i> .....	52
3.9	Cancel Campaign API - Technical Specification .....	55
3.9.1	<i>ID Cancel Campaign Request (POST)</i> .....	55
3.9.2	<i>ID Cancel Campaign Response</i> .....	57
3.10	Delete Campaign API - Technical Specification .....	58
3.10.1	<i>ID Delete Campaign Request (POST)</i> .....	58
3.10.2	<i>ID Delete Campaign Response</i> .....	60
3.11	Error Handling .....	61
3.11.1	<i>Client-Side (WebtoolsCommon) Informed Delivery API Error Messages</i> .....	62
3.12	Errors and Warnings.....	64
3.12.1	<i>Client-Side Informed Delivery API Errors</i> .....	64
3.12.2	<i>Server-Side Informed Delivery API Errors and Warnings</i> .....	65
<b>4</b>	<b>Troubleshooting .....</b>	<b>72</b>
4.1	XML Schema Definitions.....	72
<b>5</b>	<b>Informed Delivery Legal Terms and Conditions.....</b>	<b>73</b>

# 1 Program Overview

Informed Delivery is an optional, free feature that gives residential and PO Box™ consumers the ability to digitally preview their mail and manage their packages arriving soon. Participating commercial mailers and shippers can conduct an Informed Delivery interactive campaign by providing USPS with supplemental content: a Ride-along Image, a Target URL, and a Representative Image.

The required Ride-along Image is a clickable color image that directs the user to the Target URL. This supplemental content allows Informed Delivery users to take immediate action on mailpieces and helps bridge the gap between the physical and digital world. The Representative Image (available only on mail campaigns) is a color image chosen by the mailer that will be used in place of the scanned grayscale image of the mailpiece. The Representative Image is optional for Letters but required for Flats.

For Package campaigns, shippers can conduct Informed Delivery interactive campaigns by providing USPS with supplemental content in the form of a Ride-along Image and a Target URL. Representative Images are not used in package campaigns.

## 1.1 Informed Delivery Consumer View

Informed Delivery users can view grayscale images of Letter mail processed through automation equipment. Supplemental content from participating commercial mailers is made available via email notification, an online dashboard, or the USPS mobile app. With Informed Delivery, consumers can see what is coming to their mailbox anytime, anywhere — even while traveling.




Figure 1: Informed Delivery Consumer View in Daily Digest - Mail Campaign Example

Package campaigns appear below the mail section and include information on packages **Arriving Today** and **Arriving Soon**. See below for an example of what the Daily Digest email looks like with a package campaign present.



Figure 2: Informed Delivery Consumer View in Daily Digest - Package Campaign Example

## 1.2 Processing Category/Shape Information

USPS uses existing processes that provide a digital image of the exterior of mailpieces as they are processed through automation equipment. These images are then used to provide digital notifications to users in advance of the delivery of physical mail. Therefore, a mailpiece must be *automation compatible* and scanned through USPS automation equipment in order to be presented to an Informed Delivery user.

- USPS digitally images the address side of every Letter and Card that runs through automation equipment and shares those digital images with Informed Delivery users.
- Unlike Mail, Packages are not scanned through USPS automation equipment, so Package campaigns do not display a scanned grayscale image of the package on the dashboard. When conducting an interactive campaign on packages, USPS only requires shippers to provide a Ride-along Image and Target URL with the campaign data.

## 1.3 Informed Delivery Campaign Data Elements

### 1.3.1 Mail Campaign Data Elements

For more detailed information on Informed Delivery campaign features and requirements as well as general Informed Delivery Program information, visit the [Informed Delivery for Business Mailers](#) website. All mailers must review the materials below (available on the [Informed Delivery for Business Mailers](#) website) prior to conducting an Informed Delivery Mail campaign:

- [Informed Delivery Overview](#)
- [Interactive Campaign Guide](#)
- [Campaign Image Requirements](#)
- [Interactive Campaign FAQs](#)
- [User and Household Data](#)
- [Informed Delivery Mailer Campaign Portal Tutorial](#)

### 1.3.2 Package Campaign Data Elements

For more information on Package Campaign features and requirements, refer to the *Package Campaigns User Guide*. All Shippers must review this document prior to conducting Informed Delivery Package campaigns.

## 1.4 Campaign Treatment Application Process

Campaign treatment is defined as a set of images (Ride-Along Image and/or Representative Image) and the Target URL that are applied to a mailpiece IMb or package IMpb. Upon receipt of the scan and/or imaging data from Mail Processing Equipment (MPE), the Informed Delivery application matches the IMb/IMpb MID/Serial combination or full barcode to a campaign in Informed Delivery and applies the associated campaign treatment to the mail pieces for consumer view.

## 1.5 Informed Delivery Campaign Reports

### 1.5.1 Mail Campaign Reports

Mail Pre-Campaign Analysis and Post Campaign Reports are available in the Informed Delivery Mailer Campaign Portal (MCP). See the [Mailer Campaign Portal User Guide](#) on the MCP for more information. The latest version of this document along with other useful documentation are posted on the MCP under [How It Works](#).

Informed Delivery Mail Post Campaign Report details are also integrated into Informed Visibility Mail Tracking and Reporting® (MTR®). This enables business mailers to view Informed Delivery post campaign data including email opens, click-through rates and delivery dates from a single application.

- Mail Tracking (Scan) Data is event-based data and allows mailers to see where their mail is in the network.
  - For additional information about the Informed Delivery-IV MTR feature, please reference the [Informed Delivery-IV MTR User Guide](#) found on the [IV-MTR PostalPro™](#) page. This user guide describes prerequisites for receiving mail tracking data through IV-MTR, the data provisioning options available, and how to use the application.
- Informed Delivery Post Campaign (IDPC) Detailed Data includes: click-throughs, email opens, delivery dates, recipient ZIP, and image placement in email.
  - Information regarding the Informed Delivery data that is provided by IV-MTR can be found in the *Informed Visibility-Informed Delivery Data Dictionary* ([XLS 31.6 KB](#)) and *Post-Campaign Sample Data Set* ([XLS 13.1KB](#)) on the [Informed Delivery Business Mailer's website](#).

### 1.5.2 Package Campaign Reports

Post Campaign Reports for Package campaigns will be available soon. See the *Package Campaigns User Guide* for more information.

## 1.6 Informed Delivery Application Programming Interface (API)

The Informed Delivery API allows integrators to access the Campaign Management features of Informed Delivery via an Application Programming Interface (API). The Informed Delivery API can be accessed with valid Business Customer Gateway (BCG) credentials and granted service-function access (defined in Section 2, Informed Delivery API – Onboarding). The Informed Delivery API is based on Extensible Markup Language (XML) and follows the REST API model.



## 2 Informed Delivery API – Onboarding

### 2.1 Overview of Steps for ID API Onboarding

#### Step 1 – Support Contact Information

##### Informed Delivery Support Teams and Roles

Two USPS teams support the Informed Delivery (ID) API. Application support roles for the Informed Delivery API are outlined below.

##### ID API - Informed Delivery API Team

The ID API team responds to all Informed Delivery API questions, including integration, onboarding, Customer Acceptance Testing (CAT), and production support.

##### IDPO - Informed Delivery Package Campaigns

The Informed Delivery Program Office (IDPO) handles all Informed Delivery Package Campaign questions, including general campaign questions related to supplemental content specifications, the Shipper Campaign Portal (MCP), and reporting.

##### IDPO - Informed Delivery Mail Campaigns

For all general Informed Delivery Mail Campaign questions, including general campaign questions related to supplemental content specifications, the Mailer Campaign Portal (MCP), and reporting.

Contact Email
<a href="mailto:USPSInformedDeliveryAPI@usps.gov">USPSInformedDeliveryAPI@usps.gov</a>
<a href="mailto:IDPackageCampaigns@usps.gov">IDPackageCampaigns@usps.gov</a>
<a href="mailto:USPSInformedDeliveryCampaigns@usps.gov">USPSInformedDeliveryCampaigns@usps.gov</a>

#### Step 2 – Reference Materials

##### Review Reference Materials

Before conducting any campaigns, please read through the **Package Campaigns User Guide** or the [Informed Delivery Interactive Campaign Guide](#), depending on what types of campaigns you intend to create. These documents can be obtained by sending a request to [IDPackageCampaigns@usps.gov](mailto:IDPackageCampaigns@usps.gov) or [USPSInformedDeliveryCampaigns@usps.gov](mailto:USPSInformedDeliveryCampaigns@usps.gov).

#### Step 3 – Send Email to the USPS Informed Delivery API Team

Email the Informed Delivery API Team at [USPSInformedDeliveryAPI@usps.gov](mailto:USPSInformedDeliveryAPI@usps.gov) stating your intent to start testing Informed Delivery Campaigns via the Informed Delivery API. Please provide the following information:

- Point of Contact Name
- Phone Number
- Name of Company

### Step 4 – Confirmation of Existing BCG CAT Account(s)

Coordinate with your organization’s IT/Business department and the USPS API Team to determine if the organization has previously submitted mail or package campaigns in the Business Customer Gateway (BCG) Customer Acceptance Testing (CAT) environment.

- If the organization **has not** previously participated in BCG CAT testing, then go to **Step 5** to create a new CAT BCG account.
- If the organization **has** previously participated in BCG CAT testing, then go to **Step 6**.

### Step 5 – Set Up a New BCG CAT Account

Request a new CAT BCG account by following the steps below. (Note: Production accounts cannot be used to test in the CAT system. **You must have separate CAT credentials with associated CAT MID and CRID to test in CAT.**)

1. Visit the USPS **BCG CAT** Environment.  
(<https://gateway-cat.usps.com/eAdmin/view/signin>)
2. Create a CAT BCG account:
  1. Click the **Sign Up for the BCG** button.
  2. Create a username and password
  3. Select security questions
  4. Provide phone and email contact information
  5. Provide company name, information, and address

**For detailed instructions, see Section 2.2 – Creating a Test (CAT) BCG Account and Permit for Testing.**

3. Once the above is completed, a BCG Business Account will be granted. The user will be automatically assigned a new CAT BCG **Customer Registration Identification (CRID)** and **Mailer ID (MID)**. (Note: The CRID and MID are only for use in CAT and cannot be used in the production environment.)
4. After completing step 3, your CRID and MID credentials will appear on the application interface. . Additionally, a confirmation of the credentials will be sent to the registered email address on file. Make note of these credentials below or in the **Your Notes** section to the right. This will be needed to submit any jobs in the CAT environment.
5. **If you are not the (Business Service Administrator) BSA, you may need to wait for approval from your assigned BSA before you can use the new CAT BCG account. Contact [MSSC@usps.gov](mailto:MSSC@usps.gov) if you need assistance with this.**

Your Notes

6. Email the Informed Delivery API Team with the following information:
  - CRID:
  - MID:
  - Company Name:
  - Address:
  - Point of Contact:
  - Request access to the WT2API Service and Service-Function you intend to use:  
**Package - WT2RMINCAMPAIGN**  
**Mail - WT2RMINMAILCAMPAIGN**
  
7. Sign up for the Shipper Campaign Portal (SCP) or Mailer Campaign Portal (MCP) in the BCG. **See Section 2.3 for more information.**


### Step 6 – Use existing BCG CAT Account

If your organization has participated in *PostalOne!* CAT testing before, please acquire your organization's *PostalOne!* CAT credentials and note them below. If the credentials are not accessible (the responsible party no longer works at the company or password is not known), contact [MSSC@usps.gov](mailto:MSSC@usps.gov) for assistance.

- Username:
- Password:
- Customer Registration ID (CRID):
- Mailer ID (MID):
- Permit Account Number:
- ZIP Code™ related the Permit:


**NOTE: If the previously created account information cannot be acquired, then a new account will need to be created. See Section 2.2 – Creating a Test (CAT) BCG Account and Permit for Testing.**

Your Notes


## 2.2 Creating a Test (CAT) BCG Account and Permit for Testing

**Step 1.** Go to <https://gateway-cat.usps.com/eAdmin/view/signin>

**Step 2.** Click the **Sign Up for the BCG** button.



**Step 3.** Select a username to enter in the **Pick a Username** box. Enter your Password and fill out the security question information.



**Step 4. Enter contact information for the account.**

The screenshot shows a web browser window with the URL [https://catpx-custreg.usps.com/entreg/RegistrationBusinessAction\\_input](https://catpx-custreg.usps.com/entreg/RegistrationBusinessAction_input). The page is titled "Step 3: Enter your contact information" and includes instructions: "Please review and edit your contact information for your USPS account" and a note that an asterisk indicates a required field. The form is divided into several sections:

- Name:** Includes fields for Title (dropdown menu), First Name (text input: "John"), M.I. (text input), Last Name (text input: "Doe"), and Suffix (dropdown menu).
- Email & Phone:** Includes Email Address ID (text input: "myEmail@something.com"), Re-Type Email Address (text input: "myEmail@something.com"), Type (dropdown menu: "US"), Phone (text input: "2026360000"), and Ext. (text input: "1123"). There is also a Mobile (U.S. Only) field.
- Can we contact you?:** Includes a checkbox for "From USPS" and a checked checkbox for "From USPS Partners".
- Step 4: Find address by...:** Includes instructions: "Please enter the address so USPS can find the best deliverable option for you." and radio buttons for "Address" (selected), "ZipCode™", and "Company Identifier".
- Step 5: Find by address:** Includes a text input field labeled "Enter your address".

A "Feedback" button is visible on the right side of the form.


**Step 5. Enter address information for the account, then click the Verify Address button.**

The screenshot shows the same web browser window, now displaying "Step 5: Find by address". The instructions are: "Fill out all the required fields and validate your address so it can be verified as a valid delivery address." and a note that an asterisk indicates a required field. The form includes the following fields:


- Enter your address:**
  - Country (dropdown menu: "UNITED STATES")
  - Company Name (text input: "USPS")
  - Street Address (text input: "900 Brentwood Rd NE")
  - Apt/Suite/Other (text input)
  - City (text input: "Washington")
  - State (dropdown menu: "DC - District of Columbia")
  - ZIP Code™ (text input: "20066")

A "Verify Address" button is located at the bottom of the form. A "Feedback" button is visible on the right side.


**Step 6.** Choose one of the valid mailing addresses on the right under **Possible Addresses** by clicking the radio button next to the address and clicking the **Continue** button.




**Step 7.** Choose an existing record if it matches the original address you entered by clicking on the radio button to the left of the address under **Existing Records**. If none of them match, click the radio button next to Original Address. Click **Continue**.




**Step 8.** Review the privacy policy and acknowledge it by clicking the **Create Account** button.




**Step 9.** If account creation is successful, the screen will display **“And you’re registered!”** Wait for the page to be redirected for the next step. This should just take a few seconds.



**Step 10.** You will be redirected to the below screen to verify your account information. Review your account information and the *Terms and Conditions* carefully. If you are asked to agree to become the BSA for any services that do not have one assigned, make sure you select **Yes**. Click the **Continue** button.




**Step 11.** Next, you will be brought to the final page with the statement **“You’re signed up!”** **Make sure you write down the new account information, including the business location address and the new CRID and MID.** Once you have done so, click the **Continue** button at the bottom of the screen.






**Step 10.** You will then be brought to the main CAT BCG page.



**Your CAT BCG account set up is now complete!**

### 2.2.1 BSA Information

If you select **No** to the question agreeing to be the Business Service Administrator (BSA) for any services that do not already have a BSA, your request will be pending until the BSA approves it. If a BSA is not currently assigned, the request for access will not be approved. If available, always select **Yes** in case a BSA has not yet been assigned.




If a **BSA** is already assigned, you can find out who the BSA is by navigating to **Manage Account – Manage Services**. In that section under **Manage Mailing Activity**, you can find out who the BSA is for the service you are requesting. That person will need to approve the user's request for access to Manage Mailing Activity. Click on **Not You** next to **Manage Mailing Activity** to see the name of the BSA responsible for approving your access.


## 2.3 Signing up for Shipper or Mailer Campaign Portal in Testing (CAT) BCG

**Step 1.** Go to <https://gateway-cat.usps.com/eAdmin/view/signin>


**Step 2.** Click on the **Sign in to the BCG** button.




**Step 3.** Enter the username and password for the CAT BCG credentials you just set up in the previous section (or existing credentials that you may have access to for CAT BCG).



**Step 4.** Click on **Additional Services** from the top menu bar.




**Step 5.** Click on the **Get Access** button to the right of the **Informed Delivery Shipper Campaign Portal** or the **Informed Delivery Mailer Campaign Portal**, depending on which type of campaigns you will be creating. If you see the blue **Go to Service** button, you already have access to the service.



(Note: Signing up for these services will initiate the process that grants your CRID the permissions needed to submit campaigns via the API. You will not, however, be able to view/access the MCP or SCP in CAT because it is not accessible outside of the USPS network.)

**Step 6.** The **Get Access** button will change to “Pending Help Desk.” Once the Help Desk approves your request, the button will change to **Go To Service**. The registered email on the account will receive an email confirming the pending status, and once it has been processed by the Help Desk, you will receive an email informing you of the status change.



(Note: the CAT BCG Shipper Campaign Portal and Mailer Campaign Portal are **not accessible outside of the USPS Network** so you will not be able to confirm creation of campaigns in the portal yourself. Work with the Informed Delivery API Support Team ([USPSInformedDeliveryAPI@usps.gov](mailto:USPSInformedDeliveryAPI@usps.gov)) to verify successful campaign creation via the API during the CAT testing phase.)

## 2.4 Recommended CAT Testing – Prior to Production

### Campaign Testing Scenarios

The following test scenarios are highly recommended for Informed Delivery API Create Campaign and Add Barcode submissions prior to submitting requests in Production.

#### Mailer Information

<b>Mailer Name</b>	
<b>Mailer Email Address</b>	
<b>Mailer Phone Number</b>	

### Informed Delivery API CAT Testing Scenarios

Test #	Test Name	Type	Test Description	Test Date
1	Create Campaign – Mail or Package	Positive	Submit <b>Create Campaign Request</b> to successfully create a campaign.	
2	Campaign Uniqueness – Mail or Package	Negative	Submit second <b>Create Campaign Request</b> with the same Campaign Code, Campaign Grouping Code and Campaign MID from Test 1 – This should fail the uniqueness test.	
3	Same Campaign Code – Different Campaign Grouping Code. Package Campaigns only	Positive	Submit a second <b>Create Campaign Request</b> where the Campaign Code is the same as a prior success request, but the Campaign Grouping Code is different. This should successfully create a second campaign with the same Campaign Code under a different Campaign Grouping Code.	
4	Add Barcodes to <b>Submitted</b> Campaign NON-SEQ (A01) campaigns only	Positive	Submit <b>Add Barcode Request</b> to an existing campaign in “Submitted” status. This will add barcodes to the campaign.	
5	Add Barcodes to <b>Active</b> Campaign NON-SEQ (A01) campaigns only	Positive	Submit <b>Add Barcode Request</b> to an existing campaign in “Active” status. This will add barcodes to the campaign.	
6	Add 25 Barcodes NON-SEQ (A01) campaigns only	Positive	Submit <b>Add Barcode Request</b> to an existing campaign that contains 25 barcodes in a single message. This will add 25 barcodes to the campaign.	
7	Add More Than 25 Barcodes NON-SEQ (A01) campaigns only	Negative	Submit <b>Add Barcode Request</b> to an existing campaign that contains more than 25 barcodes in a single message. This should fail since the maximum allowed is 25.	
8	Edit Campaign		Submit an <b>Edit Campaign Request</b> to edit one or more elements of an existing campaign. (Ex: Campaign Title)	

9	Delete Campaign		Submit a <b>Delete Campaign Request</b> to delete a campaign in Submitted status.	
10	Cancel Campaign		Submit a <b>Cancel Campaign Request</b> to cancel a campaign in Active status.	
11	Query Single Campaign		Submit a <b>Query Campaign Request</b> to query a single campaign's details.	
12	Query Campaigns – Collection		Submit a <b>Query Campaign Request</b> to query a collection of campaigns using either the adhoc or ezsearch options.	

## 2.5 Quick Start – Setting Up a Testing Environment

### 2.5.1 How to Set Up an API Create Campaign CAT Test Environment Using Postman

1. Select **POST** from the method drop down menu.
2. Type **https://stg-secure.shippingapis.com/shippingapi.dll** as the endpoint for the method.
3. Select **Body** from the list of parameters: (Params, Authorization, Headers, Body, etc.).
4. Click the **x-www-form-urlencoded** radio button.
5. Create the Key/Value pairs:
6. Create a Key/Value pair for API by typing the following in the first set of Key/Value fields:  
Key = **API**; Value = **IDCreateCampaign**
7. Create a Key/Value pair for XML by typing the following in the next set of Key/Value fields:  
Key = **XML**; Value = cut and paste full xml request here
8. Click the **Send** button to send the request.




Figure 3: Example of How to Set Up Postman

The interface should return a status of “200 OK” along with the response message in the **Body**.



Figure 4: Example of a successful response

## 2.5.2 How to Set Up an API Create Campaign CAT Test Environment Using ReadyAPI

1. Select **POST** from the method drop down menu.
2. Type **https://stg-secure.shippingapis.com** in the Endpoint text box.
3. Type **/shippingapi.dll** into the Resource text box.
4. Click **Request** from the list of parameters (Request, Raw, Outline, Form).
5. Select **application/x-www-form-urlencoded** from the Media type drop down menu.
6. Check the checkbox next to **Post QueryString** to select it.
7. Create Key/Value pair for API by typing the following in the first set of Key/Value fields:  
Key = **API**, Value = **IDCreateCampaign**
8. Create Key/Value pair for XML by typing the following in the next set of Key/Value fields:  
Key = **XML**, Value = cut and paste from the xml request
9. Choose the type of **QUERY** from the drop down box for each of the Key/Value pairs.
10. Click the **Send** button to send the request.




Figure 5: Example of How to Set Up in ReadyAPI

ReadyAPI should return a response as either XML, JSON, HTML, Raw, Outline, or Overview.

The example below (XML) shows an unsuccessful Create Campaign Response with an error message indicating an issue with the start and end dates.



Response

XML JSON HTML Raw Outline Overview

```

<IDCreateCampaignResponse>
  <SystemTransactionId>WTE1407202201190945321380003</SystemTransactionId>
  <USPSSubmitterCRID>94867187</USPSSubmitterCRID>
  <USPSTransactionId>5bf13b1b-c924-4e24-a7af-7ebb257eblc</USPSTransactionId>
  <SubmitterTransactionId>10188</SubmitterTransactionId>
  <TransactionStatus>U</TransactionStatus>
  <Campaigns>
    <Campaign>
      <CampaignMID>901097396</CampaignMID>
      <BrandDisplayName>State Farm</BrandDisplayName>
      <CampaignGroupingCode>B-WK011722</CampaignGroupingCode>
      <CampaignCode>aal0188</CampaignCode>
      <Messages>
        <Message>
          <MsgType>E</MsgType>
          <MsgLocation>S</MsgLocation>
          <MsgReleaseIDAPIVersionAddUpdate>1.0</MsgReleaseIDAPIVersionAddUpdate>
          <MsgCode>EndDate.InPast</MsgCode>
          <MsgDescription>End Date cannot be in the past.</MsgDescription>
        </Message>
        <Message>
          <MsgType>E</MsgType>
          <MsgLocation>S</MsgLocation>
          <MsgReleaseIDAPIVersionAddUpdate>1.0</MsgReleaseIDAPIVersionAddUpdate>
          <MsgCode>StartDate.InPast</MsgCode>
          <MsgDescription>Start Date cannot be in the past.</MsgDescription>
        </Message>
      </Messages>
    </Campaign>
  </Campaigns>
</IDCreateCampaignResponse>
    
```

Figure 6: Example of an Unsuccessful Response with Errors

### 3 Informed Delivery API Technical Specification

#### 3.1 Current Informed Delivery API Versions Supported

The following Informed Delivery API versions are currently supported for Informed Delivery Mail and Package Campaign management.

Informed Delivery API Version	Support Starts	Support Ends
1.0 (v1)	April 1, 2021	N/A

Table 1 – Informed Delivery API Versions Currently Supported

#### 3.2 HTTPS Secure Encryption of Data

Hypertext Transfer Protocol Secure is a secure version of HTTP. This protocol enables secure communication between a client (e.g. web browser) and a server (e.g. web server) by using encryption. The USPS Web Tool HTTPS uses **Transport Layer Security (TLS 1.2)** protocol for encryption. HTTPS encrypts sensitive information, including usernames and passwords included in all requests and responses ensuring a secure connection.

All usernames and passwords included in requests sent to Web Tools are encrypted using HTTPS. The credentials are then authorized and authenticated by Customer Registration. Only the Login-Name and User-ID are passed to ID for transaction logging and processing purposes. Full credentials are not shared with ID API and are not stored in transaction logs either in ID API or in Web Tools.

#### 3.3 Informed Delivery API Features Road Map

The following table describes the current and future Informed Delivery API XML request messages. Each request has a corresponding response message that is not listed here.

API Version	API Request Name	Mail Campaign Support Status	Package Campaign Support Status
1.0	Create Campaign Request	TBA	Supported
1.0	Add Barcode Request (Synchronous)	TBA	Supported
1.0	Query Campaign Request	TBA	Supported
1.0	Delete Campaign Request	TBA	Supported
1.0	Cancel Campaign Request	TBA	Supported
1.0	Edit Campaign Request	TBA	Supported
1.0	Add Barcode Request (Asynchronous)	Future Release	Future Release
1.0	Query Callback Key Request	Future Release	Future Release
1.0	Query Callback Key Lookup Request	Future Release	Future Release
1.0	Query Barcode Error Detail Request	Future Release	Future Release

Table 2 – Informed Delivery API Road Map

## 3.4 Environments and API Endpoints

### 3.4.1 Customer Acceptance Testing (CAT) Environment

The following URLs represent the endpoints for the Informed Delivery API in the Customer Acceptance Testing (CAT) environment.

*ID Create Campaign*

<https://stg-secure.shippingapis.com/shippingapi.dll?API=IDCreateCampaign&XML={XML Message Body}>

*ID Add Barcode*

<https://stg-secure.shippingapis.com/shippingapi.dll?API=IDAddBarcode&XML={XML Message Body}>

*ID Edit Campaign*

<https://stg-secure.shippingapis.com/shippingapi.dll?API=IDEditCampaign&XML={XML Message Body}>

*ID Query Campaign*

<https://stg-secure.shippingapis.com/shippingapi.dll?API=IDQueryCampaign&XML={XML Message Body}>

*ID Cancel Campaign*

<https://stg-secure.shippingapis.com/shippingapi.dll?API=IDCancelCampaign&XML={XML Message Body}>

*ID Delete Campaign*

<https://stg-secure.shippingapis.com/shippingapi.dll?API=IDDeleteCampaign&XML={XML Message Body}>

### 3.4.2 Production (PROD) Environment

The following URLs represents the endpoints for the Informed Delivery API in the Production environment.

*ID Create Campaign*

<https://secure.shippingapis.com/shippingapi.dll?API=IDCreateCampaign&XML={XML Message Body}>

*ID Add Barcode*

<https://secure.shippingapis.com/shippingapi.dll?API=IDAddBarcode&XML={XML Message Body}>

*ID Edit Campaign*

<https://secure.shippingapis.com/shippingapi.dll?API=IDEditCampaign&XML={XML Message Body}>

*ID Query Campaign*

<https://secure.shippingapis.com/shippingapi.dll?API=IDQueryCampaign&XML={XML Message Body}>

*ID Cancel Campaign*

<https://secure.shippingapis.com/shippingapi.dll?API=IDCancelCampaign&XML={XML Message Body}>

*ID Delete Campaign*

<https://secure.shippingapis.com/shippingapi.dll?API=IDDeleteCampaign&XML={XML Message Body}>

## 3.5 Create Campaign API - Technical Specification

### 3.5.1 ID Create Campaign Request (POST)

#### 3.5.1.1 Schema View

The ID Create Campaign API request allows Integrators to create Informed Delivery campaigns via an API POST request. This section covers the technical details around the ID Create Campaign API and the accompanying XML message data included in the ID Create Campaign Request.

- API Name: IDCreateCampaign
- XML Message Request: **IDCreateCampaignRequest**
- XML Message Response: IDCreateCampaignResponse

For a diagram depicting the XML schema for this request, refer to the XML schema file provided separately. This data is sent through the API to request the creation of an Informed Delivery campaign.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

#### 3.5.1.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Create Campaign Request. For any data fields that are not required or will not be populated, do not include the tag. If the tag is included and blank, the request will receive an error response. Also, note that at this time only one campaign block can be included with an ID Create Campaign Request.

*Note: For XML, all special characters are accepted with the exception of < and & which must be formatted as &lt; and &amp; respectively.*

**Table 3 - IDCreateCampaignRequest Data Elements**

Package Campaigns only = \*

Mail Campaigns only = ◆

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
TargetAPI	YES	7	Alphanumeric	<b>Mail Campaigns:</b> Mail <b>Package Campaign:</b> Package Must be populated. This determines which endpoint will be called internally.
LoginName	YES	60	Alphanumeric	BCG username of user submitting request
LoginPassword	YES	50	Alphanumeric	BCG password of user submitting request
USPSSubmitterCRID	YES	18	Numeric	CRID associated with BCG credentials
USPSIDAPIVersion	YES	10	Alphanumeric	The ID API version being used. Must be populated with v1.
SubmitterTransactionId	YES	30	Alphanumeric	Unique ID provided by submitter for tracking file submission. Minimum of 3 characters.
MailOwnerName	YES	50	Alphanumeric	Mail Owner Name associated with the Mail Owner CRID as supplied by Submitter
MailOwnerCRID	YES	18	Numeric	CRID of the Mail Owner – can be the same as the USPSSubmitterCRID if Submitter is the Mail Owner, but must be populated.
FlexOptionA	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionB	NO	25	Alphanumeric	Do Not Use. For Future Use.

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
FlexOptionC	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>CAMPAIGN BLOCK</b>				
CampaignType	YES	3	Alphanumeric	<b>Limited to a single campaign block per request.</b>  <b>Mail Campaigns:</b> A01 = Non-Sequential Barcodes A02 = MID Level Mail Campaigns A03 = Serial-Range Level  <b>Package Campaigns:</b> A01 = Non-Sequential Barcodes
CampaignShapeType	YES	2	Alpha	<b>Mail Campaigns:</b> LT = Letter CD = Card FL = Flat  <b>Package Campaigns:</b> PK = Package
CampaignProductType	NO	3	Alphanumeric	Do Not Use. For Future Use.
CampaignMID	YES	6 or 9	Numeric	MID (Mailer ID) that will be associated with the campaign. Must be the same as the MID used in the IMb/IMpb. Must be left zero-filled to 6 or 9 digits.
CampaignGroupingCode *	NO	40	Alphanumeric	<i>Package Campaigns only – required field.</i> Submitter defined field. Must be unique to CampaignMID. Ignored for Mail Campaigns at this time.
CampaignCode	YES	40	Alphanumeric	Package Submitter defined field. For Package Campaigns, must be unique to Campaign Grouping Code.
CampaignTitle	YES	40	Alphanumeric	Submitter defined field.
BrandDisplayName	YES	40	Alphanumeric	Submitter defined field.
StartDate	YES	10	Date	YYYY-MM-DD
EndDate	YES	10	Date	YYYY-MM-DD
StartSerial ♦	NO	14	Numeric	<i>Mail Campaigns Only – Campaign Type A03.</i> Must be left zero-filled to 6 or 9 digits.
EndSerial ♦	NO	14	Numeric	<i>Mail Campaigns Only – Campaign Type A03.</i> Must be left zero-filled to 6 or 9 digits.
RideAlongImage	YES		BASE64	BASE64-encoded RGB JPG image. Maximum image file size is 204,800 bytes (200 KBs).  <b>Mail Campaigns:</b> Maximum image pixel size is 300 pixels wide x 200 pixels high.  <b>Package Campaigns:</b> Maximum image pixel size is 210 pixels wide x 140 pixels high.
RideAlongTargetURL	YES	255	Alphanumeric	Target URL in https:// format. Must begin with a lowercase https://
RepresentativeImage ♦	NO		BASE64	<i>Mail Campaigns Only – Optional for Letter or Card. Required for Flat.</i>  BASE64-encoded RGB JPG image. Maximum image file size is 204,800 bytes (200 KBs).  Maximum image pixel size is 780 pixels wide x 500 pixels high.
FlexOptionD	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionE	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionF	NO	25	Alphanumeric	Do Not Use. For Future Use.

### 3.5.1.3 Sample Request XML

Below is an example of the XML request for the ID Create Campaign Request to create a Mail or Package Campaign. Notice that for fields that are not required, the tags are *not* included in the request. If they are included and blank, an error message will be returned in the response and the request will fail.

```
<IDCreateCampaignRequest>
  <TargetAPI></TargetAPI>
  <LoginName></LoginName>
  <LoginPassword></LoginPassword>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSIDAPIVersion></USPSIDAPIVersion>
  <SubmitterTransactionId></SubmitterTransactionId>
  <MailOwnerName></MailOwnerName>
  <MailOwnerCRID></MailOwnerCRID>
  <FlexOptionA></FlexOptionA>
  <FlexOptionB></FlexOptionB>
  <FlexOptionC></FlexOptionC>
  <Campaigns>
    <Campaign>
      <CampaignType></CampaignType>
      <CampaignShapeType></CampaignShapeType>
      <CampaignProductType></CampaignProductType>
      <CampaignMID></CampaignMID>
      <CampaignGroupingCode></CampaignGroupingCode>
      <CampaignCode></CampaignCode>
      <CampaignTitle></CampaignTitle>
      <BrandDisplayName></BrandDisplayName>
      <StartDate></StartDate>
      <EndDate></EndDate>
      <StartSerial></StartSerial>
      <EndSerial></EndSerial>
      <RideAlongImage></RideAlongImage>
      <RideAlongTargetURL></RideAlongTargetURL>
      <RepresentativeImage></RepresentativeImage>
      <FlexOptionD></FlexOptionD>
      <FlexOptionE></FlexOptionE>
      <FlexOptionF></FlexOptionF>
    </Campaign>
  </Campaigns>
</IDCreateCampaignRequest>
```

## 3.5.2 ID Create Campaign Response

### 3.5.2.1 Schema View

This section covers technical details around the ID Create Campaign API and the accompanying XML message data included in the ID Create Campaign Response.

- API Name: IDCreateCampaign
- XML Message Request: IDCreateCampaignRequest
- XML Message Response: **IDCreateCampaignResponse**

For a diagram depicting the XML schema for this response, refer to the XML schema file provided separately. This data is sent from the API in response to an ID Create Campaign Request.

Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.

### 3.5.2.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Create Campaign Response.

Note: For XML, all special characters are accepted with the exception of < and & which must be formatted as &lt; and &amp; respectively.

Table 4 – IDCreateCampaignResponse Data Elements

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
SystemTransactionId	YES	30	Alphanumeric	System generated transaction ID
USPSSubmitterCRID	YES	18	Numeric	From request
USPSTransactionId	YES	36	Alphanumeric	Database generated unique ID from ID
SubmitterTransactionId	YES	30	Alphanumeric	From request
TransactionStatus	YES	1	Alpha	S = Successful Accept All Good U = Failed Not Processed P = Partially Success
FlexOptionA	NO	25	Alphanumeric	From request
FlexOptionB	NO	25	Alphanumeric	From request
FlexOptionC	NO	25	Alphanumeric	From request
<b>CAMPAIGN BLOCK</b>				
USPSCampaignId	NO	12	Numeric	Database generated unique ID for campaign (Not returned for failed responses)
CampaignMID	YES	9	Numeric	From request
BrandDisplayName	YES	40	Alphanumeric	From request
CampaignGroupingCode *	YES	40	Alphanumeric	From request. (Package Campaigns only.)
CampaignCode	YES	40	Alphanumeric	From request
FlexOptionD	NO	25	Alphanumeric	From request
FlexOptionE	NO	25	Alphanumeric	From request
FlexOptionF	NO	25	Alphanumeric	From request
<b>MESSAGE BLOCK</b>				
MsgType	YES	1	Alpha	F = FATAL E = ERROR I = INFO/SUCCESS/OTHER W = WARNING
MsgLocation	NO	1	Alphanumeric	C = CLIENT – WebTools S = SERVER – Informed Delivery
MsgReleaseIdAPIVersionAddUpdate	NO	12	Alphanumeric	ID API version that the message is associated with - last updated or added.
MsgCode	YES	50	Alphanumeric	This will contain the error code if an error is encountered. Ex: CampaignCode.Required
MsgDescription	YES	1,200	Alphanumeric	This will contain a detailed description of the warning, information or error code encountered in Informed Delivery.
MsgAction	NO	1,200	Alphanumeric	Not currently used

### 3.5.2.3 Sample XML

```
<IDCreateCampaignResponse>
  <SystemTransactionId></SystemTransactionId>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSTransactionId></USPSTransactionId>
```

```

<SubmitterTransactionId></SubmitterTransactionId>
<TransactionStatus></TransactionStatus>
<FlexOptionA></FlexOptionA>
<FlexOptionB></FlexOptionB>
<FlexOptionC></FlexOptionC>
<Campaigns>
  <Campaign>
    <USPSCampaignId></USPSCampaignId>
    <CampaignMID></CampaignMID>
    <BrandDisplayName></BrandDisplayName>
    <CampaignGroupingCode></CampaignGroupingCode>
    <CampaignCode></CampaignCode>
    <FlexOptionD></FlexOptionD>
    <FlexOptionE></FlexOptionE>
    <FlexOptionF></FlexOptionF>
    <Messages>
      <Message>
        <MsgType></MsgType>
        <MsgLocation></MsgLocation>
        <MsgReleaseIDAPIVersionAddUpdate></MsgReleaseIDAPIVersionAddUpdate>
        <MsgCode></MsgCode>
        <MsgDescription></MsgDescription>
        <MsgAction></MsgAction>
      </Message>
    </Messages>
  </Campaign>
</Campaigns>
</IDCreateCampaignResponse>

```

## 3.6 Add Barcode API - Technical Specification

### 3.6.1 ID Add Barcode Request (POST)

#### 3.6.1.1 Schema View

The Add Barcode API allows for Integrator to add barcodes to existing Informed Delivery campaigns via an API POST request. This section covers technical details around the ID Add Barcode API and the accompanying XML message data included in the ID Add Barcode Request.

- API Name: IDAddBarcode
- XML Message Request: **IDAddBarcodeRequest**
- XML Message Response: IDAddBarcodeResponse

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent through the API to request the addition of barcodes to an Informed Delivery NON-SEQ campaign. Barcodes can be added to any A01 (NON-SEQ) campaign that is in Submitted or Active status.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

#### 3.6.1.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Add Barcode Request. For any data fields that are not required or will not be populated, do not include the tag. If the tag is included and blank, the



request will receive an error response. At this time, a maximum of 25 barcodes can be included in any one ID Add Barcode Request.

*Note: For XML, all special characters are accepted with the exception of < and & which must be formatted as **&lt;** and **&amp;** respectively.*

Table 5 - IDAddBarcodeRequest Data Elements

Package Campaigns only = ✱  
 Mail Campaigns only = ◆

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
TargetAPI	YES	7	Alphanumeric	<b>Mail Campaigns:</b> Mail <b>Package Campaign:</b> Package Must be populated. This determines which endpoint will be called internally.
LoginName	YES	60	Alphanumeric	BCG username of user submitting request
LoginPassword	YES	50	Alphanumeric	BCG password of user submitting request
USPSSubmitterCRID	YES	18	Numeric	CRID associated with BCG credentials
USPSIDAPIVersion	YES	10	Alphanumeric	The ID API version being used. Must be populated with v1
SubmitterTransactionId	YES	30	Alphanumeric	Unique ID provided by submitter for tracking file submission. Minimum of 3 characters.
MailOwnerName	YES	50	Alphanumeric	Mail Owner Name associated with the Mail Owner CRID as supplied by Submitter
MailOwnerCRID	YES	18	Numeric	CRID of the Mail Owner – can be the same as the USPSSubmitterCRID if Submitter is the Mail Owner, but must be populated.
FlexOptionA	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionB	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionC	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>CAMPAIGN BLOCK</b>				<b>Repeats for each campaign – max of 1 per request at this time</b>
USPSCampaignId	YES	12	Numeric	Unique ID generated and returned in the Create Campaign Response when the campaign is successfully created
CampaignCode	YES	40	Alphanumeric	Must exactly match the current Campaign Code value associated with the campaign.
FlexOptionD	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionE	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionF	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>BARCODE BLOCK</b>				<b>Repeats for each barcode – max of 25 per request</b>
Barcode	YES	34	Alphanumeric	<b>Mail Campaigns:</b> Must be a 31-digit numeric barcode  <b>Package Campaigns:</b> Can be 22, 26, 30 or 34 alphanumeric character barcode
BarcodeSerialNo	NO	14	Numeric	Do Not Use. For Future Use.
BarcodeMID	YES	6 or 9	Numeric	Fixed length of either 6 or 9 digits. Must be left zero-filled to 6 or 9 digits.
IMpbConstructCode	NO	3	Alphanumeric	Do Not Use. For Future Use.
RideAlongImage	NO		BASE64	Do Not Use. For Future Use.
RideAlongTargetURL	NO	255	Alphanumeric	Do Not Use. For Future Use.
RepresentativeImage ◆	NO		BASE64	Do Not Use. For Future Use.
FlexOptionG	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionH	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionI	NO	25	Alphanumeric	Do Not Use. For Future Use.

### 3.6.1.3 Sample XML

Below is an example of what the XML request would look like when submitting the ID Add Barcode Request to add barcodes to a campaign. Notice that the tags that are not required are not included in the request. If they were to be included and left blank, an error message will be returned in the response and the request would fail.

Note that tags that are not currently allowed at the barcode level have been excluded from this sample (IMpbConstructCode through FlexOptionI).

```

<IDAddBarcodeRequest>
  <TargetAPI></TargetAPI>
  <LoginName></LoginName>
  <LoginPassword></LoginPassword>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSIDAPIVersion></USPSIDAPIVersion>
  <SubmitterTransactionId></SubmitterTransactionId>
  <MailOwnerName></MailOwnerName>
  <MailOwnerCRID></MailOwnerCRID>
  <FlexOptionA></FlexOptionA>
  <FlexOptionB></FlexOptionB>
  <FlexOptionC></FlexOptionC>
  <Campaigns>
    <Campaign>
      <USPSCampaignId></USPSCampaignId>
      <CampaignCode></CampaignCode>
      <FlexOptionD></FlexOptionD>
      <FlexOptionE></FlexOptionE>
      <FlexOptionF></FlexOptionF>
      <Barcodes>
        <Barcode>
          <Barcode></Barcode>
          <BarcodeSerialNo></BarcodeSerialNo>
          <BarcodeMID></BarcodeMID>>
        </Barcode>
        <Barcode>
          <Barcode></Barcode>
          <BarcodeSerialNo></BarcodeSerialNo>
          <BarcodeMID></BarcodeMID>
        </Barcode>
      </Barcodes>
    </Campaign>
  </Campaigns>
</IDAddBarcodeRequest>

```

## 3.6.2 ID Add Barcode Response

### 3.6.2.1 Schema View

This section covers technical details around the ID Add Barcode API and the accompanying XML message data included in the ID Add Barcode Response returned when an ID Add Barcode Request is submitted to the API.

- API Name: IDAddBarcode
- XML Message Request: IDAddBarcodeRequest
- XML Message Response: **IDAddBarcodeResponse**

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent from the API in response to a request to an Add Barcode Request.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

### 3.6.2.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Add Barcode Response.

Note: For XML, all special characters are accepted with the exception of < and & which must be formatted as &lt; and &amp; respectively.

Table 6 – IDAddBarcodeResponse Data Elements

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
SystemTransactionId	YES	30	Alphanumeric	WebTools system generated transaction ID
USPSSubmitterCRID	YES	18	Numeric	Value from request
USPSTransactionId	YES	36	Alphanumeric	Database generated unique ID Informed Delivery
SubmitterTransactionId	YES	30	Alphanumeric	Submitter defined
TransactionStatus	YES	1	Alpha	S = Successful Accept All Good U = Failed Not Processed P = Partially Success
FlexOptionA	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionB	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionC	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>CAMPAIGN BLOCK</b>				<b>Campaign Information</b>
USPSCampaignId	YES	12	Numeric	Value from request. Unique ID generate by Informed Delivery
CampaignMID	NO	9	Numeric	Not returned for failed responses
BrandDisplayName	NO	40	Alphanumeric	Not returned for failed responses
CampaignGroupingCode *	NO	40	Alphanumeric	Not returned for failed responses. Package Campaigns only.
CampaignCode	YES	40	Alphanumeric	Value from request
FlexOptionD	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionE	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionF	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>MESSAGE BLOCK</b>				<b>Campaign Message Block</b>
MsgType	YES	1	Alpha	F = FATAL E = ERROR I = INFO/SUCCESS/OTHER W = WARNING
MsgLocation	NO	1	Alpha	C = CLIENT S = SERVER – Informed Delivery
MsgReleaseIdAPIVersionAddUpdate	NO	12	Alphanumeric	API Version associated with the message. (1.0.0)
MsgCode	YES	50	Alphanumeric	This will contain the error code if an error is encountered. Ex: CampaignCode.Required
MsgDescription	YES	1,200	Alphanumeric	This will contain a detailed description of the warning, information or error code encountered in Informed Delivery.
MsgAction	NO	1,200	Alphanumeric	Not currently used
<b>BARCODE BLOCK</b>				<b>Repeats for each barcode</b>
Barcode	YES	34	Alphanumeric	Value from request.
USPSPieceId	NO	15	Numeric	Unique ID for barcode generated by Informed Delivery. Not returned for failed responses.
FlexOptionG	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionH	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionI	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>BARCODE MESSAGE BLOCK</b>				<b>Repeats for each error message on each barcode</b>

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
<b>BarcodeMsgType</b>	YES	1	Alpha	F = FATAL E = ERROR I = INFO/SUCCESS/OTHER W = WARNING
<b>BarcodeMsgCode</b>	YES	50	Alphanumeric	This will contain the error code if an error is encountered. Ex: CampaignCode.Required
<b>BarcodeMsgDescription</b>	YES	1,200	Alphanumeric	This will contain a detailed description of the warning, information or error code encountered in Informed Delivery.
<b>BarcodeMsgAction</b>	NO	1,200	Alphanumeric	Not currently used

### 3.6.2.3 Sample XML

```

<IDAddBarcodeResponse>
  <SystemTransactionId></SystemTransactionId>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSTransactionId></USPSTransactionId>
  <SubmitterTransactionId></SubmitterTransactionId>
  <TransactionStatus></TransactionStatus>
  <FlexOptionA></FlexOptionA>
  <FlexOptionB></FlexOptionB>
  <FlexOptionC></FlexOptionC>
  <Campaigns>
    <Campaign>
      <USPSCampaignId></USPSCampaignId>
      <CampaignMID></CampaignMID>
      <BrandDisplayName></BrandDisplayName>
      <CampaignGroupingCode></CampaignGroupingCode>
      <CampaignCode></CampaignCode>
      <FlexOptionD></FlexOptionD>
      <FlexOptionE></FlexOptionE>
      <FlexOptionF></FlexOptionF>
      <Messages>
        <Message>
          <MsgType></MsgType>
          <MsgLocation></MsgLocation>
          <MsgReleaseIDAPIVersionAddUpdate></MsgReleaseIDAPIVersionAddUpdate>
          <MsgCode></MsgCode>
          <MsgDescription></MsgDescription>
          <MsgAction></MsgAction>
        </Message>
      </Messages>
      <Barcodes>
        <Barcode>
          <Barcode></Barcode>
          <USPSPieceId></USPSPieceId>
          <FlexOptionG></FlexOptionG>
          <FlexOptionH></FlexOptionH>
          <FlexOptionI></FlexOptionI>
          <BarcodeMessages>
            <BarcodeMessage>
              <BarcodeMsgType></BarcodeMsgType>
              <BarcodeMsgCode></BarcodeMsgCode>
              <BarcodeMsgDescription></BarcodeMsgDescription>
              <BarcodeMsgAction></BarcodeMsgAction>
            </BarcodeMessage>
          </BarcodeMessages>
        </Barcode>
      </Barcodes>
    </Campaign>
  </Campaigns>
</IDAddBarcodeResponse>

```

## 3.7 Edit Campaign API - Technical Specification

### 3.7.1 ID Edit Campaign Request (PUT)

#### 3.7.1.1 Schema View

The Edit Campaign API allows for an Integrator to edit existing ID campaigns via a PUT API request. This section covers technical details around the ID Edit Campaign API and the accompanying XML message data included in the ID Edit Campaign Request.

- API Name: `IDEditCampaign`
- XML Message Request: `IDEditCampaignRequest`
- XML Message Response: `IDEditCampaignResponse`

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent through the API to request element updates on an Informed Delivery campaign.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

#### 3.7.1.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Edit Campaign Request. For any data fields that are not required, do not include them in the message. If the tag is included and blank, the request will receive an error response.

*Note: For XML, all special characters are accepted with the exception of < and & which must be formatted as &lt; and &amp; respectively.*

Table 5 - `IDEditCampaignRequest` Data Elements

Package Campaigns only = ✱

Mail Campaigns only = ◆

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
<code>TargetAPI</code>	YES	7	Alphanumeric	<b>Mail Campaigns:</b> Mail <b>Package Campaign:</b> Package Must be populated. This determines which endpoint will be called internally.
<code>LoginName</code>	YES	60	Alphanumeric	BCG username of user submitting request
<code>LoginPassword</code>	YES	50	Alphanumeric	BCG password of user submitting request
<code>USPSSubmitterCRID</code>	YES	18	Numeric	CRID associated with BCG credentials
<code>USPSIDAPIVersion</code>	YES	10	Alphanumeric	The ID API version being used. Must be populated with v1.
<code>SubmitterTransactionId</code>	YES	30	Alphanumeric	Unique ID provided by submitter for tracking file submission. Minimum of 3 characters.
<code>MailOwnerName</code>	YES	50	Alphanumeric	Mail Owner Name associated with the Mail Owner CRID as supplied by Submitter
<code>MailOwnerCRID</code>	YES	18	Numeric	CRID of the Mail Owner – can be the same as the USPSSubmitterCRID if Submitter is the Mail Owner, but must be populated.
<code>FlexOptionA</code>	NO	25	Alphanumeric	Do Not Use. For Future Use.
<code>FlexOptionB</code>	NO	25	Alphanumeric	Do Not Use. For Future Use.

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
FlexOptionC	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>CAMPAIGN BLOCK</b>				
USPSCampaignId	YES	12	Numeric	USPS Campaign ID must be populated to edit a campaign. Unique identifier assigned to campaign in ID when the campaign is created.
CampaignMID	NO	9	Numeric	Only include if editing/updating. Cannot be edit if barcodes are associated with campaign. Must be left zero-filled to 6 or 9 digits.
MailOwnerName	NO	50	Alphanumeric	Only include if editing/updating.
MailOwnerCRID	NO	18	Numeric	Only include if editing/updating.
BrandDisplayName	NO	40	Alphanumeric	Only include if editing/updating.
CampaignGroupingCode *	NO	40	Alphanumeric	Only include if editing/updating.
CampaignCode	NO	40	Alphanumeric	Only include if editing/updating.
CampaignTitle	NO	40	Alphanumeric	Only include if editing/updating.
CampaignType	NO	3	Alphanumeric	Only include if editing/updating.  <b>Mail Campaigns:</b> A01 = Non-Sequential Barcodes A02 = MID Level Mail Campaigns A03 = Serial-Range Level  <b>Package Campaigns:</b> A01 = Non-Sequential Barcodes
CampaignShapeType	NO	2	Alpha	Only include if editing/updating.  <b>Mail Campaigns:</b> LT = Letter CD = Card FL = Flat  <b>Package Campaigns:</b> PK = Package
StartDate	NO	10	Date	Only include if editing/updating. YYYY-MM-DD
EndDate	NO	10	Date	Only include if editing/updating. YYYY-MM-DD
StartSerial ♦	NO	14	Numeric	Only include if editing/updating. <i>Mail Campaigns Only – Campaign Type A03.</i> If editing Campaign Type from SEQ to MID or NON-SEQ, must include this field as an empty tag ("") to remove the current serials from the campaign.
EndSerial ♦	NO	14	Numeric	Only include if editing/updating. <i>Mail Campaigns Only – Campaign Type A03.</i> If editing Campaign Type from SEQ to MID (A02) or NON-SEQ (A01), must include this field as an empty tag ("") to remove the current serials from the campaign.
RideAlongImage	NO		BASE64	Only include if editing/updating. BASE64-encoded RGB JPG image. Maximum image file size is 204,800 bytes (200 KBs).  <b>Mail Campaigns:</b> Maximum image pixel size is 300 pixels wide x 200 pixels high.  <b>Package Campaigns:</b> Maximum image pixel size is 210 pixels wide x 140 pixels high.
RideAlongTargetURL	NO	255	Alphanumeric	Only include if editing/updating. Target URL in https:// format. Must begin with a lowercase https://.



FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
RepresentativeImage ◆	NO		BASE64	Only include if editing/updating. <i>Mail Campaigns Only – Optional for Letter or Card. Required for Flat.</i>  BASE64-encoded RGB JPG image. Maximum image file size is 204,800 bytes (200 KBs).  Maximum image pixel size is 780 pixels wide x 500 pixels high.
FlexOptionD	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionE	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionF	NO	25	Alphanumeric	Do Not Use. For Future Use.

### 3.7.1.3 Sample XML

Below is an example of an XML request for an ID Edit Campaign Request on an existing campaign. Fields that are not being updated would not be included in the request. The only exception to this rule is if a Mail SEQ (A03) campaign is being changed to a MID (A02) or NON-SEQ (A01) campaign. In this case, the StartSerial and EndSerial must be included as empty fields ("") to specify the intent to change a Serial-Range Level Campaign to a MID Level or NON-SEQ campaign.

```
<IDEditCampaignRequest>
  <TargetAPI></TargetAPI>
  <LoginName></LoginName>
  <LoginPassword></LoginPassword>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSIDAPIVersion></USPSIDAPIVersion>
  <SubmitterTransactionId></SubmitterTransactionId>
  <MailOwnerName></MailOwnerName>
  <MailOwnerCRID></MailOwnerCRID>
  <FlexOptionA></FlexOptionA>
  <FlexOptionB></FlexOptionB>
  <FlexOptionC></FlexOptionC>
  <Campaign>
    <USPSCampaignId></USPSCampaignId>
    <MailOwnerName></MailOwnerName>
    <MailOwnerCRID></MailOwnerCRID>
    <CampaignTitle></CampaignTitle>
    <BrandDisplayName></BrandDisplayName>
    <StartDate></StartDate>
    <EndDate></EndDate>
    <StartSerial></ StartSerial >
    <EndSerial></ EndSerial >
    <RideAlongImage></RideAlongImage>
    <RideAlongTargetURL></RideAlongTargetURL>
    <RepresentativeImage></ RepresentativeImage >
    <CampaignType></CampaignType>
    <CampaignShapeType></CampaignShapeType>
    <CampaignCode></CampaignCode>
    <CampaignGroupingCode></CampaignGroupingCode>
    <CampaignMID></CampaignMID>
    <FlexOptionD></FlexOptionD>
    <FlexOptionE></FlexOptionE>
    <FlexOptionF></FlexOptionF>
  </Campaign>
</IDEditCampaignRequest>
```

### 3.7.2 ID Edit Campaign Response

#### 3.7.2.1 Schema View

This section covers technical details around the ID Edit Campaign API and the accompanying XML message data included in the ID Edit Campaign Response.

- API Name: IEditCampaign
- XML Message Request: IEditCampaignRequest
- XML Message Response: **IEditCampaignResponse**

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent from the API in response to an Edit Campaign Request to edit an existing Informed Delivery campaign.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

#### 3.7.2.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Edit Campaign Response.

*Note: For XML, all special characters are accepted with the exception of < and & which must be formatted as &lt; and &amp; respectively.*

**Table 6 – IEditCampaignResponse Data Elements**

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
SystemTransactionId	YES	30	Alphanumeric	System generated transaction ID
USPSSubmitterCRID	YES	18	Numeric	From request
USPSTransactionId	YES	36	Alphanumeric	Database generated unique ID from ID
SubmitterTransactionId	YES	30	Alphanumeric	From request
TransactionStatus	YES	1	Alpha	S = Successful Accept All Good U = Failed Not Processed P = Partially Success
FlexOptionA	NO	25	Alphanumeric	Value from request
FlexOptionB	NO	25	Alphanumeric	Value from request
FlexOptionC	NO	25	Alphanumeric	Value from request
<b>CAMPAIGN BLOCK</b>				<b>Campaign Information</b>
USPSCampaignId	YES	12	Numeric	Value from request. Unique identifier for the campaign being edited.
CampaignMID	NO	9	Numeric	Populated from a database lookup of campaign. Successful requests only.
BrandDisplayName	NO	40	Alphanumeric	Populated from a database lookup of campaign. Successful requests only.
CampaignGroupingCode	NO	40	Alphanumeric	Populated from a database lookup of campaign. Successful requests only.
CampaignCode	NO	40	Alphanumeric	Populated from a database lookup of campaign. Successful requests only.
FlexOptionD	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionE	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionF	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>MESSAGE BLOCK</b>				<b>Campaign Messages</b>
MsgType	YES	1	Alpha	F = FATAL E = ERROR I = INFO/SUCCESS/OTHER W = WARNING

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
MsgLocation	NO	1	Alphanumeric	C = CLIENT – WebTools S = SERVER – Informed Delivery
MsgReleaseIDAPIVersionAddUpdate	NO	12	Alphanumeric	ID API version that the message is associated with - last updated or added.
MsgCode	YES	50	Alphanumeric	This will contain the error code if an error is encountered. Ex: CampaignCode.Required
MsgDescription	YES	1,200	Alphanumeric	This will contain a detailed description of the warning, information or error code encountered in Informed Delivery.
MsgAction	NO	1,200	Alphanumeric	Not currently used

### 3.7.2.3 Sample XML

```

<IDEditCampaignResponse>
  <SystemTransactionId></SystemTransactionId>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSTransactionId></USPSTransactionId>
  <SubmitterTransactionId></SubmitterTransactionId>
  <TransactionStatus></TransactionStatus>
  <FlexOptionA></FlexOptionA>
  <FlexOptionB></FlexOptionB>
  <FlexOptionC></FlexOptionC>
  <Campaign>
    <USPSCampaignId></USPSCampaignId>
    <CampaignCode></CampaignCode>
    <CampaignMID></CampaignMID>
    <BrandDisplayName></BrandDisplayName>
    <CampaignGroupingCode></CampaignGroupingCode>
    <FlexOptionD></FlexOptionD>
    <FlexOptionE></FlexOptionE>
    <FlexOptionF></FlexOptionF>
    <Messages>
      <Message>
        <MsgType></MsgType>
        <MsgLocation></MsgLocation>
        <MsgReleaseIDAPIVersionAddUpdate></MsgReleaseIDAPIVersionAddUpdate>
        <MsgCode></MsgCode>
        <MsgDescription></MsgDescription>
        <MsgAction></MsgAction>
      </Message>
    </Messages>
  </Campaign>
</IDEditCampaignResponse>
    
```

## 3.8 Query Campaign API - Technical Specification

### 3.8.1 ID Query Campaign Request (GET)

#### 3.8.1.1 Schema View

The Query Campaign API allows for Integrator to query Informed Delivery campaigns via a GET API request. This section covers technical details around the ID Query Campaign API and the accompanying XML message data included in the ID Query Campaign.

- API Name: IDQueryCampaign
- XML Message Request: **IDQueryCampaignRequest**
- XML Message Response: IDQueryCampaignResponse

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent through the API to query Informed Delivery campaigns.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

### 3.8.1.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Query Campaign Request. There are several options for querying:

- 1) Include a USPS Campaign ID to query the details of a single campaign (including the images and Target URL associated with the campaign)
- 2) Query all campaigns with no query string provided
- 3) Query campaigns based on Status and/or EZSearch query
- 4) Query all campaigns using an AdHoc Search which allows filtering across multiple fields.

*Note: For XML, all special characters are accepted with the exception of < and & which must be formatted as &lt; and &amp; respectively.*

*Note: A query will always show a 0 for the barcode-count on MID and SEQ campaigns. This field only applies to NON-SEQ campaigns.*

**Table 5 - IDQueryCampaignRequest Data Elements**

Package Campaigns only = \*

Mail Campaigns only = ◆

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
TargetAPI	YES	7	Alphanumeric	<b>Mail Campaigns:</b> Mail <b>Package Campaign:</b> Package Must be populated. This determines which endpoint will be called internally.
LoginName	YES	60	Alphanumeric	BCG username of user submitting request
LoginPassword	YES	50	Alphanumeric	BCG password of user submitting request
USPSSubmitterCRID	YES	18	Numeric	CRID associated with BCG credentials
USPSIDAPIVersion	YES	10	Alphanumeric	The ID API version being used. Must be populated with v1.
<b>QUERY BLOCK</b>				<b>The Query Block is optional. If omitted, the API will return ALL campaigns currently associated with the USPS-SUBMITTER-CRID in descending order by the Last Modified Datetime.</b>
USPSCampaignId	NO	12	Numeric	To query the details of a single campaign, the USPS Campaign ID must be provided. This field cannot be provided if using EZSearch or AdHocSearch.
<b>FILTERS BLOCK</b>				<b>Optional. Uses defaults if not provided. May be used along with Search Type Block.</b>
Size	NO	5	Numeric	Number of campaigns returned per response. Default = 100
Sort	NO	40	Alphanumeric	The Sort element defines the column upon which the query result is sorted. Valid sortable columns are pre-defined in the schema.

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
				<p>The Sort element has a single optional Order attribute that specifies whether the sort is ascending (asc) or descending (desc). If the Order is omitted, the sort order defaults to ascending.</p> <p>If the Sort is not specified, the query results will be sorted by Last Modified Datetime in descending order where the most currently modified campaigns appear at the top.</p> <p>This parameter can be repeated for nested sorts. The order in which the sort parameters appear in the query string defines the sort hierarchy.</p> <p><b>Sort Parameters:</b>                      usps-campaign-id                      campaign-title                      brand-display-name                      campaign-code                      campaign-grouping-code ✱                      campaign-mid                      campaign-type                      campaign-shape-type                      last-modified-datetime                      submitted-datetime                      start-date                      end-date                      start-serial ◆                      end-serial ◆                      status                      created-datetime                      usps-submitter-crid                      mail-owner-name                      mail-owner-crid                      campaign-product-type                      barcode-count</p>
Page	NO	5	N	<p>Page number to return 1<sup>st</sup> page = 0                      Defaults to 0 if not specified.</p>

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
Status	NO	30	Alphanumeric	<p>Defines the campaign status search condition. Valid statuses are defined as follows and must be in all caps:</p> <p><b>Mail Campaigns:</b></p> <ul style="list-style-type: none"> <li>• ACTIVE</li> <li>• CANCELLED</li> <li>• COMPLETE</li> <li>• DELETED</li> <li>• DRAFT</li> <li>• INACTIVE (<i>future use for NON-SEQ campaigns</i>)</li> <li>• SUBMITTED</li> </ul> <p><b>Package Campaigns:</b></p> <ul style="list-style-type: none"> <li>• ACTIVE</li> <li>• CANCELLED</li> <li>• COMPLETE</li> <li>• DELETED</li> <li>• INACTIVE</li> <li>• SUBMITTED</li> </ul> <p>If not included, default is to return all statuses. This parameter can be repeated.</p> <p>There are 2 optional attributes available to refine how element is applied.</p> <ul style="list-style-type: none"> <li>• ValueComparisonOperator (Default is <i>eq</i> if not specified)                             <ul style="list-style-type: none"> <li>○ <i>ne</i> = Not Equal</li> <li>○ <i>eq</i> = Equal (default if omitted)</li> </ul> </li> <li>• LogicalComparisonOperator – (Default is <i>or</i> if not specified)                             <ul style="list-style-type: none"> <li>○ <i>or</i> = status a OR status b</li> <li>○ <i>not</i> = status a or NOT status b</li> </ul> </li> </ul>
<b>SEARCH TYPE BLOCK</b>				<p>Cannot be used if USPS-CAMPAIGN-ID value is provided. If no USPS-CAMPAIGN-ID is specified, the request can include <b><i>EITHER</i></b> EZSearch or AdHocSearch but cannot include both. If no USPS-CAMPAIGN-ID or search block is included, all campaigns will be returned in the default sort order.</p>
<b>EZSEARCH CONDITIONS</b>				<p>Can be used in combination with the Size, Sort, Status, and Page elements. Cannot be used with AdHocSearch Condition. Must have at least one string to search, if included.</p>
EZSEARCH	NO	40	Alphanumeric	<p>String value provided will be searched across the fields listed. If any of the fields contain the string, the campaign is returned. Below are the fields searched using EZsearch, with an OR condition between each field.</p> <p><b>Mail Campaigns:</b></p> <ul style="list-style-type: none"> <li>• Brand Display Name</li> <li>• Campaign Title</li> <li>• Campaign Code</li> </ul> <p><b>Package Campaigns:</b></p> <ul style="list-style-type: none"> <li>• Brand Display Name</li> <li>• Campaign Title</li> <li>• Campaign Grouping Code</li> <li>• Campaign Code</li> </ul>

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
				<p>The EZsearch parameter may appear more than once in the query string.</p> <p>Example: ezsearch=sale&amp;ezsearch=fall</p> <p>In this case, both strings must appear in <i>at least one of the designated fields above</i> to be returned in the results. In the example above, this means that <b>sale</b> must appear in one of the field AND <b>fall</b> must appear in one of the fields that are part of ezsearch.</p> <p>Brand Display Name: Fall Holiday Shopping Campaign Title: Sale of the Year</p>
<b>ADHOCSEARCH CONDITIONS</b>				Can be used in combination with Size, Sort, Status and Page. Cannot be used with EZSearch Condition.
<b>ADHOCSEARCH</b>	NO			The AdHocSearch element has 4 attributes that can be applied to the search value. The Column attribute represents the parameter of field to be search and is required. All other attributes are optional.
<b>Column attribute (parameter)</b>	YES	40	Alphanumeric	<p>Field name (parameter) to be searched. There must be at least one column attribute present in an AdHocSearch.</p> <p>Value string searches for Dates must be formatted as MM/DD/YYYY when querying date fields.</p> <p>Examples: status=ACTIVE&amp;campaign-mid=123456</p> <p><b>Column Attributes (Parameters):</b>                      campaign-title                      brand-display-name                      campaign-code                      campaign-grouping-code ✱                      campaign-mid                      campaign-type                      campaign-shape-type                      last-modified-datetime                      submitted-datetime                      start-date                      end-date                      start-serial ◆                      end-serial ◆                      status                      created-datetime                      usps-submitter-crid                      mail-owner-name                      mail-owner-crid                      campaign-product-type                      barcode-count</p>
<b>LogicalComparisonOperator attribute</b>	NO	3	Alpha	<p>Defines how the search query parameters are combined.</p> <ul style="list-style-type: none"> <li>• or = Either A <u>or</u> B</li> <li>• and = Both A <u>and</u> B</li> <li>• not = A or <u>not</u> B</li> </ul> <p>These may not be combined on the same parameter.</p>

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
ValueComparisonOperator attribute	NO	15	Alpha	Default is eq (equals) Comparison Operations for strings: eq = equals ne = not equals startswith endswith contains  Comparison Operators for Dates and Numbers: eq = equals ne = not equals gt = greater than gte = greater than or equals lt = less than lte = less than or equals
CaseInsensitiveSearch attribute	NO	5	Alpha	A <b>True</b> value indicates the query will perform a case <i>insensitive</i> search using the string value in the AdHocSearch element.

### 3.8.1.3 Sample XML

Below is an example of what the XML request would look like when submitting an ID Query Campaign Request to query existing campaigns.

Note: These XML examples omit the standard wrapper information (shown below in the first two samples as blue text) and uses <...> as a placeholder for future samples. The <Query> node contains the information that will be translated into the QueryString portion of the URL.

#### Single Campaign ID Query Request

```

<IDQueryCampaignRequest>
  <TargetAPI></ TargetAPI >
  <LoginName></LoginName>
  <LoginPassword></LoginPassword>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSIDAPIVersion></USPSIDAPIVersion>
  <Query>
    <USPSCampaignId></USPSCampaignId>
  </Query>
</IDQueryCampaignRequest>
    
```

#### EZSearch Query Request

```

<IDQueryCampaignRequest>
  <TargetAPI></ TargetAPI >
  <LoginName></LoginName>
  <LoginPassword></LoginPassword>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSIDAPIVersion></USPSIDAPIVersion>
  <Query>
    <Filters>
      <size></size>
      <page></page>
      <CampaignStatus>
        <status></status>
      </CampaignStatus>
      <SortOrder>
    </Filters>
  </Query>
</IDQueryCampaignRequest>
    
```



```

        <sort></sort>
    </SortOrder>
    <SearchType>
        <EZSearchConditions>
            <EZSearch></EZSearch>
        </EZSearchConditions>
    </SearchType>
</Filters>
</Query>
</IDQueryCampaignRequest>
    
```

## AdHocSearch Query Request

```

<IDQueryCampaignRequest>
    <TargetAPI></TargetAPI >
    <LoginName></LoginName>
    <LoginPassword></LoginPassword>
    <USPSSubmitterCRID></USPSSubmitterCRID>
    <USPSIDAPIVersion></USPSIDAPIVersion>
    <Query>
        <Filters>
            <size></size>
            <page></page>
            <CampaignStatus>
                <status></status>
            </CampaignStatus>
            <SortOrder>
                <sort></sort>
            </SortOrder>
            <SearchType>
                <AdHocSearchConditions>
                    <AdHocSearch></AdHocSearch>
                </AdHocSearchConditions>
            </SearchType>
        </Filters>
    </Query>
</IDQueryCampaignRequest>
    
```

### 3.8.1.3.1 Specify Page Size and Page Number to Return

The page size affects the number of campaigns returned. The page number affects the number of campaigns returned for the specified page number. If there are not enough campaigns that match the query parameters to fill the size requirement for the specified page, then only as many campaigns as are available will be returned. Pages of campaigns returned are zero based, meaning the first page is “page=0”, the second page is “page=1”, etc.

#### 3.8.1.3.1.1 XML Query Node

```

<IDQueryCampaignRequest>
    <...>
    <Query>
        <Filters>
            <size>10</size>
            <page>1</page>
        </Filters>
    </Query>
</IDQueryCampaignRequest>
    
```

### 3.8.1.3.1.2 Resulting Query String

...?size=10&page=1

### 3.8.1.3.2 Query Campaigns with the Status “SUBMITTED”

Returns campaigns with the Status equal to “SUBMITTED.”

#### 3.8.1.3.2.1 XML Query Node

```
<IDQueryCampaignRequest>
  <...>
  <Query>
    <Filters>
      <size>10</size>
      <page>1</page>
      <CampaignStatus>
        <Status>SUBMITTED</Status>
      </CampaignStatus>
    </Filters>
  </Query>
</IDQueryCampaignRequest>
```

#### 3.8.1.3.2.2 Resulting Query String

...?size=10&page=1&status=SUBMITTED

### 3.8.1.3.3 Query Campaign Statuses Using Not Equal

#### 3.8.1.3.3.1 XML Query Node

```
<IDQueryCampaignRequest>
  <...>
  <Query>
    <Filters>
      <CampaignStatus>
        <Status ValueComparisonOperator="ne">SUBMITTED</Status>
      </CampaignStatus>
    </Filters>
  </Query>
</IDQueryCampaignRequest>
```

#### 3.8.1.3.3.2 Resulting Query String

...?status=ne(SUBMITTED)

### 3.8.1.3.4 Multiple Campaign Status Parameters Using OR Clause

Query where the Status equals “CANCELLED” *or* Status equals “COMPLETE.”

#### 3.8.1.3.4.1 XML Query Node

```
<IDQueryCampaignRequest>
  <...>
  <Query>
    <Filters>
      <CampaignStatus>
        <Status ValueComparisonOperator="eq">CANCELLED</Status>
```

```

        <Status LogicalComparisonOperator="or" ValueComparisonOperator="eq">COMPLETE</Status>
    </CampaignStatus>
</Filters>
</Query>
</IDQueryCampaignRequest>

```

#### 3.8.1.3.4.2 Resulting Query String

...?status=eq(CANCELLED)&status=or(eq(COMPLETE))

### 3.8.1.3.5 Multiple Campaign Status Parameters Using OR Clause – Omit Comparison Operator

Query where the Status equals “CANCELLED” *or* Status equals “COMPLETE.” Note that the Comparison Operation is not specified in this query. If the comparison operator attribute is not specified, equals (“eq”) will be used as the default.

#### 3.8.1.3.5.1 XML Query Node (omitting the comparison operator for equals)

```

<IDQueryCampaignRequest>
  <...>
  <Query>
    <Filters>
      <CampaignStatus>
        <Status>CANCELLED</Status>
        <Status LogicalComparisonOperator="or">COMPLETE</Status>
      </CampaignStatus>
    </Filters>
  </Query>
</IDQueryCampaignRequest>

```

#### 3.8.1.3.5.2 Resulting Query String

...?status=CANCELLED&status=or(COMPLETE)

### 3.8.1.3.6 Multiple Campaign Status Parameters Using Multiple OR Clauses – Sort Order

Query where the Status equals “CANCELLED” *or* Status equals “SUBMITTED” *or* Status equals “COMPLETE” with a specified Sort Order.

#### 3.8.1.3.6.1 XML Query Node

```

<IDQueryCampaignRequest>
  <...>
  <Query>
    <Filters>
      <CampaignStatus>
        <Status>ACTIVE</Status>
        <Status LogicalComparisonOperator="or">SUBMITTED</Status>
        <Status LogicalComparisonOperator="or">COMPLETE</Status>
      </CampaignStatus>
    <SortOrder>
      <sort order="asc">status</sort>
    </SortOrder>
  </Filters>
</Query>
</IDQueryCampaignRequest>

```

### 3.8.1.3.6.2 Resulting Query String

...?status=ACTIVE&status=or(SUBMITTED)&status=or(COMPLETE)&sort=status,asc

## 3.8.2 ID Query Campaign Response

### 3.8.2.1 Schema View

This section covers technical details around the ID Query Campaign API and the accompanying XML message data included in the ID Query Campaign Response.

- API Name: IDQueryCampaign
- XML Message Request: IDQueryCampaignRequest
- XML Message Response: **IDQueryCampaignResponse**

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent from the API in response to a Query Campaign Request.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

### 3.8.2.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Query Campaign Response.

*Note: For XML, all special characters are accepted with the exception of < and & which must be formatted as &lt; and &amp; respectively.*

**Table 6 – IDQueryCampaignResponse Data Elements**

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
<b>QUERY RESULT BLOCK</b>				<b>Only appears for successful AdHoc or EZSearch Queries</b>
<b>CAMPAIGN BLOCK</b>				<b>Repeats for each campaign. Populated with campaign details of a single USPS Campaign ID or a collection of campaigns for AdHoc or EZSearch.</b> Images and Target URL are only returned for a single campaign detail where the USPS Campaign ID is specified in the request.
USPSCampaignId	YES	12	Numeric	Unique identifier for campaign(s).
CampaignMID	YES	9	Numeric	
MailOwnerName	YES	50	Alphanumeric	
MailOwnerCRID	YES	18	Numeric	
BrandDisplayName	YES	40	Alphanumeric	
CampaignGroupingCode *	YES	40	Alphanumeric	
CampaignCode	YES	40	Alphanumeric	
CampaignTitle	YES	40	Alphanumeric	
CampaignType	YES	3	Alphanumeric	A01 = Non-Sequential Barcodes A02 = MID Level Mail Campaigns ♦ A03 = Serial-Range Level ♦
CampaignShapeType	YES	2	Alphanumeric	LT = Letter ♦ CD = Card ♦ FL = Flat ♦ PK = Package *
RideAlongImage	NO		BASE64	<b>Returned for single campaign detail only.</b>

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
RideAlongTargetURL	NO	255	Alphanumeric	Returned for single campaign detail only.
RepresentativeImage ♦	NO		BASE64	(Returned for single campaign detail only.) (Mail Campaigns only.)
LastModifiedDatetime	YES	20	DateTime	YYYY-MM-DDThh:mm:ssZ
StartDate	YES	10	DATE	YYYY-MM-DD
EndDate	YES	10	DATE	YYYY-MM-DD
StartSerial ♦	NO	14	Numeric	(Mail Campaigns only.)
EndSerial ♦	NO	14	Numeric	(Mail Campaigns only.)
Status	YES	30	Alphanumeric	Status of the campaign
CreatedDatetime	YES	20	DateTime	YYYY-MM-DDThh:mm:ssZ
SubmittedDatetime	YES	20	DateTime	YYYY-MM-DDThh:mm:ssZ
BarcodeCount	YES	10	Numeric	Number of barcodes in ACTIVE status associated with the Campaign
Fulledit	YES	5	Alphanumeric	True = Allowed, False = Not Allowed
Limitededit	YES	5	Alphanumeric	True = Allowed, False = Not Allowed
Noedit	YES	5	Alphanumeric	True = Allowed, False = Not Allowed
Addbarcode	YES	5	Alphanumeric	True = Allowed, False = Not Allowed
Delete	YES	5	Alphanumeric	True = Allowed, False = Not Allowed
Cancel	YES	5	Alphanumeric	True = Allowed, False = Not Allowed
<b>PAGEABLE BLOCK</b>				
• PAGEABLE SORT BLOCK				
• Sorted	YES	5	Alphanumeric	True = sorted (True/False)
• Unsorted	YES	5	Alphanumeric	True = unsorted (True/False)
• Empty	YES	5	Alphanumeric	True = empty collection (True/False)
• PageNumber	YES	5	Numeric	Current page of campaign data based on sort and query values. Page 1 = 0 and default is 0
• PageSize	YES	10	Numeric	Number of campaigns displayed on the current page. Default is 100
• Offset	YES	10	Numeric	Number of records offset in current page. Start at 1.
• Paged	YES	5	Alphanumeric	True = Paged (True/False)
• Unpaged	YES	5	Alphanumeric	True = Unpaged (True/False)
Last	YES	5	Alphanumeric	True = Last page (True/False)
TotalPages	YES	5	Numeric	Number of pages
TotalElements	YES	10	Numeric	Number of elements in the collection.
<b>SORT BLOCK</b>				
• Sorted	YES	5	Alphanumeric	True= sorted (True/False)
• Unsorted	YES	5	Alphanumeric	True= unsorted (True/False)
• Empty	YES	5	Alphanumeric	True= empty collection (True/False)
First	YES	5	Alphanumeric	True = First page (True/False)
Size	YES	5	Numeric	Number of records/campaigns on each page
Number	YES	5	Numeric	Current page number
NumberOfElements	YES	10	Numeric	Number of records/campaigns on the page
Empty	YES	5	Alphanumeric	True = empty collection (True/False)
<b>MESSAGE BLOCK</b>				
MsgType	YES	1	Alpha	F = FATAL E = ERROR I = INFO/SUCCESS/OTHER W = WARNING
MsgLocation	NO	1	Alphanumeric	C = CLIENT S = SERVER
MsgReleaseIdAPIVersionAddUpdate	NO	12	Alphanumeric	ID API version that the message is associated with - last updated or added.
MsgCode	YES	50	Alphanumeric	Code for error or warning
MsgDescription	YES	1,200	Alphanumeric	Detailed description of the error or warning, etc.
MsgAction	NO	1,200	Alphanumeric	Always be null until a future implementation

### 3.8.2.3 Sample XML

#### 3.8.2.3.1 Single Campaign Query Response

```

<IDQueryCampaignIdResponse>
  <Campaign>
    <USPSCampaignId></USPSCampaignId>
    <MailOwnerName></MailOwnerName>
    <MailOwnerCRID></MailOwnerCRID>
    <CampaignTitle></CampaignTitle>
    <BrandDisplayName></BrandDisplayName>
    <CampaignCode></CampaignCode>
    <CampaignGroupingCode></CampaignGroupingCode>
    <CampaignMID></CampaignMID>
    <CampaignType></CampaignType>
    <CampaignShapeType></CampaignShapeType>
    <StartDate></StartDate>
    <EndDate></EndDate>
    <StartSerial></StartSerial>
    <EndSerial></EndSerial>
    <RideAlongImage></RideAlongImage>
    <RideAlongTargetURL></RideAlongTargetURL>
    <RepresentativeImage></RepresentativeImage>
    <BarcodeCount></BarcodeCount>
    <Status></Status>
    <SubmittedDatetime></SubmittedDatetime>
    <CreatedDatetime></CreatedDatetime>
    <LastModifiedDatetime></LastModifiedDatetime>
    <FullEdit></FullEdit>
    <LimitedEdit></LimitedEdit>
    <NoEdit></NoEdit>
    <AddBarcode></AddBarcode>
    <Delete></Delete>
    <Cancel></Cancel>
  </Campaign>
</IDQueryCampaignIdResponse>

```

#### 3.8.2.3.2 AdHocSearch or EZSearch Query Response

```

<IDQueryAdHocResponse>
  <QueryResult>
    <Campaigns>
      <Campaign>
        <USPSCampaignId></USPSCampaignId>
        <CampaignMID></CampaignMID>
        <MailOwnerName></MailOwnerName>
        <MailOwnerCRID></MailOwnerCRID>
        <BrandDisplayName></BrandDisplayName>
        <CampaignGroupingCode></CampaignGroupingCode>
        <CampaignCode></CampaignCode>
        <CampaignTitle></CampaignTitle>
        <CampaignType></CampaignType>
        <CampaignShapeType></CampaignShapeType>
        <StartDate></StartDate>
        <EndDate></EndDate>
        <StartSerial></StartSerial>
        <EndSerial></EndSerial>
        <Status></Status>
      </Campaign>
    </Campaigns>
  </QueryResult>
</IDQueryAdHocResponse>

```

```

        <CreatedDatetime></CreatedDatetime>
        <SubmittedDatetime></SubmittedDatetime>
        <LastModifiedDate></LastModifiedDate>
        <USPSSubmitterCRID></USPSSubmitterCRID>
        <BarcodeCount></BarcodeCount>
        <FullEdit></FullEdit>
        <LimitedEdit></LimitedEdit>
        <NoEdit></NoEdit>
        <AddBarcode></AddBarcode>
        <Delete></Delete>
        <Cancel></Cancel>
    </Campaign>
</Campaigns>
    <Pageable>
        <PageableSort>
            <Sorted></Sorted>
            <Unsorted></Unsorted>
            <Empty></Empty>
        </PageableSort>
        <PageNumber></PageNumber>
        <PageSize></PageSize>
        <Offset></Offset>
        <Paged></Paged>
        <Unpaged></Unpaged>
        <First></First>
    </Pageable>
    <Last></Last>
    <TotalPages></TotalPages>
    <TotalElements></TotalElements>
    <NumberOfElements></NumberOfElements>
    <Size></Size>
    <Number></Number>
    <Empty></Empty>
</QueryResult>
</IDQueryAdHocResponse>

```

## 3.9 Cancel Campaign API - Technical Specification

### 3.9.1 ID Cancel Campaign Request (POST)

#### 3.9.1.1 Schema View

The Cancel Campaign API allows for an Integrator to cancel an existing Active ID campaign via a POST request. This section covers technical details around the ID Cancel Campaign API and the accompanying XML message data included in it.

- API Name: IDCancelCampaign
- XML Message Request: **IDCancelCampaignRequest**
- XML Message Response: IDCancelCampaignResponse

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent through the API to cancel an existing ID campaign.

Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.

### 3.9.1.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Cancel Campaign Request.

Table 6 - IDCancelCampaignRequest Data Elements

Package Campaigns only = \*

Mail Campaigns only = ◆

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
TargetAPI	YES	7	Alphanumeric	<b>Mail Campaigns:</b> Mail <b>Package Campaign:</b> Package Must be populated. This determines which endpoint will be called internally.
LoginName	YES	60	Alphanumeric	BCG username of user submitting request
LoginPassword	YES	50	Alphanumeric	BCG password of user submitting request
USPSSubmitterCRID	YES	18	Numeric	CRID associated with BCG credentials
USPSIDAPIVersion	YES	10	Alphanumeric	The ID API version being used. Must be populated with v1.
SubmitterTransactionId	YES	30	Alphanumeric	Unique ID provided by submitter for tracking file submission. Minimum of 3 characters.
MailOwnerName	YES	50	Alphanumeric	Mail Owner Name associated with the Mail Owner CRID as supplied by Submitter
MailOwnerCRID	YES	18	Numeric	CRID of the Mail Owner – can be the same as the USPSSubmitterCRID if Submitter is the Mail Owner, but must be populated.
FlexOptionA	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionB	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionC	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>CAMPAIGN BLOCK</b>				<b>Limited to a single campaign block per request.</b>
USPSCampaignID	YES	12	Numeric	Must be included to cancel a campaign. Unique Campaign
CampaignCode	YES	40	Alphanumeric	Must be included to cancel a campaign. Must be the exact Campaign Code associated with USPS Campaign ID.

### 3.9.1.3 Sample XML

Below is an example of what the XML request looks like when submitting an ID Cancel Campaign Request to cancel an existing campaign in Active status.

```
<IDCancelCampaignRequest>
  <TargetAPI></TargetAPI>
  <LoginName></LoginName>
  <LoginPassword></LoginPassword>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSIDAPIVersion></USPSIDAPIVersion>
  <SubmitterTransactionId></SubmitterTransactionId>
  <MailOwnerName></MailOwnerName>
  <MailOwnerCRID></MailOwnerCRID>
  <FlexOptionA></FlexOptionA>
  <FlexOptionB></FlexOptionB>
  <FlexOptionC></FlexOptionC>
  <Campaign>
    <USPSCampaignId></USPSCampaignId>
```



```

        <CampaignCode></CampaignCode>
    </Campaign>
</IDCancelCampaignRequest>
    
```

### 3.9.2 ID Cancel Campaign Response

#### 3.9.2.1 Schema View

This section covers technical details around the ID Cancel Campaign API and the accompanying XML message data included in the ID Cancel Campaign Response.

- API Name: IDCancelCampaign
- XML Message Request: IDCancelCampaignRequest
- XML Message Response: **IDCancelCampaignResponse**

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent from the API in response to a Cancel Campaign Request.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

#### 3.9.2.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Cancel Campaign Response.

**Table 7 – IDCancelCampaignResponse Data Elements**

Package Campaigns only = ✱

Mail Campaigns only = ◆

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
USPSSubmitterCRID	YES	18	Numeric	From request
SubmitterTransactionId	YES	30	Alphanumeric	From request
TransactionStatus	YES	1	Alpha	S = Successful Accept All Good U = Failed Not Processed P = Partially Success
FlexOptionA	NO	25	Alphanumeric	From request
FlexOptionB	NO	25	Alphanumeric	From request
FlexOptionC	NO	25	Alphanumeric	From request
<b>CAMPAIGN BLOCK</b>				<b>Campaign Information</b>
USPSCampaignId	YES	12	Numeric	Database generated unique ID for campaign (Not returned for failed responses)
CampaignMID	NO	9	Numeric	Populated from database lookup. Not returned in an unsuccessful request.
BrandDisplayName	NO	40	Alphanumeric	Populated from database lookup. Not returned in an unsuccessful request.
CampaignGroupingCode ✱	NO	40	Alphanumeric	Populated from database lookup. Not returned in an unsuccessful request.
CampaignCode	NO	40	Alphanumeric	Populated from database lookup. Not returned in an unsuccessful request.
FlexOptionD	NO	25	Alphanumeric	Not currently used or populated.
FlexOptionE	NO	25	Alphanumeric	Not currently used or populated.
FlexOptionF	NO	25	Alphanumeric	Not currently used or populated.
<b>MESSAGE BLOCK</b>				<b>Campaign Messages</b>

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
MsgType	YES	1	Alpha	F = FATAL E = ERROR I = INFO/SUCCESS/OTHER W = WARNING
MsgLocation	NO	1	Alphanumeric	C = CLIENT – WebTools S = SERVER – Informed Delivery
MsgReleaseIDAPIVersionAddUpdate	NO	12	Alphanumeric	ID API version that the message is associated with - last updated or added.
MsgCode	YES	50	Alphanumeric	Code for error or warning
MsgDescription	YES	1,200	Alphanumeric	Detailed description of error or warning, etc.
MsgAction	NO	1,200	Alphanumeric	Not currently used

### 3.9.2.3 Sample XML

```

<IDCancelCampaignResponse>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <SubmitterTransactionId></SubmitterTransactionId>
  <TransactionStatus></TransactionStatus>
  <FlexOptionA></FlexOptionA>
  <FlexOptionB></FlexOptionB>
  <FlexOptionC></FlexOptionC>
  <Campaign>
    <USPSCampaignId></USPSCampaignId>
    <CampaignMID></CampaignMID>
    <BrandDisplayName></BrandDisplayName>
    <CampaignGroupingCode></CampaignGroupingCode>
    <CampaignCode></CampaignCode>
    <FlexOptionD></FlexOptionD>
    <FlexOptionE></FlexOptionE>
    <FlexOptionF></FlexOptionF>
    <Messages>
      <Message>
        <MsgType></MsgType>
        <MsgLocation></MsgLocation>
        <MsgReleaseIDAPIVersionAddUpdate></MsgReleaseIDAPIVersionAddUpdate>
        <MsgCode></MsgCode>
        <MsgDescription></MsgDescription>
        <MsgAction></MsgAction>
      </Message>
    </Messages>
  </Campaign>
</IDCancelCampaignResponse>

```

## 3.10 Delete Campaign API - Technical Specification

### 3.10.1 ID Delete Campaign Request (POST)

#### 3.10.1.1 Schema View

The Delete Campaign API allows for an Integrator to delete a campaign currently in Submitted or Inactive status. This section covers technical details around the ID Delete Campaign API and the accompanying XML message data included in the ID Delete Campaign API request and response.

- API Name: IDDeleteCampaign
- XML Message Request: **IDDeleteCampaignRequest**

- XML Message Response: IDDeleteCampaignResponse

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent through the API to delete existing ID campaigns in Submitted or Inactive status.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

### 3.10.1.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for the ID Delete Campaign Request.

**Table 8 - IDDeleteCampaignRequest Data Elements**

Package Campaigns only = ✱

Mail Campaigns only = ◆

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
TargetAPI	YES	7	Alphanumeric	<b>Mail Campaigns:</b> Mail <b>Package Campaign:</b> Package Must be populated. This determines which endpoint will be called internally.
LoginName	YES	60	Alphanumeric	BCG username of user submitting request
LoginPassword	YES	50	Alphanumeric	BCG password of user submitting request
USPSSubmitterCRID	YES	18	Numeric	CRID associated with BCG credentials
USPSIDAPIVersion	YES	10	Alphanumeric	The ID API version being used. Must be populated with v1.
SubmitterTransactionId	YES	30	Alphanumeric	Unique ID provided by submitter for tracking file submission. Minimum of 3 characters.
MailOwnerName	YES	50	Alphanumeric	Mail Owner Name associated with the Mail Owner CRID as supplied by Submitter
MailOwnerCRID	YES	18	Numeric	CRID of the Mail Owner – can be the same as the USPSSubmitterCRID if Submitter is the Mail Owner, but must be populated.
FlexOptionA	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionB	NO	25	Alphanumeric	Do Not Use. For Future Use.
FlexOptionC	NO	25	Alphanumeric	Do Not Use. For Future Use.
<b>CAMPAIGN BLOCK</b>				<b>Limited to a single campaign block per request.</b>
USPSCampaignID	YES	12	Numeric	Must be included to delete a campaign. Unique ID of the campaign generated by Informed Delivery when campaign was created.
Campaign Code	YES	40	Alphanumeric	Must be included to delete a campaign. Must match the Campaign Code associated with the USPS Campaign ID.

### 3.10.1.3 Sample XML

Below is an example of what the XML request would look like when submitting the ID Delete Campaign Request to delete a Package Campaign.

```
<IDDeleteCampaignRequest>
  <TargetAPI></TargetAPI >
  <LoginName></LoginName>
  <LoginPassword></LoginPassword>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <USPSIDAPIVersion></USPSIDAPIVersion>
  <SubmitterTransactionId></SubmitterTransactionId>
  <MailOwnerName></MailOwnerName>
```

```

    <MailOwnerCRID></MailOwnerCRID>
    <FlexOptionA></FlexOptionA>
    <FlexOptionB></FlexOptionB>
    <FlexOptionC></FlexOptionC>
    <Campaign>
      <USPSCampaignId></USPSCampaignId>
      <CampaignCode></CampaignCode>
    </Campaign>
  </IDDeleteCampaignRequest>

```

### 3.10.2 ID Delete Campaign Response

#### 3.10.2.1 Schema View

This section covers technical details around the ID Delete Campaign API and the accompanying XML message data included in the ID Delete Campaign Response.

- API Name: IDDeleteCampaign
- XML Message Request: IDDeleteCampaignRequest
- XML Message Response: **IDDeleteCampaignResponse**

For a diagram depicting the XML schema for this type of request, refer to the XML schema file provided separately. This data is sent from the API in response to a Delete Campaign Request.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

#### 3.10.2.2 XML Message Data Elements

The following table represents the data elements embedded in the XML message body for an ID Delete Campaign Response.

**Table 9 – IDDeleteCampaignResponse Data Elements**

Package Campaigns only = \*

Mail Campaigns only = ◆

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
USPSSubmitterCRID	YES	18	Numeric	From request
SubmitterTransactionId	YES	30	Alphanumeric	From request
TransactionStatus	YES	1	Alpha	S = Successful Accept All Good U = Failed Not Processed P = Partially Success
FlexOptionA	NO	25	Alphanumeric	From request
FlexOptionB	NO	25	Alphanumeric	From request
FlexOptionC	NO	25	Alphanumeric	From request
<b>CAMPAIGN BLOCK</b>				<b>Campaign Information</b>
USPSCampaignId	YES	12	Numeric	Database generated unique ID for campaign (Not returned for failed responses)
CampaignMID	NO	9	Numeric	Populated from database lookup. Not returned in an unsuccessful request.
BrandDisplayName	NO	40	Alphanumeric	Populated from database lookup. Not returned in an unsuccessful request.
CampaignGroupingCode ◆	NO	40	Alphanumeric	Populated from database lookup. Not returned in an unsuccessful request.

FIELD	REQUIRED	LENGTH	DATA TYPE	DESCRIPTION
CampaignCode	NO	40	Alphanumeric	Populated from database lookup. Not returned in an unsuccessful request.
FlexOptionD	NO	25	Alphanumeric	Not currently used or populated.
FlexOptionE	NO	25	Alphanumeric	Not currently used or populated.
FlexOptionF	NO	25	Alphanumeric	Not currently used or populated.
<b>MESSAGE BLOCK</b>				<b>Campaign Messages</b>
MsgType	YES	1	Alpha	F = FATAL E = ERROR I = INFO/SUCCESS/OTHER W = WARNING
MsgLocation	NO	1	Alphanumeric	C = CLIENT – WebTools S = SERVER – Informed Delivery
MsgReleaseIDAPIVersionAddUpdate	NO	12	Alphanumeric	ID API version that the message is associated with - last updated or added.
MsgCode	YES	50	Alphanumeric	Code for error or warning
MsgDescription	YES	1,200	Alphanumeric	Detailed description of error or warning, etc.
MsgAction	NO	1,200	Alphanumeric	Not currently used

### 3.10.2.3 Sample XML

```

<IDDeleteCampaignResponse>
  <USPSSubmitterCRID></USPSSubmitterCRID>
  <SubmitterTransactionId></SubmitterTransactionId>
  <TransactionStatus></TransactionStatus>
  <FlexOptionA></FlexOptionA>
  <FlexOptionB></FlexOptionB>
  <FlexOptionC></FlexOptionC>
  <Campaign>
    <USPSCampaignId></USPSCampaignId>
    <CampaignMID></CampaignMID>
    <BrandDisplayName></BrandDisplayName>
    <CampaignGroupingCode></CampaignGroupingCode>
    <CampaignCode></CampaignCode>
    <FlexOptionD></FlexOptionD>
    <FlexOptionE></FlexOptionE>
    <FlexOptionF></FlexOptionF>
    <Messages>
      <Message>
        <MsgType></MsgType>
        <MsgLocation></MsgLocation>
        <MsgReleaseIDAPIVersionAddUpdate></MsgReleaseIDAPIVersionAddUpdate>
        <MsgCode></MsgCode>
        <MsgDescription></MsgDescription>
        <MsgAction></MsgAction>
      </Message>
    </Messages>
  </Campaign>
</IDDeleteCampaignResponse>
    
```

## 3.11 Error Handling

The ID API provides Error Handling information in two parts:

- Client-side (WebtoolsCommon) errors such as authentication, authorization, and schema validations. Server-side ID campaign management business rule validations, errors, and warnings

The two types are returned in two different datasets. The Informed Delivery server-side errors and warnings are returned as part of the XML Response, and client-side errors are returned as schema validation errors from WebTools prior to Informed Delivery processing.

*Note: The schemas presented below are provided as a sample. When creating an XML Message Request, it is important that the tags appear in the correct order. Refer to the sample schemas for the correct order of XML tags.*

### 3.11.1 Client-Side (WebtoolsCommon) Informed Delivery API Error Messages

#### 3.11.1.1 Format

Errors generated by malformed XML requests, XML schema errors, or Authorization and Authentication errors, will be returned in the below format:

```
<IDServerErrorResponse>
  <TimeStamp></TimeStamp>
  <Status></Status>
  <Error></Error>
  <Message></Message>
  <Path></Path>
</IDServerErrorResponse>
```

TimeStamp = Date and time error occurred.

Status = the error number generated by the Web Tools server.

Error = the component and interface that generated the error on the Web Tools server.

Message = the error description.

Path = URI returned on 500 errors only (ex: /id-api-mail/v1/campaign-management/submitter-  
crids/99999999/campaigns/1234033733/cancel)

#### 3.11.1.2 Sample Messages

##### Authentication Errors

```
<IDServerErrorResponse>
  <TimeStamp>2022-04-27T01:16:15.889+00:00</TimeStamp>
  <Status>-2147221202</Status>
  <Error>WebtoolsCommon</Error>
  <Message><![CDATA[The element '&#39;IDCreateCampaignRequest&#39; has invalid child element
  &#39;LoginName&#39;. List of possible elements expected: '&#39;TargetAPI&#39;.]]></Message>
  <Path/>
</IDServerErrorResponse>
```

##### Authorization Errors

```
<IDServerErrorResponse>
  <TimeStamp>2022-04-16T04:29:42.107+00:00</TimeStamp>
  <Status>-2147220561</Status>
  <Error>InformedDelivery</Error>
  <Message>Submitter is not authorized to submit requests to the IDAPI. Please contact the Informed Delivery Help Desk
  at USPSInformedDeliveryCampaigns@usps.gov.</Message>
```

```
<Path/>
</IDServerErrorResponse>
```

*XML Schema Validation Errors*

```
<IDServerErrorResponse>
  <TimeStamp>2022-04-16T04:29:55.388+00:00</TimeStamp>
  <Status>-2147221202</Status>
  <Error>WebtoolsCommon</Error>
  <Message><![CDATA[The &#39;CampaignCode&#39; element is invalid - The value &#39;&#39; is invalid according to its
datatype &#39;http://informeddelivery.usps.com/Specs/idapi4.0.1/base:campaignCode&#39; - The actual length is less
than the MinLength value.]]></Message>
  <Path/>
</IDServerErrorResponse>
```

## 3.12 Errors and Warnings

### 3.12.1 Client-Side Informed Delivery API Errors

Below is a list of client-side errors, including authentication, authorization, and schema validations errors from Web Tools.

**Table 10 – Client-Side Informed Delivery API Errors**

Source: WT = WebTools; CR = Customer Registration

Number	Source	Description	Help File
101	WT	XML message is not well formed.	Check the form of the XML message to ensure it has all required elements.
102	WT	XML message is not a valid format for the ID API.	Check the format of the XML message to ensure it contains valid elements for the ID API.
103	CR	Access denied	Resubmit with valid credentials.
104	CR	USPS-SUBMITTER-CRID is not authorized to submit requests to the WT2RMINCAMPAIGN. Please contact the Informed Delivery Help Desk at <a href="mailto:USPSInformedDeliveryCampaigns@usps.gov">USPSInformedDeliveryCampaigns@usps.gov</a> .	USPS-SUBMITTER-CRID must be enrolled in the WT2API service and the WT2RMINCAMPAIGN service-function.
105	WT	Response timed out. Did not receive a response within the allotted time.	Try resubmitting later.



### 3.12.2 Server-Side Informed Delivery API Errors and Warnings

Below are the current server-side errors and warnings, including business rule validations performed by the ID application.

**Table 11 – Server-Side Informed Delivery API Errors and Warnings**

MSG-TYPE – F = FATAL; E = ERROR; I = INFO/SUCCESS/OTHER; W = WARNING

MSG-LOCATION – C = CLIENT; S = SERVER – Not shown here – will always be “S”

MSG-ACTION – used to provide information on how to correct the error. Not shown here as it is only implemented on two errors for the QueryCampaign Request.

Package Campaigns only = ✱

Mail Campaigns only = ◆

MSG-CODE	MSG-FIELD	API	MSG-TYPE	MSG-DESCRIPTION	MSG-RELEASE-ID-API-VERSION-ADD-UPDATE
Barcode.Duplicate	BARCODE		E	Barcode appears more than once in the request.	1.0
Barcode.InCampaign ◆	BARCODE	Mail Only	E	Barcode is already associated with this campaign.	1.0
Barcode.InOtherCampaign ◆	BARCODE	Mail Only	E	Barcode is already associated with another Active or Submitted campaign.	1.0
Barcode.InvalidFieldLength ◆	BARCODE	Mail Only	E	Barcode must be 31 digits for an Informed Delivery campaign.	1.0
Barcode.InvalidLength ✱	BARCODE	Package Only	E	IMpb must have 22, 26, 30 or 34 alphanumeric characters.	1.0
Barcode.InvalidNumber ◆	BARCODE	Mail Only	E	Characters are not allowed in the Barcode.	1.0
Barcode.MoreThan25 ◆	BARCODE	Mail Only	E	Request exceeds the 25 barcode maximum.	1.0
Barcode.Required ◆	BARCODE	Mail Only	E	Barcode is required for each Barcode block included in request.	1.0
BarcodeMID.InvalidFieldLength ◆	BARCODE-MID	Mail Only	E	Barcode MID must be either 6 or 9 digits in length.	1.0
BarcodeMID.InvalidLength ✱	BARCODE-MID	Package Only	E	Barcode MID on Piece must be either 6 or 9 digits.	1.0
BarcodeMID.InvalidNumber	BARCODE-MID		E	Characters are not allowed for Barcode MID	1.0
BarcodeMID.Mismatch	BARCODE-MID		E	Barcode MID in request does not match associated campaign's MID on Piece.	1.0
BarcodeMID.Required	BARCODE-MID		E	Barcode MID is required.	1.0
BarcodeSerialNumber.InvalidFieldLength ◆	BARCODE-SERIAL-NO	Mail Only	E	Barcode Serial Number must be either 6 or 9 digits in length.	1.0
BarcodeSerialNumber.InvalidLength ✱	BARCODE-SERIAL-NO	Package Only	E	Barcode Serial Number exceeds 14 digits.	1.0

MSG-CODE	MSG-FIELD	API	MSG-TYPE	MSG-DESCRIPTION	MSG-RELEASE-ID-API-VERSION-ADD-UPDATE
BarcodeSerialNumber.InvalidNumber ◆	BARCODE-SERIAL-NO	Mail Only	E	Characters are not allowed for the Barcode Serial Number	1.0
BrandDisplayName.InvalidLength	BRAND-DISPLAY-NAME		E	Brand Display Name exceeds 40 characters.	1.0
BrandDisplayName.Required	BRAND-DISPLAY-NAME		E	Brand Display Name is required.	1.0
Campaign.NotEditable	USPS-CAMPAIGN-ID		E	Campaigns with associated barcodes cannot be edited on or past the Start Date.	1.0
Campaign.CancelInvalid ◆	USPS-CAMPAIGN-ID	Mail Only	E	Campaigns in Cancelled, Deleted, Active, or Complete status cannot be deleted.	1.0
Campaign.Uneditable	USPS-CAMPAIGN-ID		E	Active, Complete or Cancelled campaigns cannot be edited.	1.0
CampaignCode.AlreadyExist *	CAMPAIGN-CODE	Package Only	E	Campaign Code with the same Grouping Code and MID has been used previously.	1.0
CampaignCode.DoesNotMatchCampaignID	CAMPAIGN-CODE		E	Campaign ID and Campaign Code do not match.	1.0
CampaignCode.InvalidLength	CAMPAIGN-CODE		E	Campaign Code exceeds 40 characters.	1.0
CampaignCode.NotUnique *	CAMPAIGN-CODE	Package Only	E	Campaign Code must be unique to the Campaign Grouping Code and can only be used once by a given MID on Piece.	1.0
CampaignCode.NotUniquetoMID ◆	CAMPAIGN-CODE	Mail Only	E	Campaign Code not unique for Campaign MID. Use a unique Campaign Code.	1.0
CampaignCode.Required	CAMPAIGN-CODE		E	Campaign Code is required.	1.0
CampaignGroupingCode.InvalidLength *	CAMPAIGN-GROUPING-CODE	Package Only	E	Campaign Grouping Code exceeds 40 characters.	1.0
CampaignID.Cancelled	USPS-CAMPAIGN-ID		E	Barcodes cannot be added to a cancelled campaign.	1.0
CampaignID.CannotDelete	USPS-CAMPAIGN-ID		E	Campaigns cannot be deleted if they are in Active, Complete or Cancelled status or have reached their Start Date and have associated barcodes	1.0
CampaignID.Deleted	USPS-CAMPAIGN-ID		E	Barcodes cannot be added to campaigns in Deleted status.	1.0
CampaignID.DeletelInvalid ◆	USPS-CAMPAIGN-ID	Mail Only	E	Campaigns in Cancelled, Deleted, Submitted, Draft, Inactive, or Complete status cannot be cancelled.	1.0
CampaignID.DoesNotExist *	USPS-CAMPAIGN-ID	Package Only	E	Campaign ID does not exist.	1.0
CampaignID.EndDateTodayorPast	USPS-CAMPAIGN-ID		E	Barcodes cannot be added to a campaign with an end date of today or in the past.	1.0
CampaignID.Invalid ◆	USPS-CAMPAIGN-ID	Mail Only	E	Campaign ID not valid for Submitter CRID.	1.0

MSG-CODE	MSG-FIELD	API	MSG-TYPE	MSG-DESCRIPTION	MSG-RELEASE-ID-API-VERSION-ADD-UPDATE
CampaignID.InvalidFieldLength ◆	USPS-CAMPAIGN-ID	Mail Only	E	Campaign ID exceeds 12 digits.	1.0
CampaignID.InvalidLength ✱	USPS-CAMPAIGN-ID	Package Only	E	Campaign ID exceeds 12 characters.	1.0
CampaignID.InvalidNumber	USPS-CAMPAIGN-ID		E	Characters are not allowed for Campaign ID.	1.0
CampaignID.Required	USPS-CAMPAIGN-ID		E	Campaign ID is required.	1.0
CampaignMID.NotEditable	CAMPAIGN-MID		E	The Campaign MID cannot be edited on campaigns with associated barcodes.	1.0
CampaignMID.Overlap ◆	CAMPAIGN-MID	Mail Only	E	Campaign overlaps with another campaign for this MID and date range.	1.0
CampaignMID.SerialOverlap ◆	CAMPAIGN-MID	Mail Only	E	Campaign serials overlap with another campaign for this MID and date range.	1.0
CampaignShapeType.InvalidLength	CAMPAIGN-SHAPE-TYPE		E	Campaign Shape Type exceeds 2 characters.	1.0
CampaignShapeType.InvalidValue ◆	CAMPAIGN-SHAPE-TYPE	Mail Only	E	Campaign Shape Type must be a valid value - LT, CD, or FL.	1.0
CampaignShapeType.NotEditable ✱	CAMPAIGN-SHAPE-TYPE	Package Only	E	The Campaign Shape Type must be PK for package campaigns.	1.0
CampaignShapeType.Required	CAMPAIGN-SHAPE-TYPE		E	Campaign Shape Type is required.	1.0
CampaignTitle.InvalidLength	CAMPAIGN-TITLE		E	Campaign Title exceeds 40 characters.	1.0
CampaignTitle.Required	CAMPAIGN-TITLE		E	Campaign Title is required.	1.0
CampaignType.Invalid ◆	CAMPAIGN-TYPE	Mail Only	E	Barcodes cannot be added to the campaign because the Campaign Type is not a valid type for barcodes.	1.0
CampaignType.InvalidLength	CAMPAIGN-TYPE		E	Campaign Type exceeds 3 characters.	1.0
CampaignType.InvalidValue ◆	CAMPAIGN-TYPE	Mail Only	E	Campaign Type must be a valid value - alphanumeric 3-digit code. See Mail API Guide for details.	1.0
CampaignType.Required	CAMPAIGN-TYPE		E	Campaign Type is required.	1.0
Cancel.Ineligible	USPS-CAMPAIGN-ID		E	Campaigns may only be cancelled when they have associated barcodes and are within the campaign start and end date range.	1.0
Cancel.Invaild	USPS-CAMPAIGN-ID		E	Completed or Cancelled campaigns cannot be cancelled	1.0
EndDate.BeforeStartDate	END-DATE		E	End Date must be after the Start Date.	1.0
EndDate.Exceeds45days	END-DATE		E	Campaign duration exceeds 45 days.	1.0
EndDate.InPast	END-DATE		E	End Date cannot be in the past.	1.0

MSG-CODE	MSG-FIELD	API	MSG-TYPE	MSG-DESCRIPTION	MSG-RELEASE-ID-API-VERSION-ADD-UPDATE
EndDate.InvalidDateFormat	END-DATE		E	End Date should be a valid date in YYYY-MM-DD format.	1.0
EndDate.InvalidLength	END-DATE		E	End Date exceeds 10 characters.	1.0
EndDate.Required	END-DATE		E	Campaign End Date is required.	1.0
EndDate.SameasStartDate ◆	END-DATE	Mail Only	E	End Date must be after the Start Date.	1.0
EndDate.Today	END-DATE		E	End Date cannot be today.	1.0
EndSerial.InvalidLength ◆	END-SERIAL	Mail Only	E	End Serial must be a 9-digit number if Campaign MID is 6 digits or a 6-digit number if Campaign MID is 9 digits.	1.0
EndSerial.LessThanStartSerial ◆	END-SERIAL	Mail Only	E	End Serial must be greater than or equal to Start Serial.	1.0
EndSerial.Required ◆	END-SERIAL	Mail Only	E	End Serial is required for requests with a Campaign Type of 'A03'.	1.0
GroupingCode.Required	CAMPAIGN-GROUPING-CODE		E	Campaign Grouping Code is required.	1.0
IMpb.InCampaign *	BARCODE	Package Only	E	IMpb has previously been added to the campaign.	1.0
IMpb.InOtherCampaign *	BARCODE	Package Only	E	IMpb is associated to another active or submitted campaign.	1.0
IMpB.InvalidLength *	BARCODE	Package Only	E	IMpb must have 22, 26, 30 or 34 alphanumeric characters.	1.0
Impb.Morethan25 *	BARCODE	Package Only	E	Submission exceeds 25 Impbs (Package Campaigns)	1.0
Impb.Required *	BARCODE	Package Only	E	IMpb is required.	1.0
MailOwnerCRID.InvalidLength	MAIL-OWNER-CRID		E	Mail Owner CRID exceeds 18 characters.	1.0
MailOwnerCRID.InvalidNumber	MAIL-OWNER-CRID		E	Characters are not allowed for Mail Owner CRID.	1.0
MailOwnerCRID.Required	MAIL-OWNER-CRID		E	Mail Owner CRID is required.	1.0
MailOwnerName.InvalidLength	MAIL-OWNER-NAME		E	Mail Owner Name exceeds 50 characters.	1.0
MailOwnerName.Required	MAIL-OWNER-NAME		E	Mail Owner Name is required.	1.0
MailSubmitterCRID.InvalidNumber	USPS-SUBMITTER-CRID		E	Characters are not allowed for Submitter CRID.	1.0
MailSubmitterCRID.Required	USPS-SUBMITTER-CRID		E	Submitter CRID is required.	1.0
MIDOnPiece.Blocklisted	CAMPAIGN-MID		E	MID on Piece is no longer valid.	1.0
MIDOnPiece.InvalidLength	CAMPAIGN-MID		E	MID on Piece must be either 6 or 9 digits.	1.0
MIDOnPiece.InvalidNumber	CAMPAIGN-MID		E	Characters are not allowed for MID on Piece.	1.0
MIDOnPiece.Required	CAMPAIGN-MID		E	MID on Piece field is required.	1.0

MSG-CODE	MSG-FIELD	API	MSG-TYPE	MSG-DESCRIPTION	MSG-RELEASE-ID-API-VERSION-ADD-UPDATE
NoErrorInManifest	n/a		E	There is no error in the manifest that corresponds. Please contact the Informed Delivery Help Desk.	1.0
PathVariableCallbackKey.Invalid	CALLBACK-KEY		E	Callback Key not valid for Submitter CRID.	
PathVariableSubmitterCRID.InvalidLength	USPS-SUBMITTER-CRID		E	Submitter CRID path variable exceeds 18 characters.	1.0
PathVariableSubmitterCRID.InvalidNumber	USPS-SUBMITTER-CRID		E	Characters are not allowed for the Submitter CRID path variable.	1.0
PathVariableSubmitterCRID.Mismatch	USPS-SUBMITTER-CRID		E	Submitter CRID path variable and Submitter CRID in request do not match.	1.0
QueryString.InvalidDateFormat	n/a		E	Invalid date format for one or more date parameters. Dates must be formatted as MM/DD/YYYY and operators must be formatted correctly. See the API Technical Specifications Guide for allowable date operators and how to format them.	1.0
QueryString.InvalidNumberFormat	n/a		E	Invalid format for one or more number parameters. Number parameters and operators must be formatted correctly. See the API Technical Specifications Guide for allowable number parameters and operators and how to format them.	1.0
QueryString.InvalidPageValue	n/a		E	Invalid value provided for the page parameter in the query string.	1.0
QueryString.InvalidParameter	n/a		E	<invalidparametername> is an invalid parameter name.	1.0
QueryString.InvalidParameters	n/a		E	<invalidparametername> are invalid parameter names.	1.0
QueryString.InvalidSizeValue	n/a		E	Invalid value provided for the size parameter in the query string.	1.0
QueryString.InvalidSortValue	n/a		E	Invalid value provided for the sort parameter(s) in the query string.	1.0
QueryString.InvalidStatusValue	n/a		E	Invalid value provided for the status parameter in the query string.	1.0
RepresentativeImage.FileTooLarge ♦	REPRESENTATIVE-IMAGE	Mail Only	E	Representative Image file size must not exceed 204,800 bytes.	1.0
RepresentativeImage.InvalidFormat ♦	REPRESENTATIVE-IMAGE	Mail Only	E	Representative Image must be formatted as BASE64 and must be an image in RGB and JPG format.	1.0
RepresentativeImage.InvalidSize ♦	REPRESENTATIVE-IMAGE	Mail Only	E	Maximum size for the Representative Image is 780px wide x 500px high.	1.0

MSG-CODE	MSG-FIELD	API	MSG-TYPE	MSG-DESCRIPTION	MSG-RELEASE-ID-API-VERSION-ADD-UPDATE
RepresentativeImage.Required ◆	REPRESENTATIVE-IMAGE	Mail Only	E	Representative Image is required for requests with a Campaign Shape Type of 'FL'.	1.0
RideAlong.InvalidFormat *	RIDEALONG-IMAGE	Package Only	E	Ride-Along Image must be an RGB JPEG.	1.0
RideAlong.InvalidSize *	RIDEALONG-IMAGE	Package Only	E	Maximum size for the Ride-along Image is 210px wide x 140px high.	1.0
RideAlong.Required	RIDEALONG-IMAGE		E	Ride-along Image file is required.	1.0
RideAlong.TooLarge	RIDEALONG-IMAGE		E	Ride-along image must not exceed 204,800 bytes.	1.0
RideAlongImage.InvalidImageFormat ◆	RIDEALONG-IMAGE	Mail Only	E	Ride-Along Image must be formatted as BASE64 and must be an image in RGB and JPG format.	1.0
RideAlongImage.InvalidSize ◆	RIDEALONG-IMAGE	Mail Only	E	Maximum size for the Ride-Along Image is 300px wide x 200px high.	1.0
StartDate.Exceeds59Days	START-DATE		E	Campaign Start Date cannot be more than 59 days in the future.	1.0
StartDate.InPast	START-DATE		E	Start Date cannot be in the past.	1.0
StartDate.InvalidDateFormat	START-DATE		E	Start Date should be a valid date in YYYY-MM-DD format.	1.0
StartDate.InvalidLength	START-DATE		E	Start Date exceeds 10 characters.	1.0
StartDate.Required	START-DATE		E	Campaign Start Date is required.	1.0
StartDate.Today	START-DATE		E	Start Date cannot be today. Campaigns must be submitted prior to 12AM CST the day before the campaign is scheduled to begin.	1.0
StartSerial.InvalidLength ◆	START-SERIAL	Mail Only	E	Start Serial must be a 9-digit number if Campaign MID is 6 digits or a 6-digit number if Campaign MID is 9 digits.	1.0
StartSerial.Required ◆	START-SERIAL	Mail Only	E	Start Serial is required for requests with a Campaign Type of 'A03'.	1.0
SubmitterCRID.InvalidLength	USPS-SUBMITTER-CRID		E	The Submitter CRID exceeds 18 characters.	1.0
SubmitterCRID.Mismatch *	USPS-SUBMITTER-CRID	Package Only	E	Submitter CRID does not match campaigns.	1.0
MailSubmitterName.InvalidLength	CRID-COMPANY-NAME		E	Submitter Name exceeds 50 characters.	1.0
SubmitterName.Required	CRID-COMPANY-NAME		E	Submitter Name is required.	1.0
SubmitterTransactionID.InvalidLength	SUBMITTER-TRANSACTION-ID		E	Submitter Transaction ID exceeds 30 characters.	1.0
SubmitterTransactionID.Required	SUBMITTER-TRANSACTION-ID		E	Submitter Transaction ID is required	1.0
TargetURL.InvalidLength	TARGET-URL		E	Target URL exceeds 255 characters.	1.0

MSG-CODE	MSG-FIELD	API	MSG-TYPE	MSG-DESCRIPTION	MSG-RELEASE-ID-API-VERSION-ADD-UPDATE
TargetURL.MustBeHTTPS	TARGET-URL		E	Target URL must begin with https://.	1.0
TargetUrl.Required	TARGET-URL		E	A Target URL is required.	1.0

## 4 Troubleshooting

### 4.1 XML Schema Definitions

It is recommended that the ID API XML Schema Definitions (XSDs) are used to validate all XML messages prior to submission to the ID API.

The schemas samples shown in this documented are provided as samples only. When creating an XML Message Request, it is important that the tags appear in the correct order.

Refer to the schemas files provided for the correct order of XML tags.



## 5 Informed Delivery Legal Terms and Conditions

### INFORMED DELIVERY® INTERACTIVE CAMPAIGNS:

#### MAILER/SUBMITTER TERMS AND CONDITIONS OF USE AGREEMENT

This Terms of Use Agreement (this "Agreement") is a legal agreement between You and the United States Postal Service, an Independent Establishment of the Executive Branch of the United States Government ("USPS" or "Postal Service"). Informed Delivery interactive campaigns (used herein as "Campaigns") are at this time a free enhancement available to Mailers to the Informed Delivery notifications USPS provides to participating consumers for no additional postage fees. "Mailer(s)," "You" and "Your", as used herein, include the Mail Owner/Brand, and any Mail Service Provider and any Advertising Agency acting on behalf of a Mail Owner/Brand in connection with the creation and submission of Content for an Informed Delivery Campaign.

Mailers agreeing to these Terms and Conditions, and complying with other requirements and specifications as may be published by USPS in PostalOne!, the Mailer Campaign Portal, the Shipper Campaign Portal or in the Informed Delivery Interactive Campaign Guide available at <https://www.usps.com/business/informed-delivery.htm>, or elsewhere on that site, may submit supplemental content ("Content") to accompany or in some cases replace the grayscale scanned image that would otherwise be generated by USPS mail imaging processes (or, in the case of flats, replace the "image not available" notification) and provided to participating consumers as Informed Delivery notifications. Content also may be submitted for display as a Campaign for packages being sent and tracked within the Informed Delivery interface. In addition, some end users of Informed Delivery may set reminders to review Your Campaign up to ten days following the first opportunity to view Your Content.

"Content" as used herein includes Ride-along Images, Representative Images, interactive links (URLs), and a Brand Display Name as text, or any other content that you provide to USPS by any means whatsoever (including but not limited to email, upload through PostalOne!, the Mailer Campaign Portal, the Shipper Campaign Portal through an API or otherwise).

By submitting Content to USPS in connection with any Informed Delivery Campaign, You agree to the terms and conditions specified below and to faithfully comply with all other rules, regulations, technical specifications and requirements for Informed Delivery Campaigns. The Postal Service reserves the right at any time to change or amend the Agreement, i.e., these terms, conditions, and notices under which this feature is offered. You may review the most current terms and conditions of use at <https://www.usps.com/business/informed-delivery.htm>. If You do not agree to, or cannot comply with, the Agreement as amended, you must stop using the feature. You will be deemed to have accepted the Agreement as amended if You continue to use the feature for Campaigns. You acknowledge and agree that Your use of the feature, in each instance, is subject to any such changes and that Your use of the feature constitutes acceptance of such changed terms. You agree to review this Agreement from time to time to ensure compliance with these terms and conditions.

In addition, USPS is beta testing a new Informed Delivery feature in select markets that allows Mailers to provide digital offers and/or anonymized mail to customers You have not mailed to directly. For eligibility and requirements, see the Beta Test for USPS Informed Offers Powered by Informed Address below.

#### Eligibility

Informed Delivery Campaigns must be submitted to accompany a letter-size mailpiece, flat-size mailpiece, or package that meets all mailability requirements of the Domestic Mail Manual. USPS reserves the right to refuse an Informed Delivery Campaign from a Mailer competing with a Postal Service product, service, or feature, although grayscale images of such mailpieces will be provided to consumers as part of the ordinary Informed Delivery notifications.

## Representative Images

Representative Images are full color images submitted by the Mailer that can be displayed in lieu of the grayscale scanned image of a letter-sized mailpiece or in lieu of the “image not available” notification that would accompany a flat-size mailpiece (e.g., catalogs, magazines) in the USPS Informed Delivery daily digest email notifications, dashboard, or app. Representative Images must comply with the following requirements: (1) the Representative Image must be: (a) a reproduction of the address side of the mailpiece without an address showing, or (b) the nonaddress (obverse) side of the mailpiece; and (2) for flat-sized mailpieces required to be or that are mailed under covers or wrappers, the Representative Image must be an image of the Mailer’s corporate logo. Representative Images must also comply with all technical requirements (e.g., format, file size, pixel width and height, etc.) and other specifications as disseminated by USPS.

## Ride-along Images and Interactive Links

Ride-along Images are required for all Informed Delivery Campaigns. Ride-along Images are full color images that accompany either the Representative Image selected by the Mailer in accordance with the requirements above, or the grayscale image of the scanned mailpiece (or in the case of a package, the notification that the package will be arriving soon) in the USPS Informed Delivery email notifications or dashboard. Ride-along images must comply with the following requirements: (1) the Ride-along Image must directly relate to the promotion or offer contained in the mailpiece or what was shipped in the case of a package; (2) the Ride-along Image must be sized to the full space allowed or be reduced in size based on the ratio compared to the Representative Image; and (3) regardless of Mailer identity, the Ride-along Image language may not facilitate diversion from Postal Service products, services, or features (including “pay online” and similar CTAs). URLs and interactive links submitted as part of the Content with Ride-along Images must comply with the following requirements: (1) all URLs and links submitted as Content for an Informed Delivery Campaign must be submitted as HTTPS; (2) all URLs and links submitted as part of an Informed Delivery Campaign must lead directly to a landing page directly associated with the physical mailpiece or package utilized in the Campaign, or Your website’s homepage; (3) all URLs and links must be free of any malware, viruses, errors, or other aspects that could negatively impact the Informed Delivery feature and/or consumer experience with the feature; (4) You must monitor the Campaign and any threats, vulnerabilities, malware and malformed links must be addressed and reported to USPS within twenty-four (24) hours of discovery; and (5) any web site being linked to from an Informed Delivery campaign and/or USPS.com shall be branded in a manner or have a look and feel (“trade dress”) that will not emulate USPS.com or create a likelihood of confusion with USPS trade dress or otherwise lead consumers to believe or confuse consumers that they are on a USPS site. To comport with USPS policies related to exit pages, and with the goal of not having an exit page, You acknowledge, understand and agree that the standard for no exit page as set forth by Postal Service Management is that the site being linked to needs to be substantially different from USPS sites (i.e., the site’s appearance must be one that a person is unlikely to confuse with USPS sites or properties, or to think is a part of the USPS websites or properties, and possesses a distinct look and feel from those of USPS sites or properties, and the site must have a distinct URL separate and apart from the URLs of USPS.com and not use any USPS marks).

## Your Representations and Warranties

You represent and warrant that You have all necessary rights, including third party rights, and hereby grant to USPS such rights to use, display, publish, transmit, distribute, and make copies of the Content, and otherwise use it in Your Informed Delivery campaign, without infringing any rights of any third party or violating any applicable laws, rules, or regulations. The rights referred to in the foregoing include, without limitation, copyrights, trademark rights, rights of publicity (name and likeness rights) and any other rights necessary to use the Content. You further represent and warrant that the nature, appearance, and display of the Content is consistent with the mailability requirements of the Domestic Mail Manual.

You acknowledge and agree that USPS will not be involved in any way with the design of the Content, and represent and warrant that the Content as submitted to USPS or uploaded through USPS portals or through an API complies with these Terms and Conditions and any requirements published by USPS on PostalOne!, the Mailer Campaign Portal, the Shipper Campaign Portal or the Interactive Campaign Guide (available at <https://www.usps.com/business/informed-delivery.htm>), or elsewhere on that site. You agree to evaluate and bear all risks associated with the use of any Content and agree that You are solely responsible for and assume all liability arising from use of the Content in or through or otherwise as a result

of Your Informed Delivery campaign. You represent and warrant that the Content does not claim or create the impression, whether expressly or by implication, that the Postal Service endorses You or Your product, service or offering, and that the Content does not contain unlawful or legally actionable material, such as Content that is fraudulent or misleading, is defamatory or obscene, or violates anyone else's rights, including copyright, trademark, or privacy or publicity rights. You agree that the fact that USPS reproduces, displays, or distributes the Content and/or otherwise uses it in the Informed Delivery campaign: (1) does not constitute approval or endorsement of the Content; (2) does not indicate that the Content complies with any or all applicable laws, including Postal law or regulations, or (3) does not constitute acceptance of any liability or risk arising from the Content. For any interactive link contained in the Content, in addition to representations and warranties above, You warrant and represent that any web page linked to directly from Informed Delivery, whether through an email notification, dashboard or mobile app, shall not take Informed Delivery users to a web page that could be confused by a reasonable person to be a Postal Service web page.

You acknowledge and agree that any Content submitted may be shared by end-users of Informed Delivery through social media sites. Accordingly, You acknowledge, agree, represent and warrant that any Content submitted shall not be in contravention of the policies of the various social media sites' policies or terms of use.

### **Indemnity**

You agree to indemnify and hold the Postal Service and its Governors, officers, employees, agents, printers, contractors, vendors, and suppliers harmless against any and all expenses and losses of any kind (including attorneys' fees and costs) incurred in connection with any claims of any kind arising out of breach of any of the above representations and warranties, and publication, transmission, display or distribution of the Content (including, without limitation, any claim of patent, trademark, or copyright infringement, libel, defamation, breach of confidentiality, misappropriation of trade secret, invasion of the rights of privacy or publicity (including the right to control use of one's name and likeness), or false or deceptive advertising or sales practices) or any material or products of Yours to which third parties can link through the Content.

### **Rejection/Cancellation of Campaigns**

USPS reserves the right to reject or cancel any Informed Delivery Campaign at any time for any reason satisfactory to USPS in its sole and non-reviewable discretion, including but not limited to the following: (1) violations of or noncompliance with any of these Terms and Conditions, or requirements published via PostalOne!, the Mailer Campaign Portal, the Shipper Campaign Portal or in the Interactive Campaign Guide, or on <https://www.usps.com/business/informed-delivery.htm>; (2) detection of potential threats, vulnerabilities, malware or malformed links, security or privacy concerns, or potential degradation of USPS or consumer systems or equipment; (3) Campaign interactive links that are broken or that resolve to pages that negatively impact the Informed Delivery user experience; or (4) potentially subject USPS to liability or risk damage to the Informed Delivery feature and goodwill associated therewith.

### **Disclaimer**

THE PRODUCTS, SERVICES, WEBSITE, CONTENT AND/OR MATERIALS AVAILABLE THROUGH USPS ARE PROVIDED ON AN "AS IS" AND "AS AVAILABLE" BASIS AND WITHOUT WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED. USPS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM A COURSE OF DEALING OR PERFORMANCE, NONINFRINGEMENT, OR TRADE USAGE. USPS SHALL NOT BE LIABLE TO YOU OR ANY OTHER PERSON OR ENTITY FOR ANY LOSS, COST, DAMAGE OR EXPENSE, INCLUDING WITHOUT LIMITATION LOSS OF PROFITS, ARISING OUT OF OR IN CONNECTION WITH ANY CONTENT INCLUDED IN INFORMED DELIVERY, THE MANNER IN WHICH ANY CONTENT IS DISPLAYED OR DISTRIBUTED, THE FAILURE TO DISPLAY ANY CONTENT, OR ANY TECHNICAL MALFUNCTION, COMPUTER ERROR OR LOSS OF DATA OR OTHER INJURY, ARISING, DIRECTLY OR INDIRECTLY, FROM YOUR USE OF THE INFORMED DELIVERY FEATURE. SPECIFICALLY, AND WITHOUT LIMITING THE FOREGOING, USPS DOES NOT REPRESENT OR WARRANT THAT ANY CONTENT WILL BE DISPLAYED OR OTHERWISE TRANSMITTED OR DISSEMINATED THROUGH INFORMED DELIVERY WITHOUT INTERRUPTION OR ERROR.

### **Limitation of Liability**

IN NO EVENT SHALL USPS BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR EXEMPLARY DAMAGES, EVEN IF SUCH DAMAGES ARE FORSEEABLE, AND REGARDLESS OF WHETHER USPS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. YOUR SOLE AND EXCLUSIVE REMEDY FOR ANY CLAIM ARISING FROM OR RELATING TO YOUR PARTICIPATION IN AN INFORMED DELIVERY CAMPAIGN SHALL BE LIMITED TO A MAKE-GOOD PLACEMENT OF THE CONTENT AT A LATER TIME IN CONNECTION WITH A SUBSEQUENT MAILING.

**Governing Law**

Any and all disputes involving these Terms and Conditions or arising from the submission, rejection or cancellation of an Informed Delivery Campaign shall be governed by federal law, with jurisdiction and venue exclusively in the United States District Court for the District of Columbia or the United States Court of Federal Claims, as appropriate.

Updated: 04/23/2021

For the most up-to-date version of the Informed Delivery Terms and Conditions, go to the link below:

<https://www.usps.com/business/informed-delivery.htm>.