PREVENT HAIS Healthcare-Associated Infections

Decolonization of Non-ICU Patients With Devices

Section 11-10 – Protocol Post-Training Test: Basin Bed Bathing With 2% Chlorhexidine (CHG) and Showering With 4% CHG Liquid Soap

INSTRUCTIONS: Read each numbered statement and circle the correct answer.

- 1. Who should receive the targeted decolonization CHG bathing/showering protocol (select one answer)?
 - A. All adult hospitalized patients
 - B. All adult patients outside the intensive care unit (ICU)
 - C. Adult non-ICU patients with lumbar drains
 - D. Adult non-ICU patients with lumbar drains, midline catheters, and central lines
- 2. True or False: Cotton cloths should be avoided when applying CHG to the body.
 - A. True
 - B. False
- 3. How much water do you mix together with 4% liquid CHG when performing basin bed bath (select one answer)?
 - A. Two parts water and one part 4% CHG
 - B. Equal parts water and 4% CHG
 - C. One part water and two parts 4% CHG
- 4. Which of the following is TRUE when using basin bed bathing with CHG (select one answer)?
 - A. Apply chlorhexidine cloths to the skin and then bathe with soap and water
 - B. Bathe with soap and water then apply chlorhexidine cloths
 - C. Bathe with chlorhexidine cloths and let air dry. Do not use soap and water.

5. CHG should be used on all of the following <u>EXCEPT</u> (select one answer):

- A. Lines, tubes, and drains within 6 inches of the body
- B. Superficial decubitus ulcers (stages 1 and 2)
- C. Large or deep wounds
- D. Sutured or stapled wounds



6. Which dressings should be cleaned with CHG (select one answer)?

- A. Gauze dressings
- B. Semipermeable or occlusive dressings

Section 11-10 – Protocol Post-Training Test Basin Bed Bathing With 2% Chlorhexidine (CHG) and Showering With 4% CHG Liquid Soap

ANSWER KEY

6. B

1.	D		
2.	A		
3.	В		
4.	С		
5.	С		

AHRQ Pub. No. 20(22)-0036 March 2022