Breadcrumb

- 1. Home
- 2. Print
- 3. Pdf
- 4. Node
- 5. Entity Print

European Cherry Fruit Fly

Last Modified:



The European cherry fruit fly (*Rhagoletis cerasi L.*) is a serious pest of cherries. The fly damages ripening fruit, causing it to rot and fall off the tree.

European cherry fruit fly is found throughout Europe and in parts of West and Central Asia. It can spread to new areas through the transport of infested fresh cherries, soil, or fruit from host plants. Canada confirmed the fly at several sites in Ontario in 2016, the first record of it in North America. It has been in the United

States since 2017, when we detected it in Niagara County, NY.

What To Look For

Here's what to look for:

- Damaged fruit
 - Females usually lay one egg beneath the skin of each piece of fruit. Once they hatch, the larvae develop inside the fruit and feed for up to 6 weeks.
 - Larvae-infested fruit may have dark soft spots or appear wilted or shriveled.
 - As mature larvae emerge from the fruit, they may leave behind visible exit holes.
- Adult flies (1/8 to 3/16 of an inch)
 - Adults typically emerge from May to July and live for about 2 to 4 weeks.
 - Their bodies are mostly black with yellow to orange heads and a large yellow dot on their back.
 - They have transparent wings with dark bands.

How To Prevent This Pest

To help prevent this pest from spreading, here's what you can do:

- Know and follow any quarantine restrictions in fruit fly-infested areas.
 - If you travel to Canada, be advised that you may not bring cherries from Ontario into the United States.
 - Never remove fresh produce from your property if you are in a European cherry fruit fly quarantine area.
- Cooperate with agriculture officials who may be in your area surveying for the pest. They may ask for access to your property to place and check traps.

How It Is Treated

Contact your <u>State cooperative extension service</u> for advice on controlling European cherry fruit fly.

Report Plant Pests and Diseases

Have you seen this pest or signs of pest damage? Immediately report your findings to your State plant health director or State plant regulatory official.

If you suspect that you have a European cherry fruit fly infestation, contact your local <u>cooperative extension service</u> for advice. Please cooperate with local, State, and Federal agricultural officials as they carry out their work.

Find your State plant health director

Controlling European Cherry Fruit Fly

Current Quarantines and Maps

In the United States, the European cherry fruit fly has been detected in Niagara, Erie, Orleans, Monroe, and Wayne Counties in New York. If the pest becomes established in New York and spreads to other parts of the country, it could affect U.S. cherry production.

Cherry-producing States in several areas of the country are at risk, including along the Pacific Coast (California, Oregon, and Washington); in the Northeast (Maryland, New York, and Pennsylvania); and several Western and Central States (Colorado, Michigan, New Mexico, and Utah).

For the latest European cherry fruit fly quarantine information, select the name of your State in the Pest Tracker below, or view <u>Fruit Fly Quarantine Maps, Federal</u> Orders, SPRO Letters, and Environmental Documents.

Pest Tracker: Find Pests by State or Region

Find out if your State has a Federal quarantine and/or <u>State-level quarantine</u> for any <u>hungry pests</u>.

Select a State or Region
Select a State or Regior ▼

See Results

APHIS' Response

Through the Fruit Fly Exclusion and Detection Program, APHIS works to protect U.S. agricultural resources at risk from exotic fruit flies, including the European cherry fruit fly. Our goal with the European cherry fruit fly is to stop the human-assisted spread of the pest beyond the <u>current quarantine area</u> (the five New York counties bordering Lake Ontario).

APHIS and the New York State Department of Agriculture and Markets work together to monitor for potential spread. In affected and at-risk areas, we conduct surveys for the European cherry fruit fly each year in the spring and summer.

Questions and Answers: 2024 Survey for European Cherry Fruit Fly

Learn More

APHIS' work to protect against exotic fruit flies covers several other species as well. Explore our pest pages for <u>Mediterranean fruit fly</u>, <u>Mexican fruit fly</u>, and <u>oriental fruit fly</u> to learn more.

Regulatory Information

- European Cherry Fruit Fly, Rhagoletis cerasi, Host List 2018 (31.41 KB)
- <u>Fruit Fly Quarantine Maps, Federal Orders, SPRO Letters, and Environmental Documents</u>

Information for Cooperators

- Pest Alert: European Cherry Fruit Fly (Rhagoletis cerasi) (144.49 KB)
- 2022 Data Collection Using ArcGIS Field Maps: European Cherry Fruit Fly (YouTube)
- Protocol for the Distribution and Sale of Cherries Produced in the European Cherry Fruit Fly Quarantine Areas (527.78 KB)
- European Cherry Fruit Fly (Rhagoletis cerasi) Response Guide (2.23 MB)

Reports and Assessments

• European Cherry Fruit Fly Report (512.76 KB)

Print