
TEXAS
Youth Tobacco Survey

—◆—
2018



STATE REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 Prevalence Use Tables	2
Any Tobacco Products	3
Cigarettes	4
Other Tobacco Products	5
Cigars, Little Cigars, or Cigarillos	6
Smokeless or Spitless Tobacco	7
Tobacco in a Hookah or Water Pipe	8
Electronic Cigarettes or E-Cigarettes	9
Flavored Tobacco Products	10
2 Miscellaneous Tables	11
3 Margin Tables	15

Introduction

The Texas Department of State Health Services (DSHS) funds Tobacco Prevention and Control Coalitions (TPCC) throughout Texas. The goal of the community coalitions is to provide tobacco cessation and prevention activities. The Texas Youth Tobacco Survey (YTS) provides information to enhance the capacity to design, implement and evaluate the youth component of the TPCCs. The YTS provides data for students in grades 6-12 with respect to: prevalence of tobacco use (cigarettes, smokeless tobacco, cigars, hookah, flavored tobacco products, and e-cigarettes), exposure to environmental tobacco smoke (ETS), minors access and enforcement, knowledge and attitudes, media and advertising, school curriculum, and tobacco use cessation.

DSHS incorporates data from the state sample into a larger database that includes historical data from previous Texas Youth Tobacco Surveys. Policy makers at the state level use this data to track trends in tobacco use so that they have up-to-date information on which to base decisions and establish prevention and cessation strategies. State level data is also used by those at the district and coalition level as a standard that they can compare their own data against interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data for the entire state of Texas. It is divided into three major sections. The first section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous tobacco products and e-cigarettes covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The second section, titled “Miscellaneous Tables” provides data on related variables including age of first use, use on school property, perceptions of dangerousness, and ease/place of access. The final section, titled “Marginal Tables” details the number and percentage of students providing each response across all questions in the survey.

1 Prevalence Use Tables

Any Tobacco Products

Table T-1: Use of Any Tobacco Products, By Grade

	Past Month	Lifetime
All	17.2%	32.3%
Grade 6	4.7%	13.5%
Grade 7	8.1%	17.9%
Grade 8	12.3%	26.6%
Grade 9	18.4%	33.5%
Grade 10	23.7%	40.7%
Grade 11	26.9%	46.4%
Grade 12	30.8%	53.8%

Table T-2: Use of Any Tobacco Products, By School Level

	Past Month	Lifetime
Middle School	8.3%	19.3%
High School	24.8%	43.2%

Table T-3: Use of Any Tobacco Products, By Sex

	Past Month	Lifetime
Female	15.7%	30.4%
Male	18.9%	34.2%

Table T-4: Use of Any Tobacco Products, By Race

	Past Month	Lifetime
Hispanic or Latino	16.9%	32.3%
White, Non-Hispanic	21.3%	35.9%
Black or African American, Non-Hispanic	9.1%	24.4%
Other	16.8%	30.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 33

Cigarettes

Table C-1: Use of Cigarettes, By Grade

	Past Month	Lifetime
All	7.8%	21.9%
Grade 6	2.4%	6.6%
Grade 7	4.6%	12.6%
Grade 8	4.2%	17.0%
Grade 9	7.3%	19.2%
Grade 10	10.1%	28.9%
Grade 11	11.6%	32.8%
Grade 12	16.6%	41.4%

Table C-2: Use of Cigarettes, By School Level

	Past Month	Lifetime
Middle School	3.7%	12.1%
High School	11.3%	30.2%

Table C-3: Use of Cigarettes, By Sex

	Past Month	Lifetime
Female	6.8%	20.7%
Male	9.0%	23.3%

Table C-4: Use of Cigarettes, By Race

	Past Month	Lifetime
Hispanic or Latino	8.3%	22.3%
White, Non-Hispanic	8.0%	23.9%
Black or African American, Non-Hispanic	3.8%	15.0%
Other	10.9%	22.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 4 of 33

Other Tobacco Products

Table O-1: Use of Other Tobacco Products, By Grade

	Past Month	Lifetime
All	15.5%	26.1%
Grade 6	3.9%	8.0%
Grade 7	7.1%	12.5%
Grade 8	11.5%	20.2%
Grade 9	16.4%	28.2%
Grade 10	21.3%	33.4%
Grade 11	24.7%	40.3%
Grade 12	27.9%	46.8%

Table O-2: Use of Other Tobacco Products, By School Level

	Past Month	Lifetime
Middle School	7.5%	13.5%
High School	22.4%	36.8%

Table O-3: Use of Other Tobacco Products, By Sex

	Past Month	Lifetime
Female	14.3%	24.2%
Male	16.8%	28.1%

Table O-4: Use of Other Tobacco Products, By Race

	Past Month	Lifetime
Hispanic or Latino	14.9%	25.6%
White, Non-Hispanic	20.1%	31.3%
Black or African American, Non-Hispanic	7.3%	17.1%
Other	15.0%	24.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 5 of 33

Cigars, Little Cigars, or Cigarillos

Table G-1: Use of Cigars, Little Cigars, or Cigarillos, By Grade

	Past Month	Lifetime
All	5.9%	12.6%
Grade 6	1.1%	2.8%
Grade 7	2.6%	5.4%
Grade 8	4.2%	8.4%
Grade 9	6.4%	13.7%
Grade 10	7.6%	16.5%
Grade 11	8.1%	19.0%
Grade 12	13.1%	26.1%

Table G-2: Use of Cigars, Little Cigars, or Cigarillos, By School Level

	Past Month	Lifetime
Middle School	2.6%	5.5%
High School	8.7%	18.6%

Table G-3: Use of Cigars, Little Cigars, or Cigarillos, By Sex

	Past Month	Lifetime
Female	5.1%	10.6%
Male	6.8%	14.7%

Table G-4: Use of Cigars, Little Cigars, or Cigarillos, By Race

	Past Month	Lifetime
Hispanic or Latino	6.2%	12.2%
White, Non-Hispanic	5.9%	14.7%
Black or African American, Non-Hispanic	3.7%	9.2%
Other	7.7%	13.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 33

Smokeless or Spitless Tobacco

Table S-1: Use of Smokeless or Spitless Tobacco, By Grade

	Past Month	Lifetime
All	3.6%	9.0%
Grade 6	1.0%	3.0%
Grade 7	1.9%	4.6%
Grade 8	2.3%	5.5%
Grade 9	4.4%	11.1%
Grade 10	5.3%	12.4%
Grade 11	5.7%	13.9%
Grade 12	5.8%	15.2%

Table S-2: Use of Smokeless or Spitless Tobacco, By School Level

	Past Month	Lifetime
Middle School	1.7%	4.3%
High School	5.3%	13.1%

Table S-3: Use of Smokeless or Spitless Tobacco, By Sex

	Past Month	Lifetime
Female	1.7%	4.9%
Male	5.6%	13.1%

Table S-4: Use of Smokeless or Spitless Tobacco, By Race

	Past Month	Lifetime
Hispanic or Latino	2.9%	6.9%
White, Non-Hispanic	5.3%	13.3%
Black or African American, Non-Hispanic	1.9%	5.9%
Other	5.4%	11.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 7 of 33

Tobacco in a Hookah or Water Pipe

Table H-1: Use of Tobacco in a Hookah or Water Pipe, By Grade

	Past Month	Lifetime
All	3.0%	6.5%
Grade 6	1.5%	2.0%
Grade 7	2.0%	3.5%
Grade 8	2.0%	3.9%
Grade 9	2.8%	7.5%
Grade 10	4.8%	8.8%
Grade 11	4.5%	9.1%
Grade 12	3.8%	12.1%

Table H-2: Use of Tobacco in a Hookah or Water Pipe, By School Level

	Past Month	Lifetime
Middle School	1.8%	3.1%
High School	4.0%	9.3%

Table H-3: Use of Tobacco in a Hookah or Water Pipe, By Sex

	Past Month	Lifetime
Female	2.9%	6.3%
Male	3.1%	6.7%

Table H-4: Use of Tobacco in a Hookah or Water Pipe, By Race

	Past Month	Lifetime
Hispanic or Latino	3.5%	6.7%
White, Non-Hispanic	2.4%	6.1%
Black or African American, Non-Hispanic	2.0%	4.6%
Other	3.3%	9.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 8 of 33

Electronic Cigarettes or E-Cigarettes

Table E-1: Use of Electronic Cigarettes or E-Cigarettes, By Grade

	Past Month	Lifetime
All	13.0%	22.8%
Grade 6	3.0%	5.9%
Grade 7	5.6%	10.6%
Grade 8	9.4%	17.3%
Grade 9	13.6%	24.2%
Grade 10	16.4%	27.5%
Grade 11	21.9%	36.5%
Grade 12	24.5%	43.3%

Table E-2: Use of Electronic Cigarettes or E-Cigarettes, By School Level

	Past Month	Lifetime
Middle School	6.0%	11.3%
High School	18.9%	32.5%

Table E-3: Use of Electronic Cigarettes or E-Cigarettes, By Sex

	Past Month	Lifetime
Female	12.3%	21.8%
Male	13.7%	23.8%

Table E-4: Use of Electronic Cigarettes or E-Cigarettes, By Race

	Past Month	Lifetime
Hispanic or Latino	12.7%	22.4%
White, Non-Hispanic	16.8%	28.1%
Black or African American, Non-Hispanic	4.6%	12.0%
Other	12.9%	21.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 33

Flavored Tobacco Products

Table F-1: Use of Flavored Tobacco Products, By Grade

	Past Month	Lifetime
All	6.5%	12.5%
Grade 6	1.3%	3.1%
Grade 7	3.5%	6.6%
Grade 8	4.1%	9.0%
Grade 9	5.8%	12.9%
Grade 10	8.3%	15.9%
Grade 11	11.3%	19.7%
Grade 12	13.5%	23.3%

Table F-2: Use of Flavored Tobacco Products, By School Level

	Past Month	Lifetime
Middle School	3.0%	6.2%
High School	9.6%	17.8%

Table F-3: Use of Flavored Tobacco Products, By Sex

	Past Month	Lifetime
Female	6.1%	11.4%
Male	7.1%	13.7%

Table F-4: Use of Flavored Tobacco Products, By Race

	Past Month	Lifetime
Hispanic or Latino	6.3%	11.9%
White, Non-Hispanic	7.9%	15.2%
Black or African American, Non-Hispanic	3.3%	7.3%
Other	8.5%	13.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 10 of 33

2 Miscellaneous Tables

Table M-1: Have You Ever Tried Using - Overall

Q14	No - Never Heard of It	No	Yes
Smokeless/Spitless Tobacco	37.8%	53.7%	8.5%
Cigars/Little Cigars/Cigarillos	35.2%	52.9%	11.9%
Hookah or Water Pipe	38.8%	55.5%	5.7%
E-Cigarettes	29.7%	48.4%	21.9%
Flavored Tobacco Products	34.2%	54.0%	11.7%

Table M-2: Have You Ever Tried Using - Middle School

Q14	No - Never Heard of It	No	Yes
Smokeless/Spitless Tobacco	44.5%	51.6%	3.9%
Cigars/Little Cigars/Cigarillos	42.1%	52.9%	5.0%
Hookah or Water Pipe	46.3%	51.2%	2.5%
E-Cigarettes	36.3%	53.0%	10.7%
Flavored Tobacco Products	40.5%	53.8%	5.7%

Table M-3: Have You Ever Tried Using - High School

Q14	No - Never Heard of It	No	Yes
Smokeless/Spitless Tobacco	32.1%	55.5%	12.4%
Cigars/Little Cigars/Cigarillos	29.4%	53.0%	17.7%
Hookah or Water Pipe	32.3%	59.2%	8.4%
E-Cigarettes	24.2%	44.5%	31.4%
Flavored Tobacco Products	28.9%	54.3%	16.8%

Table M-4: During the Past 30 Days, On How Mandy Days Did You Smoke Cigarettes on School Property?

Q10B	Percent
0 Days	98.3%
1 to 2 Days	0.7%
3 to 9 Days	0.4%
10 to 29 Days	0.2%
All 30 Days	0.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 12 of 33

Table M-5: How Old Were You When You Smoked a Whole Cigarette for the First Time?

Q8	Percent
I Have Never Smoked a Whole Cigarette	84.0%
7 Years Old or Younger	1.1%
8 or 9 Years Old	0.8%
10 or 11 Years Old	1.7%
12 or 13 Years Old	4.0%
14 or 15 Years Old	4.6%
16 or 17 Years Old	3.1%
18 Years Old or Older	0.7%

Table M-6: How Many of Your Closest Friends Use...

Q29	None	A Few	Some	Most	All	Not Sure
Cigarettes	58.5%	18.7%	8.6%	3.2%	0.8%	10.2%
Smokeless/Spitless Tobacco	65.1%	13.1%	6.6%	3.2%	0.9%	11.1%
Cigars/Little Cigars/Cigarillos	63.9%	12.6%	6.3%	3.7%	1.5%	12.0%
E-Cigarettes	51.1%	16.5%	10.7%	9.1%	2.8%	9.8%

Table M-7: How Dangerous Do You Think It Is for a Person Your Age to Use...

Q27	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not Dangerous at All
Cigarettes	67.5%	26.6%	4.3%	1.6%
Smokeless/Spitless Tobacco	68.1%	24.4%	5.8%	1.7%
Cigars/Little Cigars/Cigarillos	66.4%	25.1%	6.3%	2.3%
Hookah or Water Pipe	64.2%	25.7%	7.5%	2.6%
E-Cigarettes	50.8%	23.6%	18.1%	7.6%
Flavored Tobacco Products	59.5%	28.2%	9.3%	3.1%
Alcohol	58.0%	26.2%	10.7%	5.0%

Table M-8: How Easy is it for People Your Age to Obtain Tobacco Products in Your Community?

Q21	Percent
Very Easy	21.7%
Easy	24.3%
Difficult	4.6%
Very Difficult	3.2%
Don't Know	46.2%

Percentages have been weighted to reflect proportions within the population.

Table M-9: During the Past 30 Days, Where Did You Buy Your Own Tobacco Products?

Q20	Percent
I Did Not Use Tobacco Products in the Past 30 Days	86.9%
I Did Not Buy Tobacco Products in the Past 30 Days, but I Got Them from Someone Else	9.8%
A Gas Station	3.5%
A Convenience Store	2.3%
A Grocery Store	1.1%
A Drug Store	1.3%
A Vending Machine	0.8%
Over the Internet	1.0%
Some Other Place Not Listed Here	3.6%

Table M-10: During This School Year...

Q33	No	Yes
Did You Practice in Any of Your Classes Ways to Say No to Tobacco?	73.9%	26.1%
Were You Taught in Any of Your Classes That Most People Your Age Do Not Use Tobacco Products?	67.4%	32.6%
Has What You Have Learned in School Helped You Feel it is Okay to Say No to Friends Who Offer You Tobacco Products?	40.3%	59.7%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 14 of 33

3 Margin Tables

State Report
2018

Age

Q1	Frequency	Percent
11 Years Old or Younger	166,369	6.3%
12 Years Old	379,339	14.4%
13 Years Old	389,575	14.8%
14 Years Old	370,383	14.1%
15 Years Old	350,157	13.3%
16 Years Old	363,101	13.8%
17 Years Old	351,795	13.4%
18 Years Old or Older	263,503	10.0%
Frequency Missing	2,926	

Gender

Q2	Frequency	Percent
Female	1,271,229	48.8%
Male	1,336,194	51.2%
Frequency Missing	29,724	

Grade

Q3	Frequency	Percent
6th Grade	399,646	15.2%
7th Grade	400,840	15.3%
8th Grade	396,629	15.1%
9th Grade	368,513	14.1%
10th Grade	379,138	14.5%
11th Grade	352,530	13.4%
12th Grade	324,528	12.4%
Frequency Missing	15,324	

Hispanic or Latino

Q4	Frequency	Percent
Not Hispanic or Latino	1,260,928	48.3%
Mexican Mexican American or Chicano	979,961	37.6%
Other Hispanic or Latino	367,280	14.1%
Frequency Missing	28,977	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 16 of 33

State Report
2018

Race

Q4a	Frequency	Percent
American Indian or Alaska Native	107,070	4.4%
Asian American	52,239	2.2%
Black or African American	375,545	15.5%
Native Hawaiian or Other Pacific Islander	19,484	0.8%
White	1,146,703	47.4%
More Than One Race	715,618	29.6%
Frequency Missing	220,488	

Average Grades

Q5	Frequency	Percent
Mostly A's	843,202	32.5%
Mostly B's	1,337,745	51.6%
Mostly C's	357,422	13.8%
Mostly D's	36,035	1.4%
Mostly F's	17,233	0.7%
Frequency Missing	45,509	

Qualify for Free/Reduced Lunch

Q6	Frequency	Percent
I Don't Know	702,233	26.9%
No	745,813	28.5%
Yes	1,167,155	44.6%
Frequency Missing	21,945	

Tried in Lifetime - Cigarettes

Q7	Frequency	Percent
No	2,083,314	79.6%
Yes	535,503	20.4%
Frequency Missing	18,330	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 17 of 33

Age When First Used Cigarettes

Q8	Frequency	Percent
I Have Never Smoked a Whole Cigarette	2,170,139	84.0%
7 Years Old or Younger	28,128	1.1%
8 or 9 Years Old	20,812	0.8%
10 or 11 Years Old	44,282	1.7%
12 or 13 Years Old	102,922	4.0%
14 or 15 Years Old	118,532	4.6%
16 or 17 Years Old	80,438	3.1%
18 Years Old or Older	17,702	0.7%
Frequency Missing	54,191	

Used Substance Daily for 30 Days - Cigarettes

Q9	Frequency	Percent
No	2,501,887	96.9%
Yes	81,331	3.1%
Frequency Missing	53,928	

Frequency of Use in Past 30 Days - Cigarettes

Q10a	Frequency	Percent
0 Days	2,410,640	93.7%
1 to 2 Days	85,181	3.3%
3 to 9 Days	36,482	1.4%
10 to 29 Days	21,063	0.8%
All 30 Days	18,338	0.7%
Frequency Missing	65,442	

Frequency of Use in Past 30 Days - Cigarettes at School

Q10b	Frequency	Percent
0 Days	2,404,268	98.3%
1 to 2 Days	18,265	0.7%
3 to 9 Days	8,857	0.4%
10 to 29 Days	5,533	0.2%
All 30 Days	7,766	0.3%
Frequency Missing	192,458	

Percentages and frequencies have been weighted to reflect proportions within the population.

Number of Cigarettes Daily in Past 30 Days

Q11	Frequency	Percent
I Did Not Smoke Cigarette in Past 30 Days	2,388,404	93.1%
Less Than 1 Cigarette Per Day	60,801	2.4%
1 Cigarette per Day	39,294	1.5%
2 to 5 Cigarettes per Day	53,188	2.1%
6 to 10 Cigarettes per Day	7,177	0.3%
11 to 20 Cigarettes per Day	3,969	0.2%
More Than 20 Cigarettes per Day	12,205	0.5%
Frequency Missing	72,109	

Cigarettes Usually Smoked are Menthol

Q12	Frequency	Percent
I Do Not Smoke Cigarettes	2,279,307	87.7%
No	184,069	7.1%
Yes	134,889	5.2%
Frequency Missing	38,882	

Plan to Quit Smoking in Next Six Months

Q13	Frequency	Percent
I Do Not Smoke Cigarettes	2,327,683	89.6%
No	111,997	4.3%
Yes	157,148	6.1%
Frequency Missing	40,319	

Tried in Lifetime - Chewing Tobacco

Q14a	Frequency	Percent
No - Never Heard of It	969,853	37.8%
No	1,379,646	53.7%
Yes	218,189	8.5%
Frequency Missing	69,458	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Tried in Lifetime - Cigars

Q14b	Frequency	Percent
No - Never Heard of It	894,492	35.2%
No	1,345,726	52.9%
Yes	301,441	11.9%
Frequency Missing	95,488	

Tried in Lifetime - Hookah

Q14c	Frequency	Percent
No - Never Heard of It	976,197	38.8%
No	1,398,796	55.5%
Yes	143,161	5.7%
Frequency Missing	118,993	

Tried in Lifetime - Electronic Vapor Products

Q14d	Frequency	Percent
No - Never Heard of It	755,123	29.7%
No	1,229,508	48.4%
Yes	556,678	21.9%
Frequency Missing	95,838	

Tried in Lifetime - Flavored Tobacco Products

Q14e	Frequency	Percent
No - Never Heard of It	866,028	34.2%
No	1,367,242	54.0%
Yes	296,813	11.7%
Frequency Missing	107,063	

Frequency of Use in Past 30 Days - Chewing Tobacco

Q15a	Frequency	Percent
0 Days	2,460,333	96.3%
1 to 2 Days	40,053	1.6%
3 to 9 Days	17,046	0.7%
10 to 29 Days	10,947	0.4%
All 30 Days	25,611	1.0%
Frequency Missing	83,156	

Percentages and frequencies have been weighted to reflect proportions within the population.

Frequency of Use in Past 30 Days - Cigars

Q15b	Frequency	Percent
0 Days	2,375,133	94.0%
1 to 2 Days	76,091	3.0%
3 to 9 Days	38,165	1.5%
10 to 29 Days	16,760	0.7%
All 30 Days	19,308	0.8%
Frequency Missing	111,690	

Frequency of Use in Past 30 Days - Hookah

Q15c	Frequency	Percent
0 Days	2,435,524	97.0%
1 to 2 Days	42,058	1.7%
3 to 9 Days	14,092	0.6%
10 to 29 Days	6,520	0.3%
All 30 Days	12,278	0.5%
Frequency Missing	126,674	

Frequency of Use in Past 30 Days - Electronic Vapor Product

Q15d	Frequency	Percent
0 Days	2,195,946	86.9%
1 to 2 Days	149,839	5.9%
3 to 9 Days	81,001	3.2%
10 to 29 Days	40,660	1.6%
All 30 Days	58,984	2.3%
Frequency Missing	110,717	

Frequency of Use in Past 30 Days - Flavored Tobacco Products

Q15e	Frequency	Percent
0 Days	2,347,571	93.4%
1 to 2 Days	73,435	2.9%
3 to 9 Days	38,120	1.5%
10 to 29 Days	19,039	0.8%
All 30 Days	35,088	1.4%
Frequency Missing	123,894	

Percentages and frequencies have been weighted to reflect proportions within the population.

Used in Lifetime - Any Tobacco Product at School

Q16	Frequency	Percent
No	2,304,475	94.8%
Yes	127,683	5.2%
Frequency Missing	204,989	

Likelihood of Tobacco Use in Next Year

Q17a	Frequency	Percent
Definitely Yes	46,075	1.8%
Probably Yes	125,577	4.9%
Probably Not	399,298	15.6%
Definitely Not	1,869,173	72.8%
I Already Use Tobacco Products	127,077	5.0%
Frequency Missing	69,946	

Likelihood of Tobacco Use in Next Year if Friend Offers

Q17b	Frequency	Percent
Definitely Yes	53,793	2.1%
Probably Yes	171,273	6.8%
Probably Not	414,703	16.4%
Definitely Not	1,793,303	70.7%
I Already Use Tobacco Products	101,964	4.0%
Frequency Missing	102,111	

Knowledge of Texas Laws - What is Legal Age to Buy Tobacco

Q18	Frequency	Percent
Less Than 16 Years Old	35,382	1.4%
16 Years Old	20,862	0.8%
17 Years Old	25,499	1.0%
18 Years Old	1,443,968	55.8%
19 Years Old	22,293	0.9%
20 Years Old	30,912	1.2%
21 Years Old or Older	285,766	11.1%
Not Sure	721,051	27.9%
Frequency Missing	51,414	

Percentages and frequencies have been weighted to reflect proportions within the population.

Knowledge of Texas Laws - Can Minors Be Fined for Possessing Tobacco

Q19a	Frequency	Percent
Not Sure	1,504,195	58.6%
No	97,286	3.8%
Yes	965,308	37.6%
Frequency Missing	70,357	

Knowledge of Texas Laws - Can Drivers License Be Suspended for Minor Possessing

Q19b	Frequency	Percent
Not Sure	1,463,148	57.5%
No	243,112	9.6%
Yes	838,553	33.0%
Frequency Missing	92,333	

Source of Tobacco in Past 30 Days - None

Q20a	Frequency	Percent
No	328,944	13.1%
Yes	2,183,547	86.9%
Frequency Missing	124,656	

Source of Tobacco in Past 30 Days - A Person

Q20b	Frequency	Percent
No	2,265,488	90.2%
Yes	247,003	9.8%
Frequency Missing	124,656	

Source of Tobacco in Past 30 Days - A Gas Station

Q20c	Frequency	Percent
No	2,424,596	96.5%
Yes	87,895	3.5%
Frequency Missing	124,656	

Percentages and frequencies have been weighted to reflect proportions within the population.

Source of Tobacco in Past 30 Days - A Convenience Store

Q20d	Frequency	Percent
No	2,455,049	97.7%
Yes	57,442	2.3%
Frequency Missing	124,656	

Source of Tobacco in Past 30 Days - A Grocery Store

Q20e	Frequency	Percent
No	2,485,755	98.9%
Yes	26,736	1.1%
Frequency Missing	124,656	

Source of Tobacco in Past 30 Days - A Drug Store

Q20f	Frequency	Percent
No	2,480,871	98.7%
Yes	31,620	1.3%
Frequency Missing	124,656	

Source of Tobacco in Past 30 Days - A Vending Machine

Q20g	Frequency	Percent
No	2,492,731	99.2%
Yes	19,760	0.8%
Frequency Missing	124,656	

Source of Tobacco in Past 30 Days - The Internet

Q20h	Frequency	Percent
No	2,487,822	99.0%
Yes	24,669	1.0%
Frequency Missing	124,656	

Percentages and frequencies have been weighted to reflect proportions within the population.

Source of Tobacco in Past 30 Days - Other Source

Q20i	Frequency	Percent
No	2,422,815	96.4%
Yes	89,676	3.6%
Frequency Missing	124,656	

How Difficult to Get Tobacco Products

Q21	Frequency	Percent
Very Easy	560,363	21.7%
Easy	625,786	24.3%
Difficult	118,582	4.6%
Very Difficult	81,602	3.2%
Don't Know	1,191,708	46.2%
Frequency Missing	59,104	

Barrier to Purchase in Past Month - Asked to See ID

Q22a	Frequency	Percent
I Did Not Try to Buy Tobacco Products in the Past 30 Days	2,172,210	85.6%
No	276,191	10.9%
Yes	90,076	3.5%
Frequency Missing	98,668	

Barrier to Purchase in Past Month - Refused Sale

Q22b	Frequency	Percent
I Did Not Try to Buy Tobacco Products in the Past 30 Days	2,128,158	84.7%
No	321,040	12.8%
Yes	64,087	2.5%
Frequency Missing	123,862	

Percentages and frequencies have been weighted to reflect proportions within the population.

Parents or Guardians Know of Tobacco Use

Q23	Frequency	Percent
I Do Not Use Tobacco Products	2,070,870	81.0%
No	314,253	12.3%
Yes	170,940	6.7%
Frequency Missing	81,084	

Parents or Guardians Say Not to Use Tobacco

Q24	Frequency	Percent
No	290,317	11.3%
Yes	2,270,570	88.7%
Frequency Missing	76,260	

In Past Year How Often Parents Discussed Tobacco Dangers

Q25	Frequency	Percent
Never	654,425	25.7%
Rarely	705,095	27.6%
Sometimes	689,493	27.0%
Often	316,198	12.4%
Very Often	185,164	7.3%
Frequency Missing	86,771	

Opinion on Smoking in Indoor Public Places

Q26	Frequency	Percent
Should Not Be Allowed in Any Indoor Places	1,552,339	62.0%
Should Be Allowed Only in Smoking Area	904,617	36.1%
Should Be Allowed in All Indoor Places	48,338	1.9%
Frequency Missing	131,852	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Opinion on How Dangerous to Use - Cigarettes

Q27a	Frequency	Percent
Very Dangerous	1,704,543	67.5%
Somewhat Dangerous	672,419	26.6%
Not Very Dangerous	109,016	4.3%
Not Dangerous at All	40,122	1.6%
Frequency Missing	111,047	

Opinion on How Dangerous to Use - Chewing Tobacco

Q27b	Frequency	Percent
Very Dangerous	1,707,279	68.1%
Somewhat Dangerous	612,048	24.4%
Not Very Dangerous	145,544	5.8%
Not Dangerous at All	42,751	1.7%
Frequency Missing	129,524	

Opinion on How Dangerous to Use - Cigars

Q27c	Frequency	Percent
Very Dangerous	1,666,734	66.4%
Somewhat Dangerous	628,685	25.1%
Not Very Dangerous	156,988	6.3%
Not Dangerous at All	57,284	2.3%
Frequency Missing	127,456	

Opinion on How Dangerous to Use - Hookah

Q27d	Frequency	Percent
Very Dangerous	1,595,882	64.2%
Somewhat Dangerous	637,779	25.7%
Not Very Dangerous	186,870	7.5%
Not Dangerous at All	64,727	2.6%
Frequency Missing	151,889	

Percentages and frequencies have been weighted to reflect proportions within the population.

Opinion on How Dangerous to Use - Electronic Vapor Products

Q27e	Frequency	Percent
Very Dangerous	1,266,106	50.8%
Somewhat Dangerous	586,668	23.6%
Not Very Dangerous	449,777	18.1%
Not Dangerous at All	188,331	7.6%
Frequency Missing	146,265	

Opinion on How Dangerous to Use - Flavored Tobacco Products

Q27f	Frequency	Percent
Very Dangerous	1,484,466	59.5%
Somewhat Dangerous	702,623	28.2%
Not Very Dangerous	231,872	9.3%
Not Dangerous at All	76,909	3.1%
Frequency Missing	141,276	

Opinion on How Dangerous to Use - Alcohol

Q27g	Frequency	Percent
Very Dangerous	1,451,911	58.0%
Somewhat Dangerous	656,076	26.2%
Not Very Dangerous	267,842	10.7%
Not Dangerous at All	125,459	5.0%
Frequency Missing	135,858	

In Past Year Talked About Dangers to Tobacco with a Doctor

Q28a	Frequency	Percent
I Did Not Visit a Doctor's/Dentist's Office in Past 30 Days	492,327	19.6%
No	1,187,651	47.3%
Yes	829,595	33.1%
Frequency Missing	127,573	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 28 of 33

In Past Year Talked About Dangers to Tobacco with a Dentist

Q28b	Frequency	Percent
I Did Not Visit a Doctor's/Dentist's Office in Past 30 Days	509,330	20.5%
No	1,365,252	54.9%
Yes	611,418	24.6%
Frequency Missing	151,146	

How Many Friends Use - Cigarettes

Q29a	Frequency	Percent
None	1,478,625	58.5%
A Few	472,849	18.7%
Some	216,237	8.6%
Most	81,618	3.2%
All	20,908	0.8%
Not Sure	256,861	10.2%
Frequency Missing	110,048	

How Many Friends Use - Chewing Tobacco

Q29b	Frequency	Percent
None	1,636,264	65.1%
A Few	330,197	13.1%
Some	165,535	6.6%
Most	80,601	3.2%
All	22,133	0.9%
Not Sure	278,931	11.1%
Frequency Missing	123,485	

How Many Friends Use - Electronic Vapor Products

Q29c	Frequency	Percent
None	1,282,518	51.1%
A Few	413,738	16.5%
Some	268,619	10.7%
Most	227,869	9.1%
All	69,715	2.8%
Not Sure	246,748	9.8%
Frequency Missing	127,939	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Many Friends Use - Cigars

Q29d	Frequency	Percent
None	1,601,304	63.9%
A Few	315,780	12.6%
Some	158,849	6.3%
Most	93,886	3.7%
All	36,834	1.5%
Not Sure	300,029	12.0%
Frequency Missing	130,465	

In Past Week How Often in Same Room with Smoker

Q30a	Frequency	Percent
0 Days	1,811,160	72.0%
1 or 2 Days	357,365	14.2%
3 or 4 Days	118,834	4.7%
5 or 6 Days	45,755	1.8%
7 Days	183,527	7.3%
Frequency Missing	120,506	

In Past Week How Often in Car with Smoker

Q30b	Frequency	Percent
0 Days	1,935,412	77.6%
1 or 2 Days	257,519	10.3%
3 or 4 Days	104,755	4.2%
5 or 6 Days	46,727	1.9%
7 Days	149,348	6.0%
Frequency Missing	143,386	

Someone Who Lives in Home Smokes Cigarettes

Q31	Frequency	Percent
No	1,755,355	70.5%
Yes	735,255	29.5%
Frequency Missing	146,537	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 30 of 33

In Past Year Involved in School Tobacco Prevention Activity

Q32	Frequency	Percent
No	1,944,053	78.3%
Yes	539,508	21.7%
Frequency Missing	153,585	

In Past Year Practiced in Class Saying No to Tobacco

Q33a	Frequency	Percent
No	1,834,686	73.9%
Yes	649,628	26.1%
Frequency Missing	152,832	

In Past Year Taught in Class Most People Your Age Dont Use Tobacco

Q33b	Frequency	Percent
No	1,660,231	67.4%
Yes	802,365	32.6%
Frequency Missing	174,550	

In Past Year What Learned in Class Helped Say No to Friends Offering Tobacco

Q33c	Frequency	Percent
No	990,197	40.3%
Yes	1,469,095	59.7%
Frequency Missing	177,855	

In Past Year Seen DUCK Tobacco is Foul Ad

Q34a	Frequency	Percent
No	2,185,549	89.9%
Yes	244,295	10.1%
Frequency Missing	207,302	

Percentages and frequencies have been weighted to reflect proportions within the population.

In Past Year Seen Worth It Ad

Q34b	Frequency	Percent
No	1,620,301	66.8%
Yes	803,694	33.2%
Frequency Missing	213,151	

In Past Year Seen Spit It Out Ad

Q34c	Frequency	Percent
No	1,885,885	78.2%
Yes	526,902	21.8%
Frequency Missing	224,359	

In Past Year Participated in DUCK Event

Q34d	Frequency	Percent
No	2,196,992	91.3%
Yes	208,407	8.7%
Frequency Missing	231,747	

In Past Year Seen or Participated in Other Anti-Tobacco Ad or Activity

Q34e	Frequency	Percent
No	1,534,052	63.7%
Yes	875,532	36.3%
Frequency Missing	227,562	

Seen Ads for Texas Quit Line

Q35	Frequency	Percent
I Don't Know	992,579	41.3%
No	944,400	39.3%
Yes	465,407	19.4%
Frequency Missing	234,760	

Percentages and frequencies have been weighted to reflect proportions within the population.

Seen Actors Smoking in TV or Movies

Q36	Frequency	Percent
I Don't Watch TV or Go to the Movies	68,421	2.7%
Most of the Time	432,571	17.3%
Some of the Time	1,345,829	53.9%
Hardly Ever	464,954	18.6%
Never	186,628	7.5%
Frequency Missing	138,743	

Seen Ads for Tobacco on Internet

Q37	Frequency	Percent
I Don't Search the Internet	77,436	3.1%
Most of the Time	237,311	9.6%
Some of the Time	751,148	30.3%
Hardly Ever	851,053	34.3%
Never	565,027	22.8%
Frequency Missing	155,171	

Seen Ads for Tobacco at Gas Station or Convenience Store

Q38	Frequency	Percent
I Don't Go to These Stores	65,291	2.6%
A Lot	1,145,585	46.0%
Sometimes	886,238	35.6%
Never	392,651	15.8%
Frequency Missing	147,381	

In Past Year Received Gift with Tobacco Brand

Q39	Frequency	Percent
No	2,374,131	95.5%
Yes	111,338	4.5%
Frequency Missing	151,677	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 33 of 33