



Main Line Twist

Camira

Composition:

Pure New Wool 75%, Flax 25%

Application:

Width: 140cm +/- 2% Usable

Weight: 437g/m² +/- 5% (550g/linear metre +/- 5%)

Price Band 2

Standards:

Abrasion Resistance: 50,000 Martindale cycles

Flammability: BS EN 1021-1:2006, BS EN 1021-2:2006, BS EN 7176 :2007,

BS 5852:2006 Section 4 Ignition Source 5, BS 7176:2007

Light Fastness: 4-5 (ISO 105-B02: 2013)

Fastness to Rubbing: Wet: 3 Dry: 4 (ISO 105 – X12:2002)

Colour Matching: Batch to batch variations in shade may occur within commercial tolerances.

Maintenance: Vacuum regularly. Wipe clean with a damp cloth.



Cone
4MT02

MLT02



Spool
4MT03

MLT03



Crimp
4MT06

MLT06



Ply
4MT10

MLT10



Fold
4MT01

MLT01



Blend
4MT11

MLT11



Creel
4MT09

MLT09



Card
4MT08

MLT08

Main Line Flax



Scour
4MT07

MLT07



Fibre
4MT05

MLT05




Yarn
4MT04

MLT04



Micron
4MT14

MLT14




Slub
4MT15

MLT15



Hank
4MT13

MLT13



Spin
4MT12

MLT12