




# LOOKBOOK Hospitality



Layout 1  
**LOOKBOOK**  
*Hospitality*

- a** Super Narrow Bezel Video Wall - 55VH7B-H
- 55" class 54.6" diagonal
  - Tile Mode up to 15 x 15 {Natural mode}
  - IPS Panel Technology
  - 1920 x 1080 {FHD}
  - Brightness 700cd/m<sup>2</sup>
  - Bezel Width 0.9mm {Top/Bottom/Left/Right}
  - 24 Hours Guaranteed Operating Hour
  - Portrait and landscape orientation
  - SuperSign® C

- b** WQHD+ IPS Curved Ultrawide Monitor - 38UC99-W
- 37.5" 21:9 Curved UltraWide™
  - 3840x1600
  - AMD FreeSync™ Technology
  - 1ms Motion Blur Reduction
  - USB Type C
  - USB 3.0 Quick Charge
  - Bluetooth Speakers
  - sRGB over 99%, Color Calibrated
  - Black Stabilizer, Dynamic Action Sync
  - OnScreen Control / My Display Presets / Screen Split 2.0 (PIP Mode)
  - Tilt / Height Adjustable Stand

- c** Multiple Screen Split-Ultra HD Signage - 75UH5C
- 75" class {74.7" measured diagonal}
  - IPS Panel Technology
  - 3840 x 2160 Ultra HD Resolution
  - 4 Divided PBP in Landscape or Portrait
  - Brightness 500cd/m<sup>2</sup>
  - Built-in Wifi
  - SuperSign-c | SuperSign-w lite
  - Portrait and landscape orientation



# LOOKBOOK *Hospitality*

- a** Premium Smart IPTV with Embedded b-LAN™  
- 55UV970H AVAILABLE 4TH QTR 2017
- 55" class (54.6" diagonal)
- 3840 x 2160 (4K UHD)
- Pro:Centric® SMART
- Integrated Pro:Idiom® DRM Technology
- Sleek Design, Ultra Slim Screen
- webOS® & Media Share Features
- Dolby Vision™ High Dynamic Range (HDR) with HDR10 Compatibility
- Smart Connectivity: Media Share, Bluetooth 3.0, LG Sound Sync
- Commercial Grade Stand



## LOOKBOOK *Hospitality*

- a LG Styler - S3RERB**
- Refresh Any Garments in Minutes with Steam Clothing Care System
  - Capacity 11.5 lb {5.2kg} | 3 Items + 1 {Pants}
  - Touch Control Hidden Display
  - TrueSteam®
  - Heat-Pump System {Inverter}
  - Gentle Dry
  - Sound On|Off
  - NFC Tag On Cycle Download {Android Mobile OS} {10 minute Default Course}
  - Interior Lights 3 LED {2 White, 1 Blue}
  - Reversible Door
- b World's First Smart OLED Hospitality TV - 65EV960H**
- 65" class {65.5" diagonal}
  - 3840 x 2160 UHD
  - Pro:Centric® SMART Platform
  - Integrated Pro:Idiom® DRM Technology
  - webOS 3.5, Commercial Smart Home, Web Browser, Pre-loaded Apps, SDP {Software Defined Perimeter}
  - Dolby Vision™ High Dynamic Range (HDR) with HDR10 Compatibilit
  - Dolby Atmos® Sound
- c Magic Remote Control with Voice Mate™**
- Voice Recognition with Intuitive Mouse Like Pointing and Wheel Control
  - Universal Remote Control
  - Number Key Pad
  - Magic Zoom



# LOOKBOOK Hospitality

- a** **Open-Frame Curved OLED Displays - 55EF5C**
  - 55" class
  - 1920 x 1080 FHD
  - Brightness 100|400cd/m<sup>2</sup> {APL100% | 25%} average picture level
  - Bezel Width: 7.2mm {T,B,L,R off-bezel}
  - Available in arched, curved, concave and convex by using OLED Module | Signage Box and T-Con Box | Cables
  - Maximum Curvature in Portrait: 1,500R Radius: 1,500mm Circumference: 9,420mm
  - Maximum Curvature in Landscape: 2,000R Radius: 2,000mm Circumference: 12,560mm
  
- b** **Ultra Stretch Display - 88BH7D**
  - 88" class
  - IPS Panel Technology
  - 32:9 aspect ratio
  - 3840x1080 resolution
  - Stand-alone
  - Instalation types:
    - Stand alone
    - Tri-Sided *shown*
    - Quad-Sided
    - Video wall
    - 360-degree video column
  - Touch-Screen
  - 4x Picture-in-Picture



# LOOKBOOK Hospitality

**a** Open-Frame Curved OLED Displays - 55EF5C

- 55" class
- 1920 x 1080 FHD
- Brightness 100|400cd/m<sup>2</sup> {APL100% | 25%} average picture level
- Bezel Width: 7.2mm {T,B,L,R off-bezel}
- Available in arched, curved, concave and convex by using OLED Module | Signage Box and T-Con Box | Cables
- Maximum Curvature in Portrait: 1,500R  
Radius: 1,500mm  
Circumference: 9,420mm
- Maximum Curvature in Landscape: 2,000R  
Radius: 2,000mm  
Circumference: 12,560mm

**b** SuperSign™ Commercial Display- 55LW540S

- 55" class {54.9" diagonal}
- 1920 x 1080 FHD
- Brightness 300cd/m<sup>2</sup>
- Wi-Fi dongle support
- USB fail over function
- Network Time Protocol
- SuperSign Lite | SuperSign C | SuperSign Simple Editor



# LOOKBOOK *Hospitality*

- a In-Glass Oled Wallpaper - 55EG5SD**
- 55" class
  - 1920 x 1080 FHD
  - Brightness 100/400cd/m<sup>2</sup> {APL100% | 25%}
  - Available in two types of installation:
  - Hard Coating {2H}, anti-reflective treatment of the front polarizer {1.0% reflective typ}
  - Portrait orientation
  - SuperSign OLED | C

- b Open-Frame OLED Display - 55EF5C**
- 55" class
  - 1920 x 1080 FHD
  - Brightness 100|400cd/m<sup>2</sup> {APL100% | 25%} average picture level
  - Bezel Width: 7.2mm {T,B,L,R off-bezel}
  - Available in arched, curved, concave and convex by using OLED Module | Signage Box and T-Con Box | Cables
  - Maximum Curvature in Portrait: 1,500R  
Radius: 1,500mm  
Circumference: 9,420mm
  - Maximum Curvature in Landscape: 2,000R  
Radius: 2,000mm  
Circumference: 12,560mm



## LOOKBOOK *Hospitality*

### **a** Direct View Indoor LED - LAP Series

- High brightness 1,000 | 1,200 nit
- 6000:1 Super contrast ratio
- Visual Viewing Angle {Horizontal} 160°  
{Vertical} 140°
- LG Dynamic Contrast Algorithm
- SuperSign Lite | SuperSign C | SuperSign
- Simple Editor
- webOS
- Refresh Rate: 1920 Hz

### **b** Outdoor Display - 75XE3C

- 75" Class 74.5" measured diagonal
- High brightness 3,000cdm<sup>2</sup> {Typ.} 2,400cd/m<sup>2</sup> {min} through front protective glass
- 3840 x 2160 {UHD}, M+
- 1200:1 Contrast Ratio
- Surface Treatment Hard coating {2H}, Anti-glare treatment of the front polarizer {Haze 3% {Typ.}}
- Operation Temperature -30 °C to 50 °C
- Operation Humidity 5 % to 100 %
- Direct Sunlight Yes
- Dust | Water Proofing IP 56





Layout 9  
**LOOKBOOK**  
*Hospitality*

- a** Super Narrow Bezel Video Wall - 55VH7B-H
- 55" class 54.6" diagonal
  - Tile Mode up to 15 x 15 {Natural mode}
  - IPS Panel Technology
  - 1920 x 1080 {FHD}
  - Brightness 700cd/m<sup>2</sup>
  - Bezel Width 0.9mm {Top/Bottom/Left/Right}
  - 24 Hours Guaranteed Operating Hour
  - Portrait and landscape orientation
  - SuperSign® C

- b** Dual-View Flat OLED Display - 55EH5C
- 55" class
  - 1920 x 1080 FHD
  - Brightness 100|400cd/m<sup>2</sup> {APL100% | 25% average picture level}
  - Bezel Width: 2.2mm {T,B,L,R off-bezel}
  - Available in three types of installation
    - Ceiling Mount
    - Wall Mount
    - Floor Standing
  - Portrait and landscape orientation
  - SuperSign W-Lite | C



# LOOKBOOK *Hospitality*

**a** Ultra HD Premium Large Display - 98LS95D

- 98" class 97.5" diagonal
- IPS Panel Technology
- 3840 x 2160 {UHD} Resolution
- Brightness 500cd/m<sup>2</sup> {Typ}
- Contrast Ratio 1300:1
- Response Time 8ms {G to G BW} typ.
- 24 hours Operation
- Landscape & Portrait Orientation



# LOOKBOOK *Hospitality*

- a** **Essential Commercial TV With Ultra High Definition- 65UV340H**
  - 65" class (64.6" diagonal)
  - 3840 x 2160 (4K UHD)
  - IR Pass Through and Control
  - External Speaker Out Compatibility (Speaker Sold Separately)
  - HDR (High Dynamic Range) :HDR10
  - 4K Upscaler
  - 4K IPS Wide Viewing Angle
  
- b** **Touch Overlay Kit - KT-T550**
  - 43" class
  - Overlays are designed to fit compatible screens and provide touch accuracy and performance.
  - Compatible Products: 43SE3B, 43SE3KB, 43SL5B
  - Multi-Touch with Slim Bezel
  - 10 Point Multi-Touch
  - Ghost-Free Touch
  - Portrait and landscape orientation



# LOOKBOOK *Hospitality*

**a** Ultra HD Large Multi-Touch Display 86TR3D

- 86" Class
- 3840 x 2160 UHD
- IPS Panel Technology
- High Performance In-Glass™ Touch Technology
- Intuitive Touch OSD {On Screen Display}
- 20 Point Multi-Touch
- Advanced User Interface
- Auto Signal Set-up
- Built-in WiFi
- PBP {Picture by Picture}
- PIP {Picture in Picture}
- Gentle Touch {minimum radius: 3mm}





LG Electronics USA, Inc. | HE B2B Division | 2000 Millbrook Drive | Lincolnshire, IL 60069

All images on screen are simulated. Design, specifications, and features subject to change without notice.  
© Copyright 2017 LG Electronics USA, Inc. All rights Reserved. LG Life's Good, ProCentric and XD Engine are registered trademarks of LG Corp. ProIdiom is a registered trademark of Zenith Electronics Corporation. All other product and brand names are trademarks or registered trademarks of their respective companies

LOOKBOOK\_Hospitaliy\_081708\_b