



# United States Department of the Interior

## NATIONAL PARK SERVICE

National Capital Region

1100 Ohio Drive, S.W.

Washington, D.C. 20242

IN REPLY REFER TO:

### PRESIDENTIAL INAUGURATAL CEREMONIES PERMIT

**January 4, 2017**

**PERMIT NUMBER 16-0357 Amendment B**

**(BLEACHERS, ANNOUNCER STANDS, MEDIA STANDS AND JOINT TASK FORCE  
INAURUAL COMMINTTEE (JTF) TRAILERS, GENERATORS AND PROTABLE  
RESTROOMS - PLACEMENT AND REMOVAL)**

In accordance with the Presidential Inaugural Ceremonies Act and National Park Service regulations, permission is granted for the following:

Person(s) and/or Organizations): **PRESIDENTIAL INAUGURAL**

COMMITTEE Date(s): 01/04/17

To: 02/10/17

Time: Starting: 7:00 A.M.

Ending: 5:00 P.M.

Location(s): **PENNSYLVANIA AVENUE NATIONAL HISTORICAL SITE BETWEEN  
3<sup>rd</sup> & 15<sup>th</sup> STREETS, SIDEWALK ON THE WEST SIDE OF PERSHING PARK AND  
NORTHEAST CORNER AT 15<sup>th</sup> STREET AND NORTH PENNSYLVANIA AVENUE.**

Purpose(s) **BLEACHERS, MEDIA STANDS, ANNOUNCER STANDS, JTFIC  
TRAILERS, GENERATORS AND PORTABLE RESTROOMS FOR PRESIDENTIAL  
INAUGURAL PARADE**

Anticipated Number of Participants: **Bleacher Seats 8,790**

**Announcer, Media and Parade Control Support  
(100) ± Viewing Public (300,000) ±**

Person(s) in Charge: **Matt Hall, Inaugural Parade Director**

Address(es): **P.O. Box 44093, Washington, D.C. 44093**

Telephone Nos. Day: **202-484-3929**

This permit is granted subject to the following conditions and may be amended by the National Park Service to reflect changes to conditions.

This permit authorizes the construction and/or placement of seven (7) bleacher areas and five (5) media areas as a result of PIC's partial loss of bleacher and media space between 12<sup>th</sup> and 13<sup>th</sup> on Pennsylvania Avenue, south sidewalk, east of the Ronald Reagan Building; Freedom Plaza; east sidewalk of Sherman Park; south sidewalk between 7<sup>th</sup> and 9<sup>th</sup> Streets in front of the National Archives; and between 10<sup>th</sup> and 12<sup>th</sup> Streets, south sidewalk in front of the Trump International Hotel. These partially lost areas are due to not being suitable for bleacher and media area placement due to obstructions of trees, planters and security barrier.

Authorization is granted to set up bleachers and media in the following locations:

**Bleacher Area(s)**

1. North sidewalk, Pennsylvania Avenue, 4<sup>th</sup> Street, one bleacher section 7Rx50' for a total of 200 seats
2. South sidewalk, Pennsylvania Avenue, west of 6<sup>th</sup> Street, one bleacher section 10Rx144' for a total of 830 seats
3. North sidewalk, Pennsylvania Avenue, west of 6<sup>th</sup> Street, one bleacher section 6Rx30' for a total of 130 seats
4. South sidewalk, Pennsylvania Avenue, west of 10<sup>th</sup> Street, one bleacher section 7Rx138' for a total of 452 seats
5. North sidewalk, Pennsylvania Avenue, west of 12<sup>th</sup> Street, one bleacher section 4Rx90' for a total of 228 seats
6. South sidewalk, Pennsylvania Avenue, east of 15<sup>th</sup> Street, two bleacher sections, one section 4Rx120' for a total of 298 seats and one section 4Rx150' for a total of 382 seats

**Media Area**

1. Relocation of one 10'x10' press area from the northeast corner of Pennsylvania Avenue, at 10<sup>th</sup> Street, south side relocated to the southwest corner of Pennsylvania Avenue at 10<sup>th</sup> Street.
2. North sidewalk of Pennsylvania Avenue, east end between 11<sup>th</sup> and 12<sup>th</sup>, five (5) 8'x8' media risers.

These permitted bleacher and media areas do not increase the size of PIC's reserve priority bleacher and media placement. Construction will begin on Wednesday, January 4, 2017 with tear down complete by Friday, February 10, 2017

Permission for placement of the bleachers, JTFIC trailers, generators and portable toilets, announcer and media stands, is granted based on the attached layout diagrams for all areas referenced in this permit.

Based on the size and scope of this event PIC will provide the NPS with a cost recovery deposit in the form of an irrevocable letter of credit or cash deposit in an amount to be determined later for all activities held on National Park land associated with the Presidential Inauguration activities.

This cost recovery deposit will be used to cover costs of restoration and rehabilitation of NPS resources and any unbudgeted National Park Service operating costs.

The permittee agrees to be fully responsible for the management, performance, use and safety within the permit area involved in this authorization until the work is completed, inspected, and accepted. The permittee hereby agrees to accept responsibility and assume liability for any and all tort claims arising from the actions or omissions of its representatives or employees directly or indirectly connected with the work performed, the maintenance of, or the use of this facility to the greatest extent permitted by law. To the extent that the work is performed by non-Governmental persons or organizations, the permittee shall require such persons or organizations to:

- a. Procure public and employee liability insurance from responsible companies with a minimum limitation of \$2,000,000 per person for any one claim and an aggregate limit of \$5,000,000 for any number of claims arising from any one incident. The United States of America shall be named as an additional insured on all such policies. The permit number will be included on said policy. All such policies shall specify that the insured shall have no right of subrogation against the United States for payments of any premiums or deductibles, thereunder, and such insurance policies shall be obtained by, be for the account of, and be at the insured's sole risk.
- b. Pay the United States the full value of any damages to the lands or other property of the United States caused by any omission or activity in connection with this permit.
- c. Indemnify, save and hold harmless and defend the United States against all fines, claims, damages, losses, judgments and expenses arising out of, or from any omission or activity in connection with this permit.

This permit is being issued to the PIC with the provision to allow the erection of approved bleachers, JTFIC trailers, generators, portable toilets, announcer and media stands, prior to PIC fulfilling its obligation of providing the cost recovery bond and certificate of insurance prior to the start of any additional work on parkland associated with this permit.

Permission for placement of the approved bleachers, JTFIC trailer, generators, portable toilets, announcer and media stands, is granted based on the attached layout diagrams for all areas referenced in this permit.

## GENERAL CONDITIONS

A. Permittee and all participants authorized therein must comply with all of the conditions of this permit and with all reasonable directions of the National Park Service and United States Park Police personnel.

B. All sidewalks, walkways, and roadways must remain unobstructed during the construction activities to allow for the reasonable use of these areas by pedestrians, vehicles, and other park visitors.

C. Prior to beginning construction or placement of all facilities, PIC's contractors or agents will contact Ms. Robbin Owen, NPS Inaugural Coordinator or Deborah Deas, Parade Route Coordinator, (202) 245-4715 to coordinate specific logistical requirements. Permittee and its representatives will follow instructions provided by these individuals with regard to accessing park property and will take all precautions to protect park resources.

D. All requests, correspondence and meetings with the National Park Service pertaining to this permit shall be scheduled by the permittee only. All contractors, subcontractors or consultants must channel their requests through the recognized representatives of the permittee, who in turn will contact the National Park Service.

E. The permittee shall insure that all logistical equipment/structures placed on park property adhere to all applicable codes, standards, and regulations including but not limited to BOCA, OSHA, USPHS, NFPA, and ADA, covering requirements including but not limited to safe construction practices and grounding of bleachers.

F. All activities pursuant to this permit shall be in compliance with the requirements of Title VI of the Civil Rights Act of 1964 (78 Stat. 252; 42 U.S.C. 200d et seq.); Title V, Section 504 of the Rehabilitation Act of 1973 (87 Stat. 394; 29 U.S.C. 794); the Age Discrimination Act of 1975 (89 Stat. 728; 42 U.S.C. 6101 et seq.); and with all other Federal laws and regulations prohibiting discrimination on grounds of race, color, national origin, handicap, religion, or sex in employment and in providing facilities and services to the public. Nothing in advertising for employees shall be done which will prevent those covered by these laws from qualifying for employment.

G. The permittee shall require all employees and/or contractors to exercise all normal and reasonable safety precautions and to protect park visitors and property. Suitable devices such as barricades, fences, lanterns, etc. necessary for employee and public safety, shall be provided and adequately maintained. Such devices require the concurrence of the NPS Deputy Inaugural Coordinator or designated representative.

H. Throughout the course of this permit, the P.I.C. is responsible for taking all necessary precautions to minimize resource damage throughout the permitted area. In addition, permittee must supervise their contractors and employees during set-up and teardown to assure that there is no damage to park resources.

I. No wires or cables are to be attached to trees or other vegetation or flown aurally. Any wires or cables required in support of permitted activities must be run on the ground, in troughs or yellow jackets, to prevent tripping hazards. All troughs covering walkways must be ADA compliant.

J. All laws, rules and regulations applicable to the area covered by this permit remain in effect.

K. The permittee shall be responsible for the cost and repairs to any structures, facilities, roadways, sidewalks, infrastructures, sod, soils, or landscape vegetation on park land damaged by the work authorized under this permit.

L. The area must be left in substantially the same condition as it was prior to the activities authorized herein, and all litter shall be placed in the trash containers provided.

M. This permit is applicable only for the use of the areas designated above, and during the times designated above. All bleachers, announcer and media stands, and JTFIC trailers, generators and portable toilets, constructed or placed under this permit will be removed prior to February 10, 2017.

N. The National Park Service reserves the right to immediately revoke this permit at any time should it reasonably appear that the activity presents a clear and present danger to the public safety, good order or health, or if any conditions of this permit are violated

O. A copy of this permit shall be available on site for inspection by National Park Service and United States Park Police personnel.

P. All proposed amendments or additions to this permit and all proposed locations of vehicles, equipment, storage, installations of any kind, areas of activity, work and power plans shall be submitted to the NPS for prior written approval prior to the installation of facilities.

These proposals shall be in map or diagram form suitable for on the ground inspection.

Q. Permittee will provide an on-site coordinator to be accessible to the National Park Service and the United States Park Police personnel at all times during construction or set-up activities and during dismantling of facilities post-event.

R. All vendors involved in the construction and teardown of the bleachers must have some form of identification.

**SPECIFIC CONDITIONS FOR BLEACHERS, JTFIC TRAILERS, GENERATORS AND PORTABLE TOILETS, ANNOUNCER AND MEDIA STANDS -PENNSYLVANIA AVENUE NATIONAL HISTORICAL SITE**

1. The PIC is required to meet OSHA guidelines regarding employee/subcontractor work schedules. No employee/subcontractor is to work no more than 10 hours within a 24 hour period. Any work required beyond the 10-hour limitation will need to be requested to the NPS in advance for review and approval by the Superintendent, National Mall and Memorial Parks.
2. All bleachers, announcer and media stands, must be at least three (3) feet back from the curb and have a minimum of six (6) feet of clearance between the back of the structure and the face of the buildings along Pennsylvania Avenue to allow for public access. JTFIC trailers must be at least (5) feet from ADA accessible ramps and must not block pedestrian access along the sidewalk. Placement of toilets must be in groups no more than 5 with 6 feet clearance between each group.
3. Bleachers must be erected to allow access to building entrances and/or driveways at all times. No bleachers shall be erected in front of, or on the Navy Memorial.
4. The permittee is responsible for having its contractor secure all bleachers, media and announcer stands with yellow caution tape and signage while not in use. JTFIC trailers and restrooms must be locked while not in use and generators must be secured by bike rack and/or fencing. The permittee and/or its contractor will be required to provide unarmed 24-hour security to monitor all equipment and structures daily. Further, all fire hydrants along the parade route must be enclosed with unlocked bike rack with a three (3) foot circumference to access to the hydrants in case of fire. Permittee is responsible for contacting DC Fire and EMS at 202-277-1889.
5. All metal parts, or fiberglass-like structural components, of facilities shall be separated from masonry or ground with not less than one foot square of 3/4" inch unpainted plywood and/or heavy duty interlocking plastic material.
6. The permittee shall be responsible for any damage including stains created by installing the above facilities. Any stains created shall be removed at the expense of the permittee. To avoid or minimize any potential damage, it is recommended that galvanized steel or pre-painted components be used. If on-site painting is required, the sidewalks and plaza areas must be properly protected.
7. Bleachers, announcer and media stands shall not be erected on/or over plants, planters, trees, tree wells, steps or statues.
8. All trash, debris, and litter resulting from activities of this permit shall not be allowed to accumulate and shall be bagged and placed on or next to trash receptacles or removed from the site.

9. Vehicles with exception of the placement of JTFIC trailers, will not be permitted on sidewalks. A “spotter” must be assigned to assist with placement of JTFIC trailers on the sidewalk and to provide for public safety. All other unloading and loading of equipment must be done from the street.

10. PIC will not be held responsible for the set-up, use, and tear down of the DC Mayor’s reviewing stand. The Mayor's Office, through the Office of Property Management will be responsible for any unbudgeted National Park Service and United States Park Police costs and any potential damage to park resources.

11. Pursuant to 36 CFR 7.96(g)(5)(xiii), 2.31 (a)(2),(3) the destruction, defacement, damaging, alteration, or removal of park resources or facilities is prohibited. No item, including signs or banners, may be attached to park trees, plantings, benches, statues, walls, fences, or other park property.

12. Generator Use & Refueling: Permittee will use generators for electrical power sources. Generators must be placed on fire retardant, self-absorbent troughs enclosed by bike rack.

Refueling of the gasoline generators will be permitted pursuant to the following conditions:

- a. Refueling will only be allowed on dates and times agreed upon in advance with the NPS from 5:00am - 8:00 am or 10:00 pm - midnight.
- b. The following materials must be placed on the ground during refueling:
  1. Plastic tarp
  2. Absorbent material on top of tarp
  3. Drip pan under fueling nozzle
  4. Spill containment material or absorbent booms or pads must be stored at each generator location
  5. 55-gallon drum labeled hazardous material must be placed along side of each generator. Should spillage occur the absorbent material must be placed in these barrels
  6. Contractor will be responsible for removing the barrels off of park property
  7. Contractor will be responsible for any damage to the park’s resources as a result of the refueling.
  8. In case of spill please contact DC Fire and Emergency Medical Services at 911 and National Mall & Memorial Parks’ Chief of Maintenance at (202) 359-1551.

The storage of fuel on parkland, in trailers, next to generators and at other NPS locations is strictly prohibited.

## **United States Secret Service Security-Based Restrictions**

1. Insofar as the Inaugural has been designated as a National Special Security Event, the United States Secret Service assumes the role as the lead Federal agency for the design and implementation of the operational security plan. Enclosed is the United States Secret Service letter dated December 21, 2016, which is incorporated herein, which limits a number of items at checkpoints along the Inauguration parade route on January 20, 2017. These items include, among other things, firearms, ammunition, explosives, weapons of any kind, aerosols, supports for signs and placards, packages, coolers, bicycles, balloons, mace/pepper spray, thermal or glass containers, backpacks, bags exceeding a designated size restrictions, laser pointers, **animals** other than helper/guide dogs, structures which is more fully defined in the letter as well as signs and placards that exceed a designated size restriction. Other information regarding Secret Service's Inaugural security measures such as item restrictions, road closures, metro, security screenings, security screening entry points, air and water security is available at the Secret Service's website at [www.secretservice.gov](http://www.secretservice.gov), which will be updated by them as details become available.

2. Just as in the 2005, 2009 and 2013 Inaugurations, we anticipate that there will be a security sweep of all of Pennsylvania Avenue National Historic Park the early morning of January 20, 2017, at which time the area will be closed. In the event that any items are found on the Inaugural parade parkland that is contrary to the Secret Services restrictions dated December 21, 2016, these items will be taken, inventoried, and will be available for 30 days to be retrieved by the owners. Signs and banners without supports as well as literature, books, newspapers, leaflets, magazines, buttons, bumper stickers are all allowed, but only if they are brought in through the Secret Service security screening access points the morning of January 20, 2017.

## **Special Permit Conditions to PIC, regarding their bleachers along Pennsylvania Avenue between 7<sup>th</sup> and 15<sup>th</sup> Streets**

1. Pursuant to the NPS final rule, published at 73 Federal Register 67739 (November 17, 2008), if a PIC bleacher seat in Pennsylvania Avenue National Historic Park or Sherman Park has not been claimed by the PIC ticket-holder ten minutes before the Inaugural Parade is scheduled to pass the bleacher's block, then any member of the public, without regard to viewpoint or content of the message, may at that time occupy the unclaimed seat. The PIC is required to notify such PIC ticket-holders (and include a statement on each PIC ticket) when they need to be in the bleacher to avoid losing their seats. PIC will place Marshals at each PIC bleachers that are located on Pennsylvania Avenue National Historic Park or Sherman Park, to assist PIC ticket-holders and inform the NPS or the United States Park Police of any unclaimed seats under the 10-minute parade rule. Should the NPS or Park Police determine that PIC is not in compliance, appropriate action will be taken.

## **Bleacher Marshals**

1. The Permittee is to have no less than two (2) Bleacher Marshals located at each bleacher stand as soon as possible on January 20, 2017. Prior to January 20, 2017, PIC must provide  
---



color copy of Marshals identification to the National park Service and United States Park Police. Marshals will assist and help maintain order among bleacher ticket holders. Marshals should be aware of their responsibilities and should have received earlier from the Permittee adequate training and instructions as to their duties and responsibilities. To help assist your participants, Marshals should be aware of the authorized permit area, the location of nearby Metro stations, first aid stations, water and toilets. Marshals should be knowledgeable of the NPS permit conditions and be able to communicate with the Permittee, and if necessary with the United States Park Police officers or National Park Service rangers if they think they observe a problem.

While Marshals may NOT act as police, they can work with and help maintain order among your participants, explain to non-participants that a particular area may be under permit, and should be able to immediately alert their supervisor(s), and if necessary United States Park Police officers or National Park Service rangers if they observe a problem. To assist you on-site, there should also be nearby a Park Police or Park Ranger. Park Ranger Deborah Deas may be contacted any time on January 20 on her cell phone at (202) 680-8804, who will make every reasonable effort to assist you.




#### **Access to Inaugural Parade Sidewalk Permit Area**




1. Please note that it is widely expected that large numbers of people may seek to be along the parade route to observe the Inaugural Parade. So it is expected that the Inaugural parade checkpoints and the sidewalks on January 20, 2017 will be very crowded as people come to observe the parade and express their views. As such, your designated representatives and Marshals should arrive early to go through the parade checkpoints, which will not be operated by the National Park Service nor the United States Park Police. Once through the checkpoints, they should immediately walk to and stay at their designated permit area.




Unless there is some sort of crowd control or safety issue or it unreasonably interferes with another permitted event, nothing prohibits the simple act of someone walking along any open park sidewalks to get to a permitted park area.



For sidewalks and entrances that are seven feet wide or larger, a six foot minimum clearance at the back of the area must be maintained at all times to allow for two wheelchairs to pass each other. And for sidewalks and entrances of five-six feet wide, a four foot minimum width at the back of the area must be maintained at all times for wheelchair accessibility. If your permit includes such rear sidewalk areas, Permittee must have Marshalls located to help maintain the above sidewalk clearance areas.

While the National Park Service and the United States Park Police will take every reasonable effort to ensure access to your designated permit area, your assistance is necessary. Once at your designated permit areas, the Permittee or Permittee's representatives and Marshals must identify themselves to the on-site Park Police supervisor or National Park Service ranger, so that they can work together with you in the event that there is a problem at your permit area. In the event there are unauthorized people located in your permit area, please alert the nearest Park Police or Park Ranger supervisor or contact Park Ranger Deborah Deas on her cell phone (202) 680-8804, and they will make every reasonable effort to assist you.













0 50 100 150 200 Feet

NPS Property	PIC Portable Toilet
PIC Bleacher Area	AFIC Parade Control Area
PIC Media Area	DC Reviewing Stand





**U.S. Department of Homeland Security  
UNITED STATES SECRET SERVICE**

**Washington, D.C. 20223**

**December 21, 2016**

**Robert Vogel  
Regional Director  
National Capital Region  
National Park Service  
1100 Ohio Drive, SW  
Washington, DC 20242**

**Dear Mr. Vogel:**

**Please be advised that the United States Secret Service (Secret Service) is seeking to exclude the following items at checkpoints along the Inauguration parade route on January 21, 2017:**

**Aerosols  
Ammunition  
Animals other than service/guide animals  
Backpacks and bags exceeding size restrictions (18" by 13" by 7")  
Bicycles  
Balloons  
Coolers  
Drones and other unmanned aircraft systems  
Explosives  
Firearms  
Glass, thermal, or metal containers  
Laser pointers  
Mace / Pepper spray  
Packages  
Selfie Sticks  
Signs exceeding the size restrictions (20" by 3" by ¼")  
Structures  
Supports for signs and placards  
Toy guns  
Weapons of any kind  
Any other items determined to be potential safety hazards.**


**With respect to signs and placards, the Secret Service would ask that these items be limited to items made of cardboard, poster board, or cloth. As noted above, we are asking that supports for signs and placards be prohibited as these items may be used as a means of concealing weapons or as weapons themselves.**

Additionally, the prohibition on structures includes props, folding chairs, displays such as puppets, papier-mâché objects, coffins, crates, crosses, theaters, cages, and statues. It does not include signs meeting the size restrictions, portable bullhorns, cell phones, baby carriages, baby strollers, wheelchairs, and other devices for the handicapped in use by handicapped persons. These restrictions are similar to the restrictions on the size, physical composition, and use of signs, placards, and structures on the White House sidewalk set forth in 36 CFR 7.96(g)(5) and the items prohibited by the U.S. Capitol Police in the area around the Capitol during the Inauguration events.


The Secret Service has determined that each of the above listed items could potentially be used as a weapon or in such a manner as to compromise public safety or the safety of Secret Service protectees. Accordingly, we would ask that the National Park Service impose the restrictions listed above and subsequently communicate this information to permit holders. Finally, please be advised that, as with every component of the security plan for the Inaugural parade, the list of prohibited items is subject to change based on law enforcement assessments of potential threats to public safety and the safety of Secret Service protectees.

We appreciate your assistance and understanding in this matter.

Sincerely,


  
for William J. Callahan  
Assistant Director  
Office of Protective Operations





Presidental Inaugural Parade  
Washington, District of Columbia  
PIC -- Parade 17


Inaugural Parade Route  
Washington, District of Columbia  
January 20, 2017



One Hargrove Drive, Lanham MD 20706 | 301.306.9000

DATE: 01/14/17  
REV: 0  
PROJECT: Presidential Inaugural Parade  
DRAWING: PIC -- Parade 17  
SCALE: 1/8" = 1'-0"  
DATE PLOTTED: 01/17/17  
PLOT BY: JWH






Title: Presidential Inaugural Parade  
 Washington, District of Columbia  
 PIC -- Parade 17  
 Date: 01-04-17  
 Author: M. Hargrove  
 Scale: 1/8" = 1'-0"  
 Drawn by: M. Hargrove  
 Checked by: M. Hargrove  
 Date: 01-04-17  
 Project No: 16-001  
 Drawing No: 02 of 14

Presidential Inaugural Parade  
 Washington, District of Columbia  
 PIC -- Parade 17  
 Inaugural Parade Route  
 Washington, District of Columbia  
 January 20, 2017

  
 One Hargrove Drive, Lanham MD 20706 | 301.306.9000



*Hargrove*  
 One Hargrove Drive, Lanham MD 20786 | 301.308.8000

Inaugural Parade Route  
 Washington, District of Columbia  
 January 20, 2017

Presidential Inaugural Parade  
 Washington, District of Columbia  
 PIC - Parade 17


REV # 40-38098  
 DATE 07/24/17  
 DRAWN BY Jammie Ross  
 CHECKED BY [Signature]  
 PROJECT [Signature]  
 FULL SCALE @ 36"x24"  
 50% @ 11x17"  
 NOT TO SCALE @ 8.5x11"  
 P-03  
 03 of 14  
 REV # 0




One Hargrove Drive, Lanham MD 20706 | 301.308.9000  
 Hargrove

Inaugural Parade Route  
 Washington, District of Columbia  
 January 20, 2017

Residential Inaugural Parade  
 Washington, District of Columbia  
 PIC -- Parade 17  
 Project: Q:\Inauguration\Washington\Inauguration 2016 - 01-04-17a.dwg  
 Date: 01/17/2017  
 Full Scale: 0.35x24  
 Plot Scale: 0.25x11  
 No. of Sheets: 11  
 Sheet No.: 04 of 14







*Hargrove*  
 One Hargrove Drive, Lanham MD 20706 | 301.306.8000

Inaugural Parade Route  
 Washington, District of Columbia  
 January 20, 2017

Presidential Inaugural Parade  
 Washington, District of Columbia  
 PIC - Parade 17

40-3809B  
 Jimmie Rose  
 8/24/17  
 Full Scale @ 36"x24"  
 50% @ 11x17  
 Not to Scale @ 8.5x11  
 Internal Revision  
 P-05  
 05 of 14  
 0






**Hargrove**  
 One Hargrove Drive, Lanham MD 20706 | 301.306.8000

Inaugural Parade Route  
 Washington, District of Columbia  
 January 20, 2017

Presidential Inaugural Parade  
 Washington, District of Columbia  
 PIC -- Parade 17

File Name: G:\Map\prod\Washington\DC\Inauguration\2016-01-04-17a.dwg  
 File Number: 4D-3809B  
 Key 314  
 Key 315  
 Key 316  
 Key 317  
 Key 318  
 Key 319  
 Key 320  
 Key 321  
 Key 322  
 Key 323  
 Key 324  
 Key 325  
 Key 326  
 Key 327  
 Key 328  
 Key 329  
 Key 330  
 Key 331  
 Key 332  
 Key 333  
 Key 334  
 Key 335  
 Key 336  
 Key 337  
 Key 338  
 Key 339  
 Key 340  
 Key 341  
 Key 342  
 Key 343  
 Key 344  
 Key 345  
 Key 346  
 Key 347  
 Key 348  
 Key 349  
 Key 350  
 Key 351  
 Key 352  
 Key 353  
 Key 354  
 Key 355  
 Key 356  
 Key 357  
 Key 358  
 Key 359  
 Key 360  
 Key 361  
 Key 362  
 Key 363  
 Key 364  
 Key 365  
 Key 366  
 Key 367  
 Key 368  
 Key 369  
 Key 370  
 Key 371  
 Key 372  
 Key 373  
 Key 374  
 Key 375  
 Key 376  
 Key 377  
 Key 378  
 Key 379  
 Key 380  
 Key 381  
 Key 382  
 Key 383  
 Key 384  
 Key 385  
 Key 386  
 Key 387  
 Key 388  
 Key 389  
 Key 390  
 Key 391  
 Key 392  
 Key 393  
 Key 394  
 Key 395  
 Key 396  
 Key 397  
 Key 398  
 Key 399  
 Key 400  
 Key 401  
 Key 402  
 Key 403  
 Key 404  
 Key 405  
 Key 406  
 Key 407  
 Key 408  
 Key 409  
 Key 410  
 Key 411  
 Key 412  
 Key 413  
 Key 414  
 Key 415  
 Key 416  
 Key 417  
 Key 418  
 Key 419  
 Key 420  
 Key 421  
 Key 422  
 Key 423  
 Key 424  
 Key 425  
 Key 426  
 Key 427  
 Key 428  
 Key 429  
 Key 430  
 Key 431  
 Key 432  
 Key 433  
 Key 434  
 Key 435  
 Key 436  
 Key 437  
 Key 438  
 Key 439  
 Key 440  
 Key 441  
 Key 442  
 Key 443  
 Key 444  
 Key 445  
 Key 446  
 Key 447  
 Key 448  
 Key 449  
 Key 450  
 Key 451  
 Key 452  
 Key 453  
 Key 454  
 Key 455  
 Key 456  
 Key 457  
 Key 458  
 Key 459  
 Key 460  
 Key 461  
 Key 462  
 Key 463  
 Key 464  
 Key 465  
 Key 466  
 Key 467  
 Key 468  
 Key 469  
 Key 470  
 Key 471  
 Key 472  
 Key 473  
 Key 474  
 Key 475  
 Key 476  
 Key 477  
 Key 478  
 Key 479  
 Key 480  
 Key 481  
 Key 482  
 Key 483  
 Key 484  
 Key 485  
 Key 486  
 Key 487  
 Key 488  
 Key 489  
 Key 490  
 Key 491  
 Key 492  
 Key 493  
 Key 494  
 Key 495  
 Key 496  
 Key 497  
 Key 498  
 Key 499  
 Key 500  
 Key 501  
 Key 502  
 Key 503  
 Key 504  
 Key 505  
 Key 506  
 Key 507  
 Key 508  
 Key 509  
 Key 510  
 Key 511  
 Key 512  
 Key 513  
 Key 514  
 Key 515  
 Key 516  
 Key 517  
 Key 518  
 Key 519  
 Key 520  
 Key 521  
 Key 522  
 Key 523  
 Key 524  
 Key 525  
 Key 526  
 Key 527  
 Key 528  
 Key 529  
 Key 530  
 Key 531  
 Key 532  
 Key 533  
 Key 534  
 Key 535  
 Key 536  
 Key 537  
 Key 538  
 Key 539  
 Key 540  
 Key 541  
 Key 542  
 Key 543  
 Key 544  
 Key 545  
 Key 546  
 Key 547  
 Key 548  
 Key 549  
 Key 550  
 Key 551  
 Key 552  
 Key 553  
 Key 554  
 Key 555  
 Key 556  
 Key 557  
 Key 558  
 Key 559  
 Key 560  
 Key 561  
 Key 562  
 Key 563  
 Key 564  
 Key 565  
 Key 566  
 Key 567  
 Key 568  
 Key 569  
 Key 570  
 Key 571  
 Key 572  
 Key 573  
 Key 574  
 Key 575  
 Key 576  
 Key 577  
 Key 578  
 Key 579  
 Key 580  
 Key 581  
 Key 582  
 Key 583  
 Key 584  
 Key 585  
 Key 586  
 Key 587  
 Key 588  
 Key 589  
 Key 590  
 Key 591  
 Key 592  
 Key 593  
 Key 594  
 Key 595  
 Key 596  
 Key 597  
 Key 598  
 Key 599  
 Key 600  
 Key 601  
 Key 602  
 Key 603  
 Key 604  
 Key 605  
 Key 606  
 Key 607  
 Key 608  
 Key 609  
 Key 610  
 Key 611  
 Key 612  
 Key 613  
 Key 614  
 Key 615  
 Key 616  
 Key 617  
 Key 618  
 Key 619  
 Key 620  
 Key 621  
 Key 622  
 Key 623  
 Key 624  
 Key 625  
 Key 626  
 Key 627  
 Key 628  
 Key 629  
 Key 630  
 Key 631  
 Key 632  
 Key 633  
 Key 634  
 Key 635  
 Key 636  
 Key 637  
 Key 638  
 Key 639  
 Key 640  
 Key 641  
 Key 642  
 Key 643  
 Key 644  
 Key 645  
 Key 646  
 Key 647  
 Key 648  
 Key 649  
 Key 650  
 Key 651  
 Key 652  
 Key 653  
 Key 654  
 Key 655  
 Key 656  
 Key 657  
 Key 658  
 Key 659  
 Key 660  
 Key 661  
 Key 662  
 Key 663  
 Key 664  
 Key 665  
 Key 666  
 Key 667  
 Key 668  
 Key 669  
 Key 670  
 Key 671  
 Key 672  
 Key 673  
 Key 674  
 Key 675  
 Key 676  
 Key 677  
 Key 678  
 Key 679  
 Key 680  
 Key 681  
 Key 682  
 Key 683  
 Key 684  
 Key 685  
 Key 686  
 Key 687  
 Key 688  
 Key 689  
 Key 690  
 Key 691  
 Key 692  
 Key 693  
 Key 694  
 Key 695  
 Key 696  
 Key 697  
 Key 698  
 Key 699  
 Key 700  
 Key 701  
 Key 702  
 Key 703  
 Key 704  
 Key 705  
 Key 706  
 Key 707  
 Key 708  
 Key 709  
 Key 710  
 Key 711  
 Key 712  
 Key 713  
 Key 714  
 Key 715  
 Key 716  
 Key 717  
 Key 718  
 Key 719  
 Key 720  
 Key 721  
 Key 722  
 Key 723  
 Key 724  
 Key 725  
 Key 726  
 Key 727  
 Key 728  
 Key 729  
 Key 730  
 Key 731  
 Key 732  
 Key 733  
 Key 734  
 Key 735  
 Key 736  
 Key 737  
 Key 738  
 Key 739  
 Key 740  
 Key 741  
 Key 742  
 Key 743  
 Key 744  
 Key 745  
 Key 746  
 Key 747  
 Key 748  
 Key 749  
 Key 750  
 Key 751  
 Key 752  
 Key 753  
 Key 754  
 Key 755  
 Key 756  
 Key 757  
 Key 758  
 Key 759  
 Key 760  
 Key 761  
 Key 762  
 Key 763  
 Key 764  
 Key 765  
 Key 766  
 Key 767  
 Key 768  
 Key 769  
 Key 770  
 Key 771  
 Key 772  
 Key 773  
 Key 774  
 Key 775  
 Key 776  
 Key 777  
 Key 778  
 Key 779  
 Key 780  
 Key 781  
 Key 782  
 Key 783  
 Key 784  
 Key 785  
 Key 786  
 Key 787  
 Key 788  
 Key 789  
 Key 790  
 Key 791  
 Key 792  
 Key 793  
 Key 794  
 Key 795  
 Key 796  
 Key 797  
 Key 798  
 Key 799  
 Key 800  
 Key 801  
 Key 802  
 Key 803  
 Key 804  
 Key 805  
 Key 806  
 Key 807  
 Key 808  
 Key 809  
 Key 810  
 Key 811  
 Key 812  
 Key 813  
 Key 814  
 Key 815  
 Key 816  
 Key 817  
 Key 818  
 Key 819  
 Key 820  
 Key 821  
 Key 822  
 Key 823  
 Key 824  
 Key 825  
 Key 826  
 Key 827  
 Key 828  
 Key 829  
 Key 830  
 Key 831  
 Key 832  
 Key 833  
 Key 834  
 Key 835  
 Key 836  
 Key 837  
 Key 838  
 Key 839  
 Key 840  
 Key 841  
 Key 842  
 Key 843  
 Key 844  
 Key 845  
 Key 846  
 Key 847  
 Key 848  
 Key 849  
 Key 850  
 Key 851  
 Key 852  
 Key 853  
 Key 854  
 Key 855  
 Key 856  
 Key 857  
 Key 858  
 Key 859  
 Key 860  
 Key 861  
 Key 862  
 Key 863  
 Key 864  
 Key 865  
 Key 866  
 Key 867  
 Key 868  
 Key 869  
 Key 870  
 Key 871  
 Key 872  
 Key 873  
 Key 874  
 Key 875  
 Key 876  
 Key 877  
 Key 878  
 Key 879  
 Key 880  
 Key 881  
 Key 882  
 Key 883  
 Key 884  
 Key 885  
 Key 886  
 Key 887  
 Key 888  
 Key 889  
 Key 890  
 Key 891  
 Key 892  
 Key 893  
 Key 894  
 Key 895  
 Key 896  
 Key 897  
 Key 898  
 Key 899  
 Key 900  
 Key 901  
 Key 902  
 Key 903  
 Key 904  
 Key 905  
 Key 906  
 Key 907  
 Key 908  
 Key 909  
 Key 910  
 Key 911  
 Key 912  
 Key 913  
 Key 914  
 Key 915  
 Key 916  
 Key 917  
 Key 918  
 Key 919  
 Key 920  
 Key 921  
 Key 922  
 Key 923  
 Key 924  
 Key 925  
 Key 926  
 Key 927  
 Key 928  
 Key 929  
 Key 930  
 Key 931  
 Key 932  
 Key 933  
 Key 934  
 Key 935  
 Key 936  
 Key 937  
 Key 938  
 Key 939  
 Key 940  
 Key 941  
 Key 942  
 Key 943  
 Key 944  
 Key 945  
 Key 946  
 Key 947  
 Key 948  
 Key 949  
 Key 950  
 Key 951  
 Key 952  
 Key 953  
 Key 954  
 Key 955  
 Key 956  
 Key 957  
 Key 958  
 Key 959  
 Key 960  
 Key 961  
 Key 962  
 Key 963  
 Key 964  
 Key 965  
 Key 966  
 Key 967  
 Key 968  
 Key 969  
 Key 970  
 Key 971  
 Key 972  
 Key 973  
 Key 974  
 Key 975  
 Key 976  
 Key 977  
 Key 978  
 Key 979  
 Key 980  
 Key 981  
 Key 982  
 Key 983  
 Key 984  
 Key 985  
 Key 986  
 Key 987  
 Key 988  
 Key 989  
 Key 990  
 Key 991  
 Key 992  
 Key 993  
 Key 994  
 Key 995  
 Key 996  
 Key 997  
 Key 998  
 Key 999  
 Key 1000







Map title: Presidential Inaugural Parade  
Location: Washington, District of Columbia  
Parade 17  
Scale: 50% @ 11x7  
North Arrow  
Revision: 07 of 14  
Date: 0

Map title: Inaugural Parade Route  
Location: Washington, District of Columbia  
January 20, 2017  
Scale: 100% @ 11x7  
North Arrow  
Revision: 01 of 01  
Date: 01/20/2017


Map title: Q:\Hagrave\Washington\Inauguration 2016 - 01-04-17a.dwg  
Scale: 100% @ 11x7  
North Arrow  
Revision: 01 of 01  
Date: 01/20/2017





3. All laws, rules and regulations applicable to the area covered by this permit remain in effect.
4. No fee may be collected, donation solicited, or commercial activity conducted. No items may be sold or offered for sale except for books, newspapers, leaflets, pamphlets, buttons, and bumper stickers which contain a message related to your demonstration or special event. No other merchandise may be sold or offered for sale. A stand or structure used for the sale of permitted items may not exceed one table per site, which may be no larger than 2 ½ feet by 8 feet or 4 feet by 4 feet. The dimensions of the sales site may not exceed 6 feet wide by 15 feet long by 6 feet high.
5. The area should be left in substantially the same condition as it was prior to the activities authorized herein, and all litter shall be placed in the trash containers provided.
6. This permit is applicable only for the use of the area designated above, and during the times designated above, or in any area as may hereafter be designated by the United States Park Police.
7. The use of sound amplification equipment, other than hand-portable sound amplification equipment to be used for crowd control purposes only, is prohibited on the White House Sidewalk (South 1600 Pennsylvania Avenue, NW., sidewalk between East Executive Avenue and West Executive Avenue). All sound amplification equipment shall be limited so that it will not unreasonably disturb nonparticipating persons in, or in the vicinity of, the area.
8. The National Park Service reserves the right to immediately revoke this permit at any time should it reasonably appear that the public gathering presents a clear and present danger to the public safety, good order or health, or if any conditions of this permit are violated

Robert Vogel  
Regional Director  
National Capital Region



By:  
Robbin M. Owen  
Chief, Division of Permits Management  
National Mall & Memorial Parks