



| Sample Name | B-01 | B-02 | B-03 | B-05 | B-06 | B-07 | B-09 | B-11 | B-12 | B-13 | B-14 | B-15 | B-16 | B-17 | B-18 | B-19 | B-20 | C-08 | C-10 | WB-01 | WB-02 | WB-03 | WB-04 | WB-05 | WB-06 | WB-07 | WB-08 | WB-09 | WB-10 | WB-11 | WB-12 | SN- BERTH-1 | SN- BERTH-2 | SN- BERTH-4 |
|-------------------|--------------------------------|------|------|------|------|------|------|------|------|-------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------|----------------|----------------|
| Date of Retrieval | Benzene Sample Results (ug/m3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4/12/2023 | 1.10 | 0.70 | 0.70 | 1.30 | 0.52 | 0.86 | 2.20 | 1.70 | 0.68 | 2.20 | 2.10 | 3.90 | 1.80 | 2.40 | 2.90 | 2.20 | 1.40 | 2.30 | 2.10 | 2.00 | 0.72 | 0.66 | 0.73 | 0.57 | 0.58 | 0.55 | 0.51 | 0.68 | 0.52 | 0.86 | 0.92 | 1.20 | 0.80 | 0.65 |
| 4/26/2023 | 0.40 | 0.60 | 1.10 | 1.90 | 0.65 | 0.66 | 1.70 | 2.10 | 1.20 | 3.00 | 1.35 | 3.00 | 2.00 | 2.00 | 2.70 | 2.00 | 0.56 | 2.20 | 1.50 | 2.00 | 0.76 | 0.84 | 0.67 | 0.57 | 0.53 | 0.52 | 0.52 | 0.55 | 0.54 | 1.00 | 1.30 | 3.20 | 9.30 | 0.72 |
| 5/10/2023 | 0.50 | 0.56 | 1.30 | 1.40 | 0.62 | 0.68 | 1.90 | 3.80 | 0.76 | 1.40 | 1.15 | 2.20 | 0.98 | 0.91 | 1.80 | 1.40 | 0.66 | 1.60 | 1.70 | 0.62 | 0.47 | 0.44 | 0.44 | 0.41 | 0.38 | 0.35 | 0.37 | 0.37 | 0.38 | 0.62 | 0.53 | 5.00 | 1.10 | 0.87 |
| 5/24/2023 | 0.37 | 0.55 | 1.60 | 1.60 | 0.60 | 0.68 | 1.60 | 4.50 | 0.72 | 1.30 | 1.10 | 2.70 | 1.10 | 1.20 | 2.40 | 1.80 | 0.67 | 1.80 | 1.60 | 0.63 | 0.55 | 0.48 | 0.52 | 0.53 | 0.50 | 0.50 | 0.49 | 0.52 | 0.47 | 0.72 | 0.64 | 0.89 | 0.77 | 0.57 |
| 6/7/2023 | 0.30 | 0.44 | 1.00 | 1.70 | 0.64 | 0.67 | 1.50 | 2.60 | 0.76 | 2.40 | 1.35 | 1.50 | 1.50 | 2.00 | 2.10 | 1.40 | 0.39 | 1.00 | 1.30 | 0.56 | 0.58 | 0.58 | 0.56 | 0.52 | 0.49 | 0.50 | 0.44 | 0.44 | 0.45 | 0.55 | 0.51 | 1.40 | 1.00 | 0.74 |
| 6/21/2023 | 0.73 | 3.30 | 6.50 | 3.20 | 0.95 | 0.96 | 2.40 | 5.30 | 0.47 | 0.56 | 0.92 | 0.99 | 0.83 | 0.65 | 0.73 | 0.61 | 0.38 | 1.70 | 1.10 | 0.57 | 0.47 | 0.38 | 0.39 | 0.39 | 0.42 | 0.41 | 0.45 | 0.39 | 0.40 | 0.42 | 0.73 | 0.67 | 0.81 | 0.39 |
| 7/5/2023 | 0.78 | 1.70 | 5.00 | 2.60 | 0.88 | 0.89 | 2.10 | 4.40 | 0.50 | 2.10 | 1.05 | 1.30 | 0.97 | 0.79 | 1.20 | 0.74 | 0.46 | 1.40 | 1.30 | 0.65 | 0.48 | 0.39 | 0.40 | 0.43 | 0.39 | 0.48 | 0.44 | 0.44 | 0.40 | 0.44 | 0.64 | 2.60 | 1.40 | 0.46 |
| 7/19/2023 | 0.40 | 1.50 | 4.70 | 2.10 | 0.99 | 0.85 | 1.60 | 5.40 | 0.49 | 0.49 | 0.43 | 0.72 | 0.50 | 0.43 | 0.55 | 0.41 | 0.28 | 1.90 | 1.30 | 0.67 | 0.85 | 0.36 | 0.42 | 0.40 | 0.41 | 0.38 | 0.39 | 0.36 | 0.35 | 0.35 | 0.64 | 0.83 | 1.40 | 0.35 |
| 8/2/2023 | 0.54 | 1.30 | 3.00 | 3.90 | 1.50 | 1.20 | 2.30 | 8.60 | 0.68 | 1.10 | 1.50 | 2.20 | 1.30 | 1.30 | 1.60 | 1.50 | 0.50 | 1.70 | 1.90 | 1.10 | 0.65 | 0.63 | 0.47 | 0.48 | 0.43 | 0.46 | 0.42 | 0.42 | 0.41 | 0.48 | 0.66 | 1.10 | 0.94 | 0.50 |
| 8/16/2023 | 0.58 | 3.10 | 6.70 | 2.90 | 0.95 | 0.80 | 1.80 | 9.80 | 0.82 | 0.97 | 0.61 | 0.85 | 0.72 | 0.88 | 0.80 | 0.64 | 0.32 | 1.70 | 1.40 | 0.59 | 0.70 | 0.40 | 0.40 | 0.35 | 0.43 | 0.44 | 0.55 | 0.52 | 0.49 | 0.51 | 0.68 | 1.10 | 0.73 | 0.44 |
| 8/30/2023 | 0.45 | 0.82 | 1.80 | 2.20 | 1.40 | 1.30 | 1.50 | 5.40 | 0.79 | 1.50 | 2.20 | 2.30 | 2.20 | 2.50 | 3.40 | 2.40 | 4.60 | 1.70 | 2.20 | 1.00 | 0.79 | 0.87 | 0.81 | 0.71 | 0.70 | 0.81 | 0.70 | 0.07 | 0.65 | 0.69 | 0.70 | 1.50 | 0.96 | 0.76 |
| 9/13/2023 | 0.34 | 0.40 | 0.89 | 1.80 | 0.60 | 0.59 | 1.20 | 2.40 | 0.78 | 2.20 | 1.40 | 3.00 | 1.60 | 2.00 | 3.20 | 1.90 | 0.42 | 2.10 | 1.80 | 0.61 | 0.48 | 0.56 | 0.52 | 0.50 | 0.45 | 0.41 | 0.44 | 0.42 | 0.43 | 0.49 | 0.48 | 1.10 | 0.75 | 0.62 |
| 9/27/2023 | 0.36 | 0.70 | 1.20 | 1.70 | 0.66 | 0.64 | 1.10 | 3.00 | 0.81 | 1.60 | 1.25 | 1.90 | 1.10 | 1.60 | 2.10 | 1.60 | 0.37 | 1.40 | 1.60 | 0.76 | 0.54 | 0.60 | 0.55 | 0.51 | 0.48 | 0.48 | 0.47 | 0.47 | 0.45 | 0.49 | 0.53 | 1.20 | 1.20 | 0.65 |
| 10/11/2023 | 0.39 | 0.53 | 0.69 | 1.40 | 0.72 | 0.58 | 1.20 | 3.30 | 1.20 | 2.50 | 4.40 | 3.40 | 2.50 | 3.00 | 3.60 | 2.30 | 0.53 | 1.60 | 3.60 | 0.82 | 0.89 | 0.95 | 1.00 | 0.87 | 0.77 | 0.74 | 0.71 | 0.71 | 0.68 | 0.82 | 0.71 | 1.50 | 1.40 | 1.04 |
| 10/25/2023 | 0.58 | 0.73 | 1.50 | 2.60 | 1.20 | 0.91 | 1.60 | 2.10 | 1.10 | 24.00 | 5.35 | 4.10 | 3.00 | 2.10 | 2.30 | 1.70 | 0.64 | 1.80 | 3.40 | 0.63 | 0.63 | 0.64 | 0.63 | 0.64 | 0.61 | 0.58 | 0.56 | 0.56 | 0.58 | 0.77 | 0.59 | 3.60 | 1.10 | 0.92 |
| 11/8/2023 | 0.61 | 0.48 | 0.63 | 2.90 | 0.63 | 0.72 | 1.30 | 1.80 | 3.00 | 1.80 | 1.60 | 2.60 | 1.60 | 1.60 | 2.80 | 1.50 | 0.43 | 2.10 | 3.70 | 0.67 | 0.64 | 0.63 | 0.65 | 0.58 | 0.56 | 0.55 | 0.58 | 0.53 | 0.50 | 0.73 | 0.56 | 1.40 | 1.50 | 2.20 |
| 11/22/2023 | 0.52 | 0.34 | 0.48 | 2.50 | 0.60 | 0.66 | 0.91 | 1.60 | 1.10 | 4.00 | 3.05 | 3.10 | 2.00 | 2.10 | 4.50 | 2.00 | 0.60 | 1.60 | 2.10 | 0.98 | 0.58 | 0.82 | 0.85 | 0.75 | 0.69 | 0.66 | 0.56 | 0.54 | 0.46 | 0.51 | 0.57 | 2.20 | 1.30 | 0.96 |
| 12/6/2023 | 0.51 | 0.55 | 1.10 | 2.30 | 0.84 | 0.89 | 1.50 | 2.30 | 0.94 | 2.20 | 1.50 | 1.60 | 1.40 | 1.50 | 2.50 | 1.80 | 0.55 | 1.70 | 1.70 | 0.67 | 0.70 | 0.83 | 0.69 | 0.66 | 0.61 | 0.54 | 0.55 | 0.52 | 0.51 | 0.61 | 0.61 | 1.50 | 1.10 | 0.87 |
| 12/20/2023 | 0.49 | 0.43 | 0.52 | 2.20 | 0.83 | 0.96 | 1.20 | 1.80 | 1.20 | 1.90 | 2.55 | 2.40 | 1.90 | 2.20 | 2.80 | 1.70 | 0.47 | 4.60 | 1.70 | 1.40 | 0.70 | 1.30 | 1.00 | 0.84 | 0.77 | 0.72 | 0.71 | 0.64 | 0.63 | 0.68 | 1.00 | 1.20 | 1.00 | 1.02 |
| 1/3/2024 | 0.57 | 0.67 | 1.10 | 1.50 | 0.81 | 0.84 | 1.20 | 2.90 | 0.84 | 1.50 | 2.05 | 1.30 | 1.40 | 1.50 | 2.40 | 2.20 | 0.61 | 1.50 | 1.50 | 0.99 | 1.10 | 0.85 | 0.88 | 0.84 | 0.80 | 0.79 | 0.79 | 0.78 | 0.90 | 0.91 | 0.87 | 1.40 | 1.10 | 0.92 |
| 1/17/2024 | 1.00 | 0.77 | 1.30 | 2.20 | 1.70 | 1.20 | 1.80 | 2.70 | 1.20 | 1.70 | 2.25 | 3.00 | 2.90 | 1.40 | 2.10 | 1.70 | 0.82 | 2.50 | 2.00 | 2.30 | 1.60 | 0.93 | 0.84 | 0.75 | 0.67 | 0.59 | 0.61 | 0.62 | 0.68 | 0.86 | 0.86 | 1.30 | 1.40 | 0.85 |
| 1/31/2024 | 0.68 | 0.66 | 1.30 | 2.00 | 0.80 | 0.91 | 1.70 | 3.00 | 1.30 | 1.70 | 3.50 | 3.00 | 1.70 | 1.50 | 2.10 | 1.60 | 0.75 | 2.00 | 2.00 | 1.50 | 0.96 | 1.20 | 1.10 | 0.93 | 0.76 | 0.59 | 0.79 | 0.75 | 0.70 | 0.87 | 0.97 | 2.00 | 1.70 | 1.04 |
| 2/14/2024 | 0.62 | 0.78 | 1.20 | 2.40 | 0.93 | 1.00 | 1.40 | 1.90 | 0.98 | 1.20 | 1.75 | 2.30 | 1.50 | 1.40 | 2.90 | 2.40 | 0.70 | 2.90 | 1.70 | 2.50 | 0.88 | 0.83 | 0.73 | 0.65 | 0.63 | 0.59 | 0.52 | 0.55 | 0.62 | 0.80 | 1.70 | 1.60 | 1.10 | 0.76 |
| 2/28/2024 | 1.00 | 1.80 | 2.20 | 2.30 | 1.00 | 0.99 | 2.20 | 2.00 | 0.83 | 1.00 | 0.76 | 2.00 | 1.40 | 1.30 | 1.60 | 1.60 | 0.86 | 1.50 | 1.30 | 1.30 | 0.59 | 0.58 | 0.63 | 0.55 | 0.51 | 0.54 | 0.52 | 0.57 | 0.57 | 0.60 | 0.73 | 0.92 | 1.40 | 0.73 |
| 3/13/2024 | 0.45 | 0.54 | 0.77 | 1.60 | 0.61 | 0.70 | 1.00 | 1.90 | 0.84 | 1.50 | 1.60 | 2.20 | 1.40 | 2.10 | 4.10 | 3.30 | 0.76 | 1.30 | 1.20 | 1.10 | 0.70 | 0.78 | 0.72 | 0.64 | 0.56 | 0.46 | 0.56 | 0.56 | 0.56 | 0.77 | 0.81 | 0.92 | 0.97 | 0.73 |
| 3/27/2024 | 0.41 | 0.54 | 0.83 | 2.10 | 0.70 | 0.77 | 1.30 | 2.40 | 1.30 | 2.00 | 1.10 | 2.60 | 1.10 | 1.60 | 2.50 | 2.60 | 1.10 | 1.50 | 1.60 | 1.50 | 0.68 | 0.65 | 0.73 | 0.62 | 0.58 | 0.56 | 0.52 | 0.55 | 0.58 | 0.92 | 0.80 | 1.30 | 1.70 | 0.84 |

| | |
|--------------------|---|
| Period ΔC* | 2 |
| Annual Average ΔC* | 5 |

*Period ΔC is based on the most-recent 14-Day sampling period, and Annual Average ΔC is a rolling average of the 26 previous 14-Day sampling periods.