## Sentinel Provider Influenza-Like Illness (ILI)<sup>1</sup> Surveillance Summary (health.state.tn.us/TNflu\_report\_archive.htm) for the Week of April 14 to 20, 2013 (Week 16)

				Total	Total		
	# Sites	Total		Regional	Regional		Compared
Summary for	reporting	Sites		ĪLI	Patients	% ILI	to State <sup>2</sup>
Hamilton County (Chattanooga)	2	4		0	484	0.0%	
East Tennessee Region	6	7		34	2396	1.4%	higher
Jackson-Madison County	1	1		2	544	0.4%	
Knoxville-Knox County	1	4		10	834		higher
Mid-Cumberland Region	10	10		0	1074	0.0%	lower
Shelby County (Memphis)	1	10		0	65	0.0%	
Nashville-Davidson County	4	6		2	539	0.4%	
Northeast Region	2	3		0	79	0.0%	
South Central Region	3	3		0	224	0.0%	
Southeast Region	4	5		0	460	0.0%	
Sullivan County (Tri-Cities)	1	2		0	335	0.0%	
Upper Cumberland Region	4	4	•	0	614	0.0%	
West Tennessee Region	6	6		1	382	0.3%	
State of Tennessee	45	65		49	8030	0.61%	

### CDC Update: Novel A(H7N9) in China

The Tennessee Department of Health is monitoring the situation in China with avian influenza A(H7N9) virus. More than 100 cases and 20 fatalities have been identified to date - there are no cases in the US. There is no evidence of sustained person-toperson transmission. Very limited transmission has probably occurred and is to be expected. Healthcare providers who treat patients with ILI within 10 days of travel to China, or within 10 days of contact with an ill traveler to China, should contact public health for further evaluation and possible testing. Rapid bedside tests are not expected to detect the virus reliably. Healthcare providers may visit CDC's website at www.cdc.gov/flu/avianflu/h7n9-virus.htm for the latest information.

### **Notes to Sentinel Providers:**

Sentinel Providers are reminded to submit specimens on all patients meeting the ILI case definition (up to 10 per week).

The percentage of patients with ILI reported in Week 16 was 0.61% as compared to 0.91% in Week 15.

Nationally, influenza activity decreased in Week 16, though the state laboratory continues to detect influenza viruses in specimens submitted for testing. To date, 14 specimens from Week 16 have been tested. One (7.1%) was positive for influenza viruses: an A(H3). Four (4) specimens were positive for other respiratory viruses. A map of counties with confirmed influenza (PCR or culture) in the past six weeks is below.


Respiratory Viral Panel

### Number of Positive Specimens, by week

Month/Week	#	Flu A (H1N1)	Flu A (H3)	Flu B	RSV A	Paraflu 1	Paraflu 3	Rhino	Meta pneumo	Adeno B	Adeno C	Adeno E	Corona NL63	Corona 229E
April														
Current	14	0	1	0	0	0	0	0	1	0	0	2	1	0
15	27	1	0	1	0	1	0	2	1	1	0	3	1	2
March														
14	34	0	1	7	1	0	1	3	1	1	0	0	1	0
13	29	1	2	7	0	0	0	0	2	0	1	0	0	0
12	44	1	1	6	1	0	0	2	2	0	0	0	2	0
11	44	1	4	14	1	0	0	1	1	0	1	0	0	0

### Percentage of Outpatient Visits Reported by the U.S. and Tennessee Outpatient Influenza-like Illness Surveillance Network (ILINet) as Influenza-like Illness, 2012-2013


Updated: April 25, 2013



### Week (April 22, 2012 - April 20, 2013)

### Influenza Positive Tests Submitted to TN Dept. of Health Laboratory Services Tennessee, 2012-2013

Updated: April 25, 2013




Week (April 22, 2012 - April 20, 2013)

# Influenza Confirmed by Culture or PCR in Tennessee from Specimens Collected by Any Source within the Past 6 Weeks

March 10 through April 24, 2013

- Strains are reported by county of case residence.
- Counties where influenza sentinel providers are located are identified with bold boundary lines.
- Stars mark counties with large metropolitan populations (Memphis, Jackson, Nashville, Chattanooga, Knoxville, and the Tri-Cities area).



### Reference Information for Sentinel Provider Network

1 Influenza-like illness (ILI) is defined as fever > 100°F (37.8°C) plus cough and/or sore throat, in the absence of a known cause (other than influenza). Classification of ILI is based upon symptoms only and does not require any test.

2 The % of patients with ILI seen in each region is compared to the statewide average. Regions with % statistically-significantly different from the state average are noted as "higher" or "lower." The CDC reports that the percentage of patients visiting outpatient healthcare providers in the Sentinel Provider Network (SPN) with influenza-like-illness (ILI) when influenza viruses are not circulating is expected to fall at or below a specific SPN baseline [nationwide = 2.2%, East South Central region (AL, TN, MS, KY) = 2.3%]. When the percentage of patients with ILI exceeds this baseline, this suggests that influenza viruses may be circulating.

#### Important information for Sentinel Providers

Sentinel Providers report ILI by the end of Tuesday following the end of the reporting week (www2a.cdc.gov/ilinet) and collect and ship specimens from ILI cases Monday through Thursday (maximum 10/week per provider). All Sentinel Provider specimens MUST be accompanied by the Influenza and Respiratory Viral Panel Submission form or testing will not be done. The Respiratory Viral Panel is only validated for nasopharyngeal (NP) specimens. Specimens collected from other sites cannot be tested.

Additional laboratory supplies can be obtained by completing the lab order supply form. To ensure the order is filled, please include the CDC Provider ID Code.


#### Contact Information

Submit weekly reports to: http://www2a.cdc.gov/ilinet/ OR Fax 888-232-1322

State Lab: Susan McCool 615-262-6351

SPN Questions:

State: Robb Garman 800-404-3006 OR 615-741-7247 County/Region: Regional SPN Coordinator (see map)



1	Shelby County	901-222-9239
2	West TN Region	731-421-6758
3	Jackson-Madison County	731-927-8540
4	Mid-Cumberland Region	615-650-7000
5	Nashville-Davidson County	615-340-0551
6	South Central Region	931-380-2532
7	Upper Cumberland Region	931-646-7505
8	Southeast Region	423-634-6065
9	Chattanooga-Hamilton County	423-209-8063
10	Knoxville-Knox County	865-215-5084
11	East TN Region	865-549-5287
12	Northeast Region	423-979-3200
13	Sullivan County	423-279-7545