



# HOME APPLIANCE COLLECTION





# CONTENTS

## LG Builder

Brand Portfolio	4
Capabilities	6
LG Brand Advantages	8
Award Winning Products	9
Smart Home with LG ThinQ®	10
ThinQ Care	12
Experience & Design Center	14

## Refrigeration

Features & Benefits	17
French Door	20
Side-by-Side	33
Top Freezer	36
Bottom Freezer	37
Specialty	39
Key Dimensions, Installation & Accessories	41

## Dishwashers

Features & Benefits	47
Top Control & Front Control	49
Key Dimensions & Installation	52

## Cooking

Features & Benefits	55
Slide-In Ranges	58
Freestanding Ranges	63
Wall Ovens	65
Cooktops	67
Hoods	69
Microwaves	69
Key Dimensions, Installation & Accessories	73

## Laundry

Features & Benefits	79
WashTower™	88
Front Load	90
Top Load	96
LG Styler® Steam Closet	100
SideKick™ & Pedestals	102
All-in-One Combination	90
Key Dimensions, Installation & Accessories	105

## Expert Support

Service & Support Contacts	110
----------------------------	-----

# LG BUILDER HAS THE BRANDS YOUR BUYERS WANT

Let Signature Kitchen Suite, LG STUDIO, and LG bring your vision to life with our innovative designs for every buyer imaginable. Our product lines offer premium quality to support the full spectrum, from starter homes, condos and apartments to high-end luxury dwellings. Welcome to LG Builder—built for better living.



For the high-end kitchen, this built-in line of luxury appliances is a leader in innovation and design.

1



Innovative freestanding and built-in appliances that perform flawlessly, for style-conscious customers.

2



With a complete line of appliances, LG gives you performance and reliability at an affordable price.

3



1



3



2



# LG BUILDER STANDING OUT FROM THE REST

LG Builder is a special business unit of LG Electronics USA that's dedicated to bringing LG's world-class innovations to the residential, design and construction industry.

## Ready Meet Your Needs

### Dedicated Team

Our nationwide team of sales managers can help you choose the right products, schedule delivery and installation and offer post-sales support.

### Model Home Program

Model homes are eligible for a discount in qualified communities.

### Parade of Homes and Street of Dreams Program

Discounts are available, at the discretion of the Regional Sales Manager.

### Dealer Flooring Program

Beautiful product vignettes are available for your selling floor.

### Personal-Use Discount

Qualifying dealer associates, builders and designers are eligible for a personal-use discount.

### Project Quotes

Our team will provide expert product input and fast quote turnarounds for your projects: Signature Kitchen Suite—10 units or more; LG STUDIO and LG—25 units or more.

Contact your District Sales manager for more information on our Dealer, Builder and Trade Partner Programs.



## Marketing Support— Assets & Collateral

From spec sheets to images to a build-a-brochure tool, LG Builder has the marketing support you need for all Signature Kitchen Suite, LG STUDIO, and LG appliances.

### Builder Marketing Resource Center


#### LGBuilderMarketing.com

- LG Builder Spec Sheets
- Brochure Builder Tool
- Digital Product Guides and Catalogs
- Marketing Materials

### LG Digital Asset Library

#### LGdealers.com

- Product and Lifestyle Images
- Owner's Manuals
- Brand Logos and Guidelines
- Order In-Store Materials



## Investing and Expanding Operations in the U.S.

- In April of 2021 LG Electronics USA expanded operations in its state-of-the-art laundry factory in Clarksville, Tennessee to help meet the unprecedented U.S. demand for its top-rated washing machines.
- This \$360 million factory, believed to be the most advanced, integrated washing machine production plant in the world, already employs more than 550 American workers who are supporting continued production ramp-up.
- In 2021, LG increased production by investing an additional \$20.5 million to add another shift for manufacturing. This move has created 334 new jobs, bringing total LG Clarksville employment to approximately 1,000.
- Our Tennessee operations have increased the company's competitiveness in the U.S., increasing speed to market and responsiveness to changing market conditions.



# LEADING THE WAY IN INNOVATION, QUALITY AND TRUST

LG brings innovative technologies, unique products and cutting-edge design to make customers' lives better. LG freestanding and built-in appliances allow customers to enjoy power and precision in an upbeat and accessible way. From the new A.I.-powered Washer to the InstaView™ ThinQ™ Range with Air Fry to the highly acclaimed LG InstaView™ Door-in-Door® Refrigerator with the industry's first Craft Ice™, LG is leading the way to a better life in the kitchen and laundry room.



## Award Winning Products



**LG InstaView® Refrigerator with Craft Ice™**

- ★ 2021 Beautiful Kitchen & Baths: Most Innovative Products
- ★ 2020 TWICE VIP Finalist
- ★ 2020 & 2021 CES Innovation Award



**LG Front Load Washer and Dryer**

- ★ 2020 Pro Builder Top 100
- ★ 2020 Best of KBIS Finalist
- ★ 2020 CES Innovation Award
- ★ 2020 Good Housekeeping Editor's Pick



**LG WashTower™ with Center Control™**

- ★ 2021 NAHB Global Innovation Award Finalist
- ★ 2021 Best of KBIS Impact Winner
- ★ 2021 KBIS Design Bites "Brand with the Biggest Bite"
- ★ 2021 CES Absolute Best Products

# LG ThinQ®


## SMART WIFI ENABLED APPLIANCES

With the LG ThinQ® mobile app, your customers can manage LG smart appliances remotely. They'll always know if the refrigerator door is left open, and never be caught unprepared by unexpected guests with the ability to preheat the oven from the office. LG smart appliances respond to voice commands via Amazon Alexa and Google Assistant.



### A Smarter Way to Cook

LG ThinQ® also provides access to a wide range of convenient services through technology partners. These smart cooking apps create effortless home-cooking experiences by allowing users to easily access step-by-step video tutorials, automatically preheat their oven or adjust time, temperature or cooking mode, based on the recipe, and send cooking instructions directly to their smart range or oven (services and features vary by model).



Homebase app interface shown

### Smart Home Platform Partner:



Integrating LG ThinQ® technology with partner platforms provides a simplified way to manage property efficiently to reduce overhead cost and improve the overall experience.

The LG partnership with Homebase allows us to leverage their autonomous building platform to further integrate our smart appliances into multifamily properties to create a better, more connected living experience for residents, property managers, and owners.

## ThinQ Care


### Helping Your Customers Get the Most Out of Their LG Appliances

Introducing ThinQ Care, now within the ThinQ app—a complimentary service for LG smart appliances. ThinQ Care helps you address consumers' needs and concerns when it comes to smart appliance technology. Consumers get peace of mind, save money and time, and maximize their investment.

### Expand the Smart Home Experience to the Whole Building with Technology Partners

When it comes to managing the community, apartments, or property, LG partnerships with key technology companies provide a complete integrated solution for builders and property owners.

With key partners, you can manage smart technologies including WiFi infrastructure, access control, smart thermostats, smart door locks, smart switches, and smart appliances to future-proof your buildings and provide new way of digital living as a service.



# ThinQ Care

## KEEP YOUR APPLIANCES RUNNING SMOOTHLY

Life is better when your home runs smarter. Introducing ThinQ Care, now within the ThinQ app—proactive smart alerts for your LG appliance. Get notifications about usage, maintenance, plus early diagnosis, right on your smartphone. ThinQ Care will help you understand your appliance needs, avoid any potential problems, and keep your LG appliances running at their best for years on end.



### Convenience & Reliability

#### Smart Solutions for Long-Term Use

- Provides constant monitoring of key functions behind-the-scenes with the smart, reliable tech you need to protect your investment and your home.
- With LG ThinQ compatible appliances, peace-of-mind and confidence comes built in.



### Easy Setup & Use

#### LG ThinQ App

- ThinQ Care is integrated within the ThinQ app—a smart home hub for managing your smart devices and appliances.
- To get started, simply download the free LG ThinQ app to your mobile phone, connect your LG appliances to Wi-Fi, and register them for use.
- Receive a welcome email confirming your new appliances are installed correctly and running efficiently—then begin receiving proactive alerts.



### Optimal Performance

#### Useful Alerts for Ultimate Efficiency

- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
- Maintenance Alerts provide tips on current and future upkeep to ensure your appliances last longer.
- Performance Suggestions notify you of proper treatment and handling to keep things running smoothly.
- Monthly Usage Reports summarize your typical usage patterns so you can notice irregularities and correct them.
- Purchase Alerts notify you when it's time to restock or replace parts and supplies to keep your appliances fine-tuned and functioning properly.



### Cost Savings

#### Premium Protection Built-in

- Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
- Completely complimentary, we offer comprehensive protection for your smart appliances with no hidden costs or monthly fees.



# BRINGING OUR BRANDS TO LIFE AT THE EXPERIENCE & DESIGN CENTER

## Napa Valley, California

Located in the heart of Napa Valley, this first-of-its-kind facility was meticulously designed to celebrate the intersection between technology and culinary innovation. Product experts and on-site executive chefs provide hands-on education. Partnerships with local wineries and produce farms as suppliers provide a world-class culinary counterpart to the award-winning cooking technology.



### Brand Immersion Program

#### Hosting Events at Our Experience & Design Center

LG Builder wants to welcome you to our home in Napa Valley at the Experience & Design Center. Besides training for yourself, we also offer the opportunity to plan a designer event or a builder event with your local designers or builders. During your visit, you and your guests will explore our full range of LG Builder solutions.

Talk to your District Sales Manager about availability for these unique events.



Proud to be named the Best Independent Showroom by NKBA for 2020.





# REFRIGERATION

## REFRIGERATION FEATURES



### InstaView® Door-in-Door®

Bringing innovation and distinctive design together, LG's new refrigerator with InstaView® Door-in-Door® will enhance even the most beautifully crafted kitchen. The sleek tinted glass panel illuminates with two quick knocks, allowing you to see inside the easy access compartment without ever opening the door, reducing cold air loss to help keep food fresher longer. When you need to access your most often-used items, the Door-in-Door® with ColdSaver™ Panel acts like a barrier keeping cold air in where it matters most—in the inside.

### Dual Ice Maker with Craft Ice™

Dual ice makers, dispensed from the door and located in the freezer compartment, automatically produce ice so you never run out. The icemaker in the freezer makes LG's exclusive round Craft Ice™—crafted to melt slower and chill more efficiently, while the ice maker on the door produces and dispenses traditional cubed or crushed ice. From craft cocktails and whiskey to soft drinks, lemonade, even iced coffee, give your beverages the perfect ice. Need Craft Ice™ twice as fast? Activate Craft Ice+ in the ThinQ® app or by pressing the freezer button on the dispenser for 3 seconds.

### Door-in-Door®


Offering quick and easy access to favorite foods, the popular Door-in-Door® design gets even better with an adjustable bin that smoothly glides up and down to fit snacks and drinks of all sizes.

### ColdSaver™ Panel

Door-in-Door® with ColdSaver™ Panel acts like a barrier keeping cold air in where it matters most—in the inside—giving you peace of mind that food will stay fresh. It reduces cold air loss to help keep food fresher longer.

### LG ThinQ® Technology (Smart Wi-Fi Enabled)

Receive notifications on your smartphone when the door is open or your water filter needs to be replaced. Diagnose issues and get quick, expert advice. From making extra ice for tonight's dinner party while you're at work to adjusting temperatures with simple voice commands, LG refrigerators with ThinQ® technology make life easier.



\*Shape and clarity of ice may vary with settings, water supply and home use conditions.

## REFRIGERATION FEATURES

### Full-Convert™ Drawer

This flexible drawer gives you more capacity when you need it, with the ability to fully convert from fridge to freezer with one quick touch so you can chill today, freeze tomorrow. Create instant space for that oversize ice cream birthday cake using the Freeze setting. Or prep for holiday gatherings with Chilled Wine, Deli / Snacks, Cold Drinks or Meat / Seafood options. Adjustable dividers keep everything neat and organized.



### 3-Tier Organization™ Freezer

The 3-Tier Organization™ Freezer system can keep food organized and easily accessible. Now you can prioritize what's in your freezer so you can find anything fast.

### Glide N' Serve® Pantry Drawer

Located just below the humidity-controlled crispers, this full-width, temperature-controlled drawer makes party preparations a snap. Store everything from deli platters to fruit trays at just the right temperature with one press of the touch pad controls. The lid opens automatically when you slide out the drawer for fast loading and unloading.

### Tall Ice & Water Dispenser® with Measured Fill

From pitchers to pint glasses, this external filtered ice & water dispenser can accommodate just about any container. The water and ice dispenser in this LG refrigerator is one of the tallest around, measuring in at an ultra-accommodating 12.6 inches. The convenient Measured Fill feature lets you select the exact amount of filtered water in ounces (4, 8, 16, or 32), to save you the time and hassle of measuring for drinks mixes, recipes and more. Plus, the brushed metal finish touch display includes the easy-to-operate temperature controls and refrigerator options.



### Slim SpacePlus® Ice System

Ice makers are great, but not if it means you can't fit all of your food in the fridge. The Slim SpacePlus® Ice System provides the most shelf space\* and allows even more space for door bins. It's not just capacity, it's more usable capacity thanks to features like the Hidden Water Filter and Slim SpacePlus® ice system that free up valuable shelf space.



## REFRIGERATION FEATURES



### Smart Cooling Plus® System

Smart Cooling Plus® technology is designed to maintain superior conditions within the refrigerator. The Linear Compressor and Dual Evaporators react quickly to humidity and temperature levels and help keep your food fresher, longer. Meanwhile, strategically placed vents in every section help to surround your food with cool, fresh air no matter where you put it.

### Multi-Air Flow Freshness System

Multi-Air Flow System is designed to maintain superior humidity and temperature levels to help keep your food fresher, longer. Digital sensors constantly monitor conditions within the refrigerator and strategically-placed vents in every section to help surround your food with cool air no matter where you put it.

### Fresh Air Filter

Your food isn't the only thing that stays fresh. Only LG offers a premium Fresh Air Filter with dedicated fan that pushes cleaner, fresher air into the fridge.

### Door Cooling+

Located in the top of the fresh food section, the Door Cooling+ vent extends the reach of LG's Smart Cooling® system. Blasts of cool air reach all areas of the refrigerator—including the door—to help maintain consistent temperatures from top to bottom. It helps keep all foods fresh and flavorful and keeps produce fresh up to 2x longer.\*



### Cool Guard

Cool Guard metal interior panel adds a premium look.

### 10-Year Manufacturer's Limited Warranty on Inverter Linear Compressor

When you buy a refrigerator, you don't want to worry that it won't last. Because the Inverter Linear Compressor motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10-year limited warranty.

### LED Lighting

LED panels and strips in provide an exceptionally bright interior and saves energy over traditional lighting.



\*Than other LG models. Based on LG internal tests between LFXS30796D and LRFDS3006S and in combination with Linear Cooling and Smart Cooling technologies.

## FRENCH DOOR REFRIGERATORS WITH INSTAVIEW® DOOR-IN-DOOR®



### SRFVC2416S 23.5 cu. ft. Counter Depth InstaView® Door-in-Door® French Door Refrigerator (36" Wide)

- Counter Depth
- 23.5 cu. ft. Capacity
- InstaView® Door-in-Door®
- Dual Ice Maker with Craft Ice™
- Smart Cooling Plus™ System
- Door Cooling +
- Measured Fill
- Premium LED Lighting
- Dual Evaporators
- Cool Guard Stainless Steel Back Wall and Charcoal Gray Interior
- LG ThinQ® Technology (Wi-Fi)



- SRFVC2416S – PrintProof™ Stainless Steel



## FRENCH DOOR REFRIGERATORS WITH INSTAVIEW® DOOR-IN-DOOR®



### LRMVS3006\_ 29.5 cu. ft. InstaView® Door-in-Door® 4-Door French Door Refrigerator (36" Wide)

- 29.5 cu. ft. Capacity
- InstaView® Door-in-Door®
- Full-Convert™ Drawer
- Dual Ice Maker with Craft Ice™
- Smart Cooling Plus™ System
- Door Cooling +
- Premium LED Lighting
- Measured Fill
- Cool Guard Stainless Steel Back Wall
- LG ThinQ® Technology (Wi-Fi)

- LRMVS3006S – PrintProof™ Stainless Steel
- LRMVS3006D – PrintProof™ Black Stainless Steel



### LRMVC2306\_ 22.5 cu. ft. Counter Depth InstaView® Door-in-Door® 4-Door French Door Refrigerator (36" Wide)

- Counter Depth
- 22.5 cu. ft. Capacity
- InstaView® Door-in-Door®
- Full-Convert™ Drawer
- Dual Ice Maker with Craft Ice™
- Smart Cooling Plus™ System
- Door Cooling +
- Premium LED Lighting
- Measured Fill
- Cool Guard Stainless Steel Back Wall
- LG ThinQ® Technology (Wi-Fi)

- LRMVC2306S – PrintProof™ Stainless Steel
- LRMVC2306D – PrintProof™ Black Stainless Steel



### LRFVS3006\_ 29.7 cu. ft. InstaView® Door-in-Door® French Door Refrigerator (36" Wide)

- 29.7 cu. ft. Capacity
- InstaView® Door-in-Door®
- Dual Ice Maker with Craft Ice™
- Smart Cooling Plus™ System
- Door Cooling +
- Measured Fill
- Premium LED Lighting
- Dual Evaporators
- Cool Guard Stainless Steel Back Wall
- LG ThinQ® Technology (Wi-Fi)

- LRFVS3006S – PrintProof™ Stainless Steel
- LRFVS3006D – PrintProof™ Black Stainless Steel

Planned transition to LRYKS3106S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

## FRENCH DOOR REFRIGERATORS WITH INSTAVIEW® DOOR-IN-DOOR®



### **LRFVC2406\_** 23.5 cu. ft. Counter Depth InstaView® Door-in-Door® French Door Refrigerator (36" Wide)

- Counter Depth
  - 23.5 cu. ft. Capacity
  - InstaView® Door-in-Door®
  - Dual Ice Maker with Craft Ice™
  - Smart Cooling Plus™ System
  - Door Cooling +
  - Measured Fill
  - Premium LED Lighting
  - Dual Evaporators
  - Cool Guard Stainless Steel Back Wall
  - LG ThinQ® Technology (Wi-Fi)
- LRFVC2406S – PrintProof™ Stainless Steel  
● LRFVC2406D – PrintProof™ Black Stainless Steel

Planned transition to LRYKC2606S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### **LRMVS2806\_** 27.6 cu. ft. InstaView® Door-in-Door® 4-Door French Door Refrigerator (36" Wide)

- 27.6 cu. ft. Capacity
  - InstaView® Door-in-Door®
  - Double Freezer Drawers
  - Dual Ice Maker with Craft Ice™ Plus
  - Smart Cooling® System
  - Door Cooling +
  - LED Lighting
  - LoDecibel™ Quiet Operation
  - LG ThinQ® Technology (Wi-Fi)
- LRMVS2806S – PrintProof™ Stainless Steel  
● LRMVS2806D – PrintProof™ Black Stainless Steel



### **LMXS28596\_** 27.6 cu. ft. InstaView® Door-in-Door® 4-Door French Door Refrigerator (36" Wide)

- 27.6 cu. ft. Capacity
  - InstaView® Door-in-Door®
  - Double Freezer Drawers
  - Smart Cooling® System
  - Door Cooling +
  - LED Lighting
  - LoDecibel™ Quiet Operation
  - LG ThinQ® Technology (Wi-Fi)
- LMXS28596S – PrintProof™ Stainless Steel  
● LMXS28596D – PrintProof™ Black Stainless Steel

## FRENCH DOOR REFRIGERATORS WITH INSTAVIEW® DOOR-IN-DOOR®



### **LFXS26596\_** 26 cu. ft. InstaView® Door-in-Door® French Door Refrigerator (36" Wide)

- 26 cu. ft. Capacity
  - InstaView® Door-in-Door®
  - Dual Ice Maker
  - Smart Cooling® System
  - Door Cooling +
  - LED Lighting
  - LG ThinQ® Technology (Wi-Fi)
- LFXS26596S – PrintProof™ Stainless Steel  
● LFXS26596D – PrintProof™ Black Stainless Steel

Planned transition to LRFOC2606S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### **LFXC22596\_** 21.9 cu. ft. Counter Depth InstaView® Door-in-Door® French Door Refrigerator (36" Wide)

- Counter Depth
  - 21.9 cu. ft. Capacity
  - InstaView® Door-in-Door®
  - Dual Ice Maker
  - Smart Cooling® System
  - Door Cooling +
  - LED Lighting
  - LG ThinQ® Technology (Wi-Fi)
- LFXC22596S – PrintProof™ Stainless Steel  
● LFXC22596D – PrintProof™ Black Stainless Steel

Planned end-of-life Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### **LFCS27596S** 27 cu. ft. InstaView® Door-in-Door® French Door Refrigerator (36" Wide)

- 27 cu. ft. Capacity
  - InstaView® Door-in-Door®
  - Door Cooling +
  - LED Lighting
  - Factory Installed Ice Maker
  - Filtered Ice
  - Smart Cooling® System
  - LoDecibel™ Quiet Operation
  - SmartDiagnosis™
- LFCS27596S – PrintProof™ Stainless Steel

Planned transition to LRFGC2706S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

## FRENCH DOOR REFRIGERATORS WITH INSTAVIEW® DOOR-IN-DOOR®



- LFCC23596S**  
**22.6 cu. ft. Counter Depth InstaView® Door-in-Door® French Door Refrigerator (36" Wide)**
- Counter Depth
  - 22.6 cu. ft. Capacity
  - InstaView® Door-in-Door®
  - Door Cooling +
  - LED Lighting
  - Factory Installed Ice Maker
  - Filtered Ice
  - Smart Cooling® System
  - LoDecibel™ Quiet Operation
  - SmartDiagnosis™
- LFCC23596S – PrintProof™ Stainless Steel

Planned transition Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

## FRENCH DOOR REFRIGERATORS WITH DOOR-IN-DOOR®



- LRMS3006\_**  
**29.5 cu. ft. Door-in-Door® 4-Door French Door Refrigerator (36" Wide)**
- 29.5 cu. ft. Capacity
  - Door-in-Door® with Adjustable Bin
  - Full-Convert™ Drawer
  - Dual Ice Maker with Craft Ice™
  - Smart Cooling Plus™ System
  - Door Cooling +
  - Premium LED Lighting
  - Measured Fill
  - Cool Guard Stainless Steel Back Wall
  - LG ThinQ® Technology (Wi-Fi)
- LRMS3006S – PrintProof™ Stainless Steel  
 ● LRMS3006D – PrintProof™ Black Stainless Steel



- LRMD2306\_**  
**22.5 cu. ft. Counter Depth Door-in-Door® 4-Door French Door Refrigerator (36" Wide)**
- Counter Depth
  - 22.5 cu. ft. Capacity
  - Door-in-Door® with Adjustable Bin
  - Full-Convert™ Drawer
  - Dual Ice Maker with Craft Ice™
  - Smart Cooling Plus™ System
  - Door Cooling +
  - Premium LED Lighting
  - Measured Fill
  - Cool Guard Stainless Steel Back Wall
  - LG ThinQ® Technology (Wi-Fi)
- LRMD2306S – PrintProof™ Stainless Steel  
 ● LRMD2306D – PrintProof™ Black Stainless Steel

## FRENCH DOOR REFRIGERATORS WITH DOOR-IN-DOOR®



- LRFDS3016\_**  
**29.7 cu. ft. Door-in-Door® French Door Refrigerator (36" Wide)**
- 29.7 cu. ft. Capacity
  - Door-in-Door® with Adjustable Bin
  - Dual Ice Maker with Craft Ice™
  - Smart Cooling Plus™ System
  - Door Cooling +
  - Measured Fill
  - Premium LED Lighting
  - Dual Evaporators
  - Cool Guard Stainless Steel Back Wall
  - LG ThinQ® Technology (Wi-Fi)
- LRFDS3016S – PrintProof™ Stainless Steel  
 ● LRFDS3016D – PrintProof™ Black Stainless Steel

Planned transition to LRYUS3106S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



- LRFDC2406\_**  
**23.5 cu. ft. Counter Depth Door-in-Door® French Door Refrigerator (36" Wide)**
- Counter Depth
  - 23.5 cu. ft. Capacity
  - Door-in-Door® with Adjustable Bin
  - Dual Ice Maker with Craft Ice™
  - Smart Cooling Plus™ System
  - Door Cooling +
  - Measured Fill
  - Premium LED Lighting
  - Dual Evaporators
  - Cool Guard Stainless Steel Back Wall
  - LG ThinQ® Technology (Wi-Fi)
- LRFDC2406S – PrintProof™ Stainless Steel  
 ● LRFDC2406D – PrintProof™ Black Stainless Steel

Planned transition to LRYUC2606S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

## FRENCH DOOR REFRIGERATORS



- LRMXS3006S**  
**29.5 cu. ft. 4-Door French Door Refrigerator (36" Wide)**
- 29.5 cu. ft. Capacity
  - Full-Convert™ Drawer
  - Dual Ice Maker with Craft Ice™
  - Smart Cooling Plus™ System
  - Door Cooling +
  - Premium LED Lighting
  - Measured Fill
  - Cool Guard Stainless Steel Back Wall
  - LG ThinQ® Technology (Wi-Fi)
- LRMXS3006S – PrintProof™ Stainless Steel

## FRENCH DOOR REFRIGERATORS



### LRMXS2806\_ 27.8 cu. ft. 4-Door French Door Refrigerator (36" Wide)

- 27.8 cu. ft. Capacity
- Double Freezer Drawers
- Dual Ice Maker with Craft Ice™ Plus
- Smart Cooling® System
- Door Cooling +
- LED Lighting
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)

- LRMXS2806S – PrintProof™ Stainless Steel
- LRMXS2806D – PrintProof™ Black Stainless Steel



### LRMXC2206\_ 22.0 cu. ft. Counter Depth 4-Door French Door Refrigerator (36" Wide)

- Counter Depth
- 22.0 cu. ft. Capacity
- Double Freezer Drawers
- Dual Ice Maker with Craft Ice™ Plus
- Smart Cooling® System
- Door Cooling +
- LED Lighting
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)

- LRMXC2206S – PrintProof™ Stainless Steel
- LRMXC2206D – PrintProof™ Black Stainless Steel



### LMXS28626\_ 27.8 cu. ft. 4-Door French Door Refrigerator (36" Wide)

- 27.8 cu. ft. Capacity
- Double Freezer Drawers
- Smart Cooling® System
- LED Lighting
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)

- LMXS28626S – PrintProof™ Stainless Steel
- LMXS28626D – PrintProof™ Black Stainless Steel



## FRENCH DOOR REFRIGERATORS



### LMXC22626\_ 22.0 cu. ft. Counter Depth 4-Door French Door Refrigerator (36" Wide)

- Counter Depth
- 22.0 cu. ft. Capacity
- Double Freezer Drawers
- Smart Cooling® System
- Door Cooling +
- LED Lighting
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)

- LMXC22626S – Stainless Steel
- LMXC22626D – PrintProof™ Black Stainless Steel



### LMWS27626S 26.9 cu. ft. 4-Door French Door Refrigerator (36" Wide)

- 26.9 cu. ft. Capacity
- Double Freezer Drawers
- Internal Water Dispenser
- Smart Cooling® System
- Door Cooling +
- LED Lighting
- LoDecibel™ Quiet Operation
- SmartDiagnosis™

- LMWS27626S – PrintProof™ Stainless Steel



### LMWC23626S 22.7 cu. ft. Counter Depth 4-Door French Door Refrigerator (36" Wide)

- Counter Depth
- 22.7 cu. ft. Capacity
- Double Freezer Drawers
- Internal Water Dispenser
- Smart Cooling® System
- Door Cooling +
- LED Lighting
- LoDecibel™ Quiet Operation
- SmartDiagnosis™

- LMWC23626S – PrintProof™ Stainless Steel



## FRENCH DOOR REFRIGERATORS



### LRFXC2416\_ 23.5 cu. ft. Counter Depth French Door Refrigerator (36" Wide)

- Counter Depth
- 23.5 cu. ft. Capacity
- Dual Ice Maker with Craft Ice™
- Smart Cooling Plus™ System
- Door Cooling +
- Measured Fill
- Premium LED Lighting
- Dual Evaporators
- Cool Guard Stainless Steel Back Wall
- LG ThinQ® Technology (Wi-Fi)

- LRFXC2416S – PrintProof™ Stainless Steel
- LRFXC2416D – PrintProof™ Black Stainless Steel



Planned transition to LRYXC2606S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### LFXS28968\_ 27.9 cu. ft. French Door Refrigerator (36" Wide)

- 27.9 cu. ft. Capacity
- Slim SpacePlus® Ice System
- Smart Cooling® System
- Door Cooling +
- LED Lighting
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)

- LFXS28968S – PrintProof™ Stainless Steel
- LFXS28968D – PrintProof™ Black Stainless Steel



### LFXC22526\_ 22.1 cu. ft. Counter Depth French Door Refrigerator (36" Wide)

- Counter Depth
- 22.1 cu. ft. Capacity
- Slim SpacePlus® Ice System
- Dual Ice Maker
- Smart Cooling® System
- Door Cooling +
- LED Lighting
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)

- LFXC22526S – PrintProof™ Stainless Steel
- LFXC22526D – PrintProof™ Black Stainless Steel



## FRENCH DOOR REFRIGERATORS



### LFXS26973\_ 26.2 cu. ft. French Door Refrigerator (36" Wide)

- 26.2 cu. ft. Capacity
- Slim SpacePlus® Ice System
- Dual Ice Maker
- Smart Cooling® System
- Door Cooling +
- LED Lighting
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)

- LFXS26973S – PrintProof™ Stainless Steel
- LFXS26973D – PrintProof™ Black Stainless Steel



### LRMWS2906\_ 28.7 cu. ft. 4-Door French Door Refrigerator (36" Wide)

- 28.7 cu. ft. Capacity
- Slim Design Water Dispenser
- Double Freezer Drawers
- LED Lighting
- Factory Installed Ice Maker
- LoDecibel™ Quiet Operation
- SmartDiagnosis™

- LRMWS2906S – PrintProof™ Stainless Steel
- LRMWS2906D – PrintProof™ Black Stainless Steel



### LRFWS2906\_ 29 cu. ft. French Door Refrigerator (36" Wide)

- 29 cu. ft. Capacity
- Slim Design, Chilled Water Dispenser (Half Gallon Capacity)
- LED Lighting
- SmartPull™ Freezer Handle
- Factory Installed Ice Maker
- LoDecibel™ Quiet Operation
- SmartDiagnosis™

- LRFWS2906V – Stainless Look
- LRFWS2906S – PrintProof™ Stainless Steel
- LRFWS2906D – PrintProof™ Black Stainless Steel



LRYXS3106S/D French Door Refrigerator available Q3 2022. Contact your LG Sales Rep for details.

## FRENCH DOOR REFRIGERATORS



EDL 8/22: NEW LRFLC2706S/D

### LFCC22426S 22.8 cu. ft. Counter Depth French Door Refrigerator (36" Wide)

- Counter Depth
  - 22.8 cu. ft. Capacity
  - Smart Cooling® System
  - Door Cooling +
  - LED Lighting
  - Factory Installed Ice Maker
  - Filtered Ice
  - LoDecibel™ Quiet Operation
  - SmartDiagnosis™
- LFCC22426S – PrintProof™ Stainless Steel



Planned transition to LRFLC2706S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### LRFXS2513S 24.5 cu. ft. French Door Refrigerator (33" Wide)

- 33" Width
  - 24.5 cu. ft. Capacity
  - Dual Ice Maker with Craft Ice™
  - Slim SpacePlus® Ice System
  - Smart Cooling® System
  - Door Cooling +
  - LED Lighting
  - LoDecibel™ Quiet Operation
  - LG ThinQ® Technology (Wi-Fi)
- LRFXS2513S – Stainless Steel



### LRFXS2503\_ 24.5 cu. ft. French Door Refrigerator (33" Wide)

- 33" Width
  - 24.5 cu. ft. Capacity
  - Slim SpacePlus® Ice System
  - Smart Cooling® System
  - Door Cooling +
  - LED Lighting
  - LoDecibel™ Quiet Operation
  - LG ThinQ® Technology (Wi-Fi)
- LRFXS2503S – PrintProof™ Stainless Steel  
● LRFXS2503D – PrintProof™ Black Stainless Steel



Planned transition to LRFXC2606S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

## FRENCH DOOR REFRIGERATORS



### LRFCS2503S 25.2 cu. ft. French Door Refrigerator (33" Wide)

- 33" Width
  - 25.2 cu. ft. Capacity
  - Smart Cooling® System
  - Door Cooling +
  - LED Lighting
  - Factory Installed Ice Maker
  - Filtered Ice
  - LoDecibel™ Quiet Operation
  - SmartDiagnosis™
- LRFCS2503S – PrintProof™ Stainless Steel



### LRFCS25D3S 25.2 cu. ft. French Door Refrigerator (33" Wide)

- 33" Width
  - 25.2 cu. ft. Capacity
  - Smart Cooling® System
  - Door Cooling +
  - LED Lighting
  - Factory Installed Ice Maker
  - LoDecibel™ Quiet Operation
  - SmartDiagnosis™
- LRFCS25D3S – PrintProof™ Stainless Steel



### LFDS22520S 21.8 cu. ft. French Door Refrigerator (30" Wide)

- 30" Width
  - 21.8 cu. ft. Capacity
  - Water Dispenser
  - Smart Cooling® System
  - LED Lighting
  - Factory Installed Ice Maker
  - Filtered Ice & water
  - LoDecibel™ Quiet Operation
  - SmartDiagnosis™
- LFDS22520S – Stainless Steel





## FRENCH DOOR REFRIGERATORS



### LFC22770ST

#### 21.8 cu. ft. French Door Refrigerator (30" Wide)

- 30" Width
  - 22 cu. ft. Capacity
  - Smart Cooling® System
  - LED Lighting
  - SmartPull™ Freezer Handle
  - Factory Installed Ice Maker
  - LoDecibel™ Quiet Operation
  - Auto Closing Door Hinge
  - SmartDiagnosis™
- LFC22770ST – Stainless Steel



### LFCS22520\_

#### 21.8 cu. ft. French Door Refrigerator (30" Wide)

- 30" Width
  - 21.8 cu. ft. Capacity
  - Smart Cooling® System
  - LED Lighting
  - Factory Installed Ice Maker
  - LoDecibel™ Quiet Operation
  - SmartDiagnosis™
- LFCS22520S – Stainless Steel  
● LFCS22520D – PrintProof™ Black Stainless Steel

## SIDE-BY-SIDE REFRIGERATORS



### SRSXB2622S

#### Built-in Side-by-Side Refrigerator (42" Wide)

- Pro-Style Design with Seamless Finishing in Every Edge and Corner
  - 25.6 cu. ft. Capacity
  - Stainless Steel Ice and Water Dispenser
  - Versatile Interior Design
  - SpacePlus® Ice System
  - Premium LED Lighting
  - Soft Closing Door
  - Dual Evaporators
  - LG ThinQ® Technology (Wi-Fi)
  - 2 Year Limited Warranty
- SRSXB2622S – PrintProof™ Stainless Steel



## SIDE-BY-SIDE REFRIGERATORS



**LRSOS2706\_**  
26.1 cu. ft. InstaView® Side-by-Side Refrigerator (36" Wide)

- 27.1 cu. ft. Capacity
  - Edge-to-Edge InstaView®
  - Dual Ice Maker with Craft Ice™
  - UVnano™ Smooth Touch Dispenser
  - Linear Cooling™
  - Cool Guard Interior Panel
  - Door Cooling+
  - SpacePlus® Ice System
  - Interior LED Lighting
  - Flat Panel Door Design with Pocket Handles
  - LG ThinQ® Technology (Wi-Fi)
- LRSOS2706S – PrintProof™ Stainless Steel  
● LRSOS2706D – PrintProof™ Black Stainless Steel



**LRSOC2306\_**  
23.0 cu. ft. Counter Depth InstaView® Side-by-Side Refrigerator (36" Wide)

- Counter Depth
  - 23 cu. ft. Capacity
  - Edge-to-Edge InstaView®
  - Dual Ice Maker with Craft Ice™
  - UVnano™ Smooth Touch Dispenser
  - Linear Cooling™
  - Cool Guard Interior Panel
  - Door Cooling+
  - SpacePlus® Ice System
  - Interior LED Lighting
  - Flat Panel Door Design with Pocket Handles
  - LG ThinQ® Technology (Wi-Fi)
- LRSOC2306S – Stainless Steel  
● LRSOC2306D – Black Stainless Steel



## SIDE-BY-SIDE REFRIGERATORS



**LRSDS2706\_**  
27.1 cu. ft. Door-in-Door® Side-by-Side Refrigerator (36" Wide)

- 27.1 cu. ft. Capacity
  - Door-in-Door®
  - Dual Ice Maker with Craft Ice™
  - UVnano™ Smooth Touch Dispenser
  - Linear Cooling™
  - Cool Guard™ Interior Panel
  - Door Cooling+
  - SpacePlus® Ice System
  - Interior LED Lighting
  - Flat Panel Door Design with Pocket Handles
  - LG ThinQ® Technology (Wi-Fi)
- LRSDS2706S – PrintProof™ Stainless Steel  
● LRSDS2706D – PrintProof™ Black Stainless Steel



**LRSXS2706\_**  
27.2 cu. ft. Side-by-Side Refrigerator (36" Wide)

- 27.2 cu. ft. Capacity
  - Smooth Touch Dispenser
  - Linear Cooling™
  - Door Cooling+
  - SpacePlus® Ice System
  - Interior LED Lighting
  - Flat Panel Door Design with Pocket Handles
  - SmartDiagnosis™
- LRSXS2706S – PrintProof™ Stainless Steel  
● LRSXS2706V – Stainless Look  
○ LRSXS2706W – Smooth White  
● LRSXS2706B – Smooth Black



**LRSXC2306\_**  
23 cu. ft. Counter Depth Side-by-Side Refrigerator (36" Wide)

- Counter Depth
  - 23 cu. ft. Capacity
  - Smooth Touch Dispenser
  - Linear Cooling™
  - Door Cooling+
  - SpacePlus® Ice System
  - Interior LED Lighting
  - Flat Panel Door Design with Pocket Handles
  - SmartDiagnosis™
- LRSXC2306S – PrintProof™ Stainless Steel  
● LRSXC2306V – Stainless Look



## TOP FREEZER REFRIGERATORS



### LRTLS2403S

#### 23.8 cu. ft. Top Freezer Refrigerator

- 23.8 cu. ft. Capacity
  - Internal Water Dispenser
  - Filtered Water
  - Optional Ice Maker – LK75C
  - Humidity-Controlled Crispers
  - LED Lighting
  - Contoured Doors with Pocket Handles
- LRTLS2403S – Stainless Steel



### LTCS20030S

#### 20.2 cu. ft. Top Freezer Refrigerator (30" Wide)

- 20.2 cu. ft. Capacity
  - Reversible Door
  - Factory Installed Ice Maker
  - Humidity-Controlled Crispers
  - LED Lighting
- LTCS20030S – Stainless Steel



### LTCS20020S

#### 20.2 cu. ft. Top Freezer Refrigerator (30" Wide)

- 20.2 cu. ft. Capacity
  - Reversible Door
  - Premium LED Refrigerator Lights
  - Humidity-Controlled Crispers
  - Optional Ice Maker LK65C
- LTCS20020S – Stainless Steel  
○ LTCS20020W – Smooth White  
● LTCS20020B – Smooth Black



## TOP FREEZER REFRIGERATORS



### LTNC11131V

#### 11.1 cu. ft. Top Freezer Refrigerator (24" Wide)

- 11.1 cu. ft. Capacity
- LoDecibel™ Quiet Operation
- LED Lighting
- Door Cooling+
- SmartDiagnosis™

● LTNC11131V – Stainless Look



### LRTNC0705V

#### 6.6 cu. ft. Top Freezer Refrigerator (22" Wide)

- 6.6 cu. ft. Capacity
- LED Lighting
- 2 Full Basket Bins
- Multi-Air Flow™ Technology
- Inverter Compressor

● LRTNC0705V – Platinum Silver (Available 6/22)



## BOTTOM FREEZER REFRIGERATORS



### LRDCS2603S

#### 25.5 cu. ft. Bottom Freezer Refrigerator (33" Wide)

- 25.5 cu. ft. Capacity
- Smart Cooling® System
- Door Cooling+
- Multi-Air Flow™ Technology
- Premium LED Lighting
- Glide N' Serve® Drawer
- 2 Humidity Crispers
- Factory Installed Ice Maker
- SmartDiagnosis™

● LRDCS2603S – PrintProof™ Stainless Steel

● LRDCS2603D – PrintProof™ Black Stainless Steel



## BOTTOM FREEZER REFRIGERATORS



**LBNC15231V**  
14.7 cu. ft. Bottom Freezer Refrigerator (28" Wide)

- 14.7 cu. ft. Capacity
- Door Cooling+
- Ceiling LED Lighting
- Multi-Air Flow™ Technology
- SmartDiagnosis™
- LBNC15231V – Stainless Look



**LRBCC1204S**  
12.0 cu. ft. Bottom Freezer Refrigerator (24" Wide)

- 12 cu. ft. Capacity
- Sleek Pocket Handle Design
- Door Cooling+
- Factory Installed Ice Maker
- Fingerprint Resistant Finish
- Reversible Door
- SmartDiagnosis™
- LRBCC1204S – PrintProof™ Stainless Steel



**LRBNC1104S**  
10.8 cu. ft. Bottom Freezer Refrigerator (24" Wide)

- Sleek Pocket Handle Design
- 11 cu. ft. Capacity
- Door Cooling+
- Smart Inverter Compressor
- Reversible Door
- LRBNC1104S – PrintProof™ Stainless Steel



## SPECIALTY REFRIGERATORS



**LRONC0705V**  
6.89 cu. ft. Single Door Refrigerator (21" Wide)

- 6.9 cu. ft. Capacity
- Easy-Access Organization
- Extra Large Produce Bin
- Semi Auto Defrost
- Curved Pocket Handle
- LRONC0705V – Stainless Look
- LRONC0705A – American Flag Door (Available 6/22)



**LRONC0605V**  
5.79 cu. ft. Single Door Refrigerator (21" Wide)

- 5.79 cu. ft. Capacity
- Easy-Access Organization
- LED Lighting
- Inverter Compressor
- Curved Pocket Handle
- LRONC0605V – Stainless Look (Available 6/22)



**LROFC0605V**  
5.8 cu. ft. Single Door Freezer Refrigerator (21" Wide)

- 5.8 cu. ft. capacity
- Easy-Reach Organization
- Direct Cooling System
- Curved Pocket Handle
- LROFC0605V – Stainless Look



## SPECIALTY REFRIGERATORS



### LRKNS1400V

#### 14.3 cu. ft. Specialty Refrigerator (30" Wide)

- 14.3 cu. ft. Capacity
  - Cooling Care System with Freshness Guard Covers
  - Multi Storage Mode (Left and Right Compartments Refrigerate Fresh Food or Store Kimchi)
  - 2 CustomChill™ Drawers with Convertible Temperature Zones
  - 14 Storage Bins
  - LED Lighting
  - LG ThinQ® Technology (Wi-Fi)
- LRKNS1400V – Platinum Silver



### LRKNS1205V

#### 11.7 cu. ft. Specialty Refrigerator / Freezer (27" Wide)

- 11.7 cu. ft. Capacity
  - Freezer / Fridge Convertible
  - Cooling Care System with Freshness Guard Covers
  - Multi Storage Mode (Top Compartment Refrigerates Fresh Food, Freezes Food, or Stores Kimchi)
  - 2 CustomChill™ Drawers with Convertible Temperature Zones
  - 10 Storage Bins
  - LED Lighting
  - SmartDiagnosis™
- LRKNS1205V – Platinum Silver



### LRKNC0505V

#### 4.5 cu. ft. Specialty Refrigerator / Freezer (27" Wide)

- 4.5 cu. ft. Capacity
  - Freezer / Fridge Convertible
  - Cooling Care System with Freshness Guard Cover
  - 6 Storage Bins
  - SmartDiagnosis™
- LRKNC0505V – Platinum Silver

## REFRIGERATION KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D) Does Not Include Hinge or Handles	Installation Clearances	Installation Requirements
<b>French Door Refrigerators</b>			
SRFVC2416S – PrintProof™ Stainless Steel	35 3/4" x 68 7/8" x 28 3/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRFVS3006S – PrintProof™ Stainless Steel LRFVS3006D – PrintProof™ Black Stainless Steel	35 3/4" x 68 7/8" x 34 1/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRFVC2406S – PrintProof™ Stainless Steel LRFVC2406D – PrintProof™ Black Stainless Steel	35 3/4" x 68 7/8" x 28 1/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LFXS26596S – PrintProof™ Stainless Steel LFXS26596D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 32 3/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LFXC22596S – PrintProof™ Stainless Steel LFXC22596D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 28 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LFCS27596S – PrintProof™ Stainless Steel	35 3/4" x 68 3/8" x 32 3/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LFCC23596S – PrintProof™ Stainless Steel	35 3/4" x 68 3/8" x 28 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRFDS3016S – PrintProof™ Stainless Steel LRFDS3016D – PrintProof™ Black Stainless Steel	35 3/4" x 68 7/8" x 34 1/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRFDC2406S – PrintProof™ Stainless Steel LRFDC2406D – PrintProof™ Black Stainless Steel	35 3/4" x 68 7/8" x 28 1/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRFXC2416S – PrintProof™ Stainless Steel LRFXC2416D – PrintProof™ Black Stainless Steel	35 3/4" x 68 7/8" x 28 1/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LFXS28968S – PrintProof™ Stainless Steel LFXS28968D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/8" x 33 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LFXC22526S – PrintProof™ Stainless Steel LFXC22526D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 28 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LFXS26973S – PrintProof™ Stainless Steel LFXS26973D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 32 3/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LFCC22426S – PrintProof™ Stainless Steel	35 3/4" x 68 3/8" x 28 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back

## REFRIGERATION KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D) Does Not Include Hinge or Handles	Cutout Dimensions (W x H x D)	Installation Requirements
<b>French Door Refrigerators</b>			
LRFWS2906V – Stainless Look LRFWS2906S – PrintProof™ Stainless Steel LRFWS2906D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 33 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRFXS2513S – Stainless Steel	32 3/4" x 68 5/8" x 33 1/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRFXS2503S – PrintProof™ Stainless Steel LRFXS2503D – PrintProof™ Black Stainless Steel	32 3/4" x 68 5/8" x 33"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRFCS2503S – PrintProof™ Stainless Steel	32 7/8" x 68 1/2" x 33 1/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRFCS25D3S – PrintProof™ Stainless Steel	32 7/8" x 68 1/2" x 33 1/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LFDS22520S – Stainless Steel	29 3/4" x 67 1/4" x 33"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LFC22770ST – Stainless Steel	29 3/4" x 67 1/4" x 33"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LFCS22520S – Stainless Steel LFCS22520D – PrintProof™ Black Stainless Steel	29 3/4" x 67 1/4" x 33"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
<b>French Door Refrigerators, 4-Door</b>			
LRMVS3006S – PrintProof™ Stainless Steel LRMVS3006D – PrintProof™ Black Stainless Steel	35 3/4" x 69" x 35 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRMVC2306S – PrintProof™ Stainless Steel LRMVC2306D – PrintProof™ Black Stainless Steel	35 3/4" x 69" x 28 7/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRMVS2806S – PrintProof™ Stainless Steel LRMVS2806D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 33 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LMXS28596S – PrintProof™ Stainless Steel LMXS28596D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 33 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRMDS3006S – PrintProof™ Stainless Steel LRMDS3006D – PrintProof™ Black Stainless Steel	35 3/4" x 69" x 35 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRMDC2306S – PrintProof™ Stainless Steel LRMDC2306D – PrintProof™ Black Stainless Steel	35 3/4" x 69" x 28 7/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top













## REFRIGERATION KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D) Does Not Include Hinge or Handles	Installation Clearances	Installation Requirements
<b>French Door Refrigerators, 4-Door</b>			
LRMDS3006S – PrintProof™ Stainless Steel LRMDS3006D – PrintProof™ Black Stainless Steel	35 3/4" x 69" x 35 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRMXS2806S – PrintProof™ Stainless Steel LRMXS2806D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 33 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRMXC2206S – PrintProof™ Stainless Steel LRMXC2206D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 28 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LMXS28626S – PrintProof™ Stainless Steel LMXS28626D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 33 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LMXC22626S – Stainless Steel LMXC22626D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 28 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LMWS27626S – PrintProof™ Stainless Steel	35 3/4" x 68 3/8" x 32 3/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LMWC23626S – PrintProof™ Stainless Steel	35 3/4" x 68 3/8" x 28 5/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRMWS2906S – PrintProof™ Stainless Steel LRMWS2906D – PrintProof™ Black Stainless Steel	35 3/4" x 68 1/2" x 33 3/4"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
<b>Side-by-Side Refrigerators</b>			
SRSXB2622S – PrintProof™ Stainless Steel	42" x 83 1/2" x 25 3/8"	Sides 1/4", Top 1/4", Back 1/6" Cutout Dimensions: 41 1/2" x 83 3/4" x 24"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRSOC2306S – Stainless Steel LRSOC2306D – Black Stainless Steel	35 7/8" x 68 7/8" x 28 7/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRSDS2706S – PrintProof™ Stainless Steel LRSDS2706D – PrintProof™ Black Stainless Steel	35 7/8" x 68 7/8" x 33 1/2"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRSXS2706S – PrintProof™ Stainless Steel LRSXS2706V – Stainless Look LRSXS2706W – Smooth White LRSXS2706B – Smooth Black	35 7/8" x 68 7/8" x 33 1/2"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRSXC2306S – PrintProof™ Stainless Steel LRSXC2306V – Stainless Look	35 7/8" x 68 7/8" x 28 7/8"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top

## REFRIGERATION KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D) Does Not Include Hinge or Handles	Installation Clearances	Installation Requirements
<b>Top Freezer Refrigerators</b>			
LRTLS2403S – Stainless Steel	33" x 68" x 34"	Sides 2", Top 2", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LTCS20030S – Stainless Steel	29 3/4" x 65 1/2" x 33 3/8"	Sides 2", Top 2", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LTCS20020S – Stainless Steel LTCS20020W – Smooth White LTCS20020W – Smooth Black	29 3/4" x 65 1/2" x 33 3/8"	Sides 2", Top 2", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LTNC11131V – Stainless Look	24" x 65 1/2" x 26"	Sides 2", Top 2", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRTNC0705V – Platinum Silver	21 7/8" x 54 1/4" x 23"	Sides 2", Top 2", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
<b>Bottom Freezer Refrigerators</b>			
LRDCS2603S – PrintProof™ Stainless Steel LRDCS2603D – PrintProof™ Black Stainless Steel	32 3/4" x 68 5/8" x 33"	Sides 1/8", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LBNC15231V – Stainless Look	27 5/8" x 66 1/8" x 27 5/8"	Sides 2", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRBCC1204S – PrintProof™ Stainless Steel	23 1/2" x 73 1/4" x 26 5/8"	Sides 2", Top 2", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRBNC1104S – PrintProof™ Stainless Steel	23 1/2" x 67 3/4" x 26 5/8"	Sides 2", Top 1", Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back
<b>Specialty Refrigerators</b>			
LRONC0705V – Stainless Look LRONC0705A – American Flag Door	22 1/2" x 50 7/8" x 21 7/8"	Sides 2", Top 2", Back 2"	Required Power Supply: 115 V, 60 Hz, 10 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRONC0605V – Stainless Look	20 5/8" x 44 5/8" x 21 7/8"	Sides 2", Top 2", Back 2"	Required Power Supply: 115 V, 60 Hz, 10 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LROFC0605V – Stainless Look	20 7/8" x 51" x 23 5/8"	Sides 2", Top 2", Back 2"	Required Power Supply: 115 V, 60 Hz, 10 Amp; Plug Type: 3-Prong; Power Cord Location: Back
LRKNS1400V – Platinum Silver	29 1/2" x 70" x 31 1/2"	Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRKNS1205V – Platinum Silver	26 1/4" x 69 3/8" x 29"	Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Top
LRKNC0505V – Platinum Silver	26 1/4" x 33" (to Top of Case) x 24" (Depth with Handle)	Back 2"	Required Power Supply: 115 V, 60 Hz, 15 Amp; Plug Type: 3-Prong; Power Cord Location: Back

## REFRIGERATION ACCESSORIES

Model / Description	For Use With
 LT1000P – Replacement Water Filter	SRFVC2416S, LRMVS3006_, LRMVC2306_, LRFVS3006_, LRFVC2406_, LRMVS2806_, LMXS28596_, LFXS26596_, LFXC22596_, LFCS27596S, LFCC23596S, LRMDS3006_, LRMDC2306_, LRFDS3016_, LRFDC2406_, LRMXS3006S, LRMXS2806_, LRMXC2206_, LMXS28626_, LMXC22626_, LMWS27626S, LMWC23626S, LRFXC2416_, LFXS28968_, LFXC22526_, LFXS26973_, LFCC22426S, LRMWS2906_, LRFWS2906_, LRFXS2513S, LRFXS2503_, LRSOS2706_, LRSOC2306_, LRSDS2706_, LRSXS2706_, LRSXC2306_, LRDCS2603_, LBNC15231V
 LT120F – Replacement Fresh Air Filter	SRFVC2416S, LRMVS3006_, LRMVC2306_, LRFVS3006_, LRFVC2406_, LRMVS2806_, LMXS28596_, LFXS26596_, LFXC22596_, LRMDS3006_, LRMDC2306_, LRFDS3016_, LRFDC2406_, LRMXS3006S, LRMXS2806_, LRMXC2206_, LMXS28626_, LMXC22626_, LRFXC2416_, LFXS28968_, LFXC22526_, LFXS26973_, LRFXS2513S, LRFXS2503_
 LT700P – Replacement Water Filter	LRFCS2503S, LFDS22520S, SRSXB2622S
 LT500P – Replacement Water Filter	LRTLS2403S
<b>Replacement Airtight Storage Containers – Top Compartment(s)</b>	
 AKC67523417 – 2.3 gal (8.8 L)	LRKNS1400V
 AKC67523415 – 3.1 gal (11.7 L)	LRKNS1205V
<b>Replacement Airtight Storage Containers – Middle Compartment</b>	
 AKC67523717 – 3 gal (11.5 L)	LRKNS1400V
 AKC67523721 – 3 gal (11.3 L)	LRKNS1205V
<b>Replacement Airtight Storage Containers – Bottom Compartment</b>	
 AKC67523717 – 3 gal (11.5 L)	LRKNS1400V
 AKC67523718 – 1.8 gal (6.7L)	LRKNS1400V
 AKC67523722 – 4.5 gal (17.1 L)	LRKNS1205V
<b>Replacement Airtight Storage Containers</b>	
 AKC72909303 – 3.5 gal (13.1 L)	LRKNC0505V



DISHWASHER FEATURES



**TrueSteam® with Sanitization**

LG TrueSteam® uses the power of steam to penetrate food residue and help eliminate water spots by up to 60%\*. Plus, LG dishwashers are certified by the National Sanitization Foundation to reduce bacteria on dishes by 99.999% and reach a final rinse temperature greater than 150°F when operated on the Steam cycle\*\* for peace of mind.

**Dynamic Dry™**

Creating a dynamic table begins with sparkling dishes and glassware—the kind only Dynamic Dry™ enhanced with TrueSteam® can deliver. From thoroughly drying to eliminating water spots from wine glasses, you can throw in the towel and stop drying by hand.

**QuadWash™**

Achieve maximum cleaning throughout the entire cycle with LG QuadWash™. With four spray arms instead of two, QuadWash™ also includes Multi-Motion arms that rotate back and forth while spinning. The high pressure jets power-clean dishes from multiple angles.

**Height Adjustable 3rd Rack**

The convenient 3rd rack holds more items so you can save time and wash fewer loads. From flatware to long-handled utensils to small espresso cups, items that may otherwise need to be washed by hand finally have their place in the dishwasher. Use the handy slider to adjust the 3rd rack height—even when fully loaded—to make room for taller items at the last minute.



\*Percent in water spot reduction compared to comparable LG non-steam dishwasher on delicate wash cycle. Results may vary by model. Results based on test with LG LDF7774ST as of Feb. 2018.  
 \*\*LG TrueSteam Dishwashers certified by NSF achieve a minimum 99.999 percent reduction of bacteria when operated on the Steam cycle.



## DISHWASHER FEATURES

### Smooth Gliding Racks

Why waste time fighting a dishwasher rack that goes off track, especially when you're in a hurry? Even your heaviest dish loads glide in and out smoothly with the help of LG's Glide Rail and Ball Bearing Wheel design. The Glide Rail keeps the upper rack on track while the ball-bearing wheel provides a smooth lower rack glide for easier loading and unloading.

### EasyRack™ Plus

EasyRack™ Plus lets you fit more dishes, run fewer loads and make short work of after-dinner cleanup. With three height settings, the upper rack adjusts effortlessly and smoothly to make room for tall stemware on top or oversize pans below. Customizable tines offer greater flexibility for loading dishes of all shapes and sizes without compromising cleaning performance.

### Advanced Filtration System


LG's advanced filtration system is tough on food residue and dirty dishes even if you don't pre-wash. Plus its advanced design makes it extremely efficient and quiet.

### Quiet Operation


LG's technological advances, like the Inverter Direct Drive motor and the advanced 3-stage filtration system, were designed with quiet in mind.

### LG ThinQ® Technology (Smart Wi-Fi Enabled)

LG smart dishwashers come with ThinQ® technology built-in so you can get smartphone notifications when a cycle is complete. You can even check on the cycle status with voice commands using the Google Assistant and Amazon Alexa, so you don't have to lift a finger.



## DISHWASHERS



### LSDTS9882S

Top Control Dishwasher with Quadwash™ and TrueSteam®

- QuadWash™ and TrueSteam®
- Height Adjustable 3rd Rack
- EasyRack™ Plus
- Smooth Operating Racks
- 10 Wash Cycles and 9 Options
- LoDecibel™ Quiet Operation (40 dBA)
- Inverter Direct Drive™ Technology
- LED Tub Light
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)

● LSDTS9882S – PrintProof™ Stainless Steel



## DISHWASHERS



### LDT7808\_ Top Control Dishwasher with QuadWash™ and TrueSteam®

- QuadWash™ and TrueSteam®
- Height Adjustable 3rd Rack
- EasyRack™ Plus
- Smooth Operating Racks
- 10 Wash Cycles and 9 Options
- LoDecibel™ Quiet Operation (42 dBA)
- SmoothTouch™ Controls with LED Display
- Inverter Direct Drive™ Technology
- LED Tub Light
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)

- LDT7808SS – PrintProof™ Stainless Steel
- LDT7808BD – PrintProof™ Black Stainless Steel

Planned transition to LDTH7972S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### LDP6810\_ Top Control Dishwasher with Quadwash™ and TrueSteam®

- QuadWash™ and TrueSteam®
- Height Adjustable 3rd Rack
- EasyRack™ Plus
- Smooth Glide Rail Upper Rack
- 10 Wash Cycles and 9 Options
- LoDecibel™ Quiet Operation (44 dBA)
- Inverter Direct Drive™ Technology
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)

- LDP6810SS – PrintProof™ Stainless Steel
- LDP6810BD – PrintProof™ Black Stainless Steel

Planned transition to LDPS6762S/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### LDT5552\_ Top Control Dishwasher with Quadwash™ and TrueSteam®

- QuadWash™ and TrueSteam®
- Dynamic Dry™ Enhanced with TrueSteam®
- 3rd Rack
- EasyRack™ Plus
- 10 Wash Cycles and 9 Options
- LoDecibel™ Quiet Operation (46 dBA)
- Inverter Direct Drive™ Technology
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)

- LDT5552S – PrintProof™ Stainless Steel
- LDT5552D – PrintProof™ Black Stainless Steel



### ADFD5448AT Front Control ADA Dishwasher with QuadWash™

- QuadWash™
- EasyRack™ Plus
- Auto Open Dry
- 9 Wash Cycles and 7 Options
- LoDecibel™ Quiet Operation (48 dBA)
- Inverter Direct Drive™ Technology
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)

- ADFD5448AT – Stainless Steel

## DISHWASHERS



### LDB4548ST Top Control Dishwasher with Quadwash™

- QuadWash™
- EasyRack™ Plus
- 9 Wash Cycles and 8 Options
- LoDecibel™ Quiet Operation (48 dBA)
- Inverter Direct Drive™ Technology
- NeveRust™ Stainless Steel Tub
- NFC Tag On Technology

- LDB4548ST – Stainless Steel



### LDFN4542\_ Front Control Dishwasher with Quadwash™

- QuadWash™
- 3rd Rack
- EasyRack™ Plus
- 9 Wash Cycles and 8 Options
- LoDecibel™ Operation (48 dBA)
- Inverter Direct Drive™ Technology
- NeveRust™ Stainless Steel Tub
- NFC Tag On Technology

- LDFN4542S – PrintProof™ Stainless Steel
- LDFN4542D – PrintProof™ Black Stainless Steel
- LDFN4542W – White
- LDFN4542B – Black



### LDFN3432T Front Control Dishwasher

- 5 Wash Cycles and 6 Options
- Dynamic Dry™
- LoDecibel™ Quiet Operation (50 dBA)
- Inverter Direct Drive™ Technology
- NeveRust™ Stainless Steel Tub

- LDFN3432T – Stainless Steel



## DISHWASHER KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D – Depth Does Not Include Handle)	Cutout Dimensions (W x H x D)	Installation Requirements
LSDTS9882S – PrintProof™ Stainless Steel	23 3/4" x 33 5/8" x 24 5/8" Adj. Height: Min. 33 5/8" (Front) – Max. 36"	24" x 33 5/8" Min. – 36" Max. x 24"	Electrical Requirements: 120V, 60 Hz, 15 Amps; Power Outlet Location: Within 48" of Either Side; Power / Plug Type: 3-Wire Cable Required; Drain Location: Within 12 ft. of Sink
LDT7808SS – PrintProof™ Stainless Steel LDT7808BD – Black Stainless Steel	23 3/4" x 33 5/8" x 24 5/8" Adj. Height: Min. 33 5/8" (Front) – Max. 36"	24" x 33 5/8" Min. – 36" Max. x 24"	Electrical Requirements: 120V, 60 Hz, 15 Amps; Power Outlet Location: Within 48" of Either Side; Power / Plug Type: 3-Wire Cable Required; Drain Location: Within 12 ft. of Sink
LDP6810SS – PrintProof™ Stainless Steel LDP6810BD – Black Stainless Steel	23 3/4" x 33 5/8" x 24 5/8" Adj. Height: Min. 33 5/8" (Front) – Max. 36"	24" x 33 5/8" Min. – 36" Max. x 24"	Electrical Requirements: 120V, 60 Hz, 15 Amps; Power Outlet Location: Within 48" of Either Side; Power / Plug Type: 3-Wire Cable Required; Drain Location: Within 12 ft. of Sink
LDT5552S – PrintProof™ Stainless Steel LDT5552D – PrintProof™ Black Stainless Steel	23 3/4" x 33 5/8" x 24 5/8" Adj. Height: Min. 33 5/8" (Front) – Max. 36"	24" x 33 5/8" Min. – 36" Max. x 24"	Electrical Requirements: 120V, 60 Hz, 15 Amps; Power Outlet Location: Within 48" of Either Side; Power / Plug Type: 3-Wire Cable Required; Drain Location: Within 12 ft. of Sink
ADFD5448AT – Stainless Steel	23 1/2" x 32 1/16" x 22 1/2"	24" x 32 1/4" x 23 5/8"	Electrical Requirements: 120V, 60 Hz, 15 Amps; Power Outlet Location: Within 47" of Either Side; Power / Plug Type: 3-Prong Power Cord Included; Drain Location: Within 12 ft. of Sink
LDB4548ST – Stainless Steel	23 3/4" x 33 5/8" x 24 5/8" Adj. Height: Min. 33 5/8" (Front) – Max. 36"	24" x 33 5/8" Min. – 36" Max. x 24"	Electrical Requirements: 120V, 60 Hz, 15 Amps; Power Outlet Location: Within 48" of Either Side; Power / Plug Type: 3-Wire Cable Required; Drain Location: Within 12 ft. of Sink
LDFN4542S – PrintProof™ Stainless Steel LDFN4542D – Black Stainless Steel LDFN4542W – White LDFN4542B – Black	23 3/4" x 33 5/8" x 24 5/8" Adj. Height: Min. 33 5/8" (Front) – Max. 36"	24" x 33 5/8" Min. – 36" Max. x 24"	Electrical Requirements: 120V, 60 Hz, 15 Amps; Power Outlet Location: Within 48" of Either Side; Power / Plug Type: 3-Wire Cable Required; Drain Location: Within 12 ft. of Sink
LDFN3432T – Stainless Steel	23 3/4" x 33 5/8" x 24 5/8" Adj. Height: Min. 33 5/8" (Front) – Max. 36"	24" x 33 5/8" Min. – 36" Max. x 24"	Electrical Requirements: 120V, 60 Hz, 15 Amps; Power Outlet Location: Within 48" of Either Side; Power / Plug Type: 3-Wire Cable Required; Drain Location: Within 12 ft. of Sink





COOKING

COOKING FEATURES



**Slide-in Design**

With a depth that lines up with standard kitchen countertops, LG Electric and Gas Slide-in Ranges offer a streamlined custom appearance that enhances every kitchen décor and makes cooking a pleasure.

**Double Oven Ranges**

Our 7.3 cu. ft. electric ranges and 6.9 cu. ft. gas ranges have extra large capacity so you can use all the pots, pans, dutch ovens, and skillets you need to get your cook on. Whether you're baking large batches of cookies or a roast for the holidays, these ovens can fit it all.

**InstaView® Window**

Now you can check on food in an instant with two quick knocks. The LG InstaView® window lets you see inside your oven without ever opening the door or reaching over a hot cooktop to flip a switch. That means everyone in the family can quickly and safely keep an eye on what's cooking.

**Built-in Air Fry**

Air Fry delivers crispy flavor fast with no preheating and makes enough to feed a crowd, with no need to buy yet another gadget that takes up counter space. Just press Air Fry to prepare favorite snacks like French fries, hot wings and more. High temperatures and the convection fan work together to deliver the flavor and crunch you crave without the oil—or the guilt.

**Air Sous Vide**

Seal in restaurant-quality results with LG Air Sous Vide. Using precise, low oven temperatures and air flow around vacuum sealed ingredients, Air Sous Vide consistently delivers tender and juicy meats, fish and poultry that are cooked to perfection.



## COOKING FEATURES

### ProBake® Convection

Tired of being burned by inconsistent baking results? Not anymore—LG ProBake® Convection Ranges offer the gold standard in convection technology delivering even baking results on every rack, every time\*. Inspired by pro-style ranges, the heating element moved from the bottom of the oven to the back wall for optimal heat distribution. Enjoy consistent browning on top and bottom—with every cookie baked to perfection.

### Infrared Heating™ System

When you're craving the thrill of the grill but Mother Nature has other ideas, you can still achieve that characteristic seared flavor with LG's Infrared Heating™ system. The infrared heating element locks in juices while cutting up to 20% off of your cooking time\*\*—with no preheating required.

### EasyClean®

Spray the interior with water, press EasyClean®, and let the oven do the work in 10 minutes, then quickly wipe away any leftover grime—no chemicals or high-heat needed.†

### Gliding Rack

LG's gliding rack brings the dish to you, extending your reach with far less effort. It offers easy access for checking on or taking out your favorite dishes from the oven.

### LG ThinQ® Technology (Smart Wi-Fi Enabled)

Begin preheating the oven from the office and get a jump-start on that perfectly planned meal. Designed with the connected home in mind, you can even activate the timer with a simple voice command, since LG SmartThinQ® technology works with Google Assistant and Amazon Alexa.



## COOKING FEATURES



### UltraHeat™ Power Burners

Busy cooks, rejoice: LG UltraHeat™ burners deliver every bit of the precision you love about gas with even more power. No more waiting around to bring water and other liquids to a boil.

### 3-in-1 Design, Unlimited Flexibility

No matter what's on the menu, the LG 3-in-1 element is up for the challenge. Go from 12" to 9" to 6" with just a turn, for the flexibility to cook a huge pot of chili or simmer a small pan of sauce in the same spot, without having to move pans around.

### Induction Cooktop Elements


Induction elements offer speed heating, precision and responsiveness for super-fast water boils and outstanding, scorch-free simmering the chef in you will love.

### Wok Grate

Master the art of the wok with LG's Detachable Wok Grate. Designed to lift a wok pan above the right front burner, the steady surface combined with the intense heat of the 18,500 / 20,000 BTU UltraHeat™ burner makes it easier to stir fry, steam, poach and sear. Crafted from cast iron porcelain for years of use.

### Griddle

Select ranges are offered with a free griddle pan that fits perfectly on the oval burner. You can start cooking right away—pancakes, eggs, meat, and everything else that can be cooked on a griddle.



\*Compared to LG's conventional ovens †Heavy build-up may require additional manual effort or use of the full self-clean feature. \*\*Compared to LG's non-infrared heating ovens using chicken breasts, hamburgers, and salmon.

## GAS & DUAL FUEL SLIDE-IN RANGES



### LSDS6338F 6.3 cu. ft. Dual Fuel Slide-in Range

- Built-in Air Fry
- Built-in Air Sous Vide
- InstaView® Window
- ProBake® Convection
- EasyClean® + Self Clean
- 22k BTU Power Burner
- Glass Touch Controls
- Slide-in Design
- 6.3 cu. ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

● LSDS6338F – PrintProof™ Stainless Steel



### LSGS6338F 6.3 cu. ft. Gas Slide-in Range

- Built-in Air Fry
- Built-in Air Sous Vide
- InstaView® Window
- ProBake® Convection
- EasyClean® + Self Clean
- 22k BTU Power Burner
- Glass Touch Controls
- Slide-in Design
- 6.3 cu. ft. Large Capacity
- Soft Close Door
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

● LSGS6338F – PrintProof™ Stainless Steel

LG  
STUDIO

LG  
STUDIO

## GAS & DUAL FUEL SLIDE-IN RANGES



### LTG4715\_ 6.9 cu. ft. Gas Double Oven Slide-in Range

- ProBake® Convection
- EasyClean® + Self Clean
- 18.5k BTU Power Burner
- Glass Touch Controls
- Slide-in Design with Double Oven
- 6.9 cu. ft. Large Capacity
- LG ThinQ® Technology (Wi-Fi)

- LTG4715ST – Stainless Steel
- LTG4715BD – PrintProof™ Black Stainless Steel

Planned transition to LTGL6937F/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### LSGL6337\_ 6.3 cu. ft. Gas Slide-in Range

- Built-in Air Sous Vide
- Built-in Air Fry
- InstaView® Window
- ProBake® Convection
- EasyClean® + Self Clean
- UltraHeat™ Plus 22k BTU Power Burner
- Slide-in Design
- 6.3 cu. ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LSGL6337F – PrintProof™ Stainless Steel
- LSGL6337D – PrintProof™ Black Stainless Steel



### LSDL6336\_ 6.3 cu. ft. Dual Fuel Slide-in Range

- Built-in Air Sous Vide
- Built-in Air Fry
- InstaView® Window
- ProBake® Convection
- EasyClean® + Self Clean
- UltraHeat™ Plus 22k BTU Power Burner
- Slide-in Design
- 6.3 cu. ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LSDL6336F – PrintProof™ Stainless Steel
- LSDL6336D – PrintProof™ Black Stainless Steel



### LSGL6335\_ 6.3 cu. ft. Gas Slide-in Range

- Built-in Air Fry
- InstaView® Window
- ProBake® Convection
- EasyClean® + Self Clean
- UltraHeat™ 20k BTU Power Burner
- Slide-in Design
- 6.3 cu. ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LSGL6335F – PrintProof™ Stainless Steel
- LSGL6335D – PrintProof™ Black Stainless Steel

## GAS & DUAL FUEL SLIDE-IN RANGES



**LSGL5833\_**  
5.8 cu. ft. Gas Slide-in Range

- Built-in Air Fry
  - Fan Convection
  - EasyClean® + Self Clean
  - UltraHeat™ 20k BTU Power Burner
  - Slide-in Design
  - 5.8 cu ft. Large Capacity
  - Storage Drawer
  - LG ThinQ® Technology (Wi-Fi)
- LSGL5833F – PrintProof™ Stainless Steel  
● LSGL5833D – PrintProof™ Black Stainless Steel



**LSGL5831F**  
5.8 cu. ft. Gas Slide-in Range

- EasyClean® + Self Clean
  - SuperBoil™ 17k BTU Power Burner
  - Slide-in Design
  - 5.8 cu. ft. Capacity
  - Storage Drawer
  - SmartDiagnosis™
  - LG ThinQ® Technology (Wi-Fi)
- LSGL5831F – PrintProof™ Stainless Steel



## ELECTRIC SLIDE IN RANGES



**LSIS3018SS**  
6.3 cu. ft. Induction Slide-in Range

- Induction Cooktop
  - ProBake® Convection
  - Infrared Heating™
  - EasyClean® + Self Clean
  - 4.0 kW Power Element
  - Glass Touch Controls
  - Slide-in Design
  - 6.3 cu. ft. Large Capacity
  - Soft Close Warming Drawer
  - LG ThinQ® Technology (Wi-Fi)
- LSIS3018SS – PrintProof™ Stainless Steel



**LG STUDIO** Planned transition to LSIS6338F Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

## ELECTRIC SLIDE IN RANGES



**LSES6338F**  
6.3 cu. ft. Electric Slide-in Range

- InstaView® Window
  - Built-in Air Fry
  - Built-in Air Sous Vide
  - ProBake® Convection
  - EasyClean® + Self Clean
  - 3-in-1 Element
  - Glass Touch Controls
  - Slide-in Design
  - 6.3 cu. ft. Large Capacity
  - Soft Close Door
  - Storage Drawer
  - LG ThinQ® Technology (Wi-Fi)
- LSES6338F – PrintProof™ Stainless Steel



**LSE4617ST**  
6.3 cu. ft. Induction Slide-in Range

- Induction Cooktop
  - ProBake® Convection
  - Infrared Heating™
  - EasyClean® + Self Clean
  - 4.0 kW Power Induction Element
  - Glass Touch Controls
  - Slide-in Design
  - 6.3 cu. ft. Large Capacity
  - Warming Drawer
  - LG ThinQ® Technology (Wi-Fi)
- LSE4617ST – Stainless Steel



**LSE4616\_**  
6.3 cu. ft. Induction Slide-in Range

- Induction Cooktop
  - ProBake® Convection
  - EasyClean® + Self Clean
  - 4.0 kW Power Element
  - Glass Touch Controls
  - Slide-in Design
  - 6.3 cu. ft. Large Capacity
  - Storage Drawer
  - LG ThinQ® Technology (Wi-Fi)
- LSE4616ST – Stainless Steel  
● LSE4616BD – PrintProof™ Black Stainless Steel



**LTE4815\_**  
7.3 cu. ft. Electric Double Oven Slide-in Range

- ProBake® Convection
  - EasyClean® + Self Clean
  - Triple Element & Dual Element
  - Glass Touch Controls
  - Slide-in Design with Double Oven
  - 7.3 cu. ft. Largest Capacity
  - LG ThinQ® Technology (Wi-Fi)
- LTE4815ST – Stainless Steel  
● LTE4815BD – PrintProof™ Black Stainless Steel



Planned transition to LTEL7337F/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

## ELECTRIC SLIDE IN RANGES



### LSEL6337\_

#### 6.3 cu. ft. Electric Slide-in Range

- Built-in Air Sous Vide
- Built-in Air Fry
- InstaView® Window
- ProBake® Convection
- EasyClean® + Self Clean
- Triple Element & Dual Element
- Slide-in Design
- 6.3 cu ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LSEL6337F – PrintProof™ Stainless Steel
- LSEL6337D – PrintProof™ Black Stainless Steel



### LSEL6335\_

#### 6.3 cu. ft. Electric Slide-in Range

- Built-in Air Fry
- InstaView® Window
- ProBake® Convection
- EasyClean® + Self Clean
- Triple Element & Dual Element
- Slide-in Design
- 6.3 cu ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LSEL6335F – PrintProof™ Stainless Steel
- LSEL6335D – PrintProof™ Black Stainless Steel



### LSEL6333\_

#### 6.3 cu. ft. Electric Slide-in Range

- Built-in Air Fry
- Fan Convection
- EasyClean® + Self Clean
- 2 Dual Elements
- Slide-in Design
- 6.3 cu ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LSEL6333F – PrintProof™ Stainless Steel
- LSEL6333D – PrintProof™ Black Stainless Steel



### LSEL6331F

#### 6.3 cu. ft. Electric Slide-in Range

- EasyClean® + Self Clean
- 2 Dual Elements (UltraHeat™)
- Slide-in Design
- 6.3 cu. ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LSEL6331F – PrintProof™ Stainless Steel



## GAS FREESTANDING RANGES



### LDG4313ST

#### 6.9 cu. ft. Gas Double Oven Range

- ProBake® Convection
- EasyClean® + Self Clean
- 18.5k BTU Power Burner
- Glass Touch Controls
- Double Oven
- 6.9 cu. ft. Large Capacity
- SmartDiagnosis™

- LDG4313ST – Stainless Steel



### LRGL5825\_

#### 5.8 cu. ft. Gas Range

- Built-in Air Fry
- InstaView® Window
- True Convection
- 5.8 cu. ft. Capacity
- EasyClean® + Self Clean
- UltraHeat™ 20k BTU Power Burner
- LG ThinQ® Technology (Wi-Fi)

- LRGL5825F – PrintProof™ Stainless Steel
- LRGL5825D – PrintProof™ Black Stainless Steel



### LRGL5823\_

#### 5.8 cu. ft. Gas Range

- Built-in Air Fry
- Fan Convection
- 5.8 cu. ft. Capacity
- EasyClean® + Self Clean
- UltraHeat™ 20k BTU Power Burner
- LG ThinQ® Technology (Wi-Fi)

- LRGL5823S – Stainless Steel
- LRGL5823D – PrintProof™ Black Stainless Steel



### LRGL5821S

#### 5.8 cu. ft. Gas Range

- 5.8 cu. ft. Capacity
- EasyClean®
- SuperBoil™ 17k BTU Power Burner
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LRGL5821S – Stainless Steel





## ELECTRIC FREESTANDING RANGES



### LDE4413ST

#### 7.3 cu. ft. Electric Double Oven Range

- ProBake® Convection
- EasyClean® + Self Clean
- 2 Dual Elements
- Glass Touch Controls
- Double Oven
- 7.3 cu. ft. Largest Capacity
- SmartDiagnosis™

- LDE4413ST – Stainless Steel



### LREL6325\_

#### 6.3 cu. ft. Electric Range

- Built-in Air Fry
- InstaView® Window
- True Convection
- EasyClean® + Self Clean
- Triple Element & Dual Element
- 6.3 cu. ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LREL6325F – PrintProof™ Stainless Steel
- LREL6325D – PrintProof™ Black Stainless Steel



### LREL6323\_

#### 6.3 cu. ft. Electric Range

- Built-in Air Fry
- Fan Convection
- 2 Dual Elements
- EasyClean® + Self Clean
- 6.3 cu. ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LREL6323S – Stainless Steel
- LREL6323D – PrintProof™ Black Stainless Steel



### LREL6321S

#### 6.3 cu. ft. Electric Range

- 2 Dual Elements
- EasyClean®
- 6.3 cu. ft. Large Capacity
- Storage Drawer
- LG ThinQ® Technology (Wi-Fi)

- LREL6321S – Stainless Steel



## WALL OVENS



### WCES6428F

#### Combination Wall Oven

- 1.7 cu. ft. Microwave / Convection / Speed Oven
- 4.7 cu. ft. Oven with Steam Cooking
- InstaView® + WideView™ Window
- Air Fry with Tray Accessory
- Steam Bake and Steam Sous Vide
- EasyClean® + Self Clean
- True Convection Technology
- 2 Heavy Duty Racks and 1 Gliding Rack
- Temperature Probe
- 7" Color LCD Glass Touch Display
- Optional Flush Installation
- Trim Kit Included
- LG ThinQ® Technology (Wi-Fi)

- WCES6428F – Stainless Steel



Available Q3 2022



LSWC307ST Combination Wall Oven planned end-of-life Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### WDES9428F

#### Double Wall Oven

- 9.4 cu. ft. Total Capacity (4.7 cu. ft. Upper & Lower)
- InstaView® + WideView™ Window
- Air Fry (Upper)
- Steam Bake and Steam Sous Vide (Upper)
- EasyClean® + Self Clean
- True Convection Technology
- 4 Heavy Duty Racks and 2 Gliding Racks
- Temperature Probe
- 7" Color LCD Glass Touch Display
- Optional Flush Installation
- Trim Kit Included
- LG ThinQ® Technology (Wi-Fi)

- WDES9428F – PrintProof™ Stainless Steel



### WSES4728F

#### Single Wall Oven

- 4.7 cu. ft. Capacity
- InstaView® + WideView™ Window
- Air Fry
- Steam Bake and Steam Sous Vide
- EasyClean® + Self Clean
- True Convection Technology
- 2 Heavy Duty Racks and 1 Gliding Rack
- Temperature Probe
- 7" Color LCD Glass Touch Display
- Optional Flush Installation
- Trim Kit Included
- LG ThinQ® Technology (Wi-Fi)

- WSES4728F – PrintProof™ Stainless Steel



†To be fully ADA compliant, the appliance must be installed according to ADA guidelines. Refer to current ADA requirements for guidance on installation.



## WALL OVENS



### LWC3063\_

#### Combination Wall Oven

- 1.7 cu. ft. Microwave / Convection / Speed Cook Oven
- 4.7 cu. ft. Oven with Steam Cooking
- EasyClean® + Self Clean
- True Convection Technology
- 2 Heavy Duty Racks and 1 Gliding Rack
- Temperature Probe
- SmoothTouch™ Glass Controls
- LG ThinQ® Technology (Wi-Fi)
- LWC3063ST – Stainless Steel
- LWC3063BD – PrintProof™ Black Stainless Steel



### LWD3063\_

#### Double Wall Oven

- 9.4 cu. ft. Total Capacity (4.7 cu. ft. Upper & Lower)
- EasyClean® + Self Clean
- True Convection Technology
- 4 Heavy Duty Racks
- SmoothTouch™ Glass Controls
- SmartDiagnosis™
- LWD3063ST – Stainless Steel
- LWD3063BD – PrintProof™ Black Stainless Steel



### LWS3063\_

#### Single Wall Oven

- 4.7 cu. ft. Capacity
- EasyClean® + Self Clean
- True Convection Technology
- 2 Heavy Duty Racks
- SmoothTouch™ Glass Controls
- SmartDiagnosis™ (Tag On Technology)
- LWS3063ST – Stainless Steel
- LWS3063BD – PrintProof™ Black Stainless Steel



### MZBZ1715\_

#### Built-in Speed Oven / Microwave

- 1.7 cu. ft. TurboCook™ Speed Oven
- Air Fry
- Convection Technology
- Scan-to-Cook
- Sensor Cooking
- LG ThinQ® Technology (Wi-Fi)
- MZBZ1715S – Stainless Steel
- MZBZ1715D – Black Stainless Steel



## GAS COOKTOPS



### LSCG367ST

#### 36" Gas Cooktop with UltraHeat™ Burner

- Integrated, Pro-Style Design
- 5 Sealed Burners
- Dual Stacked UltraHeat™ 19,000 BTU Center Burner (900 BTU Simmer)
- LSCG367ST – Stainless Steel
- 3 Heavy-Duty Continuous Cast Iron Grates (Dishwasher Safe)
- Red LED Backlit Metal Knobs
- Griddle Plate Included



Planned transition to CBGS3628S Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### LSCG307ST

#### 30" Gas Cooktop with UltraHeat™ Burner

- Integrated, Pro-Style Design
- 5 Sealed Burners
- Dual Stacked UltraHeat™ 19,000 BTU Center Burner (900 BTU Simmer)
- LSCG307ST – Stainless Steel
- 3 Heavy-Duty Continuous Cast Iron Grates (Dishwasher Safe)
- Red LED Backlit Metal Knobs
- Griddle Plate Included



Planned transition to CBGS3028S Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### LCG3611\_

#### 36" Gas Cooktop with SuperBoil™ Burner

- 5 Sealed Burners
- SuperBoil™ 17,000 BTU Center Burner
- 3 Heavy-Duty Continuous Cast Iron Grates (Dishwasher Safe)
- LCG3611ST – Stainless Steel
- LCG3611BD – Black Stainless Steel



### LCG3011\_

#### 30" Gas Cooktop with SuperBoil™ Burner

- 5 Sealed Burners
- SuperBoil™ 17,000 BTU Center Burner
- 3 Heavy-Duty Continuous Cast Iron Grates (Dishwasher Safe)
- LCG3011ST – Stainless Steel
- LCG3011BD – Black Stainless Steel



†To be fully ADA compliant, the appliance must be installed according to ADA guidelines. Refer to current ADA requirements for guidance on installation.

## ELECTRIC COOKTOPS



### LSCE365ST 36" Electric Cooktop

- Radiant Cooktop with 5 Elements
- Steady Heat Elements
- Triple 12" / 9" / 6" Element
- Bridge Element
- Warming Function
- Premium Stainless Steel Trim
- Intuitive SmoothTouch™ Glass Controls

● LSCE365ST – Black Glass w/Stainless Steel Frame



### LSCE305ST 30" Electric Cooktop

- Radiant Cooktop with 5 Elements
- Steady Heat Elements
- Dual 9" / 6" Element
- Warming Function
- Premium Stainless Steel Trim
- Intuitive SmoothTouch™ Glass Controls


● LSCE305ST – Black Glass w/Stainless Steel Frame



### LCE3610SB 36" Electric Cooktop

- Radiant Cooktop with 5 Elements
- Steady Heat Elements
- Triple 12" / 9" / 6" Element
- Warming Function
- Intuitive SmoothTouch™ Glass Controls

● LCE3610SB – Black Glass




### LCE3010SB 30" Electric Cooktop

- Radiant Cooktop with 5 Elements
- Steady Heat Elements
- Dual 9" / 6" Element
- Warming Function
- Intuitive SmoothTouch™ Glass Controls

● LCE3010SB – Black Glass

**CBIS3618B LG STUDIO 36-inch Induction Cooktop available Q3 2022. Contact your LG Sales Rep for details.**

## HOODS



### LSHD3680ST / LSHD3080ST 36" / 30" Wall Mount Chimney Hood

- Powerful 600 CFM Blower
- 5" Low-Profile Body
- Accommodates Ceilings up to 9' 6"
- 5-Speed IR Touch Controls
- Dual Level LED Lighting
- 2 Decorative Mesh Filters
- RoHS Compliant
- LG ThinQ® Technology (Wi-Fi)

● 36" LSHD3680ST – Stainless Steel  
● 30" LSHD3080ST – Stainless Steel



### HCED3615\_ / HCED3015\_ 36" / 30" Wall Mount Chimney Hood

- Powerful 600 CFM Blower
- 5" Low-Profile Body
- Accommodates Ceilings up to 9' 6"
- 5-Speed IR Touch Controls
- Dual Level LED Lighting
- 2 Decorative Mesh Filters
- RoHS Compliant
- LG ThinQ® Technology (Wi-Fi)

● 36" HCED3615S – Stainless Steel  
● 36" HCED3615D – Black Stainless Steel  
● 30" HCED3015S – Stainless Steel  
● 30" HCED3015D – Black Stainless Steel

## OVER-THE-RANGE MICROWAVE OVENS



### MHES1738F 1.7 cu. ft. Smart Over-the-Range Convection Microwave Oven

- 1.7 cu. ft. Oven Capacity
- Convection Technology
- SmoothTouch™ Glass Controls
- 950 Watt Microwave Power
- 1,550 Watt Convection Power
- Sensor Cooking
- 11 Power Levels
- 8 Auto Cook Options
- Air Fry
- 300 CFM Exhaust Fan
- Stainless Steel Interior
- LED Lighting
- Rack for 2-Level Cooking
- Wi-Fi Connect (Works with ThinQ®)
- Scan-to-Cook
- LG Smart Range Connectivity

● MHES1738F – PrintProof™ Stainless Steel

## OVER-THE-RANGE MICROWAVE OVENS



### MHEC1737\_

#### 1.7 cu. ft. Smart Over the Range Convection Microwave Oven

- 1.7 cu. ft. Oven Capacity
- Convection Technology
- SmoothTouch™ Glass Controls
- 950 Watt Microwave Power
- 1,550 Watt Convection Power
- Sensor Cooking
- 10 Power Levels
- 8 Auto Cook Options
- Air Fry
- 300 CFM Exhaust Fan
- Stainless Steel Interior
- LED Lighting
- Wi-Fi Connect (Works with ThinQ®)
- Scan-to-Cook
- LG Smart Range Connectivity

- MHEC1737F – PrintProof™ Stainless Steel
- MHEC1737D – PrintProof™ Black Stainless Steel



### MVEL2137\_

#### 2.1 cu. ft. Smart Over-the-Range Microwave Oven with ExtendaVent™

- 2.1 cu. ft. Oven Capacity
- EasyClean® Interior
- SmoothTouch™ Backlit Glass Controls
- Horizontal Control Panel
- 1,050 Watts
- Sensor Cooking
- 10 Power Levels
- 6 Auto Cook Options
- Slide-out ExtendaVent™
- 400 CFM Exhaust Fan
- QuietPower™ Ventilation System
- Wi-Fi Connect (Works with ThinQ®)
- Scan-to-Cook
- LG Smart Range Connectivity

- MVEL2137F – Stainless Steel
- MVEL2137D – PrintProof™ Black Stainless Steel



### MVEL2125\_

#### 2.1 cu. ft. Smart Over-the-Range Microwave Oven with ExtendaVent™

- 2.1 cu. ft. Oven Capacity
- EasyClean® Interior
- SmoothTouch™ Glass Controls
- 1,050 Watts
- Sensor Cooking
- 10 Power Levels
- 6 Auto Cook Options
- Slide-out ExtendaVent™
- 400 CFM Exhaust Fan
- QuietPower™ Ventilation System
- Wi-Fi Connect (Works with ThinQ®)
- Scan-to-Cook
- LG Smart Range Connectivity

- MVEL2125F – PrintProof™ Stainless Steel
- MVEL2125D – PrintProof™ Black Stainless Steel

## OVER-THE-RANGE MICROWAVE OVENS



Planned end-of-life Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

### LMVM2033ST

#### 2.0 cu. ft. Over-the-Range Microwave Oven

- 2.0 cu. ft. Oven Capacity
- EasyClean® Interior
- SmoothTouch™ Glass Controls
- Horizontal Control Panel
- 1,000 Watts
- Sensor Cooking
- 10 Power Levels
- 4 Auto Cook Options
- 400 CFM Exhaust Fan
- QuietPower™ Ventilation System

- LMVM2033ST – Stainless Steel



### MVEL2033\_

#### 2.0 cu. ft. Smart Over-the-Range Microwave Oven

- 2.0 cu. ft. Oven Capacity
- EasyClean® Interior
- SmoothTouch™ Glass Controls
- 1,050 Watts
- Sensor Cooking
- 10 Power Levels
- 6 Auto Cook Options
- 400 CFM Exhaust Fan
- QuietPower™ Ventilation System
- Wi-Fi Connect (Works with ThinQ®)
- Scan-to-Cook
- LG Smart Range Connectivity

- MVEL2033F – PrintProof™ Stainless Steel
- MVEL2033D – PrintProof™ Black Stainless Steel



Planned end-of-life to MVEM1825F/D Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

### LMV1831\_

#### 1.8 cu. ft. Over-the-Range Microwave Oven

- 1.8 cu. ft. Oven Capacity
- EasyClean® Interior
- 1,000 Watts
- Sensor Cooking
- 10 Power Levels
- 4 Auto Cook Options
- 300 CFM Exhaust Fan

- LMV1831SS – PrintProof™ Stainless Steel
- LMV1831BD – PrintProof™ Black Stainless Steel
- LMV1831ST – Stainless Steel



Available Q3 2022

### MVEM1825\_

#### 1.8 cu. ft. Smart Over-the-Range Microwave Oven

- 1.8 cu. ft. Oven Capacity
- EasyClean® Interior
- SmoothTouch™ Glass Controls
- 1,000 Watts
- Sensor Cooking
- 10 Power Levels
- 3 Auto Cook Options
- 300 CFM Exhaust Fan
- QuietPower™ Ventilation System
- Wi-Fi Connect (Works with ThinQ®)
- Scan-to-Cook
- LG Smart Range Connectivity

- MVEM1825F – PrintProof™ Stainless Steel
- MVEM1825D – PrintProof™ Black Stainless Steel

## OVER-THE-RANGE MICROWAVE OVENS



### LMV1765ST / LMV1764ST 1.7 cu. ft. Over-the-Range Microwave Oven

- 1.7 cu. ft. Oven Capacity
- EasyClean® Interior
- 1,000 Watts
- 10 Power Levels
- 4 Auto Cook Options
- 300 CFM Exhaust Fan
- LMV1765ST – Stainless Steel (1,500W)
- LMV1764ST – Stainless Steel (1,600W)

## COUNTERTOP MICROWAVES



Shown with optional trim kit

### LMC2075\_ 2.0 cu. ft. NeoChef™ Countertop Microwave Oven

- 2.0 cu. ft. Oven Capacity
- Smart Inverter
- EasyClean® Interior
- SmoothTouch™ Glass Controls
- 1,200 Watts
- Sensor Cooking
- 10 Power Levels
- Popcorn Key
- Hexagonal Stable Ring
- LED Interior Light
- Optional Built-in Trim Kit
- LMC2075ST – Stainless Steel
- MK2030NST – 30" Stainless Steel Built-in Trim Kit
- LMC2075BD – Black Stainless Steel
- MK2030NBD – 30" Black Stainless Steel Built-in Trim Kit



### LMC1575\_ 1.5 cu. ft. NeoChef™ Countertop Microwave Oven

- 1.5 cu. ft. Oven Capacity
- Smart Inverter
- EasyClean® Interior
- SmoothTouch™ Glass Controls
- 1,200 Watts
- Sensor Cooking
- 10 Power Levels
- Popcorn Key
- Hexagonal Stable Ring
- LED Interior Light
- LMC1575ST – Stainless Steel
- LMC1575BD – Black Stainless Steel



### LMC0975ST 0.9 cu. ft. NeoChef™ Countertop Microwave Oven

- 0.9 cu. ft. Oven Capacity
- Smart Inverter
- EasyClean® Interior
- SmoothTouch™ Glass Controls
- 1,000 Watts
- 10 Power Levels
- Popcorn Key
- Hexagonal Stable Ring
- LED Interior Light
- LMC0975ST – Stainless Steel

## COOKING KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D – Depth Includes Handle)	Cutout Dimensions (W x H x D)	Installation Requirements
<b>Gas &amp; Dual Fuel Slide-in Ranges</b>			
LSDS6338F – PrintProof™ Stainless Steel	29 7/8" x 37 1/4" x 29 3/8"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LSGS6338F – PrintProof™ Stainless Steel	29 7/8" x 37 1/4" x 29 3/8"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LTG4715ST – Stainless Steel LTG4715BD – PrintProof™ Black Stainless Steel	29 7/8" x 37 7/8" x 28 15/16"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LSGL6337F – PrintProof™ Stainless Steel LSGL6337D – PrintProof™ Black Stainless Steel	29 7/8" x 37 1/8" x 29 9/32"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LSDL6336F – PrintProof™ Stainless Steel LSDL6336D – PrintProof™ Black Stainless Steel	29 7/8" x 37 1/8" x 29 1/4"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LSGL6335F – PrintProof™ Stainless Steel LSGL6335D – PrintProof™ Black Stainless Steel	29 7/8" x 37 1/8" x 29 9/32"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LSGL5833F – PrintProof™ Stainless Steel LSGL5833D – PrintProof™ Black Stainless Steel	29 7/8" x 37 1/4" x 29 7/32"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LSGL5831F – PrintProof™ Stainless Steel	29 7/8" x 47 1/4" x 28 15/16"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
<b>Electric Slide-in Ranges</b>			
LSIS3018SS – PrintProof™ Stainless Steel	29 15/16" x 37 1/10" x 28 15/16"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LSES6338F – PrintProof™ Stainless Steel	29 7/8" x 37 1/4" x 29 3/8"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LSE4617ST – Stainless Steel	29 7/8" x 37 7/8" x 28 15/16"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LSE4616ST – Stainless Steel LSE4616BD – PrintProof™ Black Stainless Steel	29 7/8" x 37 7/8" x 28 15/16"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)

## COOKING KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D – Depth Includes Handle)	Cutout Dimensions (W x H x D)	Installation Requirements
<b>Electric Slide-in Ranges</b>			
LTE4815ST – Stainless Steel LTE4815BD – PrintProof™ Black Stainless Steel	29 7/8" x 36" x 28 15/16"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LSEL6337F – PrintProof™ Stainless Steel LSEL6337D – PrintProof™ Black Stainless Steel	29 7/8" x 36 1/2" x 29 9/32"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LSEL6335F – PrintProof™ Stainless Steel LSEL6335D – PrintProof™ Black Stainless Steel	29 7/8" x 36 1/2" x 29 9/32"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LSEL6333F – PrintProof™ Stainless Steel LSEL6333D – PrintProof™ Black Stainless Steel	29 7/8" x 37 1/4" x 29 7/32"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LSEL6331F – PrintProof™ Stainless Steel	29 7/8" x 37 1/4" x 29 7/32"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
<b>Gas Freestanding Ranges</b>			
LDG4313ST – Stainless Steel	29 7/8" x 47 1/4" x 28 15/16"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LRGL5825F – PrintProof™ Stainless Steel LRGL5825D – PrintProof™ Black Stainless Steel	29 7/8" x 46 1/2" x 28 7/8"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LRGL5823S – Stainless Steel LRGL5823D – PrintProof™ Black Stainless Steel	29 7/8" x 46 1/2" x 28 7/8"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LRGL5821S – Stainless Steel	29 7/8" x 46 1/2" x 28 7/8"	30" x 36" x 25"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
<b>Electric Freestanding Ranges</b>			
LDE4413ST – Stainless Steel	29 15/16" x 47 9/32" x 28 15/16"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LREL6325F – PrintProof™ Stainless Steel LREL6325D – PrintProof™ Black Stainless Steel	29 7/8" x 46 1/2" x 28 7/8"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
LREL6323S – Stainless Steel LREL6323D – PrintProof™ Black Stainless Steel	29 7/8" x 46 1/2" x 28 7/8"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)

## COOKING KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D – Depth Includes Handle)	Cutout Dimensions (W x H x D)	Installation Requirements
<b>Electric Freestanding Ranges</b>			
LREL6321S – Stainless Steel	29 7/8" x 46 1/2" x 28 7/8"	30" x 36" x 25"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp; Electrical Receptacle: 4-Wire (14-50R); 3-Wire (10-50R)
<b>Wall Ovens</b>			
WCES6428F – Stainless Steel	29 3/4" x 43 13/16" x 26 29/32"	Min. 28 1/2" x 43 7/16" x 24" Max. 28 5/8" x 43 1/2" x 24"	Required Power Supply: 240/208V, 60Hz, 4-Wire; Minimum Circuit Rating: 50 Amp
WDES9428F – PrintProof™ Stainless Steel	29 3/4" x 52 1/16" x 26 29/32"	Min. 28 1/2" x 51 13/16" x 24" Max. 28 5/8" x 51 15/16" x 24"	Required Power Supply: 240/208V, 60Hz, 4-Wire; Minimum Circuit Rating: 40 Amp
WSES4728F – PrintProof™ Stainless Steel	29 3/4" x 29 7/16" x 26 29/32"	Min. 28 1/2" x 29 1/8" x 24" Max. 28 5/8" x 29 3/16" x 24"	Required Power Supply: 240/208V, 60Hz, 4-Wire; Minimum Circuit Rating: 20
LWC3063ST – Stainless Steel LWC3063BD – PrintProof™ Black Stainless Steel	29 3/4" x 43 13/16" x 27"	28 1/2" x 43 7/16" x 23 1/2"	Required Power Supply: 240/208V, 60Hz, 4-Wire; Minimum Circuit Rating: 50 Amp
LWD3063ST – Stainless Steel LWD3063BD – PrintProof™ Black Stainless Steel	29 3/4" x 52 1/16" x 27"	28 1/2" x 51 13/16" x 23 1/2"	Required Power Supply: 240/208V, 60Hz, 4-Wire; Minimum Circuit Rating: 40 Amp
LWS3063ST – Stainless Steel LWS3063BD – PrintProof™ Black Stainless Steel	29 3/4" x 29 5/16" x 27"	28 1/2" x 28 15/16" x 23 1/2"	Required Power Supply: 240/208V, 60Hz, 4-Wire; Minimum Circuit Rating: 20
MZBZ1715S – Stainless Steel MZBZ1715D – Black Stainless Steel	29 3/4" x 20 1/8" x 25 9/16"	28 1/2" x 19 11/16" x 23 1/2"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 20 Amp; Power Cord Type: 3-Prong, Attached to Unit
<b>Gas Cooktops</b>			
LSCG367ST – Stainless Steel	36" x 3 3/4" x 21 11/16"	33 15/16" x 3 9/16" x 19 11/16"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LSCG307ST – Stainless Steel	30" x 3 3/4" x 21 11/16"	28 1/2" x 3 9/16" x 19 11/16"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LCG3611ST – Stainless Steel LCG3611BD – Black Stainless Steel	36" x 3 3/4" x 21 11/16"	33 15/16" x 3 9/16" x 19 11/16"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LCG3011ST – Stainless Steel LCG3011BD – Black Stainless Steel	30" x 3 3/4" x 21 11/16"	28 1/2" x 3 9/16" x 19 11/16"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
<b>Electric Cooktops</b>			
LSCE365ST – Black Glass w/Stainless Steel Frame	36 11/16" x 4" x 22 15/32"	34 9/16" x 20 3/8"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 50 Amp
LSCE305ST – Black Glass w/Stainless Steel Frame	30 27/32" x 4" x 21 23/32"	29 3/8" x 20 1/4"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp
LCE3610SB – Black Glass	36 11/16" x 4" x 21 15/16"	34 9/16" x 20 3/8"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 50 Amp
LCE3010SB – Black Glass	30 27/32" x 4" x 21 15/32"	29 3/8" x 20 1/4"	Required Power Supply: 120/208-240 V, 60 Hz, 3-Wire or 4-Wire; Minimum Circuit Rating: 40 Amp






## COOKING KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D)	Cutout Dimensions (W x H x D)	Installation Requirements
<b>Hoods</b>			
LSHD3680ST – Stainless Steel	35 7/16" x 27" to 48 1/2" x 22 1/16"	39 1/2" x 27 3/8" x 26 5/8" (26"– 34" from Cooking Surface)	Required Power Supply: 120V, 60Hz; 3-Wire or 4-Wire; Minimum Circuit Rating: 15 Amp
LSHD3080ST – Stainless Steel	29 15/16" x 27" to 48 1/2" x 22 1/16"	34 1/4" x 27 3/8" x 26 5/8" (26"– 34" from Cooking Surface)	Required Power Supply: 120V, 60Hz; 3-Wire or 4-Wire; Minimum Circuit Rating: 15 Amp
HCED3615S – Stainless Steel HCED3615D – Black Stainless Steel	35 7/16" x 27" to 48 1/2" x 22 1/16"	39 1/2" x 27 3/8" x 26 5/8" (26"– 34" from Cooking Surface)	Required Power Supply: 120V, 60Hz; 3-Wire or 4-Wire; Minimum Circuit Rating: 15 Amp
HCED3015S – Stainless Steel HCED3015D – Black Stainless Steel	29 15/16" x 27" to 48 1/2" x 22 1/16"	34 1/4" x 27 3/8" x 26 5/8" (26"– 34" from Cooking Surface)	Required Power Supply: 120V, 60Hz; 3-Wire or 4-Wire; Minimum Circuit Rating: 15 Amp
<b>Over-the-Range Microwave Ovens</b>			
MHES1738F – PrintProof™ Stainless Steel	29 15/16" x 16 7/16" x 15 3/8"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
MHEC1737F – PrintProof™ Stainless Steel MHEC1737D – PrintProof™ Black Stainless Steel	29 7/8" x 16 1/2" x 16 3/8"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
MVEL2137F – Stainless Steel MVEL2137D – PrintProof™ Black Stainless Steel	29 7/8" x 17 15/16" x 15 7/16"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
MVEL2125F – PrintProof™ Stainless Steel MVEL2125D – PrintProof™ Black Stainless Steel	29 7/8" x 17 15/16" x 15 7/16"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LMVM2033ST – Stainless Steel	29 7/8" x 16 7/16" x 15 13/16"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
MVEL2033F – PrintProof™ Stainless Steel MVEL2033D – PrintProof™ Black Stainless Steel	29 7/8" x 17 15/16" x 15 7/16"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LMV1831SS – PrintProof™ Stainless Steel LMV1831BD – PrintProof™ Black Stainless Steel LMV1831ST – Stainless Steel	29 7/8" x 16 7/16" x 15 3/4"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
MVEM1825F – PrintProof™ Stainless Steel MVEM1825D – PrintProof™ Black Stainless Steel	29 7/8" x 16 7/16" x 15 3/8"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit

## COOKING KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D)	Cutout Dimensions (W x H x D)	Installation Requirements
<b>Over-the-Range Microwave Ovens</b>			
LMV1765ST – Stainless Steel	29 7/8" x 16 7/16" x 15 1/16"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LMV1764ST – Stainless Steel	29 7/8" x 16 7/16" x 15 11/16"	30" x 13" (30" from Cooking Surface)	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
<b>Countertop Microwaves</b>			
LMC2075ST – Stainless Steel LMC2075BD – Black Stainless Steel	23 7/8" x 13 9/16" x 19 3/8" With Optional Trim Kit: 29 23/32" x 19 1/16"	With Optional Trim Kit: 25 1/2" x 16 3/4" x 19 1/2"	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LMC1575ST – Stainless Steel LMC1575BD – Black Stainless Steel	21.41" x 12.13" x 17"	–	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit
LMC0975ST – Stainless Steel	12.6" x 8.97" x 13.19"	–	Required Power Supply: 120V, 60Hz; Minimum Circuit Rating: 15 Amp; Power Cord Type: 3-Prong, Attached to Unit


## COOKING ACCESSORIES

Model	Description	For Use With
 LRAL302S <b>Planned transition to LRAL303S Q3 2022 (compatible with all ranges with Air Fry); LRAL302S available in limited quantities, contact your LG Sales Rep for details</b>	Air Fry Rack	Freestanding Ranges: LRGL5823, LRGL5825, LREL6323, LREL6325 Slide-in Ranges: LSEL6337, LSEL6335, LSEL6333, LSGL6337, LSGL6335
 LSFL301S	Slide-in Range Filler Kit (Side Gaps)	Gas and Electric Slide-in Ranges
 MK2030NST – Stainless Steel MK2030NBD – Black Stainless Steel	30-inch Microwave Trim Kit	LMC2075
 ZRC-01AN (Order from store.zephyronline.com)	Hood Recirculation Kit for Room Venting	Hoods
 Z1C-00AN (Order from store.zephyronline.com)	Hood Duct Cover Extension for Ceiling Heights that are between 9 ft. and 12 ft.	Hoods



# LAUNDRY

## WASHER FEATURES



**Built-in Intelligence**  
Take out the guesswork with AI Fabric Sensors, Smart Learner™ and Smart Pairing™. AI technology can select optimal wash and dry motions and settings. Activate Smart Learner™\* in the ThinQ® app, and the pair will remember your preferred settings, from wash temp to spin speed to dry level. With Smart Pairing™, the washer can auto-select a compatible drying cycle.

**AI Fabric Sensors**  
Forget about endless sorting or toggling through cycles—built-in sensors use AI technology to detect fabric texture and load size, then automatically select the right wash / dry motions, temperatures and more for advanced fabric care.

**AI DD™ AI SensorDry™**

**Smart Pairing™**  
With Smart Pairing™, the washer can even tell the dryer to select a compatible drying cycle, making it the ultimate laundry hack.

**TWINWash™ (Front Load Only)**  
Compatible front-load washers can be combined with LG SideKick™ pedestal washer to increase capacity with the ability to wash two loads at the same time that can't wait.

**ezDispense™ (Front Load Only)**  
Why dig out detergent and fabric softener every time you do laundry, guessing at the amount, or worse, spilling when you're in a hurry, when your LG washer will take care of it for you? With ezDispense™ Automatic Dispenser, just fill the reservoirs once and you're set for up to 18 wash cycles.\*\* Not only is it quick and easy, but it helps make laundry foolproof, adding just the right amount for each load size—at just the right time. You can even get an alert on your smartphone when it's time to refill, so you never miss a beat!†

**LG ThinQ® Technology (Smart Wi-Fi Enabled)**  
Get alerts on your smartphone the minute clothes are clean, and control key laundry features from anywhere, at any time. You can also start a load of wash with a simple voice command, since LG ThinQ® appliances work with the Google Assistant and Amazon Alexa.



\*When normal cycle is selected on control panel. \*\*Based on 8-12 lb. loads. Always use HE (High-Efficiency) detergent with this washer. †Wi-Fi and app required. Features subject to change. See lg.com for additional details and privacy information.



## WASHER FEATURES

### TurboWash™ 360° Technology (Front Load Only)

Clean larger loads under 30 minutes\* while enjoying the same great washing performance you expect from LG. With five powerful jets that surround your clothes from every angle, penetrating deep into fabrics, for a more complete clean.

### TurboWash3D™ Technology (Top Load Only)

A complete clean and gentle care. A powerful jet spray, plus the tub and motor that rotate independently and in opposite directions, creates a powerful water flow that causes garments to rub against each other throughout the cycle for enhanced washing performance. A powerful yet gentle clean in 29 minutes.\*\*

### TurboDrum™ Technology (Top Load Only)

TurboDrum™ Technology simulates the agitator effect of traditional top load washers. The LG Direct Drive Motor rotates independently from the tub mechanism, so they spin in different directions to create a powerful water flow, for a complete but gentler clean.

### 4-Way™ Agitator Innovation



Maximize your wash motions with specially designed fins which create a unique 4-way wash action that moves clothes left and right, up and down for a thorough clean that's still kind to clothes. A powerful yet gentle clean in 37 minutes.†

### 6Motion™ Technology

All laundry shouldn't be washed the same. Based on the cycle you select, LG 6Motion™ technology uses up to 6 different wash motions, each designed to get clothes cleaner and help them last longer. Options range from a scrubbing PowerMotion that helps to dissolve stains to the gentle Swinging motion that's ideal for delicates.

### Direct Drive Motor with 10-Year Limited Warranty

Backed by a 10-year limited warranty, the LG Direct Drive Motor delivers peace of mind with every load. Fewer moving parts means less noise and vibration, greater stability and durable performance you can depend on for years to come.



\*Based on independent testing in normal cycle with TurboWash™ option, 10 lb. load (June 2020). \*\*Based on independent testing comparing models WM4500, WM4200, or WM4000 and WM3900 in normal cycle with TurboWash™ Option, 10 lb. load (June 2020). †Based on independent testing in normal cycle with TurboWash™ Option, 8lb. Load (July 2020).

## WASHER FEATURES



### Allergiene™ Cycle / AAFA Certified

Certified asthma & allergy friendly® by the Asthma and Allergy Foundation of America (AAFA)—LG washers are the first to earn this distinction. Breathe a little easier with the Allergiene™ cycle that uses the gentle power of steam to remove common household allergens in fabrics by more than 95%††. A proven solution for creating a healthier home—perfect for the more than 65 million Americans living with asthma and allergies.

### Steam Technology

There's no clean like a steam clean. Our steam technology gently but powerfully penetrates fabrics to virtually eliminate dirt, odors and wrinkles.

### TubFresh™ System (Front Load Only)

To get your clothes as clean as possible, you need the washer itself to stay clean and fresh. The TubFresh™ system includes an advanced tub-cleaning cycle, a FreshCare™ option that tumbles clothes after the cycle completes, and other innovations that help you easily maintain your washer's freshness by cleaning and drying the wash tub, door, and gaskets.

### TrueBalance™ Anti-Vibration System and LoDecibel™ System Put Peace and Quiet Back in Your Day

Run the washer whenever you want—LG's TrueBalance™ Anti-Vibration and LoDecibel™ systems are designed for quiet operation that keeps even big loads in balance to reduce washer noise and vibration. A must-have for main-floor or second-floor laundry rooms.

### LG ENERGY STAR® Certified Washers

LG ENERGY STAR® certified high efficiency washers use far less water and energy than a conventional washer for savings that add up with each load. Get additional savings with load-sensing technology that adjusts water levels and wash times or by adding the ColdWash™ option to almost any cycle.



††Based on certification by the Asthma and Allergy Foundation of America (AAFA). ASTHMA & ALLERGY FRIENDLY Mark is a Registered Trademark of the ASTHMA AND ALLERGY FOUNDATION OF AMERICA and ALLERGY STANDARDS LTD.

## WASHER FEATURES

### Water Plus (Impeller) / Deep Fill (Agitator) (Top Load Only)

LG top load washers use precise wash motions to ensure clothes move efficiently through the detergent and water mix and come out ultra-clean, all while saving energy and money. But if you decide you want to add extra water to the occasional load, LG gives you the option to get your (deep) fill. Press Water Plus or Deep Fill at the start of any cycle to select the maximum water level. Cycle already started? Just hit Pause, Water Plus or Deep Fill and then Start. Another plus—the one-time setting will automatically switch back to high-efficiency water levels the next time you're ready to wash.

### ColdWash™ Technology

Using the cold cycle on your washer doesn't have to mean compromising. Powered by the LG Direct Drive Motor and 6Motion™ technology, ColdWash™ technology uses cold water and enhanced washing motions to penetrate deep into fabrics, giving you cold water savings with warm water performance. Can be used with almost any wash cycle and virtually all fabric types—even those you normally wash in warm water.

### SenseClean™ System

Our washers are big, but that doesn't mean you have to do a big load every time. Our SenseClean™ System automatically sets the water level and wash time for each load based on the weight.

### TubClean Cycle

The TubClean Cycle is designed for easy, periodic maintenance to keep your washer fresh. The cycle uses water jets to clean the wash tub and door, and an air dryer removes excess moisture, helping to keep your high-performing washer in tip-top condition.

### SlamProof™ Glass Lid (Top Load Only)

Enjoy the convenience of a clear lid that allows you to watch your washer in action, uninterrupted. And closing it is safe and quiet thanks to our smooth-operating hydraulic hinge.



## WASHTOWER™ FEATURES



### Single Unit WashTower™ Design

Full-size and fully featured, with the washer on the bottom and dryer on top, the sleek single unit LG WashTower™ takes up half the space.\* Redefine your space and reinvent how you do laundry with room to add a sink, a folding table or just organized storage—all with a sleek, streamlined look.

### Built-in Intelligence

Take out the guesswork with AI Fabric Sensors, Smart Learner™ and Smart Pairing™. AI technology can select optimal wash & dry motions and settings. Activate Smart Learner™\*\* in the ThinQ® app, and WashTower™ will remember your preferred settings, from wash temp to spin speed to dry level. With Smart Pairing™, the washer can auto-select a compatible drying cycle.

### Unified Center Control™

Only LG WashTower™ has the convenient Center Control™ panel that's perfectly positioned with both washer and dryer controls at just the right height. Typical stacked washers and dryers place dryer controls at the very top, making them hard to see and reach without using a step stool every time.



LG WashTower™

\*Half the functional floor space. \*\*When normal cycle is selected on control panel.

## DRYER FEATURES

### TurboSteam® Technology

You grab your favorite shirt from the closet only to find that the hanger has left indelible imprints on each shoulder. What to do when there's no time to wash? LG TurboSteam® technology to the rescue. Toss the shirt in the dryer, turn on TurboSteam® and in just minutes your shirt is back in tip-top shape. Also helps refresh fabrics and reduce wrinkles in half the time of other steam settings.

### TrueSteam® Technology

A lot of those drying headaches can be a thing of the past. Our TrueSteam® Technology generates real steam to reduce wrinkles and odors, and practically eliminates the need for ironing.

### Sensor Dry

Sensor adjusts drying time to eliminate the guesswork. No more damp clothes—the built-in sensor detects moisture levels and automatically adjusts drying time for loads of all sizes. No more over drying—dryer shuts off at just the right time to save energy with less wear and tear on clothes.

### FlowSense™ Duct Clogging & Lint Filter Indicators

Keep your dryer clean, efficient, and safe. With the FlowSense™ Duct Clogging and Clean Filter Indicators, you'll know when it's time to clean the ducts and the lint filter out to ensure great drying every time, lower utility bills and fewer service calls.

### Wrinkle Care Option & EasyIron™ Option

Pressed for time? Just pop your dry clothes in for a tumble on the Wrinkle Care Option to reduce creases. Who likes ironing? No one. The EasyIron™ Option lightly moistens clothes to make ironing easier and more efficient.



TurboSteam™



TrueSteam®

## DRYER FEATURES



### EasyLoad™ Dryer Door (Top Load Matching Dryers Only)

The dual-opening options of the LG EasyLoad™ door make loading and unloading the dryer easier than ever. Transferring wet clothes from the washer? Simply press the release button and pull the door down, hamper style to keep that stray sock from hitting the floor. Removing dry items? Swing the door to the side to clear the way for your basket below. Even tight spaces and challenging laundry-room layouts are no match for versatility like this.

### Ventless Condensing Drying (All-in-One Washer / Dryers)

No access to external venting? No problem. LG's all-in-one washer / dryers use ventless condensing to dry your clothes without the need for external venting.



## LG SIDEKICK™ PEDESTAL WASHER FEATURES

### Get it Done Faster

Use the LG SideKick™ on its own or at the same time as the front load washer above to save time. Each washer operates independently, so you can wash one load in hot and one in cold at the same time. Start or stop a cycle or open the door on either washer without interrupting the other.

### LG SideKick™ for Small Loads that Can't Wait

Whether it's your kids' favorite shirt, yoga pants or a school uniform, washing a full load seems wasteful for just a few pieces. Now you can wash small loads that just can't wait with the LG SideKick™ Pedestal Washer or wash two loads at once to save time.

### LG SideKick™ Specialty Care

Use the LG SideKick™ to wash small loads that can't wait or specialty care for delicates. It's hand wash care, now hands-free. Special cycles for Intimates, Hand Wash and Active Wear ensure proper fabric care and thorough cleaning for all items.



LG SideKick™

## LG STYLER® STEAM CLOSET FEATURES

### LG Styler TrueSteam®

TrueSteam® technology uses the gentle power of steam to refresh clothing without the use of chemicals or harsh soaps. Reduce odors and smooth out fabrics you don't want to machine wash and dry on a daily basis.

### LG Styler Gentle Dry

Dry special-care items like knits, cashmere, lingerie and other delicates. Avoid the damage of high-heat tumble dryers and help preserve the clothing you love. It also dries clothing and "dry flat" labeled items much faster than conventional air drying.

### LG Styler Plug and Go

Can easily be placed in a laundry room, mudroom or walk-in closet—no need for an electrician or plumber. Just plug into a standard 120v outlet, fill the portable water container and go.

### Dehumidify Your Space

Dehumidify feature is a space-saving way to eliminate damp air and musty smells in the surrounding room without a standalone dehumidifier. (LG STUDIO only)



LG styler® | Steam Closet

## WASHTOWER™



### WSEX200HNA / WSGX201HNA WashTower™ with Center Control™

- Single Unit WashTower™ Design with Center Control
- 5.0 cu. ft. Washer / 7.4 cu. ft. Dryer
- TurboWash™ 360° Wash Technology
- TurboSteam® Dryer
- SteamFresh™ Dryer Cycle
- Built-in Intelligence with AIDD / AI Fabric Sensor, Smart Learner, Smart Pairing™
- 6 Wash Cycles / 10 Wash Options
- 6 Dry Cycles / 9 Dry Options
- Allergiene™ Cycle
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Drum (Washer & Dryer)
- Drying Rack Included
- LG ThinQ® Technology (Wi-Fi)

- WSEX200HNA (Electric) – Noble Steel
- WSGX201HNA (Gas) – Noble Steel



### WKEX200H\_A / WKGX201H\_A WashTower™ with Center Control™

- Single Unit WashTower™ Design with Center Control
- 4.5 cu. ft. Washer / 7.4 cu. ft. Dryer
- TurboWash™ 360° Wash Technology
- TurboSteam® Dryer
- SteamFresh™ Dryer Cycle
- Built-in Intelligence with AIDD / AI Fabric Sensor, Smart Learner, Smart Pairing™
- 6 Wash Cycles / 10 Wash Options
- 6 Dry Cycles / 9 Dry Options
- Allergiene™ Cycle
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Drum (Washer & Dryer)
- LG ThinQ® Technology (Wi-Fi)

- WKEX200HBA (Electric) – Black Steel
- WKGX201HBA (Gas) – Black Steel
- WKEX200HWA (Electric) – White
- WKGX201HWA (Gas) – White

## WASHTOWER™



### WKE100H\_A / WKG101H\_A WashTower™ with Center Control™

- Single Unit WashTower™ Design with Center Control
- 4.5 cu. ft. Washer / 7.4 cu. ft. Dryer
- Built-in Intelligence with AIDD / AI Fabric Sensor, Smart Learner, Smart Pairing™
- 6 Wash Cycles / 9 Wash Options
- 6 Dry Cycles / 7 Dry Options
- Allergiene™ Cycle
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Drum (Washer)
- LG ThinQ® Technology (Wi-Fi)

- WKE100HVA (Electric) – Graphite Steel
- WKG101HVA (Gas) – Graphite Steel
- WKE100HWA (Electric) – White
- WKG101HWA (Gas) – White



## FRONT LOAD WASHERS



### WM8900HBA 5.2 cu. ft. Front Load Washer

- 5.2 cu. ft. Mega Capacity
- TurboWash® Technology
- AIDD™ Fabric Sensor / Smart Pairing™
- 12 Cycles / 13 Options
- Allergiene™ Cycle
- ColdWash™ Option
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Tub
- Drum Light
- LG ThinQ® Technology (Wi-Fi)

- Washer
- WM8900HBA – Black Steel
- Matching Dryers
- DLEX8900B (Electric) – Black Steel
  - DLGX8901B (Gas) – Black Steel



### WM4500HBA 5.0 cu. ft. Front Load Washer

- 5.0 cu. ft. Mega Capacity
- TurboWash™ 360° Technology
- AI Fabric Sensor / Smart Pairing™
- ezDispense™ Automatic Dispenser
- 14 Cycles / 15 Options
- Allergiene™ Cycle
- ColdWash™ Option
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)

- Washer
- WM4500HBA – Black Steel
- Matching Dryers
- DLEX4500B (Electric) – Black Steel
  - DLGX4501B (Gas) – Black Steel

Planned transition to WM6700HBA Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

## FRONT LOAD WASHERS



### WM4200H\_A 5.0 cu. ft. Front Load Washer

- 5.0 cu. ft. Mega Capacity
- TurboWash™ 360° Technology
- AI Fabric Sensor / Smart Pairing™
- Tempered Glass Door
- 14 Cycles / 13 Options
- Allergiene™ Cycle
- ColdWash™ Option
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)

Planned transition to WM6500 Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### WM4000H\_A 4.5 cu. ft. Front Load Washer

- 4.5 cu. ft. Ultra Large Capacity
- TurboWash™ 360° Technology
- AI Fabric Sensor / Smart Pairing™
- Tempered Glass Door
- 12 Cycles / 13 Options
- Allergiene™ Cycle
- ColdWash™ Option
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)



### WM3600H\_A 4.5 cu. ft. Front Load Washer

- 4.5 cu. ft. Ultra Large Capacity
- AI Fabric Sensor / Smart Pairing™
- Tempered Glass Door
- 10 Cycles / 9 Options
- Allergiene™ Cycle
- ColdWash™ Option
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)

- Washers
- WM4200HBA – Black Steel
  - WM4200HWA – White

- Matching Dryers
- DLEX4200B (Electric) – Black Steel
  - DLGX4201B (Gas) – Black Steel
  - DLEX4200W (Electric) – White
  - DLGX4201W (Gas) – White

- Washers
- WM4000HBA – Black Steel
  - WM4000HWA – White

- Matching Dryers
- DLEX4000B (Electric) – Black Steel
  - DLGX4001B (Gas) – Black Steel
  - DLEX4000W (Electric) – White
  - DLGX4001W (Gas) – White

- Washers
- WM3600HVA – Graphite Steel
  - WM3600HWA – White

- Matching Dryers
- DLE3600V (Electric) – Graphite Steel
  - DLG3601V (Gas) – Graphite Steel
  - DLE3600W (Electric) – White
  - DLG3601W (Gas) – White

## FRONT LOAD WASHERS



### WM3400CW 4.5 cu. ft. Front Load Washer

- 4.5 cu. ft. Ultra Large Capacity
- 6Motion™ Technology
- 8 Cycles / 6 Options
- ColdWash™ Option
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Tub
- SmartDiagnosis™



Washer  
○ WM3400CW – White

Matching Dryers  
○ DLE3400W (Electric) – White  
○ DLG3401W (Gas) – White



### WM1455HWA 2.4 cu. ft. Compact 24" Wide Front Load Washer

- 2.4 cu. ft. Capacity
- 24" Wide Compact Front Load Washer
- AI Fabric Sensor
- 14 Cycles / 9 Options
- Steam Technology & Allergiene™ Cycle
- TubClean Cycle
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Tub
- TrueBalance™ Anti-Vibration System
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)



Washer  
○ WM1455HWA – White

Matching Dryer  
○ DLHC1455W (Heat Pump) – White

WM1455V Graphite Steel planned end-of-life 6/22; Available in limited quantities, contact your LG Sales Rep for details



## FRONT LOAD DRYERS



### DLEX8900B / DLGX8901B 9.0 cu. ft. TurboSteam® Front Load Dryer

- 9.0 cu. ft. Mega Capacity
- TurboSteam® Technology
- SteamSanitary™ and SteamFresh™ Cycle
- AI Fabric Sensor / Smart Pairing™
- 12 Cycles / 12 Options
- Sensor Dry System
- FlowSense™ Duct Clogging and Lint Filter Indicators
- LoDecibel™ Operation
- NeveRust™ Stainless Steel Drum
- LG ThinQ® Technology (Wi-Fi)



Dryers  
● DLEX8900B (Electric) – Black Steel  
● DLGX8901B (Gas) – Black Steel

Matching Washer  
● WM8900HBA – Black Steel



### DLEX4500B / DLGX4501B 7.4 cu. ft. TurboSteam® Front Load Dryer

- 7.4 cu. ft. Ultra Large Capacity
- TurboSteam® Technology
- SteamSanitary™ and SteamFresh™ Cycle
- AI Fabric Sensor / Smart Pairing™
- 14 Cycles / 12 Options
- Sensor Dry System
- FlowSense™ Duct Clogging Indicator
- LoDecibel™ Operation
- NeveRust™ Stainless Steel Drum
- LG ThinQ® Technology (Wi-Fi)



Dryers  
● DLEX4500B (Electric) – Black Steel  
● DLGX4501B (Gas) – Black Steel

Matching Washer  
● WM4500HBA – Black Steel

Planned transition to DLEX6700 / DLGX6701 Q3 2022; Available in limited quantities, contact your LG Sales Rep for details

## FRONT LOAD DRYERS



### DLEX4200\_ / DLGX4201\_ 7.4 cu. ft. TurboSteam® Front Load Dryer

- 7.4 cu. ft. Ultra Large Capacity
- TurboSteam® Technology
- AI Fabric Sensor / Smart Pairing™
- SteamSanitary™ and SteamFresh™ Cycle
- 14 Cycles / 12 Options
- Sensor Dry System
- FlowSense™ Duct Clogging and Lint Filter Indicators
- LoDecibel™ Quiet Operation
- Tempered Glass Door
- LG ThinQ® Technology (Wi-Fi)

- Dryers
- DLEX4200B (Electric) – Black Steel
  - DLGX4201B (Gas) – Black Steel
  - DLEX4200W (Electric) – White
  - DLGX4201W (Gas) – White

- Matching Washers
- WM4200HBA – Black Steel
  - WM4200HWA – White

Planned transition to DLEX6500 / DLGX6501 Q3 2022; Available in limited quantities, contact your LG Sales Rep for details



### DLEX4000\_ / DLGX4001\_ 7.4 cu. ft. TurboSteam® Front Load Dryer

- 7.4 cu. ft. Ultra Large Capacity
- TurboSteam® Technology
- AI Fabric Sensor / Smart Pairing™
- SteamSanitary™ and SteamFresh™ Cycle
- 12 Cycles / 12 Options
- Sensor Dry System
- FlowSense™ Duct Clogging and Lint Filter Indicators
- LoDecibel™ Quiet Operation
- Tempered Glass Door
- LG ThinQ® Technology (Wi-Fi)

- Dryers
- DLEX4000B (Electric) – Black Steel
  - DLGX4001B (Gas) – Black Steel
  - DLEX4000W (Electric) – White
  - DLGX4001W (Gas) – White

- Matching Washers
- WM4000HBA – Black Steel
  - WM4000HWA – White



### DLE3600\_ / DLG3601\_ 7.4 cu. ft. Front Load Dryer

- 7.4 cu. ft. Ultra Large Capacity
- AI Fabric Sensor / Smart Pairing™
- 10 Cycles / 9 Options
- Sensor Dry System
- FlowSense™ Duct Clogging and Lint Filter Indicators
- LoDecibel™ Quiet Operation
- Tempered Glass Door
- LG ThinQ® Technology (Wi-Fi)

- Dryers
- DLE3600V (Electric) – Graphite Steel
  - DLG3601V (Gas) – Graphite Steel
  - DLE3600W (Electric) – White
  - DLG3601W (Gas) – White

- Matching Washers
- WM3600HVA – Graphite Steel
  - WM3600HWA – White

## FRONT LOAD DRYERS



### DLE3400W / DLG3401W 7.4 cu. ft. Front Load Dryer

- 7.4 cu. ft. Ultra Large Capacity
- 8 Cycles / 7 Options
- Sensor Dry System
- FlowSense™ Duct Clogging and Lint Filter Indicators
- LoDecibel™ Quiet Operation
- SmartDiagnosis™

- Dryers
- DLE3400W (Electric) – White
  - DLG3401W (Gas) – White
- Matching Washer
- WM3400CW – White



### DLHC1455W 4.2 cu. ft. Compact 24" Wide Heat Pump Dryer (Ventless)

- 4.2 cu. ft. Compact Capacity
- Dual Inverter HeatPump™ Technology
- Ventless Design
- Auto Cleaning Condenser
- 14 Cycles / 12 Options
- Sensor Dry System
- Wrinkle Care Option
- Delicate Cycle
- NeveRust™ Stainless Steel Drum
- LG ThinQ® Technology (Wi-Fi)

- Dryers
- DLHC1455W (Electric) – White
- Matching Washer
- WM1455HW – White

Most Efficient 2022  
www.energy.gov

DLHC1455V Graphite Steel  
planned end-of-life 6/22; Available in limited quantities, contact your LG Sales Rep for details





## TOP LOAD WASHERS



### WT7900H\_A 5.5 cu. ft. Top Load Washer

- 5.5 cu. ft. Mega Capacity
- TurboWash3D™ Technology
- Steam Technology
- 14 Cycles / 15 Options
- Allergiene™ Cycle
- ColdWash™ Option
- 6Motion™ Technology
- Internal Heater
- Direct Drive Motor 10-Year Limited Warranty
- NeveRust™ Stainless Steel Tub & Wash Plate
- LG ThinQ® Technology (Wi-Fi)

#### Washers

- WT7900HBA – Black Steel
- WT7900HWA – White

#### Matching Dryers

- DLEX7900BE (Electric) – Black Steel
- DLGX7901BE (Gas) – Black Steel
- DLEX7900WE (Electric) – White
- DLGX7901WE (Gas) – White



### WT7405C\_ 5.3 cu. ft. Top Load Washer with 4-Way™ Agitator

- 5.3 cu. ft. Mega Capacity
- 4-Way™ Agitator
- TurboWash3D™ Technology
- Built-in Intelligence with Smart Pairing™
- 8 Cycles / 15 Options
- ColdWash™ Option
- 6Motion™ Technology
- Deep Fill Option
- Direct Drive Motor 10-Year Limited Warranty
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)

#### Washers

- WT7405CV – Graphite Steel
- WT7405CW – White

#### Matching Dryers

- DLE7400VE (Electric) – Graphite Steel
- DLG7401VE (Gas) – Graphite Steel
- DLE7400WE (Electric) – White
- DLG7401WE (Gas) – White



### WT7400C\_ 5.5 cu. ft. Top Load Washer

- 5.5 cu. ft. Mega Capacity
- TurboWash3D™ Technology
- Built-in Intelligence with Smart Pairing™
- 8 Cycles / 16 Options
- ColdWash™ Option
- 6Motion™ Technology
- Water Plus Option
- Direct Drive Motor 10-Year Limited Warranty
- NeveRust™ Stainless Steel Tub & Wash Plate
- LG ThinQ® Technology (Wi-Fi)

#### Washers

- WT7400CV – Graphite Steel
- WT7400CW – White

#### Matching Dryers

- DLE7400VE (Electric) – Graphite Steel
- DLG7401VE (Gas) – Graphite Steel
- DLE7400WE (Electric) – White
- DLG7401WE (Gas) – White

## TOP LOAD WASHERS



### WT7155CW 4.8 cu. ft. Top Load Washer with 4-Way™ Agitator

- 4.8 cu. ft. Mega Capacity
- 4-Way™ Agitator
- TurboDrum™ Technology
- 8 Cycles / 9 Options
- ColdWash™ Option
- 6Motion™ Technology
- Deep Fill Option
- Direct Drive Motor 10-Year Limited Warranty
- NeveRust™ Stainless Steel Tub
- SmartDiagnosis™

#### Washer

- WT7155CW – White

#### Matching Dryers

- DLE7150W (Electric) – White
- DLG7151W (Gas) – White



### WT7150CW 5.0 cu. ft. Top Load Washer

- 5.0 cu. ft. Capacity
- TurboDrum™ Technology
- 8 Cycles / 9 Options
- ColdWash™ Option
- 6Motion™ Technology
- Water Plus Option
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Tub
- SmartDiagnosis™

#### Washer

- WT7150CW – White

#### Matching Dryers

- DLE7150W (Electric) – White
- DLG7151W (Gas) – White



### WT7005CW 4.3 cu. ft. Top Load Washer with 4-Way™ Agitator

- 4.3 cu. ft. Capacity
- 4-Way™ Agitator
- TurboDrum™ Technology
- 8 Cycles / 9 Options
- ColdWash™ Option
- 6Motion™ Technology
- Deep Fill Option
- Direct Drive Motor 10-Year Limited Warranty
- NeveRust™ Stainless Steel Tub
- SmartDiagnosis™

#### Washer

- WT7005CW – White

#### Matching Dryers

- DLE7000W (Electric) – White
- DLG7001W (Gas) – White

## TOP LOAD WASHERS



**WT7000CW**  
4.5 cu. ft. Top Load Washer

- 4.5 cu. ft. Capacity
- TurboDrum™ Technology
- 8 Cycles / 9 Options
- ColdWash™ Option
- 6Motion™ Technology
- Water Plus Option
- Direct Drive Motor (10-Year Limited Warranty)
- Stainless Steel Tub
- SmartDiagnosis™

Washer  
○ WT7000CW – White

Matching Dryers  
○ DLE7000W (Electric) – White  
○ DLG7001W (Gas) – White



## TOP LOAD MATCHING DRYERS



**DLEX7900\_E / DLGX7901\_E**  
7.3 cu. ft. Rear Control Top Load Matching Dryer with TurboSteam®

- 7.3 cu. ft. Capacity
- TurboSteam® Technology
- SteamSanitary™ and SteamFresh™ Cycle
- EasyLoad™ Door
- 14 Cycles / 12 Options
- Sensor Dry System
- FlowSense™ Duct Clogging Indicator
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)

Dryers  
● DLEX7900BE (Electric) – Black Steel  
● DLGX7901BE (Gas) – Black Steel  
○ DLEX7900WE (Electric) – White  
○ DLGX7901WE (Gas) – White

Matching Washers  
● WT7900HBA – Black Steel  
○ WT7900HWA – White

## TOP LOAD MATCHING DRYERS



**DLE7400\_E / DLG7401\_E**  
7.3 cu. ft. Rear Control Top Load Matching Dryer

- 7.3 cu. ft. Ultra Large Capacity
- EasyLoad™ Door
- 8 Cycles / 12 Options
- Sensor Dry System
- Wrinkle Care Option
- FlowSense™ Duct Clogging & Lint Filter Indicators
- LoDecibel™ Quiet Operation
- LG ThinQ® Technology (Wi-Fi)

Dryers  
● DLE7400VE (Electric) – Graphite Steel  
● DLG7401VE (Gas) – Graphite Steel  
○ DLE7400WE (Electric) – White  
○ DLG7401WE (Gas) – White

Matching Washers  
● WT7405CV (Agitator) – Graphite Steel  
● WT7400CV (Impeller) – Graphite Steel  
○ WT7405CW (Agitator) – White  
○ WT7400CW (Impeller) – White



**DLE7150W / DLG7151W**  
7.3 cu. ft. Rear Control Top Load Matching Dryer

- 7.3 cu. ft. Capacity
- 8 Cycles / 7 Options
- Sensor Dry System
- Wrinkle Care Option
- FlowSense™ Duct Clogging Indicator
- LoDecibel™ Quiet Operation
- SmartDiagnosis™

Dryers  
○ DLE7150W (Electric) – White  
○ DLG7151W (Gas) – White

Matching Washers  
○ WT7155CW (Agitator) – White  
○ WT7150CW (Impeller) – White



**DLE7000W / DLG7001W**  
7.3 cu. ft. Rear Control Top Load Matching Dryer

- 7.3 cu. ft. Capacity
- 8 Cycles / 7 Options
- Sensor Dry
- Wrinkle Care Option
- FlowSense™ Duct Clogging & Lint Filter Indicators
- LoDecibel™ Quiet Operation
- SmartDiagnosis™

Dryers  
○ DLE7000W (Electric) – White  
○ DLG7001W (Gas) – White

Matching Washers  
○ WT7005CW (Agitator) – White  
○ WT7000CW (Impeller) – White

## LG STYLER® STEAM CLOSET



### S5MSB LG STUDIO Styler® Steam Closet

- Perfect Laundry Companion
- Extra Large Capacity (6 Items)
- TrueSteam® Technology
- Refresh Clothing
- Reduce Wrinkles & Odors
- Gentle, Fast Drying for Delicates
- Pants Crease Care
- Dehumidify Feature
- Plug & Go Installation, No Plumbing Needed
- LG ThinQ® Technology (Wi-Fi)

- S5MSB – Black Tinted Mirror



LG styler® Steam Closet

## LG STYLER® STEAM CLOSET



### S3CW LG Styler® Steam Closet

- Perfect Laundry Companion
- Large Capacity (3 Items)
- TrueSteam® Technology
- Refresh Clothing
- Reduce Wrinkles & Odors
- Gentle, Fast Drying for Delicates
- Plug & Go Installation, No Plumbing Needed
- LG ThinQ® Technology (Wi-Fi)

- S3CW – White



LG styler® Steam Closet



### S3MFBN / S3RFBN / S3WFBN LG Styler® Steam Closet

- Perfect Laundry Companion
- Large Capacity (4 Items)
- TrueSteam® Technology
- Refresh Clothing
- Reduce Wrinkles & Odors
- Gentle, Fast Drying for Delicates
- Pants Crease Care
- Plug & Go Installation, No Plumbing Needed
- LG ThinQ® Technology (Wi-Fi)

- S3MFBN – Mirror Finish
- S3RFBN – Espresso (Dark Brown)
- S3WFBN – White



LG styler® Steam Closet



## LG SIDEKICK™ PEDESTAL WASHERS



### WD200CB 29" LG SideKick™ Pedestal Washer

- 1.0 cu. ft. Capacity
- NeveRust™ Stainless Steel Drum
- Direct Drive Motor with 10-Year Limited Warranty
- Perfect for Intimates, Hand Wash or Active Wear
- Smart Diagnosis™

● WD200CB – Black Steel

Compatible with 29" Wide Front Load Washers



### WD100C\_ 27" LG SideKick™ Pedestal Washer

- 1.0 cu. ft. Capacity
- NeveRust™ Stainless Steel Drum
- Direct Drive Motor with 10-Year Limited Warranty
- Perfect for Intimates, Hand Wash or Active Wear
- Smart Diagnosis™

● WD100CV – Graphite Steel  
● WD100CB – Black Steel  
○ WD100CW – White

Compatible with 27" Wide Front Load Washers and 27" Wide All-in-One Washer & Dryer Combos



## PEDESTAL STORAGE DRAWERS AND PEDESTAL RISER



### WDP5B 29" Pedestal Storage Drawer

- Elevates appliances off the floor by more than a foot for more comfortable loading and unloading
- Spacious drawer helps minimize laundry room clutter

● WDP5B – Black Steel

Compatible with 29" Wide Front Load Washers and Dryers



### WDP4\_ 27" Pedestal Storage Drawer

- Elevates appliances off the floor by more than a foot for more comfortable loading and unloading
- Spacious drawer helps minimize laundry room clutter
- Compatible with Select LG 27" Front Load Washers and Dryers

● WDP4V – Graphite Steel  
● WDP4B – Black Steel  
○ WDP4W – White

Compatible with 27" Wide Front Load Washers and Dryers, and 27" Wide All-in-One Washer & Dryer Combos



Shown with WM4000HWA Washer

### WDPS1\_ 27" ADA-Compliant Pedestal Riser

- Allows washer or dryer to meet ADA access requirements†
- Elevates appliances off the floor by 5 1/8"
- Provides a secure base and seamless look

● WDPS1B – Black Steel  
○ WDPS1W – White

Compatible with Select LG 27" Front Load Washers and Dryers

†When used with select 27" wide front load washers and dryers, without an LG SideKick™ pedestal washer or a pedestal storage drawer.



# ALL-IN-ONE COMBINATION WASHER / DRYER



### WM3998HBA 4.5 cu. ft. All-in-One Washer & Dryer Combo

- All-in-One Washer / Dryer Combination
- Ventless Condensing Drying
- 4.5 cu. ft. Ultra Large Capacity
- TurboWash® Technology
- Steam Technology & Allergiene™ Cycle
- 14 Cycles / 12 Options
- Internal Heater
- ColdWash™ Option
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Drum
- LG ThinQ® Technology (Wi-Fi)

● WM3998HBA – Black Steel



### WM3555H\_A 2.4 cu. ft. Compact All-in-One Washer & Dryer Combo

- Compact All-in-One Washer / Dryer Combination
- Ventless Condensing Drying
- 2.4 cu. ft. Capacity
- TurboWash® 360 Technology
- Steam Technology & Allergiene™ Cycle
- 14 Cycles / 13 Options
- Internal Heater
- Direct Drive Motor (10-Year Limited Warranty)
- NeverRust™ Stainless Steel Drum
- LG ThinQ® Technology (Wi-Fi)

● WM3555HVA – Graphite Steel  
○ WM3555HWA – White

# LAUNDRY KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D)	Cutout Dimensions (W x H x D)	Installation Requirements
<b>WashTower™</b>			
WSEX200HNA (Electric Dryer) – Noble Steel WSGX201HNA (Gas Dryer) – Noble Steel	27" x 74 3/8" x 32 3/4" (58" Depth with Door Open)	29" x 74 5/8" x 36 3/4"	Electrical Requirements – Washer: 120V, 10 Amps, Dryer: 120V, 15 Amps (Gas), 240V, 30 Amps (Electric); Power Outlet Location: Within 60" of Either Side of Unit; Plug Type – Washer: 3-Prong (Cord Attached to Unit), Dryer: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
WKEX200HBA (Electric Dryer) – Black Steel WKGX201HBA (Gas Dryer) – Black Steel WKEX200HWA (Electric Dryer) – White WKGX201HWA (Gas Dryer) – White	27" x 74 3/8" x 30 3/8" (55" Depth with Door Open)	29" x 74 5/8" x 34 3/8"	Electrical Requirements – Washer: 120V, 10 Amps, Dryer: 120V, 15 Amps (Gas), 240V, 30 Amps (Electric); Power Outlet Location: Within 60" of Either Side of Unit; Plug Type – Washer: 3-Prong (Cord Attached to Unit), Dryer: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
WKE100HVA (Electric Dryer) – Graphite Steel WKG101HVA (Gas Dryer) – Graphite Steel WKE100HWA (Electric Dryer) – White WKG101HWA (Gas Dryer) – White	27" x 74 3/8" x 30 3/8" (55" Depth with Door Open)	29" x 74 5/8" x 34 3/8"	Electrical Requirements – Washer: 120V, 10 Amps, Dryer: 120V, 15 Amps (Gas), 240V, 30 Amps (Electric); Power Outlet Location: Within 60" of Either Side of Unit; Plug Type – Washer: 3-Prong (Cord Attached to Unit), Dryer: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
<b>Front Load Washers</b>			
WM8900HBA – Black Steel	29" x 40 3/4" x 33" (57 1/2" Depth with Door Open)	31" x 42" x 37"	Electrical Requirements: 120V, 60 Hz, 10 Amps; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WM4500HBA – Black Steel	27" x 39" x 33 1/4" (55" Depth with Door Open)	29" x 39 1/4" x 37 1/4"	Electrical Requirements: 120V, 60 Hz, 10 Amps; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WM4200HBA – Black Steel WM4200HWA – White	27" x 39" x 33 1/4" (55" Depth with Door Open)	29" x 39 1/4" x 37 1/4"	Electrical Requirements: 120V, 60 Hz, 10 Amps; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WM4000HBA – Black Steel WM4000HWA – White	27" x 39" x 30 1/4" (55" Depth with Door Open)	29" x 39 1/4" x 34 1/4"	Electrical Requirements: 120V, 60 Hz, 10 Amps; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WM3600HVA – Graphite Steel WM3600HWA – White	27" x 39" x 30 1/4" (55" Depth with Door Open)	29" x 39 1/4" x 34 1/4"	Electrical Requirements: 120V, 60 Hz, 10 Amps; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WM3400CW – White	27" x 39" x 30 1/4" (55" Depth with Door Open)	29" x 39 1/4" x 34 1/4"	Electrical Requirements: 120V, 60 Hz, 10 Amps; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WM1455HWA – White	24" x 33 1/2" x 22 1/4" (43 1/4" Depth with Door Open)	26" x 33 3/4" x 26 1/4"	Electrical Requirements: 120V, 60 Hz, 10 Amps; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
<b>Front Load Dryers</b>			
DLEX8900B (Electric) – Black Steel DLGX8901B (Gas) – Black Steel	29" x 40 3/4" x 32 1/8" (59" Depth with Door Open)	31" x 41" x 37 1/8" (34 1/8" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)

## LAUNDRY KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D)	Cutout Dimensions (W x H x D)	Installation Requirements
<b>Front Load Dryers</b>			
DLEX4500B (Electric) – Black Steel DLGX4501B (Gas) – Black Steel	27" x 38 11/16" x 30" (51" Depth with Door Open)	29" x 39" x 35" (32" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
DLEX4200B (Electric) – Black Steel DLGX4201B (Gas) – Black Steel DLEX4200W (Electric) – White DLGX4201W (Gas) – White	27" x 39" x 30 1/8" (51 3/8" Depth with Door Open)	29" x 39" x 35 1/8" (32 1/8" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
DLEX4000B (Electric) – Black Steel DLGX4001B (Gas) – Black Steel DLEX4000W (Electric) – White DLGX4001W (Gas) – White	27" x 39" x 30 1/8" (51 3/8" Depth with Door Open)	29" x 39" x 35 1/8" (32 1/8" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
DLE3600V (Electric) – Graphite Steel DLG3601V (Gas) – Graphite Steel DLE3600W (Electric) – White DLG3601W (Gas) – White	27" x 39" x 30 1/8" (51 3/8" Depth with Door Open)	29" x 39" x 35 1/8" (32 1/8" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
DLE3400W (Electric) – White DLG3401W (Gas) – White	27" x 38 11/16" x 30 1/8" (51 3/8" Depth with Door Open)	29" x 38 11/16" x 35 1/8" (32 1/8" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
DLHC1455W (Electric) – White	24" x 33 1/2" x 26 3/8" (45 1/4" Depth with Door Open)	26" x 33 1/2" x 31 3/8"	Electrical Requirements: Electric: 240V, 30 Amps; Power Outlet Location: Within 24" of Either Side; Plug Type: 4-Wire (Cord Required)
<b>Top Load Washers</b>			
WT7900HBA – Black Steel WT7900HWA – White	27" x 44 1/2" x 28 3/8"	29" x 57 1/4" x 32 3/8" (H Includes Clearance for Open Lid)	Electrical Requirements: 120V @ 60Hz; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WT7405CV – Graphite Steel WT7405CW – White	27" x 44 1/2" x 28 3/8"	29" x 58" x 32 3/8" (H Includes Clearance for Open Lid)	Electrical Requirements: 120V @ 60Hz; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WT7400CV – Graphite Steel WT7400CW – White	27" x 44 1/2" x 28 3/8"	29" x 58" x 32 3/8" (H Includes Clearance for Open Lid)	Electrical Requirements: 120V @ 60Hz; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WT7155CW – White	27" x 44 1/2" x 28 3/8"	29" x 58" x 32 3/8" (H Includes Clearance for Open Lid)	Electrical Requirements: 120V @ 60Hz; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WT7150CW – White	27" x 44 1/2" x 28 3/8"	29" x 58" x 32 3/8" (H Includes Clearance for Open Lid)	Electrical Requirements: 120V @ 60Hz; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WT7005CW – White	27" x 44 1/2" x 28 3/8"	29" x 58" x 32 3/8" (H Includes Clearance for Open Lid)	Electrical Requirements: 120V @ 60Hz; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WT7000CW – White	27" x 44 1/2" x 28 3/8"	29" x 58" x 32 3/8" (H Includes Clearance for Open Lid)	Electrical Requirements: 120V @ 60Hz; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)



## LAUNDRY KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D)	Cutout Dimensions (W x H x D)	Installation Requirements
<b>Top Load Dryers</b>			
DLEX7900BE (Electric) – Black Steel DLGX7901BE (Gas) – Black Steel DLEX7900WE (Electric) – White DLGX7901WE (Gas) – White	27" x 44 1/4" x 29 1/2" (50 1/4" Depth with Door Open)	29" x 44 1/4" x 34 1/2" (31 1/2" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
DLE7400VE (Electric) – Graphite Steel DLG7401VE (Gas) – Graphite Steel DLE7400WE (Electric) – White DLG7401WE (Gas) – White	27" x 44 1/4" x 29 1/2" (50 1/4" Depth with Door Open)	29" x 45 1/4" x 34 1/2" (31 1/2" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
DLE7150W (Electric) – White DLG7151W (Gas) – White	27" x 44 1/4" x 29 1/2" (50 1/4" Depth with Door Open)	29" x 44 1/4" x 34 1/2" (31 1/2" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
DLE7000W (Electric) – White DLG7001W (Gas) – White	27" x 44 1/4" x 29 1/2" (50 1/4" Depth with Door Open)	29" x 44 1/4" x 34 1/2" (31 1/2" D for Side or Bottom Venting)	Electrical Requirements: Electric: 240V, 30 Amps, Gas: 120V, 15 Amps; Power Outlet Location: Within 48" of Either Side; Plug Type: Gas: 3-Prong (Cord Attached to Unit), Electric: 4-Wire (Cord Required)
<b>LG Styler® Steam Closet</b>			
S5MSB – Black Tinted Mirror	23 5/8" x 77 1/4" x 23 3/4" (39 3/4" Depth with Door Open)	24 1/4" x 78 1/4" x 25 5/8"	Electrical Requirements: 120V, 12.5 Amps, 60Hz; Minimum Circuit Breaker Size: 15 Amp; Power Consumption: 1,500 Watts; Plug Type: 3-Prong
S3MFBN – Mirror Finish S3RFBN – Espresso (Dark Brown) S3WFBN – White	17 1/2" x 72 3/4" x 23" (39 3/8" Depth with Door Open)	18" x 74 3/8" x 24 7/8"	Electrical Requirements: 120V, 12.5 Amps, 60Hz; Minimum Circuit Breaker Size: 15 Amp; Power Consumption: 1,500 Watts; Plug Type: 3-Prong
S3CW – White	17 1/2" x 72 3/4" x 23" (39 3/8" Depth with Door Open)	18" x 74 3/8" x 24 7/8"	Electrical Requirements: 120V, 12.5 Amps, 60Hz; Minimum Circuit Breaker Size: 15 Amp; Power Consumption: 1,500 Watts; Plug Type: 3-Prong
<b>LG SideKick™ Pedestal Washers, Pedestal Drawers &amp; ADA-Compliant Pedestal Riser</b>			
WD200CB – Black Steel	29" x 14 1/8" x 30 7/8"	–	Electrical Requirements: 120V, 5 Amps; Power Outlet Location: Within 60" of Either Side; Power Cord: Included (3-Prong)
WD100CV – Graphite Steel WD100CB – Black Steel WD100CW – White	27" x 14 1/8" x 30 3/4"	–	Electrical Requirements: 120V, 5 Amps; Power Outlet Location: Within 60" of Either Side; Power Cord: Included (3-Prong)
WDP5B – Black Steel	29" x 13 5/8" x 29 1/2"	–	–
WDP4V – Graphite Steel WDP4B – Black Steel WDP4W – White	27" x 13 5/8" x 28"	–	–
WDPS1B – Black Steel WDPS1W – White	27" x 5 1/8" x 27"	–	–

## LAUNDRY KEY DIMENSIONS AND INSTALLATION REQUIREMENTS

Model / Color	Product Dimensions (W x H x D)	Cutout Dimensions (W x H x D)	Installation Requirements
<b>All-in-One Combination Washer / Dryer</b>			
WM3998HBA – Black Steel	27" x 39" x 30 1/4" (55" Depth with Door Open)	29" x 39 3/16" x 34 1/4"	Electrical Requirements: 120V, 60 Hz, 10 Amps; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)
WM3555HVA – Graphite Steel WM3555HWA – White	24" x 33 1/2" x 22 1/4" (43 1/4" Depth with Door Open)	26" x 33 3/4" x 26 1/4"	Electrical Requirements: 120V, 60 Hz, 15 Amps; Power Outlet Location: Within 60" of Either Side; Plug Type: 3-Prong (Cord Attached to Unit)

## LAUNDRY ACCESSORIES

Model	Description	For Use With
 KSTK2	Stacking Kit	29" Wide Front Load Washer Pairs WM8100HVA & DLEX8100V / DLGX8101V / WM8900HBA & DLEX8900B / DLGX8901B
 KSTK1	Stacking Kit	27" Wide Front Load Washer Pairs
 383EEL9001L	Side / Bottom Venting Kit	29" Wide Front Load Dryers DLEX8900B / DLGX8901B
 3911EZ9131X	Side / Bottom Venting Kit	27" Wide Front Load Dryers, Top Load Dryers, WashTowers
 383EEL3002D	LP Conversion Kit	Front Load Gas Dryers, Top Load Gas Dryers, Gas WashTowers





**Support Team  
(For Dealers / Builders Only)**

The Product Service Support team is available Monday–Friday, 8am–6pm CST.\*

- General Service Questions
- Check Service Status
- Service Call Scheduling
- Warranty Inquiries

builder@lgsupport.com | 833-242-2791

For Dealers and Builders who need to verify ETA, availability, and tracking inquiries on orders placed, email builder.orderentry@lgcns.com or call 1-800-377-8204 Monday–Friday, 8am–8pm and Saturday 9am–5pm EST.\*

For Signature Kitchen Suite Concierge Service contact: concierge@skssupport.com | 855-790-6655

**Expert Support for Your Customers**

LG has invested more than \$13M in Factory Service growth in 2021 and will add 150 new techs in 2022.

- 2-hour Appointment Windows
- En-route Notification
- Same Day Service
- Saturday Service (Metro)
- Evening Service (Metro)
- 74% One-visit Fix
- Overnight Parts Delivery

**Consumer Rebates**

All active rebate information and forms can be found at lgrebatecenter.com.

**Signature Kitchen Suite Concierge Service**

855-790-6655 | concierge@skssupport.com



Create a space your customers will love. Explore LG products, packages and discounts, request a quote—and find the perfect appliances for any project. Visit LGBuilder.com or contact your LG Builder Account Manager to learn more.

**LG BUILDER**

\*Excluding company holidays: New Year's Day, President's Day, Thanksgiving Day, Post Thanksgiving Day, Christmas Eve and Christmas Day







# LG BUILDER

Visit [lgbuilder.com](http://lgbuilder.com) to find the sales representative for your area or to locate your nearest dealer.

