# Headspace iOS Application Accessibility Conformance Report

# **WCAG Edition**

(Based on VPAT<sup>®</sup> Version 2.4)

#### Name of Product/Version:

Headspace iOS Mobile Application v3.207.0 (173956)

#### **Report Date:**

March 31, 2022

#### **Product Description:**

Headspace is a global leader in mindfulness and well-being, offering a range of consumer- and enterprise-focused tools for managing stress, sleep, and focus.

#### **Contact Information:**

For any questions about the accessibility of this application, please contact <u>help@headspace.com</u>.

#### Notes:

Web Views within the application that load rich web content, such as embedded HTML and websites, were not included in the testing. At the time of this report, Headspace does not support captions and audio descriptions for non-English languages.

## **Evaluation Methods Used:**

"Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI) <u>Perkins Access</u>, an independent accessibility consulting division of <u>Perkins School for the Blind</u>, was contracted by <u>Headspace</u> to test the product and document their findings in this VPAT. Perkins Access accessibility consultants thoroughly reviewed the Headspace application (Application Version: 3.207) for conformance to the Web Content Accessibility Guidelines 2.1 Level A and Level AA. Testing was done on iOS (software version 15.4), using the iOS accessibility options including: VoiceOver, Zoom, Display and text size, Motion, Subtitles and captions, and Audio descriptions.

# **Applicable Standards/Guidelines**

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline                       | Included In Report |
|--|--------------------|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes)      |
|  | Level AA (Yes)     |
|  | Level AAA (No)     |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes)      |
|  | Level AA (Yes)     |
|  | Level AAA (No)     |

#### Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.x Report

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

#### Table 1: Success Criteria, Level A

| Criteria  | Conformance Level  | Remarks and Explanations   |
|---|--------------------|--|
| 1.1.1 Non-text Content (Level A)  | Supports           | All non-text content that is presented to the user in the application has a text alternative that serves an equivalent purpose.  |
| <b>1.2.1 Audio-only and Video-only (Prerecorded)</b> (Level A)              | Supports           | The application does not have prerecorded video-only<br>content and provides an alternative that presents<br>equivalent information for prerecorded audio-only<br>content.   |
| 1.2.2 Captions (Prerecorded) (Level A)                                      | Supports           | The application provides captions for all prerecorded<br>audio content in synchronized media. Caption controls<br>are provided directly within the media players with one<br>exception. The Group Meditation screen does not<br>provide a caption button, however, the meditation will<br>display captions if they were enabled in previously<br>viewed media content. |
| <b>1.2.3 Audio Description or Media Alternative (Prerecorded)</b> (Level A) | Partially Supports | Some of the synchronized media found in the<br>application have audio descriptions that can be turned<br>on via the application's accessibility settings. The large<br>majority of the synchronized media in the application is<br>slated to have audio descriptions by the end of April<br>2022.  |

| Criteria                                       | Conformance Level  | Remarks and Explanations   |
|--|--------------------|--|
| 1.3.1 Info and Relationships (Level A)         | Partially Supports | <ul> <li>Most information in the platform that is conveyed through presentation can be programmatically determined, with the following exceptions:</li> <li>Some content that is styled and functions as a heading is not marked up as a heading. For example, the Timeline heading within the Reflect screen and main headings that appear at the top of topic pages.</li> <li>The My Progress chart, which relies on visual presentation for understanding.</li> <li>Note: On some screens, the VoiceOver rotor will not detect headings that are positioned below the fold or outside of the current viewport.</li> </ul> |
| <b>1.3.2 Meaningful Sequence</b> (Level A)     | Supports           | When the sequence in which content is presented<br>affects its meaning, a correct reading sequence can be<br>programmatically determined.  |
| <b>1.3.3 Sensory Characteristics</b> (Level A) | Supports           | Instructions provided for understanding and operating<br>the application do not rely solely on sensory<br>characteristics such as shape, size, visual location,<br>orientation, or sound.  |
| 1.4.1 Use of Color (Level A)                   | Supports           | Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.   |
| 1.4.2 Audio Control (Level A)                  | Not Applicable     | The application does not contain any audio that plays<br>automatically for more than 3 seconds that would<br>require a mechanism to pause or stop the audio, or a<br>mechanism to control audio volume independently<br>from the overall system volume level.  |

| Criteria   | Conformance Level | Remarks and Explanations  |
|--|-------------------|---|
| 2.1.1 Keyboard (Level A)                         | Supports          | All user interface controls in the application are operable when using an externally connected keyboard.  |
| 2.1.2 No Keyboard Trap (Level A)                 | Supports          | If keyboard focus can be moved to a component of the<br>page using a keyboard interface, then focus can be<br>moved away from that component using only a<br>keyboard interface.                    |
| 2.1.4 Character Key Shortcuts (Level A 2.1 only) | Not Applicable    | The application does not use single-key shortcuts that require a mechanism to remap or to turn off.   |
| 2.2.1 Timing Adjustable (Level A)                | Supports          | Any time limits implemented by the application far exceed 20 hours.   |
| 2.2.2 Pause, Stop, Hide (Level A)                | Supports          | The application has animations and video previews<br>that play automatically. These can be disabled by<br>turning on the Reduce Motion setting within the iOS<br>accessibility settings for Motion. |
| 2.3.1 Three Flashes or Below Threshold (Level A) | Supports          | The application does not have flashing content.   |
| 2.4.1 Bypass Blocks (Level A)                    | Not Applicable    | The application is not web-based.   |
| 2.4.2 Page Titled (Level A)                      | Not Applicable    | The application is not web-based.   |
| 2.4.3 Focus Order (Level A)                      | Supports          | The application's focusable components receive focus in an order that preserves meaning and operability.  |
| 2.4.4 Link Purpose (In Context) (Level A)        | Supports          | The purpose of links in the application can be<br>determined from the link text alone or from the link<br>text together with its programmatically determined<br>link context.                       |
| 2.5.1 Pointer Gestures (Level A 2.1 only)        | Supports          | The application does not rely on multipoint (such as pinch zoom) or path-based (such as swipe) gestures to operate.   |

| Criteria                                      | Conformance Level | Remarks and Explanations   |
|---|-------------------|--|
| 2.5.2 Pointer Cancellation (Level A 2.1 only) | Supports          | Functionality in the application does not execute on a down event (such as tap down).  |
| 2.5.3 Label in Name (Level A 2.1 only)        | Supports          | All user interface controls in the application that have<br>accessible names / labels contain the same text as the<br>component's visible label, where applicable.   |
| 2.5.4 Motion Actuation (Level A 2.1 only)     | Supports          | The application does not include functionality that can be operated by device motion or user motion.   |
| 3.1.1 Language of Page (Level A)              | Supports          | The default human language used in the application can be programmatically determined.   |
| <u>3.2.1 On Focus</u> (Level A)               | Supports          | When user interface controls in the application receive focus, they do not result in a change of context as defined by WCAG.   |
| 3.2.2 On Input (Level A)                      | Supports          | When user interface controls in the application receive input, they do not initiate a change of context.   |
| 3.3.1 Error Identification (Level A)          | Supports          | If an input error is automatically detected, the item<br>that is in error is identified and the error is described to<br>the user in text immediately following the input.   |
| 3.3.2 Labels or Instructions (Level A)        | Supports          | Labels or instructions are provided when content in the<br>application requires user input. A small number of<br>toggle buttons within the profile settings are not<br>explicitly grouped with the label that immediately<br>precedes them in the reading order. |
| 4.1.1 Parsing (Level A)                       | Not Applicable    | The application is not implemented using markup languages.   |

| Criteria                          | Conformance Level | Remarks and Explanations                              |
|-----------------------------------|-------------------|---|
| 4.1.2 Name, Role, Value (Level A) | Supports          | The name and role for user interface controls in the  |
|                                   |                   | application can be programmatically determined;       |
|                                   |                   | states, properties, and values that can be set by the |
|                                   |                   | user can be programmatically set; and notification of |
|                                   |                   | changes to these items is available to user agents,   |
|                                   |                   | including assistive technologies.                     |

# Table 2: Success Criteria, Level AA

| Criteria   | Conformance Level  | Remarks and Explanations   |
|--|--------------------|--|
| 1.2.4 Captions (Live) (Level AA)                 | Not Applicable     | The application does not have synchronized media with live audio content that would require captions.  |
| 1.2.5 Audio Description (Prerecorded) (Level AA) | Partially Supports | Some of the synchronized media found in the<br>application have audio descriptions that can be turned<br>on via the application's accessibility settings. The large<br>majority of the synchronized media in the application is<br>slated to have audio descriptions by the end of April<br>2022.  |
| 1.3.4 Orientation (Level AA 2.1 only)            | Supports           | Content in the application does not restrict its view and operation to a single display orientation, such as portrait or landscape.  |
| 1.3.5 Identify Input Purpose (Level AA 2.1 only) | Supports           | The purpose of each input field collecting information about the user can be programmatically determined.  |
| <u>1.4.3 Contrast (Minimum)</u> (Level AA)       | Partially Supports | <ul> <li>The visual presentation of text and images of text in the application have a contrast ratio of at least 4.5:1 with surrounding colors, with the following exception:</li> <li>White text that is embedded in video content at times does not have sufficient contrast with background colors.</li> <li>White text used for open captions that are embedded in video content at times does not have sufficient contrast with background colors.</li> </ul> |
| <u>1.4.4 Resize text</u> (Level AA)              | Partially Supports | In most cases text can be resized up to 190% through<br>the iOS Text Size settings without loss of content or<br>functionality with some exceptions. For example,<br>content within the Check In survey process.   |

| Criteria   | Conformance Level | Remarks and Explanations   |
|--|-------------------|--|
| 1.4.5 Images of Text (Level AA)                      | Supports          | The application uses machine-readable text to convey information rather than images of text.   |
| 1.4.10 Reflow (Level AA 2.1 only)                    | Supports          | Content in the application is presented without loss of information or functionality, and without requiring scrolling in two dimensions.                           |
| 1.4.11 Non-text Contrast (Level AA 2.1 only)         | Supports          | The visual presentation of user interface components<br>and graphical objects in the application have a contrast<br>ratio of at least 3:1 with surrounding colors. |
| 1.4.12 Text Spacing (Level AA 2.1 only)              | Supports          | The application inherits the Display & Text formatting options configured in the iOS Accessibility settings.   |
| 1.4.13 Content on Hover or Focus (Level AA 2.1 only) | Supports          | The application does not have any content where keyboard focus triggers additional content.  |
| 2.4.5 Multiple Ways (Level AA)                       | Supports          | Although the application is not web-based, it does<br>provide search functionality that can be accessed from<br>all of the main landing screens.                   |
| 2.4.6 Headings and Labels (Level AA)                 | Supports          | Headings and labels that describe the topic or purpose<br>of content and controls are present in the application.  |
| 2.4.7 Focus Visible (Level AA)                       | Supports          | The keyboard focus indicator is visible on all user interface components within the application.   |
| <b>3.1.2 Language of Parts</b> (Level AA)            | Supports          | The human language of each passage or phrase in the content found in the application can be programmatically determined.   |
| 3.2.3 Consistent Navigation (Level AA)               | Supports          | Navigational elements that are repeated throughout screens in the application occur in the same relative order each time they are repeated.                        |
| 3.2.4 Consistent Identification (Level AA)           | Supports          | Components that have the same functionality within the application are identified consistently.  |

| Criteria   | Conformance Level  | Remarks and Explanations  |
|--|--------------------|---|
| 3.3.3 Error Suggestion (Level AA)                          | Supports           | Suggestions are provided to the user if an input error is<br>automatically detected and suggestions for correction<br>are known.  |
| 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) | Supports           | The platform has a way to reverse changes to user-<br>controllable data in data storage systems.  |
| 4.1.3 Status Messages (Level AA 2.1 only)                  | Partially Supports | Status messages can be programmatically determined<br>through role or properties such that they can be<br>presented to the user by assistive technologies without<br>receiving focus with the exception of a few alert<br>messages. |