



# OSLC Requirements Management Version 2.1. Part 2: Vocabulary

## Project Specification 02 28 May 2021

### This stage:

<https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps02/requirements-management-vocab.html> (Authoritative)  
<https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps02/requirements-management-vocab.pdf>

### Previous stage:

<https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps01/requirements-management-vocab.html> (Authoritative)  
<https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps01/requirements-management-vocab.pdf>  
(published as Project Specification on 03 September 2020)

### Latest stage:

<https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/requirements-management-vocab.html> (Authoritative)  
<https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/requirements-management-vocab.pdf>

### Latest version:

<https://open-services.net/spec/rm/latest>

### Latest editor's draft:

<https://open-services.net/spec/rm/latest-draft>

### Open Project:

[OASIS Open Services for Lifecycle Collaboration \(OSLC\) OP](#)

### Project Chairs:

Jim Amsden ([jamsden@us.ibm.com](mailto:jamsden@us.ibm.com)), IBM  
Andrii Berezovskyi ([andriib@kth.se](mailto:andriib@kth.se)), KTH Royal Institute of Technology

### Editors:

Mark Schulte ([mark.d.schulte@boeing.com](mailto:mark.d.schulte@boeing.com)), The Boeing Company  
Jad El-khoury ([jad@kth.se](mailto:jad@kth.se)), KTH Royal Institute of Technology

### Additional components:

This specification is one component of a Work Product that also includes:

- OSLC Requirements Management Version 2.1. Part 1: Specification. <https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps02/requirements-management-spec.html>
- OSLC Requirements Management Version 2.1. Part 2: Vocabulary (this document). <https://docs.oasis-open-requirements-management-vocab>

[projects.org/oslc-op/rm/v2.1/ps02/requirements-management-vocab.html](https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps02/requirements-management-vocab.html)

- OSLC Requirements Management Version 2.1. Part 3: Constraints. <https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps02/requirements-management-shapes.html>
- OSLC Requirements Management Version 2.1. Machine-readable Vocabulary Terms. <https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps02/requirements-management-vocab.html>
- OSLC Requirements Management Version 2.1. Machine-readable Constraints. <https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps02/requirements-management-shapes.html>

#### Related work:

This specification is related to:

- Open Services for Lifecycle Collaboration Requirements Management Specification Version 2.0. <http://open-services.net/bin/view/Main/RmSpecificationV2>

#### RDF Namespaces:

<http://open-services.net/ns/rm#>

#### Abstract:

This specification defines a vocabulary for the OSLC Requirements Management domain.

#### Status:

This document was last revised or approved by the [OASIS Open Services for Lifecycle Collaboration \(OSLC\) OP](https://open-services.net/about/) on the above date. The level of approval is also listed above. Check the “Latest stage” location noted above for possible later revisions of this document. Any other numbered Versions and other technical work produced by the Open Project are listed at <https://open-services.net/about/>.

Comments on this work can be provided by opening issues in the project repository or by sending email to the project's public comment list [oslc-op@lists.oasis-open-projects.org](mailto:oslc-op@lists.oasis-open-projects.org).

Note that any machine-readable content ([Computer Language Definitions](#)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.

#### Citation format:

When referencing this specification the following citation format should be used:

##### **[OSLC-RM-2.1-Part2]**

OSLC Requirements Management Version 2.1. Part 2: Vocabulary. Edited by Mark Schulte and Jad El-khoury. 28 May 2021. OASIS Project Specification 02. <https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/ps02/requirements-management-vocab.html>. Latest stage: <https://docs.oasis-open-projects.org/oslc-op/rm/v2.1/requirements-management-vocab.html>.

## Notices

Copyright © OASIS Open 2021. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This specification is published under the [Attribution 4.0 International \(CC BY 4.0\)](#). Portions of this specification are also provided under the [Apache License 2.0](#).

All contributions made to this project have been made under the [OASIS Contributor License Agreement \(CLA\)](#).

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the [Open Projects IPR Statements page](#).

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Open Project or OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Project Specification or OASIS Standard, to notify the OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Open Project that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Open Project Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark> for above guidance.

## Table of Contents

1. Introduction
  - 1.1 Terminology
  - 1.2 References
  - 1.3 Typographical Conventions and Use of RFC Terms
2. Conformance
3. Requirements Management Vocabulary Terms
  - 3.1 Vocabulary Details

## 1. Introduction

*This section is non-normative.*

This specification defines a vocabulary for the OSLC Requirements Management resources. The intent is to define resources needed to support common integration scenarios and not to provide a comprehensive definition of a Requirement. The resource formats may not match exactly the native models supported by requirement management service providers, but are intended to be compatible with them. The approach to supporting these scenarios is to delegate operations, as driven by service provider contributed user interfaces, as much as possible and not require a service provider to expose its complete data model and application logic.

### 1.1 Terminology

*This section is non-normative.*

Terminology is based on OSLC Core Overview [OSLCCore3], W3C Linked Data Platform [LDP], W3C's Architecture of the World Wide Web [WEBARCH], Hyper-text Transfer Protocol [HTTP11]. Terminology for this specification is defined in part 1 of the multi-part specification.

### 1.2 References

#### 1.2.1 Normative references

[HTTP11]

R. Fielding, Ed.; J. Reschke, Ed.. *Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing*. June 2014. Proposed Standard. URL: <https://httpwg.org/specs/rfc7230.html>

[LDP]

Steve Speicher; John Arwe; Ashok Malhotra. *Linked Data Platform 1.0*. 26 February 2015. W3C Recommendation. URL: <https://www.w3.org/TR/ldp/>

[OSLCCore3]

Jim Amsden; S. Speicher. *OSLC Core Version 3.0. Part 1: Overview*. Project Specification. URL: <https://docs.oasis-open-projects.org/oslc-op/core/v3.0/oslc-core.html>

[RFC2119]

S. Bradner. *Key words for use in RFCs to Indicate Requirement Levels*. March 1997. Best Current Practice. URL: <https://datatracker.ietf.org/doc/html/rfc2119>

[RFC8174]

B. Leiba. *Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words*. May 2017. Best Current Practice. URL: <https://datatracker.ietf.org/doc/html/rfc8174>

#### 1.2.2 Informative references

[WEBARCH]

Ian Jacobs; Norman Walsh. *Architecture of the World Wide Web, Volume One*. 15 December 2004. W3C Recommendation. URL: <https://www.w3.org/TR/webarch/>

### 1.3 Typographical Conventions and Use of RFC Terms

## Standards Track Work Product

As well as sections marked as non-normative, all authoring guidelines, diagrams, examples, and notes in this specification are non-normative. Everything else in this specification is normative.

The key words "**MUST**", "**MUST NOT**", "**REQUIRED**", "**SHALL**", "**SHALL NOT**", "**SHOULD**", "**SHOULD NOT**", "**RECOMMENDED**", "**NOT RECOMMENDED**", "**MAY**", and "**OPTIONAL**" in this specification are to be interpreted as described in [BCP 14 \[RFC2119\]](#) [[RFC8174](#)] when, and only when, they appear in all capitals, as shown here.

In addition to the namespace URIs and namespace prefixes `oslc`, `rdf`, `dcterms` and `foaf` defined in the [OSLC Core specification](#), OSLC RM defines the namespace URI of `http://open-services.net/ns/rm#` with a namespace prefix of `oslc_rm`

## 2. Conformance

Requirements Management servers **MUST** use the vocabulary terms defined here where required, and with the meanings defined here.

Requirements Management servers **MAY** augment this vocabulary with additional classes, properties, and individuals.

## 3. Requirements Management Vocabulary Terms

This specification defines the *root* superclasses, properties and values. Servers may define additional subclasses and provide additional properties as needed.

### 3.1 Vocabulary Details

The namespace URI for this vocabulary is: <http://open-services.net/ns/rm#>

All vocabulary URIs defined in the OSLC Requirements Management (RM) namespace.

#### See Also:

- <https://github.com/oslc-op/oslc-specs/blob/master/specs/rm/requirements-management-vocab.ttl>

#### 3.1.1 Classes in this namespace (2)

[Requirement](#), [RequirementCollection](#)

##### **Requirement**

<http://open-services.net/ns/rm#Requirement>

*Requirement* is an RDFS class.

Statement of need.

##### **RequirementCollection**

<http://open-services.net/ns/rm#RequirementCollection>

*RequirementCollection* is an RDFS class.

Collection of requirements. A collection uses zero or more requirements.

#### 3.1.2 Properties in this namespace (15)

[affectedBy](#), [constrainedBy](#), [constrains](#), [decomposedBy](#), [decomposes](#), [elaboratedBy](#), [elaborates](#), [implementedBy](#), [satisfiedBy](#), [satisfies](#), [specifiedBy](#), [specifies](#), [trackedBy](#), [uses](#), [validatedBy](#)

##### **affectedBy**

<http://open-services.net/ns/rm#affectedBy>

*affectedBy* is an RDF property.

Expresses an affects relationship between entities, where the object entity in some way affects the subject entity. For example, a requirement is affected by a defect.

##### **constrainedBy**

<http://open-services.net/ns/rm#constrainedBy>

*constrainedBy* is an RDF property.



Expresses a constraining relationship between entities, where the object entity constrains the subject entity. For example, a functional requirement is constrained by a safety requirement.

**constrains**

<http://open-services.net/ns/rm#constrains>

*constrains* is an RDF property.

Expresses a constraining relationship between entities, where the subject entity constrains the object entity. For example, a safety requirement constrains a functional requirement.

**decomposedBy**

<http://open-services.net/ns/rm#decomposedBy>

*decomposedBy* is an RDF property.

Expresses a decomposition relationship between entities, where the object entity decomposes the subject entity. For example, a system requirement is decomposed into a collection of system requirements.

**decomposes**

<http://open-services.net/ns/rm#decomposes>

*decomposes* is an RDF property.

Expresses a decomposition relationship between entities, where the subject entity decomposes the object entity. For example, a collection of system requirements decompose a system requirement.

**elaboratedBy**

<http://open-services.net/ns/rm#elaboratedBy>

*elaboratedBy* is an RDF property.

Expresses an elaboration relationship between entities, where the object entity elaborates the subject entity. For example, a requirement is elaborated by a model element.

**elaborates**

<http://open-services.net/ns/rm#elaborates>

*elaborates* is an RDF property.

Expresses an elaboration relationship between entities, where the subject entity elaborates the object entity. For example, a model element elaborates a requirement.

**implementedBy**

<http://open-services.net/ns/rm#implementedBy>

*implementedBy* is an RDF property.

Expresses an implementation relationship between entities, where the object entity is a necessary or desirable aspect of an implementation of the subject entity.

**satisfiedBy**

<http://open-services.net/ns/rm#satisfiedBy>

*satisfiedBy* is an RDF property.

The subject is satisfied by the object. For example, a user requirement is satisfied by a system requirement.

**satisfies**

<http://open-services.net/ns/rm#satisfies>

*satisfies* is an RDF property.

Expresses a relationship between entities, where the subject entity satisfies the object entity. For example, a system requirement satisfies a user requirement.

**specifiedBy**

<http://open-services.net/ns/rm#specifiedBy>

*specifiedBy* is an RDF property.

Expresses a specification relationship between entities, where the object entity further clarifies or specifies the subject entity. For example, a requirement is specified by a model element.

**specifies**

<http://open-services.net/ns/rm#specifies>

*specifies* is an RDF property.

Expresses a specification relationship between entities, where the subject entity further clarifies or specifies the object entity. For example, a model element specifies a requirement.

**trackedBy**

<http://open-services.net/ns/rm#trackedBy>

*trackedBy* is an RDF property.

Expresses a tracking relationship between entities, where the object entity in some way tracks or governs the evolution of the subject entity. For example, a requirement may be said to be tracked by a change request, in that it governs the changes to a requirement according to some process machinery.

**uses**

<http://open-services.net/ns/rm#uses>

*uses* is an RDF property.

Expresses a use relationship between entities, where the object entity is used by the subject entity. For example, a requirement collection may use a requirement.

**validatedBy**

<http://open-services.net/ns/rm#validatedBy>

*validatedBy* is an RDF property.

Expresses a validation relationship between entities, where the object entity in some way validates the subject entity. For

## Standards Track Work Product

example, a requirement collection may be said to be validated by a test plan.