

Felder der Protokolldatei

Feld	Dargestellt als	Beschreibung
Date	date	The date on which the activity occurred.
Time	time	The time, in coordinated universal time (UTC), at which the activity occurred.
Server IP Address	s-ip	The IP address of the server on which the log file entry was generated.
Method	cs-method	The requested action, for example, a GET method.
URI Stem	cs-uri-stem	The target of the action, for example, Default.htm.
URI Query	cs-uri-query	The query, if any that the client was trying to perform. A Universal Resource Identifier (URI) query is necessary only for dynamic pages.
Server Port	s-port	The server port number that is configured for the service.
Client IP Address	c-ip	The IP address of the client that made the request.
User Agent	cs(User-Agent)	The browser type that the client used.
Referrer	cs(Referrer)	The site that the user last visited. This site provided a link to the current site.
HTTP Status	sc-status	The HTTP status code.
Protocol Substatus	sc-substatus	The sub status error code.
Win32 Status	sc-win32-status	The Windows status code.
Time Taken	time-taken	The length of time that the action took, in milliseconds.

Datum und die Uhrzeit des Zugriffs		siehe Date, siehe Time
Die Webseite, von der aus der Zugriff erfolgt		siehe URL query
Name und die URL der abgerufenen Datei		siehe URI Stem
Das Betriebssystem Ihres Rechners und der von Ihnen verwendete Browser		
Die IP-Adresse		siehe Client IP address
Name Ihres Internet-Service-Providers		wird nicht ins Log geschrieben