

Manta Ray Critical Habitat Determination Bibliography

- Adams D, Amesbury E (1998) Occurrence of the manta ray, *Manta birostris*, in the Indian River Lagoon, Florida. *Florida Scientist* 61: 7-9
- Armstrong AO, Armstrong AJ, Jaine FRA, Couturier LIE, Fiora K, Uribe-Palomino J, Weeks SJ, Townsend KA, Bennett MB, Richardson AJ (2016) Prey Density Threshold and Tidal Influence on Reef Manta Ray Foraging at an Aggregation Site on the Great Barrier Reef. *PLoS ONE* 11: 1-18 doi 10.1371/journal.pone.0153393
- Beebe W, Tee-Van J (1941) Eastern Pacific expeditions of the New York Zoological Society. XXVIII. Fishes from the tropical eastern Pacific. [From Cedros Island, Lower California, south to the Galápagos Islands and northern Peru.] Part 3. Rays, Mantas and Chimaeras. *Zoologica, Scientific Contributions of the New York Zoological Society* 26: 245-280, Pls. 241-244
- Bigelow HB, Schroeder WC (1953) Sawfishes, guitarfishes, skates and rays. Fishes of the Western North Atlantic. *Memoirs of Sears Foundation for Marine Research* 1: 514
- Burgess KB (2017) Feeding ecology and habitat use of the giant manta ray *Manta birostris* at a key aggregation site off mainland Ecuador. Faculty of Medicine
- Burgess KB, Couturier LI, Marshall AD, Richardson AJ, Weeks SJ, Bennett MB (2016) Manta *birostris*, predator of the deep? Insight into the diet of the giant manta ray through stable isotope analysis. *R Soc Open Sci* 3: 160717 doi 10.1098/rsos.160717
- Carpenter KE, Niem VH (2001) FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 5. Bony fishes part 3 (Menidae to Pomacentridae). FAO Library
- Childs JN (2001) The occurrence, habitat use, and behavior of sharks and rays associating with topographic highs in the northwestern Gulf of Mexico. Department of Wildlife and Fisheries Sciences
- Clark TB (2010) Abundance, home range, and movement patterns of manta rays (*Manta alfredi*, *M. birostris*) in Hawai'i. Zoology, Manoa, Hawaii
- Coles RJ (1916) Natural history notes on the devil-fish, *Manta birostris* (Walbaum) and *Mobula olfersi* (Muller)
- Couturier LI, Marshall AD, Jaine FR, Kashiwagi T, Pierce SJ, Townsend KA, Weeks SJ, Bennett MB, Richardson AJ (2012) Biology, ecology and conservation of the Mobulidae. *Journal of fish biology* 80: 1075-1119 doi 10.1111/j.1095-8649.2012.03264.x
- De Boer MN, Saulino JT, Lewis TP, Notarbartolo-Di-Sciara G (2015) New records of whale shark (*Rhincodon typus*), giant manta ray (*Manta birostris*) and Chilean devil ray (*Mobula tarapacana*) for Suriname. *Marine Biodiversity Records* 8: N.PAG-00 doi 10.1017/S1755267214001432

- Deakos MH, Baker JD, Bejder L (2011) Characteristics of a manta ray *Manta alfredi* population off Maui, Hawaii, and implications for management. *Mar Ecol Prog Ser* 429: 245-260 doi 10.3354/meps09085
- Evgeny R (2010) Mobulidae of the Indian Ocean: an identification hints for field sampling. IOTC Working Party on Ecosystems and Bycatch (WPEB). Victoria, Seychelles, 27-30 October 2010
- Freedman R, Roy SS (2012) Spatial patterning of *Manta birostris* in United States east coast offshore habitat. *Applied Geography* 32: 652-659
- Girondot M, Bedel S, Delmoitiez L, Russo M, Chevalier J, Guery L, Ben Hassine S, Feon H, Jribi I (2015) Spatio-temporal distribution of *Manta birostris* in French Guiana waters. *Journal of the Marine Biological Association of the United Kingdom* 95: 153-160 doi 10.1017/S0025315414001398
- Graham RT, Witt MJ, Castellanos DW, Remolina F, Maxwell S, Godley BJ, Hawkes LA (2012) Satellite Tracking of Manta Rays Highlights Challenges to Their Conservation. *Plos One* 7 doi ARTN e36834 10.1371/journal.pone.0036834
- Guerrero M, Hearn A (2017) Manta rayas gigantes (*Manta birostris*) como indicador de la salud del ecosistema marino en el Parque Nacional Machalilla, Ecuador. Fundación Megafauna Marina del Ecuador
- Hacohen-Domené A, Martínez-Rincón RO, Galván-Magaña F, Cárdenas-Palomo N, Herrera-Silveira J (2017) Environmental factors influencing aggregation of manta rays (*Manta birostris*) off the northeastern coast of the Yucatan Peninsula. *Marine Ecology* 38 doi 10.1111/maec.12432
- Hearn AR, Acuña D, Ketchum JT, Peñaherrera C, Green J, Marshall A, Guerrero M, Shillinger G (2014) Elasmobranchs of the Galapagos Marine Reserve: 23-59 doi 10.1007/978-3-319-02769-2_2
- Heupel MR, Carlson JK, Simpfendorfer CA (2007) Shark nursery areas: concepts, definition, characterization and assumptions. *Mar Ecol Prog Ser* 337: 287-297
- Hinojosa-Alvarez S, Walter RP, Diaz-Jaimes P, Galván-Magaña F, Paig-Tran EM (2016) A potential third Manta Ray species near the Yucatán Peninsula? Evidence for a recently diverged and novel genetic Manta group from the Gulf of Mexico. *PeerJ* 4: e2586 doi 10.7717/peerj.2586
- Homma K, Maruyama T, Itoh T, Ishihara H, Uchida S (1999) Biology of the manta ray, *Manta birostris* Walbaum, in the Indo-Pacific. *Proceedings of the 5th Indo-Pacific Fish Conference*: 209-216 doi <Go to ISI>://WOS:000084731300021
- Hosegood J, Humble E, Ogden R, de Bruyn M, Creer S, Stevens G, Abudaya M, Bassos-Hull K, Bonfil R, Fernando D, Foote AD, Hipperson H, Jabado RW, Kaden J, Moazzam M, Peel L, Pollett S, Ponzo A, Poortvliet M, Salah J, Senn H, Stewart J, Wintner S, Carvalho G (2019) Genome-wide data for effective conservation of manta and devil ray species. *bioRxiv* 458141 doi 10.1101/458141

- Kashiwagi T, Ito T, Sato F (2010) Occurrences of reef manta ray, *Manta alfredi*, and giant manta ray, *M. birostris*. *Japan, examined by photographic records Report of Japanese Society for Elasmobranch Studies* 46: 20-27
- Kashiwagi T, Marshall A, Corrigan S, Dove A, da la Parra Venegas R, Naylor G, Heist E (2017) Are there DNA evidences for the new species of Manta ray? . Meeting of Ichthyologists and Herpetologists, American Elasmobranch Society. Austin, Texas, July 2017
- Kashiwagi T, Marshall AD, Bennett MB, Ovenden JR (2011) Habitat segregation and mosaic sympatry of the two species of manta ray in the Indian and Pacific Oceans: *Manta alfredi* and *M. birostris*—CORRIGENDUM. *Marine Biodiversity Records* 4: e86
- Killer E (2010) Rays of hope for cobia Treasure Coast News (TCPalmcom). USA Today Network. <http://archive.tcpalm.com/sports/rays-of-hope-for-cobia-ep-394904273-346666502.html/>
- Kitchen-Wheeler A-M (2010) Visual identification of individual manta ray (*Manta alfredi*) in the Maldives Islands, Western Indian Ocean. *Marine Biology Research* 6: 351-363
- Kitchen-Wheeler A-M (2013) The behaviour and ecology of Alfred mantas (*Manta alfredi*) in the Maldives
- Levesque JC (2019) The Ray Connection Florida Sportsman, pp 34-40
- Luiz OJ, Balboni AP, Kodja G, Andrade M, Marum H (2009) Seasonal occurrences of *Manta birostris* (Chondrichthyes: Mobulidae) in southeastern Brazil. *Ichthyol Res* 56: 96-99 doi 10.1007/s10228-008-0060-3
- Manta Pacific Research Foundation (2019) Manta Identification Project. <https://www.mantapacific.org/manta-identification-project>
- Marine Megafauna Foundation (2019) Possible Giant Manta Ray Nursery Discovered Off Coast of Florida Updates from the Field. <https://marinemegafaunafoundation.org/blog/possible-giant-manta-ray-nursery-discovered-off-coast-of-florida/>
- Marshall A, Bennett MB, Kodja G, Hinojosa-Alvarez S, Galvan-Magana F, Harding M, Stevens G, Kashiwagi T (2011) *Manta birostris* The IUCN Red List of Threatened Species. www.iucnredlist.org
- Marshall AD, Compagno LJ, Bennett MB (2009) Redescription of the genus *Manta* with resurrection of *Manta alfredi* (Krefft, 1868)(Chondrichthyes; Myliobatoidei; Mobulidae). *Zootaxa* 2301: 1-28
- Marshall AD, Pierce SJ, Bennett MB (2008) Morphological measurements of manta rays (*Manta birostris*) with a description of a foetus from the east coast of Southern Africa. *Zootaxa*: 24-30 doi <Go to ISI>://WOS:000253714800002
- McNally B (2012) Face of cobia fishing on First Coast is changing The Florida Times-Union. GateHouse Media, LLC, Jacksonville.com. <https://www.jacksonville.com/article/20120428/SPORTS/801254118>

- Miller MH, Klimovich C (2017) Endangered Species Act Status Review Report: Giant Manta Ray (*Manta birostris*) and Reef Manta Ray (*Manta alfredi*). Report to National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD
- Mourier J (2012) Manta rays in the Marquesas Islands: first records of *Manta birostris* in French Polynesia and most easterly location of *Manta alfredi* in the Pacific Ocean, with notes on their distribution. *Journal of fish biology* 81: 2053-2058 doi 10.1111/j.1095-8649.2012.03449.x
- Muller J, Henle FGJ (1838-1841) Systematische Beschreibung der Plagiostomen, Berlin
- Normandeau Associates, APEM Ltd (2017) Digital Aerial Baseline Survey of Marine Wildlife in Support of Offshore Wind Energy: Summer and Fall 2016 Semi-Annual Report
- O'Shea OR, Kingsford MJ, Seymour J (2010) Tide-related periodicity of manta rays and sharks to cleaning stations on a coral reef. *Marine and Freshwater Research* 61: 65-73
- Paig-Tran EW-M (2012) Filtration at the mega-scale: Exploring the filter morphology and filtration mechanisms in the cartilaginous fishes. *Biology*
- Rambahinarison JM, Lamoste MJ, Rohner CA, Murray R, Snow S, Labaja J, Araujo G, Ponzio A (2018) Life History, Growth, and Reproductive Biology of Four Mobulid Species in the Bohol Sea, Philippines. *Frontiers in Marine Science* 5 doi 10.3389/fmars.2018.00269
- Roberts B (2016) Cobia and the Rays Florida Sportsman.
<http://www.floridasportsman.com/2016/03/24/cobia-rays/>
- Rohner CA, Burgess KB, Rambahinarison JM, Stewart JD, Ponzio A, Richardson AJ (2017) Mobulid rays feed on euphausiids in the Bohol Sea. *R Soc Open Sci* 4: 161060 doi 10.1098/rsos.161060
- Rohner CA, Pierce SJ, Marshall AD, Weeks SJ, Bennett MB, Richardson AJ (2013) Trends in sightings and environmental influences on a coastal aggregation of manta rays and whale sharks. *Mar Ecol Prog Ser* 482: 153-168 doi 10.3354/meps10290
- Sobral AF, Afonso P (2014) Occurrence of mobulids in the Azores, central North Atlantic. *Journal of the Marine Biological Association of the United Kingdom* 94: 1671-1675 doi 10.1017/S0025315414000964
- Sotelo SJV (2018) Diversidad genética y estructura poblacional de individuos de *Manta birostris* muestreados en la Isla de la Plata en las temporadas de los años 2010 al 2013. *Engineering in Biotechnological Processes*, Ecuador
- Stevens G, Fernando D, Dando M, Notarbartolo di Sciara G (2018a) Guide to the Manta and Devil Rays of the World. Princeton University Press
- Stevens GMW, Hawkins JP, Roberts CM (2018b) Courtship and mating behaviour of manta rays *Mobula alfredi* and *M. birostris* in the Maldives. *Journal of fish biology* 93: 344-359 doi 10.1111/jfb.13768

- Stewart JD, Beale CS, Fernando D, Sianipar AB, Burton RS, Semmens BX, Aburto-Oropeza O (2016a) Spatial ecology and conservation of *Manta birostris* in the Indo-Pacific. *Biological Conservation* 200: 178-183 doi 10.1016/j.biocon.2016.05.016
- Stewart JD, Hoyos-Padilla EM, Kumli KR, Rubin RD (2016b) Deep-water feeding and behavioral plasticity in *Manta birostris* revealed by archival tags and submersible observations. *Zoology* doi 10.1016/j.zool.2016.05.010
- Stewart JD, Jaine FRA, Armstrong AJ, Armstrong AO, Bennett MB, Burgess KB, Couturier LIE, Croll DA, Cronin MR, Deakos MH, Dudgeon CL, Fernando D, Froman N, Germanov ES, Hall MA, Hinojosa-Alvarez S, Hosegood JE, Kashiwagi T, Laglbauer BJL, Lezama-Ochoa N, Marshall AD, McGregor F, Notarbartolo di Sciara G, Palacios MD, Peel LR, Richardson AJ, Rubin RD, Townsend KA, Venables SK, Stevens GMW (2018a) Research Priorities to Support Effective Manta and Devil Ray Conservation. *Frontiers in Marine Science* 5 doi 10.3389/fmars.2018.00314
- Stewart JD, Nuttall M, Hickerson EL, Johnston MA (2018b) Important juvenile manta ray habitat at Flower Garden Banks National Marine Sanctuary in the northwestern Gulf of Mexico. *Marine biology* 165 doi 10.1007/s00227-018-3364-5
- Stewart JD, Rohner CA, Araujo G, Avila J, Fernando D, Forsberg K, Ponzo A, Rambahiniarison JM, Kurle CM, Semmens BX (2017) Trophic overlap in mobulid rays: insights from stable isotope analysis. *Mar Ecol Prog Ser* 580: 131-151 doi 10.3354/meps12304
- Uchida S, Toda M, Matsumoto Y (2008) Captive records of manta rays in Okinawa Churaumi Aquarium Joint Meeting of Ichthyologists and Herpetologists, pp 23-28
- Verdote DM, Ponzo A (2014) First record of *Manta alfredi* in the Bohol Sea, Philippines. Programm and Poster Abstracts of Shark International. Durban, South Africa
- Warneke A (2014) No way is that a Manta in the Kelp Forest... Deep Sea News. WordPress. <http://www.deepseanews.com/2014/08/no-way-is-that-a-manta-in-the-kelp-forest/>
- White WT, Corrigan S, Yang L, Henderson AC, Bazinet AL, Swofford DL, Naylor GJP (2017) Phylogeny of the manta and devilrays (Chondrichthyes: mobulidae), with an updated taxonomic arrangement for the family. *Zool J Linn Soc-Lond* zlx018 doi <https://doi.org/10.1093/zoolinnean/zlx018>
- White WT, Giles J, Dharmadi, Potter IC (2006) Data on the bycatch fishery and reproductive biology of mobulid rays (Myliobatiformes) in Indonesia. *Fisheries Research* 82: 65-73 doi 10.1016/j.fishres.2006.08.008
- White WT, Last PR (2016) Devil rays. In: Last PR, White WT, de Carvalho MR, Seret B, Stehmann MFW, Naylor GJP (eds) *Rays of the World*. Comstock Publishing Associates
- CSIRO Publishing, Ithaca and London, pp 741-749

Wilson SG, Taylor JG, Pearce AF (2001) The seasonal aggregation of whale sharks at Ningaloo Reef, Western Australia: currents, migrations and the El Nino/Southern Oscillation. *Environmental Biology of Fishes* 61: 1-11

Wourms JP (1981) Viviparity: The Maternal-Fetal Relationship in Fishes. *American Zoologist* 21: 473-515

Yano K, Sato F, Takahashi T (1999) Observations of mating behavior of the manta ray, *Manta birostris*, at the Ogasawara Islands, Japan. *Ichthyol Res* 46: 289-296 doi Doi 10.1007/Bf02678515