



PRESS RELEASE

14 AUGUST 2023 | FOR IMMEDIATE RELEASE

Medications for chronic diseases affect the body's ability to regulate body temperature, keep cool

Singapore, 14 August 2023 – Medications to treat various chronic diseases may hinder the body's ability to lose heat and regulate its core temperature to optimal levels. The loss of effective thermoregulation has implications for elderly people receiving treatment for illnesses like cancer, cardiovascular, Parkinson's disease/dementia and diabetes, particularly during hot weather, according to a review by a team of scientists from various institutions in Singapore.

The group, led by Associate Professor Jason Lee from the Human Potential Translational Research Programme at the Yong Loo Lin School of Medicine, National University of Singapore (NUS Medicine), identified and reviewed relevant research papers using keyword searches on databases such as PubMed and Google Scholar. These papers studied the associations and effects of medications on thermoregulation. The review findings were presented in a topical manner, focusing on medication classes used to treat commonly diagnosed chronic conditions (e.g., diabetes, cardiovascular disease, neurodegenerative disease, and cancer). The findings were published in *Pharmacological Reviews*, titled [Effects of Medications on Heat Loss Capacity in Chronic Disease Patients: Health Implications Amidst Global Warming](#).

The findings show that medications used to treat common chronic conditions, like blood thinners, blood pressure drugs, Parkinson's disease/Alzheimer's medications, and some chemotherapy drugs, can make it harder for the human body to handle hot weather by reducing its ability to sweat or increase blood flow to the skin.

Lead author and second-year PhD candidate from the Human Potential Translational Research Programme Mr Jericho Wee said, "Rising global temperatures caused by climate change pose a significant health concern for clinical patients reliant on long-term medications and healthcare. Increasingly, we will continue to see more elderly patients, many who have multiple health conditions and are taking different types of medication concurrently to manage their chronic diseases, compounding the risk of heat-related illness and dehydration. Understanding how each medication impacts thermoregulation, in the face of warmer environments, is the crucial first step to predicting the possible health outcomes when multiple medications are taken concurrently."

While previous reviews have highlighted the impacts of medications on heat, the scope of those reviews did not present the evidence in the context of the chronic diseases and ageing. The team's narrative review presents the evidence in the context of high ambient temperatures and their impact on chronic disease sufferers who are on long-term and life-long medication.

Senior author Assoc Prof Jason Lee said, "This review emphasises the importance of studying the mechanisms of altered thermoregulation in individuals with diabetes and other cardiometabolic conditions to prevent heat-induced conditions. This is most relevant in Singapore and many other countries, where we have rapidly ageing populations and rising ambient temperatures. Pharmacological and thermal physiologists should focus transdisciplinary efforts on this area of research to refine and enhance safe medication prescription guidelines to preserve the health of people who need these medications, even in hot weather."

Assoc Prof Melvin Leow, the review's co-author and Senior Consultant Endocrinologist at Tan Tock Seng Hospital said, "Physicians are often unaware of the potential harms certain drugs may cause by compromising the body's thermoregulatory control mechanisms. This is an especially important area to delve into as those with chronic diseases and older adults are susceptible to adverse health outcomes in the heat, due to their reduced thermoregulatory capacity. It is timely and prudent that scientists and doctors collaborate even closer in this important field that cuts across a wide range of medical disciplines."

The study was supported by the National Research Foundation, Prime Minister's Office, Singapore under its Campus for Research Excellence and Technological Enterprise (CREATE) Programme. The findings, in brief:

Cancer

Patients on certain cancer medications have reported symptoms of hot flushes, such as inappropriate sweat responses and an increase in core temperature which affects quality of life. Exercise and improved fitness levels have been shown to reduce the frequency of hot flushes and improve thermoregulatory responses in other chronic conditions such as diabetes, and it remains a crucial component in maintaining the nervous and cardiovascular functions of cancer patients. However, bodily impairments and limitations caused by chemotherapy and medications may limit their ability to exercise, which perpetuates a cycle of loss in exercise capacity that is crucial to their recovery.

Cardiovascular disease

Patients who have cardiovascular diseases, such as coronary heart disease, stroke and heart failure, are more vulnerable to high heat exposure because their hearts will be working harder to deliver blood to the skin and working muscles to maintain core temperature at an optimal level whilst maintaining work output. Anti-platelet medications, such as aspirin and clopidogrel, are usually taken to prevent blood clots from forming in the blood vessels, that could lead to stroke or heart disease. Yet, these anti-platelet medications may increase core temperature, whether at rest or during exercise. These medications also reduce skin blood flow and suppress sweat responses, which means thermoregulatory responses would be less sensitive to accumulated heat, and delay in cooling itself down, which could lead to heat stroke.

Used for multiple cardiovascular conditions, such as ischemic heart disease, high blood pressure, and heart failure, beta-blockers can reduce skin blood flow during heat stress by reducing blood pressure and facilitating additional constriction of skin blood vessels. However, the findings of the effects of beta-blockers on sweat responses remain mixed, with some studies showing no changes in sweating, while others demonstrate reduced sweating. As such, greater research efforts are needed to understand how different types of beta-blockers may impact sweating.

Some studies have highlighted that the type of beta-blocker is an additional consideration. For example, non-selective beta-blockers like propranolol, widely prescribed at the population

level, can result in greater impairments in thermoregulation than selective-beta-blockers that only target cardiac or peripheral tissues. Hence, non-selective beta-blockers could predispose patients to greater heat strain and heat-related illness.

Diabetes

Insulin, which is typically used to reduce high blood sugar, or hyperglycaemia, in patients with Type 1 diabetes, has been shown to impair the ability of the body to regulate heat properly. It also increases metabolic heat production at rest and during exercise, which can be fatal to the body when the accumulated heat cannot be dissipated quickly. For patients with Type 2 diabetes who consumed metformin to manage their condition, nearly 30% of patients experience diarrhoea and nausea when they are first prescribed the medication. If the fluid loss cannot be sufficiently replaced, patients, especially the elderly, are at a higher risk of dehydration, which may result in greater cardiovascular strain during exertional heat stress.

Neurocognitive diseases

Due to an internal imbalance in dopamine and acetylcholine levels, patients with neuropsychiatric diseases such as Parkinson's and Alzheimer's disease experience thermoregulatory dysfunction when their body is unable to control its temperature. However, the medications to manage these neurological conditions have been known to alter the brain's control of thermoregulation and thermoregulatory responses, such as sweating and cutaneous vasodilation, which could result in both hyperthermia and hypothermia.

Anticholinergics and cholinesterase inhibitors are prescribed to improve motor and cognitive symptoms in the brain for Parkinson's Disease patients. However, these agents also alter the dopamine and acetylcholine levels, likely inducing changes in the central thermoregulatory drive that affects the central processing and integration of thermal information and numbs the instinctive responses to heat stress, while driving up the body's core temperature. This could lead to an increased risk of developing heat-related illnesses.

Dopamine replacement agents and dopamine agonists are usually prescribed to those with Parkinson's disease to increase dopamine levels to help in movement and coordination. While highly effective, these agents have been observed to significantly influence thermoregulation and impair sweat responses which are crucial for heat dissipation. It is important that the dosage of these agents is appropriately adjusted to minimise the onset of severe after-effects.

For media enquiries, please contact:

Amanda YAP
Assistant Manager, Communications
Yong Loo Lin School of Medicine
National University of Singapore
Email: medajy@nus.edu.sg

About National University of Singapore (NUS)

The National University of Singapore (NUS) is Singapore's flagship university, which offers a global approach to education, research and entrepreneurship, with a focus on Asian perspectives and expertise. We have 16 colleges, faculties and schools across three campuses in Singapore, with more than 40,000 students from 100 countries enriching our vibrant and diverse campus community. We have also established our NUS Overseas Colleges programme in more than 15 cities around the world.

Our multidisciplinary and real-world approach to education, research and entrepreneurship enables us to work closely with industry, governments and academia to address crucial and complex issues relevant to Asia and the world. Researchers in our faculties, research centres of excellence, corporate labs and more than 30 university-level research institutes focus on themes that include energy; environmental and urban sustainability; treatment and prevention of diseases; active ageing; advanced materials; risk management and resilience of financial systems; Asian studies; and Smart Nation capabilities such as artificial intelligence, data science, operations research and cybersecurity.

For more information on NUS, please visit nus.edu.sg.

About the NUS Yong Loo Lin School of Medicine (NUS Medicine)

The NUS Yong Loo Lin School of Medicine is Singapore's first and largest medical school. Our enduring mission centres on nurturing highly competent, values-driven and inspired healthcare professionals to transform the practice of medicine and improve health around the world.

Through a dynamic and future-oriented five-year curriculum that is inter-disciplinary and inter-professional in nature, our students undergo a holistic learning experience that exposes them to multiple facets of healthcare and prepares them to become visionary leaders and compassionate doctors and nurses of tomorrow. Since the School's founding in 1905, more than 12,000 graduates have passed through our doors.

In our pursuit of health for all, our strategic research programmes focus on innovative, cutting-edge biomedical research with collaborators around the world to deliver high impact solutions to benefit human lives.

The School is the oldest institution of higher learning in the National University of Singapore and a founding institutional member of the National University Health System. It is one of the leading medical schools in Asia and ranks among the best in the world (Times Higher Education World University Rankings 2023 by subject and the Quacquarelli Symonds (QS) World University Rankings by subject 2023).

For more information about NUS Medicine, please visit <https://medicine.nus.edu.sg/>.