

References

1. Anderson ML, Califf RM, Sugarman J. Ethical and regulatory issues of pragmatic cluster randomized trials in contemporary health systems. Clinical Trials. 2015;12(3):276-86. PMC4498459.
2. Andridge RR, Shoben AB, Muller KE, Murray DM. Analytic methods for individually randomized group treatment trials and group-randomized trials when subjects belong to multiple groups. Statistics in Medicine. 2014;33(13):2178-90. PMC4013262.
3. Baldwin SA, Murray DM, Shadish WR, Pals SL, Holland JM, Abramowitz JS, Andersson G, Atkins DC, Carlbring P, Carroll KM, Christensen A, Eddington KM, Ehlers A, Feaster DJ, Keijsers GP, Koch E, Kuyken W, Lange A, Lincoln T, Stephens RS, Taylor S, Trepka C, Watson J. Intraclass correlation associated with therapists: estimates and applications in planning psychotherapy research. Cognitive Behavioral Therapy. 2011;40(1):15-33. PMC3650614.
4. Bor J, Moscoe E, Barnighausen T. Three approaches to causal inference in regression discontinuity designs. Epidemiology. 2015;26(2):e28-30; discussion e.
5. Campbell MJ, Walters SJ. How to Design, Analyse and Report Cluster Randomised Trials in Medicine and Health Related Research. Chichester: John Wiley & Sons Ltd.; 2014.
6. Candel MJ, Van Breukelen GJ. Varying cluster sizes in trials with clusters in one treatment arm: sample size adjustments when testing treatment effects with linear mixed models. Statistics in Medicine. 2009;28(18):2307-24.
7. Candel MJ, Van Breukelen GJ. Sample size adjustments for varying cluster sizes in cluster randomized trials with binary outcomes analyzed with second-order PQL mixed logistic regression. Statistics in Medicine. 2010;29(14):1488-501.
8. Candel MJ, Van Breukelen GJ. Repairing the efficiency loss due to varying cluster sizes in two-level two-armed randomized trials with heterogeneous clustering. Statistics in Medicine. 2016;35(12):2000-15.
9. Cook TD, Campbell DT. Quasi-Experimentation: Design & Analysis Issues for Field Settings. Chicago, IL: Rand McNally College Publishing Company; 1979.
10. Cornfield J. Randomization by group: a formal analysis. American Journal of Epidemiology. 1978;108(2):100-2.
11. Coronado GD, Vollmer WM, Petrik A, Taplin SH, Burdick TE, Meenan RT, Green BB. Strategies and Opportunities to STOP Colon Cancer in Priority Populations: design of a cluster-randomized pragmatic trial. Contemporary Clinical Trials. 2014;38(2):344-9. PMC4226652.
12. Crespi CM, Maxwell AE, Wu S. Cluster randomized trials of cancer screening interventions: are appropriate statistical methods being used? Contemporary Clinical Trials. 2011;32(4):477-84. PMC3104062.
13. de Hoop E, Teerenstra S, van Gaal BG, Moerbeek M, Borm GF. The "best balance" allocation led to optimal balance in cluster-controlled trials. Journal of Clinical Epidemiology. 2012;65(2):132-7.

14. Debar LL, Kindler L, Keefe FJ, Green CA, Smith DH, Deyo RA, Ames K, Feldstein A. A primary care-based interdisciplinary team approach to the treatment of chronic pain utilizing a pragmatic clinical trials framework. Transl Behav Med. 2012;2(4):523-30. PMC3578318.
15. Donner A. Sample size requirements for stratified cluster randomization designs. Statistics in Medicine. 1992;11(6):743-50.
16. Donner A, Brown KS, Brasher P. A methodologic review of non-therapeutic intervention trials employing cluster randomization, 1979-1989. International Journal of Epidemiology. 1990;19(4):795-800.
17. Donner A, Klar N. Design and Analysis of Cluster Randomization Trials in Health Research. London: Arnold; 2000. 178 p.
18. Donner A, Taljaard M, Klar N. The merits of breaking the matches: a cautionary tale. Statistics in Medicine. 2007;26(9):2036-51.
19. Flay BR. Efficacy and effectiveness trials (and other phases of research) in the development of health promotion programs. Preventive Medicine. 1986;15(5):451-74.
20. Gail MH, Mark SD, Carroll RJ, Green SB, Pee D. On design considerations and randomization-based inference for community intervention trials. Statistics in Medicine. 1996;15(11):1069-92.
21. Gao F, Earnest A, Matchar DB, Campbell MJ, Machin D. Sample size calculations for the design of cluster randomized trials: A summary of methodology. Contemporary Clinical Trials. 2015;42:41-50.
22. Hayes RJ, Moulton LH. Cluster Randomised Trials. Boca Raton, FL: CRC Press; 2009.
23. Heo M, Litwin AH, Blackstock O, Kim N, Arnsten JH. Sample size determinations for group-based randomized clinical trials with different levels of data hierarchy between experimental and control arms. Statistical Methods in Medical Research. 2014. PMC4329103.
24. Hughes JP, Granston TS, Heagerty PJ. Current issues in the design and analysis of stepped wedge trials. Contemporary Clinical Trials. 2015;45(Pt A):55-60. PMC4639463.
25. Jarvik JG, Comstock BA, James KT, Avins AL, Bresnahan BW, Deyo RA, Luetmer PH, Friedly JL, Meier EN, Cherkin DC, Gold LS, Rundell SD, Halabi SS, Kallmes DF, Tan KW, Turner JA, Kessler LG, Lavalley DC, Stephens KA, Heagerty PJ. Lumbar Imaging With Reporting Of Epidemiology (LIRE)-Protocol for a pragmatic cluster randomized trial. Contemporary Clinical Trials. 2015;45(Pt B):157-63. PMC4674321.
26. Johnson JL, Kreidler SM, Catellier DJ, Murray DM, Muller KE, Glueck DH. Recommendations for choosing an analysis method that controls Type I error for unbalanced cluster sample designs with Gaussian outcomes. Statistics in Medicine. 2015;34(27):3531-45.
27. Johnson KE, Tachibana C, Coronado GD, Dember LM, Glasgow RE, Huang SS, Martin PJ, Richards J, Rosenthal G, Septimus E, Simon GE, Solberg L, Suls J, Thompson E, Larson EB. A guide to research partnerships for pragmatic clinical trials. BMJ. 2014;349:g6826.
28. Li F, Lokhnygina Y, Murray DM, Heagerty PJ, DeLong ER. An evaluation of constrained randomization for the design and analysis of group-randomized trials. Statistics in Medicine. 2015;35(10):1565-79. PMC4826850.

29. Moerbeek M, Teerenstra S. Power analysis of trials with multilevel data. Boca Raton: CRC Press; 2016. 288 p.
30. Moscoe E, Bor J, Barnighausen T. Regression discontinuity designs are underutilized in medicine, epidemiology, and public health: a review of current and best practice. Journal of Clinical Epidemiology. 2015;68(2):122-33.
31. Moulton LH. Covariate-based constrained randomization of group-randomized trials. Clinical Trials. 2004;1(3):297-305.
32. Murray DM. Design and Analysis of Group-Randomized Trials. New York, NY: Oxford University Press; 1998. 467 p.
33. Murray DM, Blitstein JL. Methods to reduce the impact of intraclass correlation in group-randomized trials. Evaluation Review. 2003;27(1):79-103.
34. Murray DM, Hannan PJ, Baker WL. A Monte Carlo study of alternative responses to intraclass correlation in community trials: Is it ever possible to avoid Cornfield's penalties? Evaluation Review. 1996;20(3):313-37.
35. Murray DM, Hannan PJ, Varnell SP, McCowen RG, Baker WL, Blitstein JL. A comparison of permutation and mixed-model regression methods for the analysis of simulated data in the context of a group-randomized trial. Statistics in Medicine. 2006;25(3):375-88.
36. Murray DM, Hannan PJ, Wolfinger RD, Baker WL, Dwyer JH. Analysis of data from group-randomized trials with repeat observations on the same groups. Statistics in Medicine. 1998;17(14):1581-600.
37. Murray DM, Pals SP, Blitstein JL, Alfano CM, Lehman J. Design and analysis of group-randomized trials in cancer: a review of current practices. Journal of the National Cancer Institute. 2008;100(7):483-91.
38. Murray DM, Pennell M, Rhoda D, Hade EM, Paskett ED. Designing studies that would address the multilayered nature of health care. Journal of the National Cancer Institute Monographs. 2010(40):90-6. PMC3482955.
39. Murray DM, Rooney BL, Hannan PJ, Peterson AV, Ary DV, Biglan A, Botvin GJ, Evans RI, Flay BR, Futterman R, Getz JG, Marek PM, Orlandi M, Pentz MA, Perry CL, Schinke SP. Intraclass correlation among common measures of adolescent smoking: estimates, correlates, and applications in smoking prevention studies. American Journal of Epidemiology. 1994;140(11):1038-50.
40. Murray DM, Stevens J, Hannan PJ, Catellier DJ, Schmitz KH, Dowda M, Conway TL, Rice JC, Yang S. School-level intraclass correlation for physical activity in sixth grade girls. Medicine and Science in Sports and Exercise. 2006;38(5):926-36. PMC2034369.
41. Murray DM, Varnell SP, Blitstein JL. Design and analysis of group-randomized trials: a review of recent methodological developments. American Journal of Public Health. 2004;94(3):423-32. PMC1448268.
42. O'Keeffe AG, Geneletti S, Baio G, Sharples LD, Nazareth I, Petersen I. Regression discontinuity designs: an approach to the evaluation of treatment efficacy in primary care using observational data. BMJ. 2014;349:g5293.

43. Pals SL, Murray DM, Alfano CM, Shadish WR, Hannan PJ, Baker WL. Erratum. American Journal of Public Health. 2008;98(12):2120.
44. Pals SP, Murray DM, Alfano CM, Shadish WR, Hannan PJ, Baker WL. Individually randomized group treatment trials: a critical appraisal of frequently used design and analytic approaches. American Journal of Public Health. 2008;98(8):1418-24. PMC2446464.
45. Pennell ML, Hade EM, Murray DM, Rhoda DA. Cutoff designs for community-based intervention studies. Statistics in Medicine. 2011;30(15):1865-82. PMC3127461.
46. Pratt CA, Boyington J, Esposito L, Pemberton VL, Bonds D, Kelley M, Yang S, Murray D, Stevens J. Childhood Obesity Prevention and Treatment Research (COPTR): interventions addressing multiple influences in childhood and adolescent obesity. Contemporary Clinical Trials. 2013;36(2):406-13.
47. Raab GM, Butcher I. Balance in cluster randomized trials. Statistics in Medicine. 2001;20(3):351-65.
48. Rhoda DA, Murray DM, Andridge RR, Pennell ML, Hade EM. Studies with staggered starts: multiple baseline designs and group-randomized trials. American Journal of Public Health. 2011;101(11):2164-9. PMC3222403.
49. Richesson RL, Hammond WE, Nahm M, Wixted D, Simon GE, Robinson JG, Bauck AE, Cifelli D, Smerek MM, Dickerson J, Laws RL, Madigan RA, Rusincovitch SA, Kluchar C, Califf RM. Electronic health records based phenotyping in next-generation clinical trials: a perspective from the NIH Health Care Systems Collaboratory. Journal of the American Medical Informatics Association. 2013;20(e2):e226-31. PMC3861929.
50. Roberts C, Walwyn R. Design and analysis of non-pharmacological treatment trials with multiple therapists per patient. Statistics in Medicine. 2013;32(1):81-98.
51. Rubin DB. Assignment to treatment group on the basis of a covariate. Journal of Educational and Behavioral Statistics. 1977;2(1):1-26.
52. Rutterford C, Copas A, Eldridge S. Methods for sample size determination in cluster randomized trials. International Journal of Epidemiology. 2015;44(3):1051-67. PMC4521133.
53. Schwartz D, Lellouch J. Explanatory and pragmatic attitudes in therapeutical trials. Journal of Chronic Diseases. 1967;20(8):637-48.
54. Scott AJ, Holt D. The effect of two-stage sampling on ordinary least squares methods. Journal of the American Statistical Association. 1982;77(380):848-54.
55. Shadish WR, Cook TD, Campbell DT. *Experimental and Quasi-Experimental Designs for Generalized Causal Inference*. Boston, MA: Houghton Mifflin Company; 2002.
56. Simpson JM, Klar N, Donner A. Accounting for cluster randomization: a review of Primary Prevention Trials, 1990 through 1993. American Journal of Public Health. 1995;85(10):1378-83.
57. Swallow WH, Monahan JF. Monte Carlo comparison of ANOVA, MIVQUE, REML, and ML estimators of variance components. Technometrics. 1984;26(1):47-57.

58. van Breukelen G, Candel M, Berger M. Relative efficiency of unequal versus equal cluster sizes in cluster randomized and multicentre trials. Statistics in Medicine. 2007;26(13):2589-603.
59. Varnell S, Murray DM, Hannan PJ, Baker WL, editors. Intraclass correlation at the level of the unit of intervention in a randomized clinical trial: implications for analysis. Annual Meeting of the American Evaluation Association; 2001; St. Louis, MO.
60. Varnell SP, Murray DM, Janega JB, Blitstein JL. Design and analysis of group-randomized trials: a review of recent practices. American Journal of Public Health. 2004;94(3):393-9. PMC1448264.
61. You Z, Williams OD, Aban I, Kabagambe EK, Tiwari HK, Cutter G. Relative efficiency and sample size for cluster randomized trials with variable cluster sizes. Clinical Trials. 2011;8(1):27-36.
62. Zucker DM. An analysis of variance pitfall: The fixed effects analysis in a nested design. Educational and Psychological Measurement. 1990;50(4):731-8.