Recommended Practices for Laser Beam Welding, Cutting, and Allied Processes





AWS C7.2M:2010
An American National Standard

Approved by the American National Standards Institute June 24, 2010

Recommended Practices for Laser Beam Welding, Cutting, and Allied Processes

2nd Edition

Supersedes ANSI/AWS C7.2:1998

Prepared by the American Welding Society (AWS) C7 Committee on High-Energy Beam Welding and Cutting

Under the Direction of the AWS Technical Activities Committee

Approved by the AWS Board of Directors

Abstract

This document presents recommended practices for laser beam welding, cutting, drilling, and transformation hardening. It is intended to cover common applications of the process. Processes definitions, safe practices, general process requirements and inspection criteria are provided.

International Standard Book Number: 978-0-87171-777-1
American Welding Society
550 N.W. LeJeune Road, Miami, FL 33126
© 2010 by American Welding Society
All rights reserved
Printed in the United States of America

Photocopy Rights. No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <www.copyright.com>.

Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While the AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions are entrusted to appropriately qualified and competent personnel.

This standard may be superseded by the issuance of new editions. Users should ensure that they have the latest edition.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

Finally, the AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

On occasion, text, tables, or figures are printed incorrectly, constituting errata. Such errata, when discovered, are posted on the AWS web page (www.aws.org).

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Technical Services Division, 550 N.W. LeJeune Road, Miami, FL 33126 (see Annex B). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This standard is subject to revision at any time by the AWS C7 Committee on High-Energy Beam Welding and Cutting. It must be reviewed every five years, and if not revised, it must be either reaffirmed or withdrawn. Comments (recommendations, additions, or deletions) and any pertinent data that may be of use in improving this standard are required and should be addressed to AWS Headquarters. Such comments will receive careful consideration by the AWS C7 Committee on High-Energy Beam Welding and Cutting and the author of the comments will be informed of the Committee's response to the comments. Guests are invited to attend all meetings of the AWS C7 Committee on High-Energy Beam Welding and Cutting to express their comments verbally. Procedures for appeal of an adverse decision concerning all such comments are provided in the Rules of Operation of the Technical Activities Committee. A copy of these Rules can be obtained from the American Welding Society, 550 N.W. LeJeune Road, Miami, FL 33126.

Personnel

AWS C7 Committee on High-Energy Beam Welding and Cutting

P. W. Hochanadel, Chair Los Alamos National Laboratory T. A. Palmer, 1st Vice-Chair Lawrence Livermore National Laboratory

K. W. Lachenberg, 2nd Vice-Chair Sciaky, Incorporated

> M. Rubin, Secretary American Welding Society P. Blomquist Applied Thermal Sciences, Incorporated

D. D. Kautz Los Alamos National Laboratory G. R. LaFlamme PTR Precision Technologies Inc.

E. D. Levert Lockheed Martin Missiles and Fire Control

Advisors to the AWS C7 Committee on High-Energy Beam Welding and Cutting

P. E. Denney Connecticut Center for Advanced Technology

R. D. Dixon Retired

P. W. Fuerschbach Sandia National Laboratory R. W. Messler Jr. Rensselaer Polytechnic Institute Los Alamos National Laboratory J. O. Milewski

T. M. Mustaleski BWXT Y-12 LLC

D. E. Powers PTR – Precision Technologies, Incorporated

R. C. Salo Sciaky, Incorporated

AWS C7C Subcommittee on Laser Beam Welding and Cutting

P. Blomquist, Chair Applied Thermal Sciences, Incorporated P. E. Denney, Vice-Chair Connecticut Center for Advanced Technology

M. Rubin, Secretary American Welding Society R. D. Bucurel WEC Welding & Machining S. L. Engel HDE Technologies, Incorporated

D. F. Farson The Ohio State University

IPG Photonics A. P. Hoult J. P. Hurley Cosma Power Laser

D. D. Kautz Los Alamos Natcional Laboratory

R. P. Martukanitz Applied Research Laboratory, Pennsylvania State University

V. Merchant Electrical and Optical Solutions L. R. Migliore Coherent, Incorporated.

T.Palmer Applied Research Laboratory, Pennsylvania State University

G. C. Schmid Bechtel Bettis, Incorporated

Advisors to the AWS C7C Subcommittee on Laser Beam Welding and Cutting

R. D. Dixon

P. Hochanadel, Ex-Officio Los Alamos National Laboratory

S. Jensen Visotek, Incorporated T. A. Jones Ford Motor Company

J. O. Milewski Los Alamos National Laboratory

D. E. Powers PTR - Precision Technologies, Incorporated

Foreword

This foreword is not part of AWS C7.2M:2010, *Recommended Practices for Laser Beam Welding, Cutting, and* Allied Processes, but is included for informational purposes only.

The first practical demonstration of a laser occurred in 1960. As laser output power increased through maturing technology, the use of lasers for material processing became widespread by the early 1970s. Currently, lasers are an accepted industrial tool for traditional and nontraditional materials processing operations that benefit from the laser's unique characteristics. While the materials processing applications of lasers in industry are diverse, this document focuses on welding, cutting, drilling, and transformation hardening.

The data contained in this *Recommended Practices* has been compiled and reviewed by the C7C Laser Beam Welding and Cutting Subcommittee of the American Welding Society, which included representatives from manufacturers and users of laser beam welding, cutting, and drilling equipment.

As industrial lasers gain wider acceptance, there is a greater need for skilled process engineers and technicians. The American Welding Society is contributing in this regard, by offering these *Recommended Practices for Laser Beam Welding, Cutting, and Allied Processes*. The intended users of these *recommended practices* are engineers and technicians involved, or planning to become involved, in laser materials processing.

It should be noted that the operating and processing parameters given in this Standard may not be the only parameter combinations that can be employed for successfully processing the materials and thicknesses shown. Changes in material chemistry, dimensional tolerances, laser beam characteristics, machine calibration, and other factors can produce different results. Therefore, the procedures presented here are simply meant to provide a set-up and design guide to help users to organize and learn the process of developing and refining a particular application.

Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, AWS C7 Committee on High-Energy Beam Welding and Cutting, American Welding Society, 550 N.W. LeJeune Road, Miami, FL 33126.

Table of Contents

	Page No.
Fore List	onnel
1.	Scope
2.	Normative References
3.	Terms and Definitions
4.	Safety Considerations. 10 4.1 Introduction 10 4.2 General Safety 10 4.3 Laser Safety 10 4.4 Electrical Hazards 11 4.5 Laser Radiation Hazards 11 4.6 Visible Radiation Hazards 12 4.7 Hazards from Fumes and Gases 12
5.	Equipment Description 12 5.1 Description of Process 12 5.2 CO2 Lasers 12 5.3 Nd: YAG Lasers 17 5.4 Output Characteristics of Nd: YAG Lasers 18 5.5 Other Types of Material Processing Lasers 19 5.6 Laser Systems 20 5.7 Fixturing 26
6.	Process Control and Monitoring 28 6.1 Introduction 28 6.2 Laser Beam Quality 28 6.3 Power Density Control 29 6.4 Laser Power Measurement 34 6.5 Laser Beam Characterization 36
7.	Laser Beam Welding (LBW) 37 7.1 Process Description 37 7.2 Advantages and Limitations 37 7.3 Types of Welding Lasers 38 7.4 LBW Process Parameters 38 7.5 Laser-Material Interaction 40 7.6 Designing for Laser Welding 47 7.7 CNC for Laser Welding 50 7.8 Thick-Section LBW with High-Power CO ₂ Lasers 52 7.0 Thin Section LBW 58

8.	Laser Welding Metallurgy	
	8.1 Introduction	
	8.2 Heat-Affected Zone (HAZ) Effects	
	8.3 Fusion Zone Effects	
	8.4 Metallurgical Considerations for Welding Various Materials	
	8.5 Dissimilar Metal Joining	
9.	Laser Beam Cutting (LBC) and Laser Beam Drilling (LBD)	72
	9.1 Process Descriptions	
	9.2 Advantages and Limitations of LBC and LBD	
	9.3 Types of Cutting and Drilling Lasers	
	9.4 Laser Beam Cutting Parameters	
	9.6 Characteristics of Cuts.	
	9.7 CNC for Laser Cutting	
	9.8 Parameter Selection for LBC.	
	9.9 Parameter Selection for LBD	
10.	Laser Transformation Hardening (LTH)	100
10.	10.1 Introduction	
	10.2 The Laser Transformation Hardening Process	
	10.3 Equipment and Processing Considerations	
	10.4 Materials Consideration.	
	10.5 Process Control	
	10.6 LTH Applications	108
11.	Record Keeping	108
11.	11.1 Introduction	
	11.2 Laser Parameter Description	
12.	Increation and Testing	112
12.	Inspection and Testing	
	12.1 Introduction	
	12.3 Inspection Techniques	
	12.4 Inspecting Laser-Cut Parts	
	12.5 Acceptability Limits	
13.	Specifications for Laser Beam Welding	115
13.	13.1 Purpose	
	13.2 Alternatives to Use of Published Specifications	
	•	
14.	Equipment Maintenance	
	14.1 Maintenance Schedule and Records14.2 Troubleshooting	
	14.3 Specific Components.	
	14.4 Alignment	
15.	Personnel Training	
	15.1 Safety	
	15.2 Laser System Operation	
	15.4 Other Training	
	15.5 Sources of Training	
۸	ex A (Informative)—Informative References	
Anne	ex B (Informative)—Guidelines for the Preparation of Technical Inquires	127

List of Tables

Table		Page No.
5.1	Operation Comparison of CO ₂ and Nd:YAG Material Processing Laser	13
5.2	Spatter Masking Materials for Laser Processing	
9.1	Assist Gas Selection	
9.2	Typical Gas Pressure for CO ₂ Laser Beam Cutting	91
9.3	Typical Power Densities for Drilling	
9.4	Typical Pulsed Laser Drilling Parameters	95
9.5	Hole Diameters for Specific Drilling Methods	
11.1	Laser Equipment Set-up Factors	

List of Figures

Figure		Page No.
4.1	Sample Precautionary Sign for a Class 4 Laser System	11
5.1	Four Major Components of a Laser	13
5.2	Stable Laser Resonator	14
5.3	Confocal Unstable Laser Resonator	14
5.4	Examples of laser Temporal Pulse Shapes	15
5.5	Spatial Intensity Distribution for a Near Gaussian Mode Laser	16
5.6	Schematic Diagram of a Slow Axial Flow Laser	16
5.7	Schematic Diagram of a Transverse Flow Laser	
5.8	Schematic Diagram of a Fast Axial Flow Laser	
5.9	Schematic Diagram of a Solid-State Nd:YAG Rod Laser	
5.10	Schematic Diagram of a Total Internal Reflection-Face Pumped(TIR-FP) Slab Laser	19
5.11	Schematic of the Basic Components of a Fiber Laser	
5.12	Principle of Thin-Disk Laser Cavity	
5.13	Laser Beam Welding Equipment	23
5.14	Focusing Head	24
5.15	Transmission of Laser Beam Through a Fiber Optic	
5.16	Schematic of Fiber-Optic Focusing System	26
6.1	The Equations for Propagation of Multimode Laser Beam Through a Focusing Lens	
6.2	Schematic Showing Focusing of a Beam in the Far Field of a Laser	
6.3	An Example of the Effect of Average Power of a Pulsed Nd:YAG Focused Spot Diameter	
6.4	Comparison of Predicted and Measured Spot Size for a CO ₂ Laser at 300 W	31
6.5	Proper Lens Type Orientation	
6.6	Principle for Establishing Focus Position Using an Acrylic Wedge Block	33
6.7	Example of Technique for Finding Focal Plane Region	33
6.8	Calorimeter Type Power Meter	34
7.1	Photomicrograph of Conduction Mode Weld	
7.2	Schematic View of Keyhole (Deep Penetration) Welding	41
7.3	Room Temperature Reflectivity as a Function of Wavelength for Several Metals	42
7.4	Absorption at 250°C as a Function of Roughness R ₇ (Mean Value of Maximum Height)	
	between Peaks and Valleys	43
7.5	Transition in Laser Welding Energy Transfer at the Grit Blasted Region on Aluminum for	
	Aluminum for the Pulsed Nd:YAG Laser Beam Welding Process	43

Figure	Page No.
7.6	Ray diagrams Showing the Refection of Light from the Workpiece for Different Lens Positions 44
7.7	Microprobe Profile Across 5456 Aluminum CW Nd:YAG Laser Weld
7.8	Microhardness Traverse of 5456 Aluminum CW Nd:YAG Laser Weld
7.9	Laser Welds in Butt Joint
7.10	Laser Welds in Corner Joints
7.11	Laser Welds in T-Joints
7.12	Laser Welds in Lap Joints
7.13	Laser Welds in Edge Joints
7.14	Self-Aligning Joints
7.15	Schematic Plasma Control Concepts
7.16	Schematic Relationship between Power (P), Travel Speed (S), and Depth of Penetration
7.17	Welding Parameter to Fabricate through Thickness Weldments in ASTM A36 Plate of
	Different Thicknesses
7.18	Heat Input for Incipient Complete Joint Penetration vs. Laser Power for 304 Stainless Steel 56
7.19	Comparison of (a) Autogenous Laser Weld and (b) Narrow-Gap Laser Weld
7.20	Schematic Representation of Interaction Region between the Gas Management System, Wire
	Delivery System, and Laser Beam Delivery System
7.21	Metallographic Determination of Optimum Lens Position Relative to Workpiece for Pulsed Nd:
	YAG Laser Beam Weld
7.22	Effect of CO ₂ Laser Power on Melting Efficiency
7.23	Comparison of Laser Beam Welding Melting Efficiency with Conventional Arc Welding Processes 61
7.24	Bead-on-Plate Welding Speeds for High-Power CW Nd:YAG Laser Beam Welding of Mild Steel 62
7.25	Welding Speeds for 1.7 kW and 2.5 kW CW CO ₂ Laser Beam Welding of Carbon and Stainless Steel 62
7.26	Dependence of Penetration in Three Metals on the Operating Conditions for Pulsed Lasers of
, 0	Three Power Ratings
8.1	Conduction Mode Pulsed Nd:YAG Spot Weld in Type 304L Stainless Steel
8.2	Continuous Wave CO ₂ Welding Edge Joint in 17-4 PH Stainless Steel
8.3	Subsolidus HAZ Cracks in Nitronic 60 Pulsed CO ₂ Weld
9.1	Mechanism of Laser Cutting
9.2	Geometry of an Electromagnetic Wave
9.3	Geometry of Reflection
9.4	P-Polarized Light
9.5	S-Polarized Light
9.6	Reflectivity of a Dielectric Surface for P-and S-Polarization
9.7	Reflectivity of a Metal for P-and S-Polarization
9.8	The Effect of Polarization on Laser Cutting
9.9	Programming Sharp Corners87
9.10	Typical Cutting Rates for CW CO ₂ Laser Beam Cutting of Steel
9.11	Typical Cutting Rates for CW CO ₂ Laser Beam Cutting of Stainless Steel
9.12	Typical Cutting Rates for CW CO ₂ Laser Beam Cutting of Aluminum Alloys
9.13	Cutting Rates for High-Power CW Nd:YAG Laser Beam Cutting of 1010 Steel
9.14	Cutting Rates for Low-Power Pulsed Nd:YAG Laser Beam Cutting of Stainless Steel
9.15	Examples of Taper Effect from Relationship of Short Lens Focal Length to Material
	Thickness in Percussion Drilling
9.16	Examples of Taper Effect from Relationship of Long Lens Focal Length to Thin and
	Thicker Materials in Percussion Drilling
9.17	Focusing Technique for Material Processing with an Excimer Laser94
9.18	Temporal Pulse Shaping for Drilling
10.1	Isothermal Transformation Diagram
10.2	Laser Hardened Groove in AISI 4140 Steel, for Ball Bearings
10.3	Tempering of Steel Due to Reheating by Side-by-Side Passes
10.4	Beam Integrator
10.5	Beam Scanner

Figure		Page No.
10.6	Kaleidoscope	107
11.1	Laser Cutting and Drilling Process Parameter Schedule	110
11.2	Laser Welding Process Parameter Schedule	111
12.1	Radiographic Windows	114
14.1	Typical Maintenance Schedule (Daily)	116
14.2	Typical Maintenance Schedule (Weekly/Monthly)	118
14.3	Typical Maintenance Schedule (Six Month/Yearly)	119
14.4	Typical Maintenance Schedule (Periodic)	120

Recommended Practices for Laser Beam Welding, Cutting, and Allied Processes

1. Scope

These recommended practices present a description of laser beam equipment and procedures that can be used for welding, cutting, drilling, and transformation hardening of various materials. These recommended practices stress the process basics, parameters, and applications. Practical information has been included in the form of figures, tables, and graphs which should prove useful in determining capabilities and limitations in the processing of various materials. Readers who desire additional information about lasers and laser materials processing should consult the Reference Documents shown in Annex A, as well as the various references given throughout this document.

Any specific manufacturer product depicted in any sketch, figure, table, or product description in the document, shall not be construed as an endorsement of that particular manufacturer or product by AWS.

This standard makes sole use of the International System of Units (SI).

Safety and health issues may not be fully addressed by this standard. Users of this standard should consult ANSI Z49.1, *Safety in Welding, Cutting, and Allied Processes*, applicable federal, state, and local regulations, and other relevant documents concerning safety and health issues not addressed herein. ANSI Z136.1, *Safe Use of Lasers*, is another important source for safe operation of laser equipment. Please consult Clause 4 for more information.

2. Normative References

The following standard contains provisions which, through reference in this text, constitute provisions of this AWS standard. For undated references, the latest edition of the referenced standard shall apply. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply.

AWS Documents:1

AWS A3.0, Standard Welding Terms and Definitions

3. Terms and Definitions

The following terms and definitions are specific to laser beam material processing. Terms that are not part of common welding vocabulary are defined and the definitions of some standard welding terms are changed slightly to more accurately describe those terms as they apply to the laser beam process. Common terms pertaining to all welding processes that are not listed in this compilation shall be found in AWS A3.0, *Standard Welding Terms and Definitions*. Some of the Terms and Definitions have been extracted from *The Photonic Dictionary*.

For the purposes of this document, the following definitions apply:

absorption. The transfer of electromagnetic energy to an atom or a group of atoms that may be in a gas, gaseous plasma, liquid, or solid form. This energy may be released as heat (dissipative absorption) or re-emitted as electromagnetic energy. Most laser material processing involves the transfer of energy by dissipative absorption.

¹ AWS Documents are published by the American Welding Society, 550 N.W. LeJeune Road, Miami, FL 33126.