

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Another Extract of a Letter written from Midleton in Warwickshire to the Publisher July 10th. by Francis Willinghby Esquire; about the Hatching of a kind of Bee, lodged in Old Willows.

He Cartrages that I got at Astrop*near a Twelfmonth ago, do now almost every day afford me a Bee; and I can hear them gnawing

* See two Letters concerning this marter, in Mumb. 65, of these Transctions.

out their way before I see them: So that there is nothing irregular in the way of breeding of these Bees; But the contrivance of God and Nature in it is very admirable. Having that their yong ones in those Cels with sufficient provision, they all, as well the uppermost as lowermost, before Winter come to their sull growth, or are turn dinto Nympha'ss in which condition they are designed to lye all Winter, as the most of Insects do. The next Summer those must necessarily be first excited out of their torpor, and changed intostyers by the external heat and ayr, that lye next it. If any be laid so late, that they have not time enough to come to the state of Nympha's before Winter, they will most certainly dye; and then it is no loss nor inconvenience, though their Cells be perforated.

The Scolopendra, spoken of by the German Philosophers in Numb. 18. p.2082. §.31. of the Fransactions, is that which is our Bruebus, described by Muffet, in the latter part of his Chapter de Julis, p. 202. I saw it in the Clossters of Trinity Colledge in Cambridge, 12 or 13 years ago. It shall go hard, but I will send you some shortly. I am, &c.

A further Accompt of the Stellar Fish: formerly described in Numb. 57. p. 1153; with the Addition of some other Curiosities.

His Accompt was communicated by the same Gentleman, that imparted the former, in a Letter written from Boston in New England Ott. 26,1670. as followeth 3