






OVERSTOCK INVENTORY BLOWOUT

Take advantage of the Overstock Inventory Blowout pricing. Flat Panels, recessed downlighting, strips, wraps, exit and emergency lighting are available at extraordinary low prices to save you money!

Hurry, place your order TODAY!

SAVE up to 75%*

on HALO, HALO Outdoor, Metalux, Sure-Lites and Greengate

HALO	HALO OUTDOOR	METALUX	SURE-LITES
<p>Recessed downlighting. LED Outdoor</p> 	<p>Floodlights</p> 	<p>Flat Panels, Troffers, Strips</p> 	<p>Emergency Lighting</p> 
			<p>GREENGATE</p> <p>Wall Switches, Occupancy Sensors</p> 

See SKU list attached to this flyer























Contact your Cooper Lighting Sales agent for terms, conditions and promotional details. While supplies last.

*Savings is based on national average pricing. Final savings will be calculated at the time of purchase.




















Visit our website to learn more:
www.cooperlighting.com/overstock

Overstock Inventory Blowout Promotion SKU Listing

Brand	Family	Catalog No.	Description	Image	
Ambient Flat-Panels Metalux	LED Panel	14CGT4050C	1x4 CGT LED Flat Panel, Acrylic micro optics, Backlit, 4000 lumens, 5000K, 80 CRI, 0-10V Dimming		
		14FP3040HE	1x4 LED Flat Panel, High Efficacy, 3000 lumens, 4000K, 80 CRI, 0-10V Dimming		
		22FP4250C	2x2 LED Flat Panel, 4200 lumens, 5000K, 80 CRI, 0-10V Dimming		
		24FP4750C	2x4 LED Flat Panel, 4700 lumens, 5000K, 80 CRI, 0-10V Dimming		
		22CGT3535C	2x2 CGT LED Flat Panel, Acrylic micro optics, Backlit, 3500 lumens, 3500K, 80 CRI, 0-10V Dimming		
		22FP4240C	2x2 LED Flat Panel, 4200 lumens, 4000K, 80 CRI, 0-10V Dimming		
		24CGT4550C	2x4 CGT LED Flat Panel, Acrylic micro optics, Backlit, 4500 lumens, 5000K, 80 CRI, 0-10V Dimming		
		24FP5830C9	2x4 LED Flat Panel, 5800 lumens, 3000K, 90 CRI, 0-10V Dimming		
		LED Panel Accessory	FPXSURF14	1x4 FPX Series Surface Mount Kit	
			FPXSURF22	2x2 FPX Series Surface Mount Kit	
	FPXSURF24		2x4 FPX Series Surface Mount Kit		
	Ambient Highbay and Lowbay Metalux	LED High Bay Selectable	UHBS-1218-MV-L84050-BLK	Selectable High Bay, Die Cast, Medium Distribution, Lumen Select, CCT Select, Black, Power & Dimming cord provided	
			AMZ-OHB-24SE-W-480V-L850-CD-MW48DS16/2G06D08-FSP-211-U	High Bay, Lensed, Wide Distribution, 80CRI / 5000K, 0-10V Dim, MWS, FSP	
HBRD2440R			Round lensed LED High Bay		
LED High Bay		LCHB1240R	Lensed Comm. HiBay 12K Lum UNV Dim 40K		
		COO-4VT2-LD4-4-DR-UNV-L840-CD1-WL-U	4' Vaportite, LED, 4000 Lumen, 4000K, 0-10V, Wet, UNV		
		Vapor Tite 4'	2GR8432	2x4 Static Lensed Troffer, 4 Lamp, Electronic Ballast, T8	
			22CZRK-LD4-24-UNV-L835-CD1-U	2x2 Cruze Retrofit LED, 2400 Lumens, UNV, 3500K, 0-10V 1%-100%	
Ambient Recessed Linear Metalux	Center Basket 2'x2' Retrofit	24RTC4835	2x4 RTC LED Troffer, 4800 lumens, 3500K, 80 CRI (min), 0-10V Dimming		
	Center Basket Shallow 2'x4'	8SLSTP11040DD-UNV	8' Linear LED Striplight, 11000 lumen, 4000K, UNV, 0-10V Dim to 10%		
		8SLSTP8050DD-UNV	8' Linear LED Striplight, 8000 lumen, 5000K, UNV, 0-10V Dim to 10%		
Ambient Strips Metalux	8' Linear LED	8ST2L8040	8' Dual Lens Dimming, 9200L 4K CCT		

Price, performance, and inventory are subject to change.

Overstock Inventory Blowout Promotion SKU Listing



































Brand	Family	Catalog No.	Description	Image
Ambient Wraparounds Metalux	4' Ceiling Mount	4NW50C3R	High output 5200 Lumen commercial spec wraparound light	
Controls	Greengate Remote Control	ISHH-01	Integrated Sensor Programming Remote	
	Greengate Sensor	OLW-DT-MV-N-W	Dual Tech PIR and Ultrasonic Wall Switch occupancy sensor with neutral	
		OLW-DT-MV-W	Dual Tech PIR and Ultrasonic Wall Switch occupancy sensor	
		OSC15-RIW	PIR Ceiling Mount, 24VDC 1500SF, Iso Rly	
		OSC20-RMW	DT Ceiling Mount, 24VDC, 2000SF, Iso Rly	
		OSC-DT-1000	DT, Ceiling Mount, 24VDC, 1000SF, Wt	
		OSC-DT-2000	DT, Ceiling Mount, 24VDC, 2000SF, Wt	
		OSC-P-1500	1500sq ft coverage PIR ceiling sensor	
Exit and Emergency Sure-Lites	Emergency Architectural	SELDWTA50PSBZSD	Architectural Emergency Series, Wet Location,	
Fail-Safe GUV	Air Ceiling Mount	22GAC-4GUV9W-UNV-R1-W	2x2 Suspended Germicidal Air Ceiling Mount	
	Accessory	GUV4-LAMP-U	4FT, T8 36W TUV Lamp	
HALO	4" Trims-Modules Surface DM	HLB4069FSMWR-6PK-C	HLB4, 5CCT, 6PK BLK PK	
	6" E Series - Trims Baffle	RE-6109WB	6" White Plastic Tapered Coilex® Baffle, White Self-Flange Ring	
Halo Commercial	Surface Mount LED	HLC9129301EWH	9" LED Surface, 1200 lumens, 90 CRI, 3000K, 120V 60Hz, LE & TE Phase Cut 10% Dimming, M White	
Halo Downlighting - Recessed	H Series - Trims, Baffles, & Reflectors	ELG406940WH	4" LED White Gimbal Trim / Light Engine, 4000K, for Halo H457 LED Housings - GEN2	
	H Series - Housings New Construction	H99TAT	4" Housing Non-IC, Air-Tite Shallow Ceiling 120V Incandescent	
		H272ICAT	6" Housing 26W IC Air-Tite Compact Fluorescent, Electronic Ballast, 120V	
	Trims-Module Retrofit LED DM	LCR8809FSE010MW	8" All Purpose Round LED Module, 8000 Lumens, 90 CRI, FS, 120-277v, 50/60Hz, 0-10V Analog 100% to 5% Dimming	
		LCR4129FSE010MW	4" Round, 1200 Lumens, 90 CRI, 2700 - 5000K Selectable CCT, UNV (120-277), 0-10V, 100% to 5% Dimming, M White	
	Trims-Modules Surface	SMD6R6930WHDM	6" Round Surface Mount Downlight, 600 Lumen, 90CRI, 3000K, Spring Clips	
		BLD6089SWHR	6" Backlit LED Downlight (BLD), 90CRI, SeleCCTable CCT	

Overstock Inventory Blowout Promotion SKU Listing

Brand	Family	Catalog No.	Description	Image
		SMD4R6930WHDM	4" Round Surface Mount Downlight, 600 Lumen, 90CRI, 3000K, Spring Clips	
		SMD4S6930WHDM	4" Square Surface Mount Downlight, 600 Lumen, 90CRI, 3000K, Spring Clips	
		SMD6R12927WH	6" Round Surface Mount Downlight, 1200 Lumen, 90CRI, 2700K	
		SMD6S129SWH	6" Square Surface Mount Downlight, 1200 Lumen, 90CRI, CCT Selectable, White	
		SMD6S6930WHDM	6" Square Surface Mount Downlight, 600 Lumen, 90CRI, 3000K, Spring Clips	
		SMD6R129SWHE-CA	6" Round Surface Mount Downlight, 1200 Lumen, 90CRI, 2700K - 5000k selectable, MW, UNV 120-277V, CA	
	Canless EZ-Trim	CEZ3125GU10WBICAT	3" Canless EZ-Trim, GU10 Lamp Base	
		CEZ4125E26WBICAT	4" Canless EZ-Trim, E26 Lamp Base	Market-Pro
		CEZ4125GU10WBICAT	4" Canless EZ-Trim, GU10 Lamp Base	Market-Pro
		CEZ6125E26WBICAT	6" Canless EZ-Trim, E26 Lamp Base	Market-Pro
		CEZ6125GU24WBICAT	6" Canless EZ-Trim, GU24 Lamp Base	Market-Pro
		CEZ6126E26WBICAT	6" Canless EZ-Trim, Shallow, E26 Lamp Base	Market-Pro
		CEZ6126GU24WBICAT	6" Canless EZ-Trim, Shallow, GU24 Lamp Base	Market-Pro
	E Series - Housings New Construction	E44MR16ICAT	4" Ultra Shallow Housing, ICAT, 10W MR16, UNV	
	LED Flushmount	FM119S1EWHR	11" LED Low Profile Round Flushmount, 5-Color Field Selectable CCT: 2700-5000 CCT	Market-Pro
		FM159S1EWHR	15" LED Low Profile Round Flushmount, 5-Color Field Selectable CCT: 2700-5000 CCT	Market-Pro
	H Series Contractor Packs	H245RICATLA46930	LA Contractor Pack - (1) H245RICAT 4" Housing ultra-shallow and (1) LA4 LED Module	
		H245RICATLT46930	LT Contractor Pack - (1) H245RICAT 4" Housings ultra-shallow and (1) LT46 LED Modules	
	Trims-Module Adj Gimbals DM	HLA305FL9271EMWR	3" HLA Adjustable Round Gimbal, 500 Lumens, 90CRI, 120V, Selectable CCT, 40 degree beam spread, MW Flange	
		HLA3S05FL9301EMWR	3" HLA Adjustable Downlight, Square, 500 Lumens, 40D, 3000K, 120V, Matte White	
	Trims-Module DM	HLA305FL9301EMWR	3" Round LED Directional Downlight w/Remote Driver/Junction Box, 500 Lumens, 40 deg Flood, 90 CRI, 3000K	
	Trims-Modules Surface DM	HLBPH4069FS1EMWR-12BP	4" LED Smooth Lens Downlight, 600 Lumens, Round Soft Lens, Remote Driver, Junction Box, 120v, 12 Bulk	

Price, performance, and inventory are subject to change.

Overstock Inventory Blowout Promotion SKU Listing

Brand	Family	Catalog No.	Description	Image
	Module Retrofit LT Series Trims	LT3059FS351EWHDMR	3" LED Direct Mount, 500 Lumens, 90 CRI, 3000K/4000K/5000K Select, 120V, Matte White Flange	 
		LT4069FS351EWHDMR	4" LED Direct Mount, 600 Lumens, 90 CRI, 3000K/4000K/5000K Select, 120V, Matte White Flange	 
		LT6089FS351EWHDMR	6" LED Direct Mount, 800 Lumens, 90 CRI, 3000K/4000K/5000K Select, 120V, Matte White Flange	 
		LTSS56069FS231EWHWR	5/6" Retrofit Smooth Splay -Trim LED Module, 600 Lumens, 120V, 90CRI, 2700K/3000K/3500K Selectable CCT,White	
		LTSS4069FS351EWHWR	4" Retrofit Smooth Splay -Trim LED Module, 600 Lumens, 120V, 90CRI, 3000K/4000K/5000K Selectable CCT,White	
		LTSS560WH9930R-CA	5/6" Retrofit Smooth Splay -Trim LED Module, 900 Lumens, 90CRI, 3000k,White, CA	
	Trims-Module Adj Gimbals	RA5606930WHR	5/6" Retrofit Adjustable Gimbal LED Module, 90CRI, 120V, 3000K, Very Wide Flood, White	
	Module Retrofit RSQ Series Trims	RSQ5089FS1EMWWB	5" Square lens downlight, 800lm (nom), 90 CRI, Field Select, 120V, MWWB	 
Halo Floodlights - Outdoor	Multi-Use Floodlighting	TGS2S402MSRB	Twin, 2K Lmn Sel, 4K, Mtn, Resi, Sq,Br	 
		TGS2S402MSRW	Twin, 2K Lmn Sel, 4K, Mtn, Resi, Sq,Wh	 
		TGS3S403FRRB	Trip, 3K Lmn Sel, 4K, Flood, Resi, Rd,Br	 
		TGS3S403MRRB	TGS Security Flood, 4000K, Motion Activated, Triple, Bronze.	 
		TGS3S403MRRW	TGS Security Flood, 4000K, Motion Activated, Triple, White.	 
		TGS5S401MSCB	TGS Security Flood, 4000K, Motion Activated, Single, Bronze.	 
		TGS3S401DSRB	Sngl, 3K Lmn Sel, 4K, D2D, Resi, Br	 
	Security Floodlight	ESF1A4DW	ESF LED Security Floodlight, 1420 Lumens, 4000K Color temp, Dusk to Dawn, White	 
Halo Track and Surface	Track Fixtures Cylinder	KROGER-L80815NF9030AH	Halo track fixture, Narrow Flood, 1500 Lumens, 3000K, Alum Haze	
		KROGER-L80825NF9030AH	Halo track fixture, Narrow Flood, 2500 Lumens, 3000K, Alum Haze	
Outdoor Security & Worklights Area Site	Outdoor Accessory	EA24	24" Extension Arm	
Outdoor Security & Worklights Floodlights	Motion	MS185	180° Twin Head PAR - Bronze	
	Flood	FT18VCW	Flood, Twin head floodlight, 3 selectable CCT, White	
		FT28VCB	LED Twin head floodlight, 3 selectable CCT, Bronze	

Price, performance, and inventory are subject to change.

Overstock Inventory Blowout Promotion SKU Listing

Brand	Family	Catalog No.	Description	Image
		FT28VCIBCE	LED Twin head floodlight with PC, 3 selectable CCT, Bronze	
	Motion Solar	MSLED600	180° Single LED Solar Wedge	
		SLMT1000W	180° Solar LED Twin 1000 Lumens 5000K, White	
	Dusk to Dawn	WP5550LBZ	LED Wall Pack Floodlight, 5600 lumens - Bronze	
Outdoor Security & Worklights Portable Worklight	Twin Stand	WLT5040LST	5100 Lumen Twin Head LED Portable Worklight with Stand	

Price, performance, and inventory are subject to change.