

SKSGR480GS

48-INCH GAS PRO RANGE WITH 6 BURNERS AND GRIDDLE

SIGNATURE
KITCHEN SUITE



CHROMIUM GRIDDLE

The chromium griddle delivers consistent, even heating across the entire surface for professional results and the durable, polished finish resists scratches.

POWER-UP OR SIMMER DOWN

Three Ultra-High Burners deliver 23K BTUs of pure cooking power for better searing and quick stir frying. Three Ultra-Low Burners simmer down to maintain temperatures as low as 100° to prepare delicate sauces and sugary confections.

SPEEDCLEAN®

Makes fast work of cleaning a lightly-soiled oven with just a ten minute cycle, using only water.

BUILT-IN WOK GRATE

The three front burner grates are convertible for round-bottom wok cooking. Stir fry at home with professional-style results.

Innovation

| | |
|--|-----|
| Wi-Fi-Enabled for ThinQ® Control with iPhone / Android App | Yes |
| Remote Operations | Yes |

Cooktop Features

| | |
|--|-------------|
| Number of Burners / Elements | 6 + Griddle |
| Continuous Grates | 3 |
| Wok Convertible Grate (On Front Burners) | Yes |
| Chromium Griddle Plate | 1 |
| Heating Element "ON" Indicator Light | Yes |
| LED Power Level Display | Yes |

Cooktop Performance

| | |
|--------------------------|--------------|
| Simmer – Max. BTU/h (NG) | |
| Left Rear | 310 – 15,000 |
| Center Rear | 310 – 15,000 |
| Right Rear | 310 – 15,000 |
| Left Front | 650 – 23,000 |
| Center Front | 650 – 23,000 |
| Right Front | 650 – 23,000 |
| Griddle BTU/h (NG) | 18,000 |



© 2021 Signature Kitchen Suite. All rights reserved. Design, features and specifications are subject to change without notice. Specifications are for planning purposes only. Consult the product's installation instructions for final dimensional data and other details prior to making cutouts or custom panels. Consult with a heating and ventilation engineer for your specific ventilation requirements. Non-metric weights and measurements are approximate. Smart features require Internet access.

1-855-790-6655 | www.signaturekitchensuite.com

SKSGR480GS

48-INCH GAS PRO RANGE WITH 6 BURNERS AND GRIDDLE

SIGNATURE
KITCHEN SUITE

Oven Features & Performance (18-inch Oven / 30-inch Oven)

| | |
|---|-----------------------|
| Oven Type | |
| 18-inch Convection Oven + 30-inch Convection Oven | |
| Oven Capacity (cu. ft.) | 2.7 / 5.2 |
| 18-inch Oven – Special Cooking Modes | |
| Bake, Convection Bake, Convection Roast, Broil, Warm, Proof, Pizza (Frozen Regular, Frozen Rising, Fresh), My Recipe | |
| 30-inch Oven – Special Cooking Modes | |
| ProHeat™ Bake, ProHeat™ Convection Bake, ProHeat™ Convection Roast, Broil, Warm, Proof, Pizza (Frozen Regular, Frozen Rising, Fresh), My Recipe | |
| Convection System | Single Fan / ProHeat™ |
| 30-inch Oven – Convection Element BTU/h (NG) | 23,000 |
| Convection Conversion | Yes / Yes |
| Broil Element BTU/h (NG / LP) | |
| 18-inch Oven – 6,500 / 6,500 (Infrared Heater) | |
| 30-inch Oven – 18,000 / 16,500 (Infrared Heater) | |
| 18-inch Oven – Bake Element BTU/h (NG / LP) | 14,000 / 13,000 |
| Oven Racks | |
| 2 Heavy Duty / 2 Gliding & 1 Heavy Duty | |
| Oven Meat Probe | Yes / Yes |
| Self Cleaning | Yes / Yes |
| Variable Time Self Cleaning (2-3-4 hrs.) | Yes / Yes |
| Speed Cleaning | Yes / Yes |
| Automatic Shut-Off (After 12 hrs.) | Yes / Yes |
| Star-K Certified Sabbath Mode | Yes / Yes |
| Interior Oven Light (Auto & Manual) | Yes / Yes |

Controls

| | |
|--------------------------------------|----------|
| Touch Oven Controls with LCD Display | Yes |
| Knob Cooktop Controls w/LED Display | Yes |
| Electronic Clock & Timer | Yes |
| Control Lock (Oven Functions Only) | Yes |
| Delay Start Time | Yes |
| Mood Light | Yes |
| Preheat Alarm Light | On / Off |
| Audible Preheat Signal | Yes |

Controls (Continued)

| | |
|------------------------------|--------------------------|
| Cooking Complete Reminder | Yes |
| Temperature Display (F or C) | Yes |
| Language Options | English, Spanish, French |

Cooktop / General Features

| | |
|-----------------------------|-----------------|
| Sealed Gas Burners (Brass) | Yes |
| Surface Material | Black Porcelain |
| Stainless Steel Side Panels | Yes |
| Door Lock | Yes |

Technical Specs

| | |
|----------------------------|-----------------------|
| Energy Source | Natural Gas |
| Alternative Energy Source | LP Gas |
| LP Conversion Kit Included | Yes |
| Amp Rating at 120V | 12 Amp |
| Required Power Supply | 120VAC, 60 Hz, 15 Amp |

Dimensions and Weight

| | |
|--|--------------------|
| Overall Width (inches) | 47 7/8 |
| Overall Height Including Grates (inches) | 36 11/16 to 38 1/8 |
| Overall Depth Including Door (inches) | 26 3/4 |
| Overall Depth Including Handle (inches) | 29 5/16 |
| Net Weight (approx.) | 529 lbs. |
| Shipping Weight (approx.) | 699 lbs. |

Accessories

| | |
|--|------------|
| Included Accessories | |
| Broiler Pan, 2 Gliding Racks, 3 Heavy Duty Racks, Meat Probe, Cleaning Pad, Spray Bottle | |
| Optional Accessories | |
| 6" High Backguard | SKSBG4806S |


Warranty Summary*

| | |
|---------------------------------|---------|
| Limited Warranty, Parts & Labor | 3 Years |
|---------------------------------|---------|

*These warranties give you specific legal rights and you may have other rights that vary from state to state. For complete warranty details, refer to your Use & Care manual.

SKSGR480GS
48-INCH GAS PRO RANGE WITH
6 BURNERS AND GRIDDLE

CUTOUT DIMENSIONS



†as defined in the “National Fuel Gas Code” (ANSI Z223.1, Current Edition). Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA. Clearances of less than 12” (305 mm) must be approved by the local codes and/or by the local authority having jurisdiction.

Natural Gas or LP

Gas Ranges are shipped by the factory to operate on natural gas. If the location / job site requires conversion from natural gas to propane (LP), utilize the included LP kit. Conversion must be done by a qualified installer or service technician.

SKSGR480GS
48-INCH GAS PRO RANGE WITH
6 BURNERS AND GRIDDLE

SIGNATURE
KITCHEN SUITE

OVERALL PRODUCT DIMENSIONS

