

The LG DVLED Ultimate Business Display

One display. Brilliantly simple. Utterly breathtaking.

2K FULLHD

81" - 217"

dual2K Ultra Stretch

147" - 393"

4K ULTRAHD

163" - 325"

dual4K Ultra Stretch

136" - 589"

8K XUHD

325"

TEAMS 21:9

102" - 205"

SCOREBOARD

230" - 445"



dual2K Ultra Stretch 147" MAGNIT (2 x 81") shown

THE DISPLAY

All parts and components in one ready-to-assemble bundle

- LG direct view LED panels
- 4K LG controller
- 5% Spare modules
- Spare boards and parts
- Service tool

LG webOS™

- Intuitive on-screen user interface
- Ambient-light sensor and automatic brightness adjustment

Screen sharing

- Miracast
- WiDi

Onboard CMS

- 3.6GB flash storage
- Store, schedule, playback

Mounting Kit Included

- Basic wall mount configuration for standard models*
- Precision cut specifically for each model

Trim Kits Included on Select Models

- Provides finished look around the edges of the display

* Mounting kits not included with the Specialty size configurations.

THE SERVICES

On-site Field Support

- Up to 3-Days Training by an LG Field Engineer
- Educational webinar prior to installation
- Certified LG Pixel Surgeon will be on-site to remove/replace any pixels that may have been damaged during the installation process.**

3 years LG TotalCare Health Checks

- Annual on-site display health check by LG Pixel Surgeon
- Examine Pixel Health and Perform On-Site Repair of Damaged Pixels
- Inspect for Proper System Configuration and Physical Connections
- Initiate expedited priority on any needed RMA services

3 Years LG ConnectedCare System Surveillance

- ConnectedCare Solution Software subscription
- Optional LG professional remote monitoring service

Warranty Service

- 3 year limited manufacturer warranty
- Optional LG ExtendedCare warranty for up to 5 years

** Pixel surgeon only applies for indoor installations with SMD pixel packages from 0.9mm to 3.9mm.

THE PACKAGING

LG Branded Flight Case***

- Every LG direct view LED display ships in a new, branded, wheeled flight case
- Premium-grade protection for each stunning display
- No more searching to make sure you received every box
- No forklifts or pallet jacks required, simply roll the cases in to your space



*** Flight case sizes and quantities may vary.

Full HD Ultimate Business Displays

Full HD Ultimate Business Display	SKU	LED Package	Pixel Pitch	Panel Array (W x H)	Display Resolution	Max Brightness	Dimensions (W x H)	Service Access	webOS	Wall Mount / Trim Kit	
2K Full HD 81"	LSAB-F081C	COB	0.94 mm	3x3 (9 panels)	1920 x 1080	600 nits	70.8 x 39.8 in. 1,800 x 1,013 mm	Front & Rear	v 4.1	Basic / No Trim	
	LSBB-F081C	SMD						Front	v 4.0	Basic / Basic	
2K Full HD 108"	LSAB-F108C	COB	1.25 mm	4 x 4 (16 panels)		800 nits	94.4 x 53.1 in. 2,400 x 1,350 mm	Front & Rear	v 4.1	Basic / No Trim	
	LSCB-F108C	SMD				Front		v 4.0	Basic / Basic		
	LSBB-F108C	SMD		2 x 2 (4 panels)		600 nits		Front	v 4.0	Basic / Basic	
	LSAC-F108C							Front	v 4.1	Basic / No Trim	
2K Full HD 136"	LSBB-F136C	SMD	1.55 mm	5 x 5 (25 panels)		600 nits	118.1 x 66.4 in. 3,000 x 1,687 mm	Front	v 4.0	Basic / Basic	
	LSCB-F136C					800 nits				Basic / Basic	
2K Full HD 163"	LSAC-F163C	SMD	1.88 mm	3x3 (9 panels)		3840 x 1080	600 nits	141.7 x 79.7 in. 3,600 x 2,025 mm	Front	v 4.1	Basic / No Trim
	LSBB-F163C			6 x 6 (36 panels)							800 nits
	LSCB-F163C				LSCB-F163PS.EUS		Peerless Concave / Basic				
	LSCB-F163PS.EUS										
2K Full HD 217"	LSAC-F217C	SMD	2.50 mm	4 x 4 (16 panels)	600 nits	189 x 106.3 in. 4,800 x 2,700 mm	Front	v 4.1	Basic / No Trim		
	LSCB-F217C			8 x 8 (64 panels)	800 nits				v 4.0	Basic / Basic	
Dual2K Full HD 147"	LSAB-G147C	COB	0.94 mm	6 x 3 (18 panels)	3840 x 1080	600 nits	141.7 x 79.7 in. 3,600 x 2,025 mm	Front & Rear	v 4.1	Basic / No Trim	
	LSBB-G147C	SMD	0.94 mm					Front	v 4.0	Basic / Basic	
Dual2K Full HD 196"	LSAB-G196C	COB	1.25 mm	8 x 4 (32 panels)		800 nits	189 x 53.1 in. 4,800 x 1,350 mm	Front & Rear	v 4.1	Basic / No Trim	
	LSBB-G196C	SMD				600 nits		Front	v 4.0	Basic / Basic	
	LSCB-G196C									Basic / Basic	
Dual2K Full HD 245"	LSBB-G245C	SMD	1.55 mm	10 x 5 (50 panels)		600 nits	236.2 x 66.4 in. 6,000 x 1,688 mm	Front	v 4.0	Basic / Basic	
	LSCB-G245C					800 nits				Basic / Basic	
Dual2K Full HD 294"	LSBB-G294C	SMD	1.88 mm	12 x 6 (72 panels)		600 nits	283.2 x 79.7 in. 7,193 x 2,025 mm	Front	v 4.0	Basic / Basic	
	LSCB-G294C					800 nits				Basic / Basic	
Dual2K Full HD 393"	LSCB-G393C	SMD	2.50 mm	16 x 8 (128 panels)		800 nits	378 x 106.3 in. 9,600 x 2,700 mm	Front	v 4.0	Basic / Basic	

Ultimate Business Display Services

Warranty	TotalCare Health Checks	ConnectedCare Subscription	On-Site Field Engineering Support
3 Year Limited Included + Up to 2 Additional with ExtendedCare Purchase	3 Years (LCLA30G)	3 Years (LCLS30G)	Up to 3 Days

Ultra HD Ultimate Business Displays

Ultra HD Ultimate Business Display	SKU	LED Package	Pixel Pitch	Panel Array (W x H)	Display Resolution	Max Brightness	Dimensions (W x H)	Service Access	webOS	Wall Mount / Trim Kit
4K Ultra HD 136"	LSAB-U136C	COB	0.7 mm	5 x 5 (25 panels)	3840 x 2160	500 nits	118.1 x 66.4 in. 3,000 x 1,687 mm	Front & Rear	v 4.1	Basic / Basic
4K Ultra HD 163"	LSAB-U163C	COB	0.94 mm	6 x 6 (36 panels)		600 nits	141.7 x 79.7 in. 3,600 x 2,025 mm	Front & Rear	v 4.1	Basic / Basic
	LSAQ-U163C							Basic / No Trim		
	LSBB-U163C	SMD						Front	v 4.0	Basic / Basic
4K Ultra HD 217"	LSAB-U217C	COB	1.25 mm	8 x 8 (64 panels)		800 nits	189 x 106.3 in. 4,800 x 2,700 mm	Front & Rear	v 4.1	Basic / No Trim
	LSAC-U217C	SMD		4 x 4 (16 panels)		600 nits		Front		v 4.1
	LSBB-U217C			8 x 8 (64 panels)					v 4.0	
	LSCB-U217C			800 nits						Basic / Basic
4K Ultra HD 271"	LSBB-U271C	SMD	1.55 mm	10 x 10 (100 panels)		600 nits	236.2 x 132.9 in. 6,000 x 3,375 mm	Front	v 4.0	Basic / Basic
	LSCB-U271C					800 nits				Basic / Basic
4K Ultra HD 325"	LSAC-U325C	SMD	1.88 mm	6 x 6 (36 panels)	3840 x 2160	600 nits	283.5 x 159.4 in. 7,200 x 4,050 mm	Front	v 4.1	Basic / No Trim
	LSCB-U325C			12 x 12 (144 panels)					v 4.0	Basic / Basic
Dual4K Ultra HD 294"	LSAB-V294C	COB	0.94 mm	12 x 6 (72 panels)	7680 x 2160	600 nits	283.2 x 79.7 in. 7,200 x 2,025 mm	Front & Rear	v 4.1	Basic / No Trim
	LSBB-V294C	SMD						Front		v 4.0
Dual4K Ultra HD 393"	LSAB-V393C	COB	1.25 mm	16 x 8 (128 panels)		800 nits	378 x 106.3 in. 9,600 x 2,700 mm	Front & Rear	v 4.1	Basic / No Trim
	LSCB-V393C	SMD				600 nits		Front		v 4.0
	LSBB-V393C								Basic / Basic	
Dual4K Ultra HD 490"	LSCB-V490C	SMD	1.55 mm	20 x 10 (200 panels)		800 nits	472.4 x 132.9 in. 12,000 x 3,375 mm	Front	v 4.0	Basic / Basic
	LSBB-V490C					600 nits				Basic / Basic
Dual4K Ultra HD 589"	LSCB-V589C	SMD	1.88 mm	24 x 12 (288 panels)		800 nits	566.9 x 159.4 in. 14,400 x 4,050 mm	Front	v 4.0	Basic / Basic
	LSBB-V589C					600 nits				Basic / Basic

Ultimate Business Display Services

Warranty	TotalCare Health Checks	ConnectedCare Subscription	On-Site Field Engineering Support
3 Year Limited Included + Up to 2 Additional with ExtendedCare Purchase	3 Years (LCLA30G)	3 Years (LCLS30G)	Up to 3 Days

XUHD and Specialty Ultimate Business Displays

XUHD Ultimate Business Display	SKU	LED Package	Pixel Pitch	Panel Array (W x H)	Display Resolution	Max Brightness	Dimensions (W x H)	Service Access	webOS	Wall Mount / Trim Kit
8K XUHD 325"	LSAB-U325C	COB	0.94 mm	12 x 12 (144 panels)	7680 x 4320	600 nits	283.5 x 159.4 in. 7,200 x 4,050 mm	Front & Rear	v 4.1	Basic / No Trim
	LSBB-U325C	SMD						Front	v 4.0	Basic / No Trim

TEAMS 21:9 Ultimate Business Display*	SKU	LED Package	Pixel Pitch	Panel Array (W x H)	Display Resolution	Max Brightness	Dimensions (W x H)	Service Access	webOS	Wall Mount / Trim Kit
2K FHD Teams 102"	LSAB-TEAM102	COB	0.94 mm	4 x 3 (12 panels)	2560 x 1080	600 nits	94.5 x 39.8 in. 2,400 x 1,010 mm	Front & Rear	v 4.1	Basic / No Trim
	LSBB-TEAM102	SMD						Front	v 4.0	Basic / Basic
2K FHD Teams 151"	LSAB-TEAM151	COB	1.25 mm	6 x 4 (24 panels)	2880 x 1080	800 nits	141.7 x 53.1 in. 3,599 x 1,349 mm	Front & Rear	v 4.1	Basic / No Trim
	LSCB-TEAM151	SMD						Front	v 4.0	Basic / Basic
	LSBB-TEAM151					600 nits				Basic / Basic
2K FHD Teams 178"	LSCB-TEAM178	SMD	1.55 mm	7 x 5 (35 panels)	2688 x 1080	800 nits	165.3 x 66.4 in. 4,199 x 1,687 mm	Front	v 4.0	Basic / Basic
	LSBB-TEAM178					600 nits				Basic / Basic
2K FHD Teams 205"	LSCB-TEAM205	SMD	1.88 mm	8 x 6 (48 panels)	2560 x 1080	800 nits	188.9 x 79.7 in. 4,798 x 2,024 mm	Front	v 4.0	Basic / Basic
	LSBB-TEAM205					600 nits				Basic / Basic

* Microsoft® Teams Front Row native output is 2560 x 1080.

Scoreboard Ultimate Business Display	SKU	LED Package	Pixel Pitch	Panel Array (W x H)	Display Resolution	Max Brightness	Dimensions (W x H)	Service Access	webOS	Wall Mount / Trim Kit
Outdoor Scoreboard 230"	GSCA-H230F	SMD	3.91 mm	10 x 3 (30 panels)	1280 x 768	5000 nits	196.8 x 118.1 in. 4999 x 3000 mm	Front or Rear	v 4.0	No Mount / No Trim
Outdoor Scoreboard 335"	GSCA-F335F	SMD	3.91 mm	15 x 4 (60 panels)	1920 x 1024	5000 nits	295.27 x 157.48 in. 7500 x 4000 mm	Front or Rear	v 4.0	No Mount / No Trim
Outdoor Scoreboard 405"	GSCA-I405F	SMD	4.63 mm	18 x 5 (90 panels)	1944 x 1080	5000 nits	354.3 x 196.85 in. 9000 x 5000 mm	Front or Rear	v 4.0	No Mount / No Trim
Outdoor Scoreboard 445"	GSCD-I445F	SMD	3.91 mm	8 x 8 (64 panels)	768 x 768	5000 nits	314.96 x 314.96 in. 8000 x 8000 mm	Front or Rear	v 4.0	No Mount / No Trim
Indoor Scoreboard 230"	LSCA-I230F	SMD	3.90 mm	10 x 3 (30 panels)	1280 x 768	1000 nits	196.9 x 118.1 in. 5,000 x 3,000 mm	Front or Rear	v 4.0	No Mount / No Trim

Ultimate Business Display Services			
Warranty	TotalCare Health Checks	ConnectedCare Subscription	On-Site Field Engineering Support
3 Year Limited Included + Up to 2 Additional with ExtendedCare Purchase	3 Years Included (LCLA30G) Up to 2 Additional with TotalCare Purchase	3 Years Included (LCLS30G) Up to 2 Additional with ConnectedCare Purchase	Up to 3 Days Included (1 FESS-D1NA, 2 FESS-D2D) Additional days available with Field Engineering Site Support Purchase