

**National Epidemiologic Survey on Alcohol
and Related Conditions -III
(NESARC-III)**

Codebook

SECTION 1: BACKGROUND INFORMATION

CASEID - ID NUMBER (alphanumeric)

Type: Character

Statistic	Value
N	36,309
Min	10
Max	1042780

IDNUM - ID NUMBER (integer)

Type: Numeric

N	Value
36,309	10-1042780. 'Integer ID'

AUDWEIGHT - AUDADIS full-sample weight

Type: Numeric

Statistic	Value
N	36,309
Mean	6,484
Min	586
P25	3,297
Median	5,242
P75	8,640
Max	49,403

SPCHILD0 - NUMBER OF SAMPLE PERSON'S CHILDREN LESS THAN 1 YEAR OLD

Type: Numeric

N	Value
36,309	0-2. Number

SPCHILD4 - NUMBER OF SAMPLE PERSON'S CHILDREN 1-4 YEARS OLD

Type: Numeric

N	Value
36,309	0-4. Number

SPCHILD12 - NUMBER OF SAMPLE PERSON'S CHILDREN 5-12 YEARS OLD

Type: Numeric

N	Value
36,309	0-6. Number

SPCHILD15 - NUMBER OF SAMPLE PERSON'S CHILDREN 13-15 YEARS OLD

Type: Numeric

N	Value
36,309	0-3. Number

SPCHILD17 - NUMBER OF SAMPLE PERSON'S CHILDREN 16-17 YEARS OLD

Type: Numeric

N	Value
36,309	0-3. Number

SPCHILD18 - NUMBER OF SAMPLE PERSON'S CHILDREN >= 18

Type: Numeric

N	Value
36,309	0-5. Number

OTHCHILD0 - NUMBER OF UNRELATED CHILDREN LESS THAN 1 YEAR OLD

Type: Numeric

N	Value
36,309	0-4. Number

OTHCHILD4 - NUMBER OF UNRELATED CHILDREN 1-4 YEARS OLD

Type: Numeric

N	Value
36,309	0-5. Number

OTHCHILD12 - NUMBER OF UNRELATED CHILDREN 5-12 YEARS OLD

Type: Numeric

N	Value
36,309	0-6. Number

OTHCHILD15 - NUMBER OF UNRELATED CHILDREN 13-15 YEARS OLD

Type: Numeric

N	Value
36,309	0-3. Number

OTHCHILD17 - NUMBER OF UNRELATED CHILDREN 16-17 YEARS OLD

Type: Numeric

N	Value
36,309	0-3. Number

RELADULT - NUMBER OF RELATED ADULTS

Type: Numeric

N	Value
36,309	0-8. Number

UNRELADULT - NUMBER OF UNRELATED ADULTS

Type: Numeric

N	Value
36,309	0-10. Number

RELATE2 - NUMBER OF OTHER ADULT FAMILY MEMBERS

Type: Numeric

N	Value
36,309	0-4. Number

OTHER - NUMBER OF OTHER ADULT NON-FAMILY MEMBERS

Type: Numeric

N	Value
36,309	0-10. Number

SPOUSE - SAMPLE PERSON' SPOUSE IN HOUSEHOLD

Type: Numeric

N	Value
15,482	1. Yes
20,827	2. No

FATHER - FATHER OF SAMPLE PERSON IN HOUSEHOLD

Type: Numeric

N	Value
1,919	1. Yes
34,390	2. No

MOTHER - MOTHER OF SAMPLE PERSON IN HOUSEHOLD

Type: Numeric

N	Value
3,037	1. Yes
33,272	2. No

NUMREL - NUMBER OF SAMPLE PERSON'S RELATIVES IN HOUSEHOLD

Type: Numeric

N	Value
36,309	0-11. Number

NURBAN - URBANICITY

Type: Numeric

N	Value
30,193	1. Urban
6,116	2. Rural

NREGION – CENSUS REGION

Type: Numeric

N	Value
5,180	1. Northeast
7,566	2. Midwest
14,532	3. South
9,031	4. West

NAGE - AGE

Type: Numeric

N	Value
36,122	18-89. Age
187	90. Age 90+

FAGE - IMPUTATION FLAG FOR AGE/YEAR OF BIRTH

Type: Numeric

N	Value
35,897	0. No
29	1. Hot deck imputed
383	2. Imputed based on assignment

NSEX - SEX

Type: Numeric

N	Value
15,862	1. MALE
20,447	2. FEMALE

NETHRACE - RACE/ETHNICITY

Type: Numeric

N	Value
19,194	1. White, non-Hispanic
7,766	2. Black, non-Hispanic
511	3. American Indian/Alaska Native, non-Hispanic
1,801	4. Asian/Native Hawaiian/Other Pacific Islander, non-Hispanic
7,037	5. Hispanic, any race

N1Q2A - ORIGIN OR DESCENT (REFER TO NESARC-III NOTES FOR COUNTRY DESCRIPTIONS)

Type: Numeric

N	Value
32,777	1-231. Country Code
3,532	999. Unknown

N1Q2B - BORN IN UNITED STATES

Type: Numeric

N	Value
29,896	1. YES
6,404	2. NO
9	9. Unknown

N1Q2C - IN WHAT COUNTRY WERE YOU BORN (REFER TO NESARC-III NOTES FOR COUNTRY DESCRIPTIONS)

Type: Numeric

N	Value
6,393	1-231. Country Code
11	999. Unknown
29,905	BL. NA, unknown or born in United States

N1Q2D - NUMBER OF YEARS LIVED IN UNITED STATES

Type: Numeric

N	Value
6,383	1-89. Age
3	90. Age 90+
18	99. Unknown
29,905	BL. NA, unknown or born in United States

N1Q2E - IN WHAT COUNTRY WAS YOUR MOTHER BORN (REFER TO NESARC-III NOTES FOR COUNTRY DESCRIPTIONS)

Type: Numeric

N	Value
36,093	1-231. Country Code
216	999. Unknown

N1Q2F - IN WHAT COUNTRY WAS YOUR FATHER BORN (REFER TO NESARC-III NOTES FOR COUNTRY DESCRIPTIONS)

Type: Numeric

N	Value
35,874	1-231. Country Code
435	999. Unknown

N1Q3 - IN WHAT COUNTRY WAS YOUR MOTHER'S MOTHER BORN (REFER TO NESARC-III NOTES FOR COUNTRY DESCRIPTIONS)

Type: Numeric

N	Value
34,914	1-231. Country Code
1,395	999. Unknown

N1Q4 - IN WHAT COUNTRY WAS YOUR MOTHER'S FATHER BORN (REFER TO NESARC-III NOTES FOR COUNTRY DESCRIPTIONS)

Type: Numeric

N	Value
34,465	1-231. Country Code
1,844	999. Unknown

N1Q5 - IN WHAT COUNTRY WAS YOUR FATHER'S MOTHER BORN (REFER TO NESARC-III NOTES FOR COUNTRY DESCRIPTIONS)

Type: Numeric

N	Value
34,113	1-231. Country Code
2,196	999. Unknown

N1Q6 - IN WHAT COUNTRY WAS YOUR FATHER'S FATHER BORN (REFER TO NESARC-III NOTES FOR COUNTRY DESCRIPTIONS)

Type: Numeric

N	Value
33,796	1-231. Country Code
2,513	999. Unknown

N1Q7A - LIVED WITH AT LEAST 1 BIOLOGICAL PARENT BEFORE AGE 18

Type: Numeric

N	Value
35,336	1. YES
965	2. NO
8	9. Unknown

N1Q7B - BIOLOGICAL FATHER EVER LIVE IN HOUSEHOLD BEFORE RESPONDENT WAS 18

Type: Numeric

N	Value
30,131	1. YES
5,161	2. NO
44	9. Unknown
973	BL. NA, did not live or unknown if lived with biological parent(s) before age 18

N1Q7C1 - RAISED BY ADOPTIVE PARENTS BEFORE AGE 18

Type: Numeric

N	Value
356	1. YES
615	2. NO
2	9. Unknown
35,336	BL. NA, lived with biological parent(s) before age 18

N1Q7C2 - RAISED BY RELATIVES BEFORE AGE 18

Type: Numeric

N	Value
470	1. YES
501	2. NO
2	9. Unknown
35,336	BL. NA, lived with biological parent(s) before age 18

N1Q7C3 - RAISED BY FOSTER PARENTS BEFORE AGE 18

Type: Numeric

N	Value
82	1. YES
889	2. NO
2	9. Unknown
35,336	BL. NA, lived with biological parent(s) before age 18

N1Q7C4 - RAISED IN AN INSTITUTION BEFORE AGE 18

Type: Numeric

N	Value
28	1. YES
943	2. NO
2	9. Unknown
35,336	BL. NA, lived with biological parent(s) before age 18

N1Q7C5 - RAISED IN SOME OTHER SITUATION BEFORE AGE 18

Type: Numeric

N	Value
67	1. YES
904	2. NO
2	9. Unknown
35,336	BL. NA, lived with biological parent(s) before age 18

N1Q8A - DID BIOLOGICAL OR ADOPTIVE PARENTS GET DIVORCED OR PERMANENTLY STOP LIVING TOGETHER BEFORE RESPONDENT WAS 18

Type: Numeric

N	Value
7,605	1. YES
22,856	2. NO
26	9. Unknown
5,822	BL. NA, did not live or unknown if lived with biological or adoptive mother and father before age 18

N1Q8B - AGE WHEN BIOLOGICAL/ADOPTIVE PARENTS STOPPED LIVING TOGETHER

Type: Numeric

N	Value
7,465	0-17. Age
140	99. Unknown
28,704	BL. NA, did not experience or unknown if experienced divorce of biological/ adoptive parents before age 18

N1Q8C - PARENT LIVED WITH AFTER BIOLOGICAL OR ADOPTIVE PARENTS STOPPED LIVING TOGETHER

Type: Numeric

N	Value
5,733	1. MOTHER
1,310	2. FATHER
343	3. BOTH EQUALLY
215	4. NEITHER PARENT
4	9. Unknown
28,704	BL. NA, did not experience or unknown if experienced divorce of biological/ adoptive parents before age 18

N1Q8D - EVER LIVED WITH STEPPARENT BEFORE AGE 18

Type: Numeric

N	Value
6,383	1. YES
29,295	2. NO
14	9. Unknown
617	BL. NA, did not live or unknown if lived with biological or adoptive parent(s) before age 18

N1Q8E - AGE WHEN STARTED LIVING WITH STEPPARENT

Type: Numeric

N	Value
6,291	0-17. Age
92	99. Unknown
29,926	BL. NA, did not live or unknown if lived with stepparent before age 18

N1Q8F - DID STEPPARENT DIE BEFORE RESPONDENT WAS 18

Type: Numeric

N	Value
239	1. YES
6,117	2. NO
27	9. Unknown
29,926	BL. NA, did not live or unknown if lived with stepparent before age 18

N1Q8G - AGE AT DEATH OF STEPPARENT

Type: Numeric

N	Value
232	1-17. Age
7	99. Unknown
36,070	BL. NA, did not live or unknown if lived with stepparent; did not experience or unknown if experienced death of stepparent before age 18

N1Q8H - DID BIOLOGICAL OR ADOPTIVE PARENT DIE BEFORE RESPONDENT WAS 18

Type: Numeric

N	Value
3,292	1. YES
32,324	2. NO
76	9. Unknown
617	BL. NA, did not live or unknown if lived with biological or adoptive parent(s) before age 18

N1Q8I - AGE AT DEATH OF BIOLOGICAL OR ADOPTIVE PARENT

Type: Numeric

N	Value
3,248	0-17. Age
44	99. Unknown
33,017	BL. NA, did not experience or unknown if experienced death of biological/ adoptive parent before age 18

NMARITAL - CURRENT MARITAL STATUS

Type: Numeric

N	Value
14,482	1. MARRIED
2,312	2. LIVING WITH SOMEONE AS IF MARRIED
2,595	3. WIDOWED
5,251	4. DIVORCED
1,577	5. SEPARATED
10,092	6. NEVER MARRIED

NFMARITAL - IMPUTATION FLAG FOR MARITAL STATUS

Type: Numeric

N	Value
36,288	0. No
21	1. Yes

N1Q9B - NUMBER OF MARRIAGES (NOT COUNTING LIVING TOGETHER AS IF MARRIED)

Type: Numeric

N	Value
36,289	0-14. Number
20	99. Unknown

N1Q10A - AGE AT FIRST MARRIAGE

Type: Numeric

N	Value
24,437	12-80. Age
108	99. Unknown
11,764	BL. NA, never married or number of marriages equal 0

N1Q10B - HOW FIRST MARRIAGE ENDED

Type: Numeric

N	Value
2,351	1. WIDOWED
1,271	2. SEPARATED
9,875	3. DIVORCED
173	4. OTHER
22,639	BL. NA, never married; still married to and living with 1st spouse

N1Q10C - AGE WHEN STOPPED LIVING WITH FIRST SPOUSE/FIRST SPOUSE DIED

Type: Numeric

N	Value
13,402	13-89. Age
7	90. Age 90+
261	99. Unknown
ff22,639	BL. NA, never married; still married to and living with 1st spouse

N1Q10D - AGE WHEN MARRIED CURRENT SPOUSE

Type: Numeric

N	Value
14,431	12-87. Age
51	99. Unknown
21,827	BL. NA, not currently married

N1Q11A - NUMBER OF CHILDREN EVER HAD, INCLUDING ADOPTED, STEP AND FOSTER CHILDREN

Type: Numeric

N	Value
36,288	0-50. Number
21	99. Unknown

N1Q11B - AGE WHEN FIRST CHILD BORN/STARTED LIVING WITH RESPONDENT

Type: Numeric

N	Value
26,050	10-65. Age
108	99. Unknown
10,151	BL. NA, did not have or unknown if ever had any children

N1Q11C - AGE WHEN LAST CHILD BORN/STARTED LIVING WITH RESPONDENT

Type: Numeric

N	Value
25,986	10-72. Age
172	99. Unknown
10,151	BL. NA, did not have or unknown if ever had any children

N1Q12A1 - PRESENT SITUATION = WORKING FULL TIME (35+ HOURS A WEEK)

Type: Numeric

N	Value
15,933	1. YES
20,376	2. NO

N1Q12A2 - PRESENT SITUATION = WORKING PART TIME (<35 HOURS A WEEK)

Type: Numeric

N	Value
4,729	1. YES
31,580	2. NO

N1Q12A3 - PRESENT SITUATION = EMPLOYED BUT NOT AT WORK BECAUSE OF TEMPORARY ILLNESS OR INJURY

Type: Numeric

N	Value
284	1. YES
36,025	2. NO

N1Q12A4 - PRESENT SITUATION = EMPLOYED BUT ON PAID VACATION

Type: Numeric

N	Value
90	1. YES
36,219	2. NO

N1Q12A5 - PRESENT SITUATION = EMPLOYED BUT ABSENT FROM WORK WITHOUT PAY

Type: Numeric

N	Value
152	1. YES
36,157	2. NO

N1Q12A6 - PRESENT SITUATION = UNEMPLOYED OR LAID OFF AND LOOKING FOR WORK

Type: Numeric

N	Value
2,557	1. YES
33,752	2. NO

N1Q12A7 - PRESENT SITUATION = UNEMPLOYED OR LAID OFF AND NOT LOOKING FOR WORK

Type: Numeric

N	Value
557	1. YES
35,752	2. NO

N1Q12A8 - PRESENT SITUATION = UNEMPLOYED AND PERMANENTLY DISABLED

Type: Numeric

N	Value
2,329	1. YES
33,980	2. NO

N1Q12A9 - PRESENT SITUATION = RETIRED

Type: Numeric

N	Value
5,832	1. YES
30,477	2. NO

N1Q12A10 - PRESENT SITUATION = IN SCHOOL FULL TIME

Type: Numeric

N	Value
1,963	1. YES
34,346	2. NO

N1Q12A11 - PRESENT SITUATION = IN SCHOOL PART TIME

Type: Numeric

N	Value
743	1. YES
35,566	2. NO

N1Q12A12 - PRESENT SITUATION = ON SUMMER BREAK/HOLIDAY FROM SCHOOL

Type: Numeric

N	Value
267	1. YES
36,042	2. NO

N1Q12A13 - PRESENT SITUATION = FULL TIME HOMEMAKER

Type: Numeric

N	Value
2,438	1. YES
33,871	2. NO

N1Q12A14 - PRESENT SITUATION = SOME OTHER ACTIVITY

Type: Numeric

N	Value
894	1. YES
35,415	2. NO

N1F12AB - IMPUTATION FLAG FOR PRESENT SITUATION

Type: Numeric

N	Value
36,239	0. No
70	1. Yes

N1Q12BR - WEEKS UNEMPLOYED

Type: Numeric

N	Value
5,420	1-3652. Weeks
30,889	BL. NA, not unemployed

N1F12B - IMPUTATION FLAG DURATION OF UNEMPLOYMENT (IN WEEKS)

Type: Numeric

N	Value
5,365	0. No
55	1. Yes
30,889	BL. NA, not unemployed

N1Q13 - FULL TIME OR PART TIME STUDENT IN LAST 12 MONTHS

Type: Numeric

N	Value
4,721	1. YES, FULL-TIME STUDENT
3,598	2. YES, PART-TIME STUDENT
27,990	3. NO

N1F13 - IMPUTATION FLAG FOR FULL TIME OR PART TIME STUDENT IN LAST 12 MONTHS

Type: Numeric

N	Value
36,092	0. No
217	1. Yes

NEDUC - HIGHEST GRADE OR YEAR OF SCHOOL COMPLETED

Type: Numeric

N	Value
106	1. NO FORMAL SCHOOLING
100	2. COMPLETED GRADE K, 1 OR 2
214	3. COMPLETED GRADE 3 OR 4
603	4. COMPLETED GRADE 5 OR 6
248	5. COMPLETED GRADE 7
646	6. COMPLETED GRADE 8
3,573	7. COMPLETED GRADE 9, 10 OR 11 (SOME HIGH SCHOOL)
8,217	8. COMPLETED HIGH SCHOOL
1,582	9. GRADUATE EQUIVALENCY DEGREE (GED)
7,982	10. SOME COLLEGE (NO DEGREE)
4,123	11. COMPLETED ASSOCIATE OR OTHER TECHNICAL 2 YEAR DEGREE
4,565	12. COMPLETED COLLEGE (BACHELOR'S DEGREE)
1,324	13. SOME GRADUATE OR PROFESSIONAL STUDIES (COMPLETED BACHELOR'S DEGREE BUT NOT GRADUATE DEGREE)
3,026	14. COMPLETED MASTER'S DEGREE OR EQUIVALENT OR HIGHER GRADUATE DEGREE

NFEDUC - IMPUTATION FLAG FOR HIGHEST GRADE OR YEAR OF SCHOOL COMPLETED

Type: Numeric

N	Value
36,287	0. No
22	1. Yes

N1Q14B - AGE WHEN COMPLETED HIGHEST GRADE OR YEAR OF SCHOOL

Type: Numeric

N	Value
35,863	5-79. Age
340	99. Unknown
106	BL. NA, no formal schooling

N1Q15A - EVER SERVED ON ACTIVE DUTY IN THE U.S. ARMED FORCES, RESERVES OR NATIONAL GUARD

Type: Numeric

N	Value
3,119	2. YES, ON ACTIVE DUTY IN PAST, BUT NOT NOW
200	3. NO, TRAINING FOR RESERVES OR NATIONAL GUARD ONLY
32,982	4. NO, NEVER SERVED IN THE MILITARY
8	9. Unknown

N1Q15B1 - ACTIVE DUTY SEPTEMBER 2011-PRESENT

Type: Numeric

N	Value
48	1. YES
3,057	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B2 - ACTIVE DUTY SEPTEMBER 2009-AUGUST 2011

Type: Numeric

N	Value
119	1. YES
2,986	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B3 - ACTIVE DUTY SEPTEMBER 2004-AUGUST 2009

Type: Numeric

N	Value
267	1. YES
2,838	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B4 - ACTIVE DUTY SEPTEMBER 2001-AUGUST 2004

Type: Numeric

N	Value
264	1. YES
2,841	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B5 - ACTIVE DUTY AUGUST 1990-AUGUST 2001 (INCLUDING PERSIAN GULF WAR)

Type: Numeric

N	Value
619	1. YES
2,486	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B6 - ACTIVE DUTY SEPTEMBER 1980 TO JULY 1990

Type: Numeric

N	Value
623	1. YES
2,482	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B7 - ACTIVE DUTY MAY 1975 TO AUGUST 1980

Type: Numeric

N	Value
417	1. YES
2,688	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B8 - ACTIVE DUTY VIETNAM ERA (AUGUST 1964-APRIL 1975)

Type: Numeric

N	Value
1,008	1. YES
2,097	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B9 - ACTIVE DUTY MARCH 1961 TO JULY 1964

Type: Numeric

N	Value
211	1. YES
2,894	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B10 - ACTIVE DUTY FEBRUARY 1955 TO FEBRUARY 1961

Type: Numeric

N	Value
286	1. YES
2,819	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B11 - ACTIVE DUTY KOREAN WAR (JULY 1950-JANUARY 1955)

Type: Numeric

N	Value
280	1. YES
2,825	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B12 - ACTIVE DUTY JANUARY 1947 TO JUNE 1950

Type: Numeric

N	Value
56	1. YES
3,049	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15B13 - ACTIVE DUTY WORLD WAR II OR EARLIER (DECEMBER 1946 OR EARLIER)

Type: Numeric

N	Value
176	1. YES
2,929	2. NO
14	9. Unknown
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q15CR - TOTAL DURATION IN ACTIVE SERVICE IN THE U.S. MILITARY

Type: Numeric

N	Value
3,119	1-528. Months
33,190	BL. NA, never or unknown if ever served on active duty in the U.S. Armed Forces

N1Q16A - WORK AT JOB OR BUSINESS IN LAST 12 MONTHS

Type: Numeric

N	Value
25,004	1. YES
11,305	2. NO

N1F16A - IMPUTATION FLAG FOR WORK AT JOB OR BUSINESS IN LAST 12 MONTHS

Type: Numeric

N	Value
36,300	0. No
9	1. Yes

N1Q16B - EVER WORKED FOR PAY OR AS UNPAID WORKER IN FAMILY BUSINESS OR FARM

Type: Numeric

N	Value
31,469	1. YES
4,840	2. NO

N1F16B - IMPUTATION FLAG FOR EVER WORKED FOR PAY OR AS UNPAID WORKER IN FAMILY BUSINESS OR FARM

Type: Numeric

N	Value
36,301	0. No
8	1. Yes

N1Q16C - AGE WHEN LAST WORKED FOR PAY OR AS UNPAID WORKER IN FAMILY BUSINESS OR FARM

Type: Numeric

N	Value
6,338	5-89. Age
3	90. Age 90+
124	99. Unknown
29,844	BL. NA, never worked for pay or in family business or farm; worked for pay or in family business or farm in last 12 months

N1Q16D - AGE WHEN FIRST WORKED FULL TIME (30+ HOURS A WEEK)

Type: Numeric

N	Value
769	0. Never worked 30+ hours a week
30,457	5-73. Age
243	99. Unknown
4,840	BL. NA, never worked for pay or in family business or farm

N1Q17A - BUSINESS OR INDUSTRY: CURRENT OR MOST RECENT JOB

Type: Numeric

N	Value
31,469	1-14. Business/Industry Code
4,840	BL. NA, never worked for pay or in family business or farm

N1F17A - IMPUTATION FLAG FOR BUSINESS OR INDUSTRY: CURRENT OR MOST RECENT JOB

Type: Numeric

N	Value
31,304	0. No
165	1. Yes
4,840	BL. NA, never worked for pay or in family business or farm

N1Q17B - OCCUPATION: CURRENT OR MOST RECENT JOB

Type: Numeric

N	Value
31,469	1-14. Occupation Code
4,840	BL. NA, never worked for pay or in family business or farm

N1F17B - IMPUTATION FLAG FOR OCCUPATION: CURRENT OR MOST RECENT JOB

Type: Numeric

N	Value
31,362	0. No
107	1. Yes
4,840	BL. NA, never worked for pay or in family business or farm

N1Q17C - TYPE OF EMPLOYER: CURRENT OR MOST RECENT JOB

Type: Numeric

N	Value
21,215	1. A PRIVATE FOR-PROFIT COMPANY, BUSINESS, OR INDIVIDUAL
2,492	2. A PRIVATE NOT-FOR-PROFIT, TAX EXEMPT, OR CHARITABLE ORGANIZATION
945	3. FEDERAL GOVERNMENT (EXCLUDE ARMED FORCES)
2,237	4. STATE GOVERNMENT
1,689	5. LOCAL GOVERNMENT
136	6. ARMED FORCES
173	7. UNPAID IN FAMILY BUSINESS OR FARM
2,582	8. SELF-EMPLOYED IN OWN BUSINESS, PROFESSIONAL PRACTICE, OR FARM
4,840	BL. NA, never worked for pay or in family business or farm

N1F17C - IMPUTATION FLAG FOR TYPE OF EMPLOYER: CURRENT OR MOST RECENT JOB

Type: Numeric

N	Value
31,261	0. No
208	1. Yes
4,840	BL. NA, never worked for pay or in family business or farm

N1Q18BR - TOTAL PERSONAL INCOME IN LAST 12 MONTHS (INCLUDING ANY INCOME FROM FOOD STAMPS) (REFER TO NESARC-III NOTES FOR INCOME CATEGORIES)

Type: Numeric

N	Value
36,309	0-17. Income category

N1F18BR - IMPUTATION FLAG FOR TOTAL PERSONAL INCOME IN LAST 12 MONTHS

Type: Numeric

N	Value
32,545	0. No
3,764	1. Yes

N1Q19BR - TOTAL FAMILY INCOME IN LAST 12 MONTHS (INCLUDING ANY INCOME FROM FOOD STAMPS) (REFER TO NESARC-III NOTES FOR INCOME CATEGORIES)

Type: Numeric

N	Value
36,309	1-21. Income category

N1F19BR - IMPUTATION FLAG FOR TOTAL FAMILY INCOME IN LAST 12 MONTHS

Type: Numeric

N	Value
32,096	0. No
4,213	1. Yes

N1Q20BR - TOTAL HOUSEHOLD INCOME IN LAST 12 MONTHS (INCLUDING ANY INCOME FROM FOOD STAMPS) (REFER TO NESARC-III NOTES FOR INCOME CATEGORIES)

Type: Numeric

N	Value
36,309	1-21. Income category

N1F20BR - IMPUTATION FLAG FOR TOTAL HOUSEHOLD INCOME IN LAST 12 MONTHS

Type: Numeric

N	Value
31,546	0. No
4,763	1. Yes

N1Q21A - BEFORE YOU WERE 18 YEARS OLD, DID YOUR FAMILY EVER RECEIVE MONEY FROM GOVERNMENT ASSISTANCE PROGRAMS LIKE WELFARE, FOOD STAMPS, AFDC OR TANF

Type: Numeric

N	Value
6,921	1. YES
28,607	2. NO
781	9. Unknown

N1Q21B - FOR HOW MANY YEARS UNTIL YOU TURNED 18 DID YOUR FAMILY RECEIVE MONEY

Type: Numeric

N	Value
5,707	1-18. Years
1,214	99. Unknown
29,388	BL. NA, never/unknown if ever received money from a government assistance program

N1Q22A - PERSONALLY RECEIVED INCOME FROM SOCIAL SECURITY IN LAST 12 MONTHS

Type: Numeric

N	Value
7,638	1. YES
28,671	2. NO

N1F22A - IMPUTATION FLAG FOR RECEIPT OF SOCIAL SECURITY INCOME IN LAST 12 MONTHS

Type: Numeric

N	Value
36,244	0. No
65	1. Yes

N1Q22B - PERSONALLY RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) IN LAST 12 MONTHS

Type: Numeric

N	Value
2,179	1. YES
34,130	2. NO

N1F22B - IMPUTATION FLAG FOR RECEIPT OF SSI IN LAST 12 MONTHS

Type: Numeric

N	Value
36,223	0. No
86	1. Yes

N1Q22C - PERSONALLY RECEIVED INCOME FROM TRANSITIONAL AID TO FAMILIES WITH DEPENDENT CHILDREN (TAFDC), EMPLOYMENT SERVICES PROGRAM (ESP) OR EMERGENCY ASSISTANCE PROGRAM (EAP) IN LAST 12 MONTHS

Type: Numeric

N	Value
964	1. YES
35,345	2. NO

N1F22C - IMPUTATION FLAG FOR RECEIPT OF TAFDC/ESP/EAP INCOME IN LAST 12 MONTHS

Type: Numeric

N	Value
36,247	0. No
62	1. Yes

N1Q22D - PERSONALLY RECEIVED WOMEN, INFANTS & CHILDREN (WIC) PROGRAM BENEFITS IN LAST 12 MONTHS

Type: Numeric

N	Value
2,117	1. YES
34,192	2. NO

N1F22D - IMPUTATION FLAG FOR RECEIPT OF WIC BENEFITS IN LAST 12 MONTHS

Type: Numeric

N	Value
36,263	0. No
46	1. Yes

N1Q23A - PERSONALLY RECEIVED FOOD STAMPS IN LAST 12 MONTHS

Type: Numeric

N	Value
6,896	1. YES
29,413	2. NO

N1F23AB - IMPUTATION FLAG FOR PERSONALLY RECEIVE FOOD STAMPS IN LAST 12 MONTHS

Type: Numeric

N	Value
35,879	0. No
430	1. Yes

N1Q23B - INCOME FROM FOOD STAMPS IN LAST 12 MONTHS

Type: Numeric

N	Value
29,413	0. Did not receive food stamps in the last 12 months
6,896	1-30000. Dollars

N1F23B - IMPUTATION FLAG FOR INCOME FROM FOOD STAMPS IN LAST 12 MONTHS

Type: Numeric

N	Value
6,531	0. No
365	1. Yes
29,413	BL. NA, did not receive food stamps in last 12 months

N1Q24A - CURRENTLY COVERED BY MEDICARE IN LAST 12 MONTHS

Type: Numeric

N	Value
7,594	1. YES
28,622	2. NO
93	9. Unknown

N1Q24B - PART A ONLY, PART B ONLY, BOTH

Type: Numeric

N	Value
436	1. PART A, HOSPITAL ONLY
360	2. PART B, MEDICAL ONLY
6,568	3. BOTH PART A AND PART B
230	9. Unknown
28,715	BL. NA, not covered or unknown if covered by Medicare

N1Q24C - A MEDI-GAP INSURANCE POLICY IN LAST 12 MONTHS

Type: Numeric

N	Value
2,290	1. YES
33,881	2. NO
138	9. Unknown

N1Q24D - MEDICAID IN LAST 12 MONTHS

Type: Numeric

N	Value
4,898	1. YES
31,294	2. NO
117	9. Unknown

N1Q24E - CHAMPUS, CHAMPVA, VA OR OTHER MILITARY HEALTH CARE IN LAST 12 MONTHS

Type: Numeric

N	Value
1,685	1. YES
34,572	2. NO
52	9. Unknown

N1Q24F - PRIVATE HEALTH INSURANCE THROUGH CURRENT OR PAST EMPLOYER IN LAST 12 MONTHS

Type: Numeric

N	Value
13,654	1. YES
22,596	2. NO
59	9. Unknown

N1Q24G - PRIVATE HEALTH INSURANCE DIRECTLY PURCHASED IN LAST 12 MONTHS

Type: Numeric

N	Value
5,073	1. YES
31,160	2. NO
76	9. Unknown

N1Q24H - PRIVATE HEALTH INSURANCE THROUGH A GOVERNEMENT PROGRAM IN LAST 12 MONTHS

Type: Numeric

N	Value
1,622	1. YES
34,594	2. NO
93	9. Unknown

N1Q24I - ANY OTHER GOVERNMENT OR STATE-SPONSORED HEALTH INSURANCE PLAN IN LAST 12 MONTHS

Type: Numeric

N	Value
907	1. YES
35,333	2. NO
69	9. Unknown

N1Q24J - LONG-TERM CARE INSURANCE IN LAST 12 MONTHS

Type: Numeric

N	Value
2,870	1. YES
33,188	2. NO
251	9. Unknown

N1Q24K - A SINGLE SERVICE PLAN FOR DENTAL OR VISION IN LAST 12 MONTHS

Type: Numeric

N	Value
9,346	1. YES
26,797	2. NO
166	9. Unknown

N1Q24L - A SINGLE SERVICE PLAN FOR PRESCRIPTIONS ONLY IN LAST 12 MONTHS

Type: Numeric

N	Value
6,185	1. YES
29,943	2. NO
181	9. Unknown

N1Q24M - ANY OTHER HEALTH INSURANCE PLAN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,153	1. YES
35,072	2. NO
84	9. Unknown

N1Q25 - GENERAL HEALTH

Type: Numeric

N	Value
7,604	1. EXCELLENT
11,272	2. VERY GOOD
10,520	3. GOOD
5,273	4. FAIR
1,626	5. POOR
14	9. Unknown

N1Q30A - EXTENT TO WHICH HEALTH LIMITS MODERATE ACTIVITY (MOVING TABLE, PUSHING VACUUM CLEANER, BOWLING, PLAYING GOLF)

Type: Numeric

N	Value
3,385	1. YES, LIMITED A LOT
5,287	2. YES, LIMITED A LITTLE
27,624	3. NO, NOT LIMITED AT ALL
13	9. Unknown

N1Q30B - EXTENT TO WHICH HEALTH LIMITS ABILITY TO CLIMB SEVERAL FLIGHTS OF STAIRS

Type: Numeric

N	Value
4,139	1. YES, LIMITED A LOT
6,040	2. YES, LIMITED A LITTLE
26,111	3. NO, NOT LIMITED AT ALL
19	9. Unknown

N1Q31A - DURING PAST 4 WEEKS, HOW OFTEN ACCOMPLISHED LESS THAN WOULD LIKE AS RESULT OF PHYSICAL HEALTH

Type: Numeric

N	Value
18,053	1. NONE OF THE TIME
6,939	2. A LITTLE OF THE TIME
6,459	3. SOME OF THE TIME
3,053	4. MOST OF THE TIME
1,748	5. ALL OF THE TIME
57	9. Unknown

N1Q31B - DURING PAST 4 WEEKS, HOW OFTEN LIMITED IN KIND OF WORK OR OTHER ACTIVITIES AS RESULT OF PHYSICAL HEALTH

Type: Numeric

N	Value
21,203	1. NONE OF THE TIME
5,987	2. A LITTLE OF THE TIME
4,864	3. SOME OF THE TIME
2,631	4. MOST OF THE TIME
1,580	5. ALL OF THE TIME
44	9. Unknown

N1Q32A - DURING PAST 4 WEEKS, HOW OFTEN ACCOMPLISHED LESS THAN WOULD LIKE AS RESULT OF EMOTIONAL PROBLEMS

Type: Numeric

N	Value
20,739	1. NONE OF THE TIME
6,857	2. A LITTLE OF THE TIME
5,087	3. SOME OF THE TIME
2,340	4. MOST OF THE TIME
1,232	5. ALL OF THE TIME
54	9. Unknown

N1Q32B - DURING PAST 4 WEEKS, HOW OFTEN DID WORK OR OTHER ACTIVITIES LESS CAREFULLY THAN USUAL AS RESULT OF EMOTIONAL PROBLEMS

Type: Numeric

N	Value
22,045	1. NONE OF THE TIME
7,036	2. A LITTLE OF THE TIME
4,256	3. SOME OF THE TIME
1,727	4. MOST OF THE TIME
1,171	5. ALL OF THE TIME
74	9. Unknown

N1Q33A - DURING PAST 4 WEEKS, HOW OFTEN FELT CALM AND PEACEFUL

Type: Numeric

N	Value
1,814	1. NONE OF THE TIME
3,808	2. A LITTLE OF THE TIME
7,491	3. SOME OF THE TIME
15,403	4. MOST OF THE TIME
7,759	5. ALL OF THE TIME
34	9. Unknown

N1Q33B - DURING PAST 4 WEEKS, HOW OFTEN HAD A LOT OF ENERGY

Type: Numeric

N	Value
2,034	1. NONE OF THE TIME
4,652	2. A LITTLE OF THE TIME
10,520	3. SOME OF THE TIME
13,909	4. MOST OF THE TIME
5,166	5. ALL OF THE TIME
28	9. Unknown

N1Q33C - DURING PAST 4 WEEKS, HOW OFTEN FELT DOWNHEARTED AND DEPRESSED

Type: Numeric

N	Value
18,166	1. NONE OF THE TIME
10,532	2. A LITTLE OF THE TIME
4,969	3. SOME OF THE TIME
1,819	4. MOST OF THE TIME
793	5. ALL OF THE TIME
30	9. Unknown

N1Q34 - DURING PAST 4 WEEKS, HOW OFTEN PHYSICAL HEALTH OR EMOTIONAL PROBLEMS INTERFERED WITH SOCIAL ACTIVITIES

Type: Numeric

N	Value
24,200	1. NONE OF THE TIME
5,151	2. A LITTLE OF THE TIME
3,813	3. SOME OF THE TIME
1,995	4. MOST OF THE TIME
1,108	5. ALL OF THE TIME
42	9. Unknown

N1Q35 - DURING PAST 4 WEEKS, HOW MUCH DID PAIN INTERFERE WITH YOUR NORMAL WORK

Type: Numeric

N	Value
21,018	1. NOT AT ALL
7,714	2. A LITTLE BIT
3,416	3. MODERATELY
2,786	4. QUITE A BIT
1,355	5. EXTREMELY
20	9. Unknown

NNBPCS - NORM-BASED PHYSICAL DISABILITY SCALE (SF12-V2R) [Format: XX.X]

Type: Numeric

N	Value
36,292	4.5-72.2. Scale value
17	99. Unknown

NNBMCS - NORM-BASED MENTAL DISABILITY SCALE (SF12-V2R) [Format: XX.XX]

Type: Numeric

N	Value
36,292	2.1-77.3. Scale value
17	99. Unknown

NNBS1 - NORM-BASED PHYSICAL FUNCTIONING SCALE (SF12-V2R) [Format: XX.XX]

Type: Numeric

N	Value
36,304	22.1-56.5. Scale value
5	99. Unknown

NNBS2 - NORM-BASED ROLE PHYSICAL SCALE (SF12-V2R) [Format: XX.XX]

Type: Numeric

N	Value
36,294	20.3-57.2. Scale value
15	99. Unknown

NNBS3 - NORM-BASED BODILY PAIN SCALE (SF12-V2R) [Format: XX.XX]

Type: Numeric

N	Value
36,298	16.7-57.4. Scale value
11	99. Unknown

NNBS4 - NORM-BASED GENERAL HEALTH SCALE (SF12-V2R) [Format: XX.XX]

Type: Numeric

N	Value
36,305	18.9-62. Scale value
4	99. Unknown

NNBS5 - NORM-BASED VITALITY SCALE (SF12-V2R) [Format: XX.XX]

Type: Numeric

N	Value
36,297	27.6-67.9. Scale value
12	99. Unknown

NNBS6 - NORM-BASED SOCIAL FUNCTIONING SCALE (SF12-V2R) [Format: XX.XX]

Type: Numeric

N	Value
36,295	16.2-56.6. Scale value
14	99. Unknown

NNBS7 - NORM-BASED ROLE EMOTIONAL SCALE (SF12-V2R) [Format: XX.XX]

Type: Numeric

N	Value
36,293	11.3-56.1. Scale value
16	99. Unknown

NNBS8 - NORM-BASED MENTAL HEALTH SCALE (SF12-V2R)

Type: Numeric

N	Value
36,296	15.8-64.5. Scale value
13	99. Unknown

N1Q36A - MOVED/ANYONE NEW CAME TO LIVE WITH YOU IN LAST 12 MONTHS

Type: Numeric

N	Value
8,166	1. YES
28,131	2. NO
12	9. Unknown

N1Q36B - FIRED OR LAID OFF FROM JOB IN LAST 12 MONTHS

Type: Numeric

N	Value
2,679	1. YES
33,614	2. NO
16	9. Unknown

N1Q36C - UNEMPLOYED AND LOOKING FOR WORK FOR >1 MONTH IN LAST 12 MONTHS

Type: Numeric

N	Value
5,910	1. YES
30,388	2. NO
11	9. Unknown

N1Q36D - HAD TROUBLE WITH BOSS OR COWORKER IN LAST 12 MONTHS

Type: Numeric

N	Value
3,499	1. YES
32,796	2. NO
14	9. Unknown

N1Q36E - CHANGED JOBS, JOB RESPONSIBILITIES OR WORK HOURS IN LAST 12 MONTHS

Type: Numeric

N	Value
6,934	1. YES
29,358	2. NO
17	9. Unknown

N1Q36F - GOT SEPARATED OR DIVORCED OR BROKE OFF STEADY RELATIONSHIP IN LAST 12 MONTHS

Type: Numeric

N	Value
3,025	1. YES
33,259	2. NO
25	9. Unknown

N1Q36G - HAD PROBLEMS WITH NEIGHBOR, FRIEND OR RELATIVE IN LAST 12 MONTHS

Type: Numeric

N	Value
2,927	1. YES
33,364	2. NO
18	9. Unknown

N1Q36H - DECLARED BANKRUPTCY IN LAST 12 MONTHS

Type: Numeric

N	Value
440	1. YES
35,849	2. NO
20	9. Unknown

N1Q36I - HAD TROUBLE WITH POLICE OR THE LAW IN LAST 12 MONTHS

Type: Numeric

N	Value
656	1. YES
35,642	2. NO
11	9. Unknown

N1Q36J - WERE YOU A VICTIM OF THEFT IN LAST 12 MONTHS

Type: Numeric

N	Value
3,520	1. YES
32,767	2. NO
22	9. Unknown

N1Q36K - YOU OR FAMILY MEMBER VICTIM OF PROPERTY DESTRUCTION IN LAST 12 MONTHS

Type: Numeric

N	Value
2,448	1. YES
33,839	2. NO
22	9. Unknown

N1Q36L - ANY FAMILY MEMBERS OR CLOSE FRIENDS DIED IN LAST 12 MONTHS

Type: Numeric

N	Value
11,186	1. YES
25,096	2. NO
27	9. Unknown

N1Q36M - ANY FAMILY MEMBERS OR CLOSE FRIENDS PHYSICALLY ASSAULTED IN LAST 12 MONTHS

Type: Numeric

N	Value
1,747	1. YES
34,512	2. NO
50	9. Unknown

N1Q36N - ANY FAMILY MEMBER OR FRIEND HAD TROUBLE WITH POLICE OR THE LAW IN LAST 12 MONTHS

Type: Numeric

N	Value
3,043	1. YES
33,176	2. NO
90	9. Unknown

N1Q360 - HAVE YOU AT ANY TIME BEEN HOMELESS IN LAST 12 MONTHS

Type: Numeric

N	Value
704	1. YES
35,595	2. NO
10	9. Unknown

N1Q36P - HAVE YOU HAD SO MUCH DEBT THAT YOU HAD NO IDEA HOW TO REPAY IT IN LAST 12 MONTHS

Type: Numeric

N	Value
5,377	1. YES
30,901	2. NO
31	9. Unknown

N1Q37A - CURRENTLY ATTEND RELIGIOUS SERVICES

Type: Numeric

N	Value
18,499	1. YES
17,777	2. NO
33	9. Unknown

N1Q37B - HOW OFTEN ATTENDS SERVICES

Type: Numeric

N	Value
263	1. ONCE A YEAR
2,816	2. A FEW TIMES A YEAR
4,971	3. 1 TO 3 TIMES A MONTH
6,969	4. ONCE A WEEK
3,471	5. TWICE A WEEK OR MORE
9	9. Unknown
17,810	BL. NA, does not attend or unknown if attends services

N1Q37C - HOW MANY MEMBERS OF YOUR RELIGIOUS GROUP DO YOU TALK TO SOCIALLY

Type: Numeric

N	Value
18,343	0-50. Number
156	99. Unknown
17,810	BL. NA, does not attend or unknown if attends services

N1Q37D - HOW IMPORTANT ARE RELIGIOUS OR SPIRITUAL BELIEFS

Type: Numeric

N	Value
20,870	1. VERY IMPORTANT
9,963	2. SOMEWHAT IMPORTANT
2,875	3. NOT VERY IMPORTANT
2,538	4. NOT IMPORTANT AT ALL
63	9. Unknown

N1Q38 - RELIGIOUS AFFILIATION

Type: Numeric

N	Value
35,815	1-56. Refer to Data Notes
494	99. Unknown

NFEET - HEIGHT: FEET

Type: Numeric

N	Value
36,138	2-7. feet
171	9. Unknown

NINCHES - HEIGHT: INCHES

Type: Numeric

N	Value
36,126	0-11. Inches
183	99. Unknown

NPOUNDS - WEIGHT: POUNDS

Type: Numeric

N	Value
35,834	57-550. Pounds
475	999. Unknown

N1Q42A - BEFORE AGE 13 WERE YOU OVERWEIGHT

Type: Numeric

N	Value
5,091	1. YES
31,130	2. NO
88	9. Unknown

N1Q42B - HIGHEST WEIGHT (NOT PREGNANT)

Type: Numeric

N	Value
35,829	75-633. Pounds
480	999. Unknown

N1Q42C - AGE WHEN FIRST REACH THAT WEIGHT

Type: Numeric

N	Value
35,330	10-89. Age
15	90. Age 90+
964	99. Unknown

N1Q45A - IN LAST 12 MONTHS USUALLY DID VIGOROUS ACTIVITIES

Type: Numeric

N	Value
4,108	1. EVERY DAY
3,842	2. NEARLY EVERY DAY
7,050	3. 3 TO 4 TIMES A WEEK
4,576	4. 2 TIMES A WEEK
3,080	5. ONCE A WEEK
2,352	6. 2 TO 3 TIMES A MONTH
1,725	7. ONCE A MONTH
1,136	8. 7 TO 11 TIMES IN THE LAST YEAR
969	9. 3 TO 6 TIMES IN THE LAST YEAR
1,127	10. 1 TO 2 TIMES IN THE LAST YEAR
6,256	11. NEVER IN THE LAST YEAR
88	99. Unknown

N1Q45BR - HOW LONG USUALLY DID THESE ACTIVITIES EACH TIME

Type: Numeric

N	Value
29,804	1-600. Minutes
161	999. Unknown
6,344	BL. NA, never/unknown if did vigorous activities in last 12 months

N1Q46A - IN LAST 12 MONTHS USUALLY DID LIGHT OR MODERATE ACTIVITIES

Type: Numeric

N	Value
10,014	1. EVERY DAY
6,226	2. NEARLY EVERY DAY
5,780	3. 3 TO 4 TIMES A WEEK
3,896	4. 2 TIMES A WEEK
2,858	5. ONCE A WEEK
1,488	6. 2 TO 3 TIMES A MONTH
1,145	7. ONCE A MONTH
622	8. 7 TO 11 TIMES IN THE LAST YEAR
460	9. 3 TO 6 TIMES IN THE LAST YEAR
503	10. 1 TO 2 TIMES IN THE LAST YEAR
3,146	11. NEVER IN THE LAST YEAR
171	99. Unknown

N1Q46BR - HOW LONG USUALLY DID THESE ACTIVITIES EACH TIME

Type: Numeric

N	Value
32,715	1-600. Minutes
277	999. Unknown
3,317	BL. NA, never/unknown if did light or moderate activities in last 12 months

SECTION 2A: ALCOHOL CONSUMPTION

N2AQ1 - DRANK AT LEAST 1 ALCOHOLIC DRINK IN LIFE

Type: Numeric

N	Value
31,757	1. YES
4,552	2. NO

N2AQ2 - DRANK AT LEAST 12 ALCOHOLIC DRINKS IN LAST 12 MONTHS

Type: Numeric

N	Value
20,495	1. YES
15,805	2. NO
9	9. Unknown

N2AQ3 - DRANK AT LEAST 1 ALCOHOLIC DRINK IN LAST 12 MONTHS

Type: Numeric

N	Value
25,778	1. YES
10,527	2. NO
4	9. Unknown

NCONSUMER - DRINKING STATUS

Type: Numeric

N	Value
25,778	1. CURRENT DRINKER
5,979	2. FORMER DRINKER
4,552	3. LIFETIME ABSTAINER

N2AQ4A - HOW OFTEN DRANK ANY ALCOHOLIC BEVERAGE IN LAST 12 MONTHS

Type: Numeric

N	Value
1,508	1. EVERY DAY
1,499	2. NEARLY EVERY DAY
3,023	3. 3 TO 4 TIMES A WEEK
3,241	4. 2 TIMES A WEEK
3,026	5. ONCE A WEEK
3,362	6. 2 TO 3 TIMES A MONTH
2,679	7. ONCE A MONTH
1,521	8. 7 TO 11 TIMES IN THE LAST YEAR
2,866	9. 3 TO 6 TIMES IN THE LAST YEAR
3,033	10. 1 TO 2 TIMES IN THE LAST YEAR
20	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ4B - NUMBER OF DRINKS USUALLY CONSUMED ON DAYS WHEN DRANK IN LAST 12 MONTHS

Type: Numeric

N	Value
25,673	1-87. Number
105	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ4C - LARGEST NUMBER OF DRINKS CONSUMED IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
25,552	1-98. Number
226	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ4D - APPROXIMATELY LARGEST NUMBER OF DRINKS CONSUMED IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
8	1. 1-2 DRINKS
15	2. 3-4 DRINKS
42	3. 5-7 DRINKS
39	4. 8-11 DRINKS
40	5. 12-23 DRINKS
25	6. 24+ DRINKS
57	9. Unknown
36,083	BL. NA, former drinker or lifetime abstainer or exact largest number provided

N2AQ4E - HOW OFTEN DRANK LARGEST NUMBER OF DRINKS IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
311	1. EVERY DAY
200	2. NEARLY EVERY DAY
843	3. 3 TO 4 TIMES A WEEK
1,054	4. 2 TIMES A WEEK
1,669	5. ONCE A WEEK
2,008	6. 2 TO 3 TIMES A MONTH
3,158	7. ONCE A MONTH
2,136	8. 7 TO 11 TIMES IN THE LAST YEAR
5,198	9. 3 TO 6 TIMES IN THE LAST YEAR
9,059	10. 1 TO 2 TIMES IN THE LAST YEAR
142	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ4F - HOW OFTEN DRANK 4+ DRINKS IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
194	1. EVERY DAY
167	2. NEARLY EVERY DAY
440	3. 3 TO 4 TIMES A WEEK
469	4. 2 TIMES A WEEK
554	5. ONCE A WEEK
618	6. 2 TO 3 TIMES A MONTH
682	7. ONCE A MONTH
536	8. 7 TO 11 TIMES IN THE LAST YEAR
962	9. 3 TO 6 TIMES IN THE LAST YEAR
1,223	10. 1 TO 2 TIMES IN THE LAST YEAR
9,290	11. NEVER IN THE LAST YEAR
67	99. Unknown
21,107	BL. NA, former drinker or lifetime abstainer or male less than 65 years old

N2AQ4G - HOW OFTEN DRANK 4+ DRINKS IN 2 HOURS OR LESS IN LAST 12 MONTHS

Type: Numeric

N	Value
36	1. EVERY DAY
43	2. NEARLY EVERY DAY
114	3. 3 TO 4 TIMES A WEEK
138	4. 2 TIMES A WEEK
183	5. ONCE A WEEK
197	6. 2 TO 3 TIMES A MONTH
284	7. ONCE A MONTH
170	8. 7 TO 11 TIMES IN THE LAST YEAR
312	9. 3 TO 6 TIMES IN THE LAST YEAR
1,038	10. 1 OR 2 TIMES IN THE LAST YEAR
12,064	11. NEVER IN THE LAST YEAR
623	99. Unknown
21,107	BL. NA, former drinker or lifetime abstainer or male less than 65 years old

N2AQ4H - HOW OFTEN DRANK 5+ DRINKS IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
442	1. EVERY DAY
359	2. NEARLY EVERY DAY
818	3. 3 TO 4 TIMES A WEEK
933	4. 2 TIMES A WEEK
1,049	5. ONCE A WEEK
1,093	6. 2 TO 3 TIMES A MONTH
1,189	7. ONCE A MONTH
850	8. 7 TO 11 TIMES IN THE LAST YEAR
1,543	9. 3 TO 6 TIMES IN THE LAST YEAR
1,802	10. 1 OR 2 TIMES IN THE LAST YEAR
15,623	11. NEVER IN THE LAST YEAR
77	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ4I - HOW OFTEN DRANK 5+ DRINKS IN 2 HOURS OR LESS IN LAST 12 MONTHS

Type: Numeric

N	Value
75	1. EVERY DAY
90	2. NEARLY EVERY DAY
219	3. 3 TO 4 TIMES A WEEK
282	4. 2 TIMES A WEEK
408	5. ONCE A WEEK
336	6. 2 TO 3 TIMES A MONTH
574	7. ONCE A MONTH
328	8. 7 TO 11 TIMES IN THE LAST YEAR
523	9. 3 TO 6 TIMES IN THE LAST YEAR
1,592	10. 1 OR 2 TIMES IN THE LAST YEAR
21,213	11. NEVER IN THE LAST YEAR
138	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ4J - HOW OFTEN DRANK 8+ DRINKS IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
195	1. EVERY DAY
128	2. NEARLY EVERY DAY
337	3. 3 TO 4 TIMES A WEEK
403	4. 2 TIMES A WEEK
461	5. ONCE A WEEK
486	6. 2 TO 3 TIMES A MONTH
640	7. ONCE A MONTH
468	8. 7 TO 11 TIMES IN THE LAST YEAR
788	9. 3 TO 6 TIMES IN THE LAST YEAR
1,272	10. 1 OR 2 TIMES IN THE LAST YEAR
20,532	11. NEVER IN THE LAST YEAR
68	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ4K - HOW OFTEN DRANK 12+ DRINKS IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
105	1. EVERY DAY
60	2. NEARLY EVERY DAY
189	3. 3 TO 4 TIMES A WEEK
200	4. 2 TIMES A WEEK
273	5. ONCE A WEEK
276	6. 2 TO 3 TIMES A MONTH
348	7. ONCE A MONTH
256	8. 7 TO 11 TIMES IN THE LAST YEAR
407	9. 3 TO 6 TIMES IN THE LAST YEAR
707	10. 1 OR 2 TIMES IN THE LAST YEAR
22,911	11. (NEVER)
46	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ5A - DRANK ANY COOLERS IN LAST 12 MONTHS

Type: Numeric

N	Value
6,535	1. YES
19,213	2. NO
30	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ5B - HOW OFTEN DRANK COOLERS IN LAST 12 MONTHS

Type: Numeric

N	Value
42	1. EVERY DAY
47	2. NEARLY EVERY DAY
117	3. 3 TO 4 TIMES A WEEK
211	4. 2 TIMES A WEEK
358	5. ONCE A WEEK
557	6. 2 TO 3 TIMES A MONTH
824	7. ONCE A MONTH
537	8. 7 TO 11 TIMES IN THE LAST YEAR
1,573	9. 3 TO 6 TIMES IN THE LAST YEAR
2,262	10. 1 TO 2 TIMES IN THE LAST YEAR
7	99. Unknown
29,774	BL. NA, did not drink or unknown if drank coolers in last 12 months

N2AQ5CR - SIZE OF TYPICAL BOTTLE, CAN OR GLASS OF COOLER (CONTAINS VALUE REPORTED IN N2AQ5CSP IF 'OTHER' IN N2AQ5C)

Type: Numeric

N	Value
6,530	1-47. Refer to Data Notes
5	99. Unknown
29,774	BL. NA, did not drink or unknown if drank coolers in last 12 months

N2AQ5D - NUMBER OF COOLERS USUALLY CONSUMED ON DAYS WHEN DRANK COOLERS IN LAST 12 MONTHS

Type: Numeric

N	Value
6,527	1-24. Number
8	99. Unknown
29,774	BL. NA, did not drink or unknown if drank coolers in last 12 months

N2AQ5E - LARGEST NUMBER OF COOLERS CONSUMED IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
6,510	1-50. Number
25	99. Unknown
29,774	BL. NA, did not drink or unknown if drank coolers in last 12 months

N2AQ5F - HOW OFTEN DRANK LARGEST NUMBER OF COOLERS IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
18	1. EVERY DAY
24	2. NEARLY EVERY DAY
63	3. 3 TO 4 TIMES A WEEK
119	4. 2 TIMES A WEEK
222	5. ONCE A WEEK
311	6. 2 TO 3 TIMES A MONTH
594	7. ONCE A MONTH
464	8. 7 TO 11 TIMES IN THE LAST YEAR
1,462	9. 3 TO 6 TIMES IN THE LAST YEAR
3,224	10. 1 TO 2 TIMES IN THE LAST YEAR
34	99. Unknown
29,774	BL. NA, did not drink or unknown if drank coolers in last 12 months

N2AQ5G - HOW OFTEN DRANK 5+ COOLERS IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
11	1. EVERY DAY
7	2. NEARLY EVERY DAY
26	3. 3 TO 4 TIMES A WEEK
25	4. 2 TIMES A WEEK
30	5. ONCE A WEEK
56	6. 2 TO 3 TIMES A MONTH
73	7. ONCE A MONTH
59	8. 7 TO 11 TIMES IN THE LAST YEAR
124	9. 3 TO 6 TIMES IN THE LAST YEAR
244	10. 1 OR 2 TIMES IN THE LAST YEAR
5,870	11. NEVER IN THE LAST YEAR
10	99. Unknown
29,774	BL. NA, did not drink or unknown if drank coolers in last 12 months

N2AQ5H - TYPE OF COOLERS USUALLY CONSUMED IN LAST 12 MONTHS

Type: Numeric

N	Value
2,913	1. WINE, MALT OR LIQUOR-BASED COOLERS
1,817	2. HARD LEMONADE
109	3. HARD ICED TEA
319	4. HARD CIDER
143	5. ALCOHOLIC ENERGY DRINKS
1,193	6. PREPACKAGED COCKTAILS
41	9. Unknown
29,774	BL. NA, did not drink or unknown if drank coolers in last 12 months

N2AQ5I - WHERE USUALLY DRANK COOLERS IN LAST 12 MONTHS

Type: Numeric

N	Value
3,436	1. IN OWN HOME
2,130	2. IN HOMES OF FRIENDS OR RELATIVES
963	3. IN PUBLIC PLACES
6	9. Unknown
29,774	BL. NA, did not drink or unknown if drank coolers in last 12 months

NCOOLECF - ETHANOL CONTENT BY VOLUME OF COOLER BRAND USUALLY CONSUMED IN LAST 12 MONTHS [Format: X.XXX]

Type: Numeric

N	Value
6,535	0.025-0.43. Value
29,774	BL. NA, did not drink or unknown if drank coolers in last 12 months

N2AQ6A - DRANK ANY BEER IN LAST 12 MONTHS

Type: Numeric

N	Value
17,092	1. YES
8,680	2. NO
6	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ6B - HOW OFTEN DRANK BEER IN LAST 12 MONTHS

Type: Numeric

N	Value
630	1. EVERY DAY
702	2. NEARLY EVERY DAY
1,609	3. 3 TO 4 TIMES A WEEK
1,966	4. 2 TIMES A WEEK
1,995	5. ONCE A WEEK
2,367	6. 2 TO 3 TIMES A MONTH
1,903	7. ONCE A MONTH
1,290	8. 7 TO 11 TIMES IN THE LAST YEAR
2,217	9. 3 TO 6 TIMES IN THE LAST YEAR
2,398	10. 1 TO 2 TIMES IN THE LAST YEAR
15	99. Unknown
19,217	BL. NA, did not drink or unknown if drank beer in last 12 months

N2AQ6CR - SIZE OF TYPICAL BOTTLE, CAN OR GLASS OF BEER (CONTAINS VALUE REPORTED IN N2AQ6CSP IF 'OTHER' IN N2AQ6C)

Type: Numeric

N	Value
17,088	1-47. Refer to Data Notes
4	99. Unknown
19,217	BL. NA, did not drink or unknown if drank beer in last 12 months

N2AQ6D - NUMBER OF BEERS USUALLY CONSUMED ON DAYS WHEN DRANK BEER IN LAST 12 MONTHS

Type: Numeric

N	Value
17,061	1-64. Number
31	99. Unknown
19,217	BL. NA, did not drink or unknown if drank beer in last 12 months

N2AQ6E - LARGEST NUMBER OF BEERS CONSUMED IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
16,998	1-90. Number
94	99. Unknown
19,217	BL. NA, did not drink or unknown if drank beer in last 12 months

N2AQ6F - HOW OFTEN DRANK LARGEST NUMBER OF BEERS IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
146	1. EVERY DAY
126	2. NEARLY EVERY DAY
454	3. 3 TO 4 TIMES A WEEK
644	4. 2 TIMES A WEEK
972	5. ONCE A WEEK
1,351	6. 2 TO 3 TIMES A MONTH
2,080	7. ONCE A MONTH
1,500	8. 7 TO 11 TIMES IN THE LAST YEAR
3,684	9. 3 TO 6 TIMES IN THE LAST YEAR
6,016	10. 1 TO 2 TIMES IN THE LAST YEAR
119	99. Unknown
19,217	BL. NA, did not drink or unknown if drank beer in last 12 months

N2AQ6G - HOW OFTEN DRANK 5+ BEERS IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
236	1. EVERY DAY
211	2. NEARLY EVERY DAY
438	3. 3 TO 4 TIMES A WEEK
534	4. 2 TIMES A WEEK
592	5. ONCE A WEEK
705	6. 2 TO 3 TIMES A MONTH
722	7. ONCE A MONTH
620	8. 7 TO 11 TIMES IN THE LAST YEAR
1,020	9. 3 TO 6 TIMES IN THE LAST YEAR
1,141	10. 1 OR 2 TIMES IN THE LAST YEAR
10,827	11. NEVER IN THE LAST YEAR
46	99. Unknown
19,217	BL. NA, did not drink or unknown if drank beer in last 12 months

N2AQ6H - TYPE OF BEER USUALLY CONSUMED IN LAST 12 MONTHS

Type: Numeric

N	Value
8,661	1. REGULAR BEER
414	2. MALT LIQUOR
7,681	3. LIGHT, EXTRA LIGHT, REDUCED-CALORIE, LOW-CARB BEER
300	4. ICE BEER
36	9. Unknown
19,217	BL. NA, did not drink or unknown if drank beer in last 12 months

N2AQ6I - WHERE USUALLY DRANK BEER IN LAST 12 MONTHS

Type: Numeric

N	Value
8,652	1. IN OWN HOME
3,887	2. IN HOMES OF FRIENDS OR RELATIVES
4,525	3. IN PUBLIC PLACES
28	9. Unknown
19,217	BL. NA, did not drink or unknown if drank beer in last 12 months

NBEERECF - ETHANOL CONTENT BY VOLUME OF BEER BRAND USUALLY CONSUMED IN LAST 12 MONTHS [Format: X.XXX]

Type: Numeric

N	Value
17,092	0.027-0.12. Value
19,217	BL. NA, did not drink or unknown if drank beer in last 12 months

N2AQ7A - DRANK ANY WINE IN LAST 12 MONTHS

Type: Numeric

N	Value
14,776	1. YES
10,981	2. NO
21	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ7B - HOW OFTEN DRANK WINE IN LAST 12 MONTHS

Type: Numeric

N	Value
342	1. EVERY DAY
428	2. NEARLY EVERY DAY
845	3. 3 TO 4 TIMES A WEEK
1,045	4. 2 TIMES A WEEK
1,176	5. ONCE A WEEK
1,765	6. 2 TO 3 TIMES A MONTH
1,833	7. ONCE A MONTH
1,189	8. 7 TO 11 TIMES IN THE LAST YEAR
2,761	9. 3 TO 6 TIMES IN THE LAST YEAR
3,382	10. 1 TO 2 TIMES IN THE LAST YEAR
10	99. Unknown
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

N2AQ7CR - SIZE OF TYPICAL BOTTLE, CAN OR GLASS OF WINE (CONTAINS VALUE REPORTED IN N2AQ7CSP IF 'OTHER' IN N2AQ7C)

Type: Numeric

N	Value
14,769	1-47. Refer to Data Notes
7	99. Unknown
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

N2AQ7D - NUMBER OF GLASSES/CONTAINERS OF WINE USUALLY CONSUMED ON DAYS WHEN DRANK WINE IN LAST 12 MONTHS

Type: Numeric

N	Value
14,765	1-20. Number
11	99. Unknown
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

N2AQ7E - LARGEST NUMBER OF DRINKS OF WINE CONSUMED IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
14,733	1-20. Number
43	99. Unknown
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

N2AQ7F - HOW OFTEN DRANK LARGEST NUMBER OF DRINKS OF WINE IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
132	1. EVERY DAY
104	2. NEARLY EVERY DAY
259	3. 3 TO 4 TIMES A WEEK
423	4. 2 TIMES A WEEK
653	5. ONCE A WEEK
942	6. 2 TO 3 TIMES A MONTH
1,656	7. ONCE A MONTH
1,272	8. 7 TO 11 TIMES IN THE LAST YEAR
3,550	9. 3 TO 6 TIMES IN THE LAST YEAR
5,719	10. 1 TO 2 TIMES IN THE LAST YEAR
66	99. Unknown
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

N2AQ7G - HOW OFTEN DRANK 5+ DRINKS OF WINE IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
7	1. EVERY DAY
5	2. NEARLY EVERY DAY
29	3. 3 TO 4 TIMES A WEEK
43	4. 2 TIMES A WEEK
58	5. ONCE A WEEK
75	6. 2 TO 3 TIMES A MONTH
167	7. ONCE A MONTH
145	8. 7 TO 11 TIMES IN THE LAST YEAR
293	9. 3 TO 6 TIMES IN THE LAST YEAR
424	10. 1 OR 2 TIMES IN THE LAST YEAR
13,519	11. NEVER IN THE LAST YEAR
11	99. Unknown
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

N2AQ7H - WHERE USUALLY DRANK WINE IN LAST 12 MONTHS

Type: Numeric

N	Value
8,239	1. IN OWN HOME
3,749	2. IN HOMES OF FRIENDS OR RELATIVES
2,762	3. IN PUBLIC PLACES
26	9. Unknown
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

N2AQ7I - TYPE OF WINE USUALLY CONSUMED IN LAST 12 MONTHS

Type: Numeric

N	Value
11,790	1. REGULAR WINE
2,018	2. CHAMPAGNE OR SPARKLING WINE
276	3. FORTIFIED WINE (INCLUDING SHERRY, PORT, SAKE)
649	4. LOW-ALCOHOL FRUIT-FLAVORED WINE
43	9. Unknown
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

N2AQ7K - PROPORTION OF WINE CONSUMED IN LAST 12 MONTHS THAT WAS RED WINE

Type: Numeric

N	Value
4,273	1. ALL
2,996	2. MOST
2,084	3. SOME
1,628	4. A LITTLE
3,745	5. NONE OF IT
50	9. Unknown
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

NWINEECF - ETHANOL CONTENT BY VOLUME OF WINE BRAND USUALLY CONSUMED IN LAST 12 MONTHS [Format: X.XXX]

Type: Numeric

N	Value
14,776	0.04-0.4. Value
21,533	BL. NA, did not drink or unknown if drank wine in last 12 months

N2AQ8A - DRANK ANY LIQUOR IN LAST 12 MONTHS

Type: Numeric

N	Value
15,646	1. YES
10,103	2. NO
29	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ8B - HOW OFTEN DRANK LIQUOR IN LAST 12 MONTHS

Type: Numeric

N	Value
291	1. EVERY DAY
336	2. NEARLY EVERY DAY
681	3. 3 TO 4 TIMES A WEEK
1,063	4. 2 TIMES A WEEK
1,319	5. ONCE A WEEK
1,997	6. 2 TO 3 TIMES A MONTH
2,019	7. ONCE A MONTH
1,519	8. 7 TO 11 TIMES IN THE LAST YEAR
3,046	9. 3 TO 6 TIMES IN THE LAST YEAR
3,364	10. 1 TO 2 TIMES IN THE LAST YEAR
11	99. Unknown
20,663	BL. NA, did not drink or unknown if drank liquor in last 12 months

N2AQ8CR - SIZE OF TYPICAL DRINK OF LIQUOR (CONTAINS VALUE REPORTED IN N2AQ8CSP IF 'OTHER' IN N2AQ8C)

Type: Numeric

N	Value
15,633	1-47. Refer to Data Notes
13	99. Unknown
20,663	BL. NA, did not drink or unknown if drank liquor in last 12 months

N2AQ8D - NUMBER OF DRINKS OF LIQUOR USUALLY CONSUMED ON DAYS WHEN DRANK LIQUOR IN LAST 12 MONTHS

Type: Numeric

N	Value
15,601	1-32. Number
45	99. Unknown
20,663	BL. NA, did not drink or unknown if drank liquor in last 12 months

N2AQ8E - LARGEST NUMBER OF DRINKS OF LIQUOR CONSUMED IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
15,522	1-98. Number
124	99. Unknown
20,663	BL. NA, did not drink or unknown if drank liquor in last 12 months

N2AQ8F - HOW OFTEN DRANK LARGEST NUMBER OF DRINKS OF LIQUOR IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
101	1. EVERY DAY
81	2. NEARLY EVERY DAY
275	3. 3 TO 4 TIMES A WEEK
439	4. 2 TIMES A WEEK
697	5. ONCE A WEEK
988	6. 2 TO 3 TIMES A MONTH
1,671	7. ONCE A MONTH
1,409	8. 7 TO 11 TIMES IN THE LAST YEAR
3,706	9. 3 TO 6 TIMES IN THE LAST YEAR
6,130	10. 1 TO 2 TIMES IN THE LAST YEAR
149	99. Unknown
20,663	BL. NA, did not drink or unknown if drank liquor in last 12 months

N2AQ8G - HOW OFTEN DRANK 5+ DRINKS OF LIQUOR IN A SINGLE DAY IN LAST 12 MONTHS

Type: Numeric

N	Value
33	1. EVERY DAY
60	2. NEARLY EVERY DAY
140	3. 3 TO 4 TIMES A WEEK
191	4. 2 TIMES A WEEK
239	5. ONCE A WEEK
305	6. 2 TO 3 TIMES A MONTH
405	7. ONCE A MONTH
416	8. 7 TO 11 TIMES IN THE LAST YEAR
708	9. 3 TO 6 TIMES IN THE LAST YEAR
887	10. 1 OR 2 TIMES IN THE LAST YEAR
12,236	11. NEVER
26	99. Unknown
20,663	BL. NA, did not drink or unknown if drank liquor in last 12 months

N2AQ8H - TYPE OF LIQUOR USUALLY CONSUMED IN LAST 12 MONTHS

Type: Numeric

N	Value
12,885	1. 80-PROOF LIQUOR, INCLUDING BRANDY AND COGNAC
985	2. 100-PROOF LIQUOR
195	3. GREATER THAN 100-PROOF LIQUOR
1,164	4. CORDIALS OR LIQUEURS
417	9. Unknown
20,663	BL. NA, did not drink or unknown if drank liquor in last 12 months

N2AQ8I - WHERE USUALLY DRANK LIQUOR IN LAST 12 MONTHS

Type: Numeric

N	Value
6,159	1. IN OWN HOME
3,561	2. IN HOMES OF FRIENDS OR RELATIVES
5,898	3. IN PUBLIC PLACES
28	9. Unknown
20,663	BL. NA, did not drink or unknown if drank liquor in last 12 months

NLIQRECF - ETHANOL CONTENT BY VOLUME OF LIQUOR BRAND USUALLY CONSUMED IN LAST 12 MONTHS [Format: X.XXX]

Type: Numeric

N	Value
15,646	0.058-0.95. Value
20,663	BL. NA, did not drink or unknown if drank liquor in last 12 months

N2AQ9 - HOW OFTEN DRANK ENOUGH TO FEEL INTOXICATED IN LAST 12 MONTHS

Type: Numeric

N	Value
141	1. EVERY DAY
153	2. NEARLY EVERY DAY
278	3. 3 TO 4 TIMES A WEEK
437	4. 2 TIMES A WEEK
605	5. ONCE A WEEK
889	6. 2 TO 3 TIMES A MONTH
1,164	7. ONCE A MONTH
959	8. 7 TO 11 TIMES IN THE LAST YEAR
2,067	9. 3 TO 6 TIMES IN THE LAST YEAR
4,675	10. 1 OR 2 TIMES IN THE LAST YEAR
14,358	11. NEVER IN THE LAST YEAR
52	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ10R2 - NUMBER OF YEARS DRANK SAME AS IN LAST 12 MONTHS

Type: Numeric

N	Value
25,237	0-80. Years
541	99. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ11R1 - NUMBER OF MONTHS SINCE LAST DRINK (ROUNDED)

Type: Numeric

N	Value
31,317	0-840. Months
440	9999. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ11R2 - NUMBER OF DAYS SINCE LAST DRINK (RESPONDENTS WHO DRANK IN LAST YEAR)

Type: Numeric

N	Value
25,606	0-364. Days
172	999. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2AQ12A - AGE AT FIRST DRINK

Type: Numeric

N	Value
31,421	10-89. Age
1	90. Age 90+
335	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ12APROBE - WAS FIRST DRINK BEFORE AGE 18

Type: Numeric

N	Value
49	1. YES
255	2. NO
31	9. Unknown
35,974	BL. NA, lifetime abstainer or reported exact age at first drink

N2AQ12B - WAS THAT IN LAST 12 MONTHS

Type: Numeric

N	Value
682	1. YES
31,022	2. NO
53	9. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ12C - AGE WHEN FIRST FELT INTOXICATED

Type: Numeric

N	Value
31,343	10-87. Age
414	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ13 - EVER A PERIOD OF AT LEAST 1 YEAR WHEN DRANK MORE HEAVILY THAN IN LAST 12 MONTHS

Type: Numeric

N	Value
15,934	1. YES
15,760	2. NO
63	9. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ14 - HAD 12+ DRINKS IN ANY ONE YEAR PERIOD

Type: Numeric

N	Value
26,078	1. YES
5,614	2. NO
65	9. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ15 - AGE AT START OF PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
30,942	10-89. Age
6	90. Age 90+
809	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ16 - DURATION (YEARS) OF PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
30,806	0-72. Years
951	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ17A - HOW OFTEN DRANK ANY ALCOHOL DURING PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
4,256	1. EVERY DAY
2,635	2. NEARLY EVERY DAY
4,572	3. 3 TO 4 TIMES A WEEK
3,985	4. 2 TIMES A WEEK
3,950	5. ONCE A WEEK
2,894	6. 2 TO 3 TIMES A MONTH
2,202	7. ONCE A MONTH
1,080	8. 7 TO 11 TIMES A YEAR
2,223	9. 3 TO 6 TIMES A YEAR
3,746	10. 1 TO 2 TIMES A YEAR
214	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ17B - NUMBER OF DRINKS OF ANY ALCOHOL USUALLY CONSUMED ON DAYS WHEN DRANK ALCOHOL DURING PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
30,908	1-98. Number
849	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ17C - LARGEST NUMBER OF DRINKS OF ANY ALCOHOL CONSUMED IN A SINGLE DAY DURING PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
30,492	1-98. Number
1,265	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ17D - APPROXIMATELY LARGEST NUMBER OF DRINKS OF ANY ALCOHOL CONSUMED IN A SINGLE DAY DURING PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
55	1. 1-2 DRINKS
92	2. 3-4 DRINKS
190	3. 5-7 DRINKS
209	4. 8-11 DRINKS
251	5. 12-23 DRINKS
115	6. 24+ DRINKS
353	9. Unknown
35,044	BL. NA, lifetime abstainer or exact largest number provided

N2AQ17E - HOW OFTEN DRANK LARGEST NUMBER OF DRINKS OF ANY ALCOHOL IN A SINGLE DAY DURING PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
936	1. EVERY DAY
567	2. NEARLY EVERY DAY
2,189	3. 3 TO 4 TIMES A WEEK
2,307	4. 2 TIMES A WEEK
3,370	5. ONCE A WEEK
3,036	6. 2 TO 3 TIMES A MONTH
3,679	7. ONCE A MONTH
2,051	8. 7 TO 11 TIMES A YEAR
4,272	9. 3 TO 6 TIMES A YEAR
8,657	10. 1 TO 2 TIMES A YEAR
693	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ17F - HOW OFTEN DRANK 5+ DRINKS OF ANY ALCOHOL IN A SINGLE DAY DURING PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
2,491	1. EVERY DAY
1,229	2. NEARLY EVERY DAY
2,364	3. 3 TO 4 TIMES A WEEK
2,025	4. 2 TIMES A WEEK
1,903	5. ONCE A WEEK
1,374	6. 2 TO 3 TIMES A MONTH
1,176	7. ONCE A MONTH
668	8. 7 TO 11 TIMES A YEAR
1,109	9. 3 TO 6 TIMES A YEAR
1,457	10. 1 TO 2 TIMES A YEAR
15,697	11. NEVER
264	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ17G - HOW OFTEN DRANK 8+ DRINKS OF ANY ALCOHOL IN A SINGLE DAY DURING PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
1,588	1. EVERY DAY
564	2. NEARLY EVERY DAY
1,223	3. 3 TO 4 TIMES A WEEK
1,155	4. 2 TIMES A WEEK
1,089	5. ONCE A WEEK
855	6. 2 TO 3 TIMES A MONTH
857	7. ONCE A MONTH
436	8. 7 TO 11 TIMES A YEAR
721	9. 3 TO 6 TIMES A YEAR
1,034	10. 1 TO 2 TIMES A YEAR
21,928	11. NEVER
307	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ17H - HOW OFTEN DRANK 12+ DRINKS OF ANY ALCOHOL IN A SINGLE DAY DURING PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
1,009	1. EVERY DAY
278	2. NEARLY EVERY DAY
647	3. 3 TO 4 TIMES A WEEK
638	4. 2 TIMES A WEEK
681	5. ONCE A WEEK
529	6. 2 TO 3 TIMES A MONTH
560	7. ONCE A MONTH
272	8. 7 TO 11 TIMES A YEAR
429	9. 3 TO 6 TIMES A YEAR
733	10. 1 TO 2 TIMES A YEAR
25,706	11. NEVER
275	99. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ19 - MAIN TYPE OF ALCOHOL CONSUMED DURING PERIOD OF HEAVIEST DRINKING

Type: Numeric

N	Value
1,279	1. COOLERS
10,056	2. BEER
2,984	3. WINE
7,448	4. LIQUOR
9,990	9. Unknown
4,552	BL. NA, lifetime abstainer

N2AQ20A - BEFORE AGE 18 LARGEST NUMBER OF DRINKS IN A SINGLE DAY

Type: Numeric

N	Value
10,667	1-98. Number
1,095	99. Unknown
24,547	BL. NA, lifetime abstainer or started drinking 18+

N2AQ20B - BEFORE AGE 18 APPROXIMATELY THE LARGEST NUMBER OF DRINKS IN A SINGLE DAY

Type: Numeric

N	Value
106	1. 1-2 DRINKS
158	2. 3-4 DRINKS
177	3. 5-7 DRINKS
112	4. 8-11 DRINKS
84	5. 12-23 DRINKS
39	6. 24+ DRINKS
419	9. Unknown
35,214	BL. NA, lifetime abstainer or started drinking 18+; exact largest number provided

N2AQ20C - BEFORE AGE 18 HOW OFTEN DRANK 5+ DRINKS IN A SINGLE DAY

Type: Numeric

N	Value
262	1. EVERY DAY
217	2. NEARLY EVERY DAY
416	3. 3 TO 4 TIMES A WEEK
732	4. 2 TIMES A WEEK
953	5. ONCE A WEEK
723	6. 2 TO 3 TIMES A MONTH
713	7. ONCE A MONTH
377	8. 7 TO 11 TIMES A YEAR
628	9. 3 TO 6 TIMES A YEAR
946	10. 1 TO 2 TIMES A YEAR
5,453	11. NEVER
342	99. Unknown
24,547	BL. NA, lifetime abstainer or started drinking 18+

NETOTLCA2 - AVERAGE DAILY ETHANOL CONSUMPTION (OZ.) IN LAST 12 MONTHS

Type: Numeric

N	Value
25,659	0.001-14.4. Ounces
25,659	999.999. Unknown
10,650	BL. NA, former drinker or lifetime abstainer

NEXCEED - EXCEEDED DAILY AND/OR WEEKLY LOW-RISK DRINKING LIMITS IN LAST 12 MONTHS: MEN 65+ ASSESSED
RELATIVE TO MEN'S GUIDELINES

Type: Numeric

N	Value
13,602	1. Yes
12,132	2. No
10,575	BL. NA, unknown; former drinker or lifetime abstainer

NFEXMAX - FREQUENCY OF EXCEEDING DAILY LOW-RISK DRINKING LIMITS IN LAST 12 MONTHS: MEN 65+ ASSESSED
RELATIVE TO MEN'S GUIDELINES

Type: Numeric

N	Value
12,557	0 Days per year
2,215	1.5 Days per year
1,979	4.5 Days per year
8,976	9-365 Days per year
10,582	BL. NA, unknown; former drinker or lifetime abstainer

NEXCEED2 - EXCEEDED DAILY AND/OR WEEKLY LOW-RISK DRINKING LIMITS IN LAST 12 MONTHS: MEN 65+ ASSESSED
RELATIVE TO WOMEN'S GUIDELINES

Type: Numeric

N	Value
13,836	1. YES
11,899	2. NO
10,574	BL. NA, unknown; former drinker or lifetime abstainer

NFEXMAX2 - FREQUENCY OF EXCEEDING DAILY LOW-RISK DRINKING LIMITS IN LAST 12 MONTHS: MEN 65+ ASSESSED
RELATIVE TO WOMEN'S GUIDELINES

Type: Numeric

N	Value
12,398	0 Days per year
2,236	1.5 Days per year
1,991	4.5 Days per year
9,102	9-365 Days per year
10,582	BL. NA, unknown; former drinker or lifetime abstainer

SECTION 2B: ALCOHOL EXPERIENCES (AUD)

N2BQ1A1 - EVER FIND USUAL NUMBER OF DRINKS HAD LESS EFFECT THAN BEFORE

Type: Numeric

N	Value
8,486	1. YES
23,103	2. NO
168	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B1 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,772	1. YES
23,877	2. NO
129	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C1 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
7,817	1. YES
23,080	2. NO
178	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A2 - EVER HAD TO DRINK MORE TO GET THE EFFECT WANTED

Type: Numeric

N	Value
6,329	1. YES
25,323	2. NO
105	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B2 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,285	1. YES
24,414	2. NO
79	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C2 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
5,863	1. YES
25,105	2. NO
107	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A3 - EVER DRINK EQUIVALENT OF A FIFTH OF LIQUOR IN ONE DAY

Type: Numeric

N	Value
4,377	1. YES
27,326	2. NO
54	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B3 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
958	1. YES
24,782	2. NO
38	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C3 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,187	1. YES
26,836	2. NO
52	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A4 - EVER INCREASE DRINKING BECAUSE AMOUNT FORMERLY CONSUMED NO LONGER GAVE DESIRED EFFECT

Type: Numeric

N	Value
4,601	1. YES
27,086	2. NO
70	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B4 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
961	1. YES
24,764	2. NO
53	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C4 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,290	1. YES
26,714	2. NO
71	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A5 - MORE THAN ONCE WANT TO STOP OR CUT DOWN ON DRINKING

Type: Numeric

N	Value
10,354	1. YES
21,361	2. NO
42	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B5 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
3,535	1. YES
22,212	2. NO
31	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C5 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
9,397	1. YES
21,632	2. NO
46	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A6 - MORE THAN ONCE TRY UNSUCCESSFULLY TO STOP OR CUT DOWN ON DRINKING

Type: Numeric

N	Value
2,726	1. YES
28,988	2. NO
43	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B6 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
899	1. YES
24,846	2. NO
33	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C6 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,542	1. YES
28,488	2. NO
45	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A7 - EVER HAVE PERIOD WHEN ENDED UP DRINKING MORE THAN INTENDED

Type: Numeric

N	Value
11,277	1. YES
20,431	2. NO
49	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B7 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
3,314	1. YES
22,429	2. NO
35	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C7 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
10,643	1. YES
20,376	2. NO
56	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A8 - EVER HAVE PERIOD WHEN KEPT DRINKING LONGER THAN INTENDED

Type: Numeric

N	Value
8,736	1. YES
22,965	2. NO
56	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B8 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
2,828	1. YES
22,904	2. NO
46	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C8 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
8,278	1. YES
22,737	2. NO
60	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A9 - EVER HAD TROUBLE FALLING ASLEEP WHEN EFFECTS OF ALCOHOL WERE WEARING OFF

Type: Numeric

N	Value
4,246	1. YES
27,406	2. NO
105	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B9 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,659	1. YES
24,055	2. NO
64	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C9 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,024	1. YES
26,939	2. NO
112	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A10 - EVER SHAKE WHEN EFFECTS OF ALCOHOL WERE WEARING OFF

Type: Numeric

N	Value
2,447	1. YES
29,267	2. NO
43	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B10 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
766	1. YES
24,982	2. NO
30	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C10 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,276	1. YES
28,755	2. NO
44	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A11 - EVER FEEL ANXIOUS OR NERVOUS WHEN EFFECTS OF ALCOHOL WERE WEARING OFF

Type: Numeric

N	Value
3,267	1. YES
28,431	2. NO
59	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B11 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,125	1. YES
24,619	2. NO
34	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C11 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
3,115	1. YES
27,899	2. NO
61	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A12 - EVER HAVE NAUSEA WHEN EFFECTS OF ALCOHOL WERE WEARING OFF

Type: Numeric

N	Value
12,385	1. YES
19,335	2. NO
37	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B12 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
2,961	1. YES
22,789	2. NO
28	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C12 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
11,832	1. YES
19,206	2. NO
37	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A13 - EVER FEEL UNUSUALLY RESTLESS WHEN EFFECTS OF ALCOHOL WERE WEARING OFF

Type: Numeric

N	Value
4,273	1. YES
27,407	2. NO
77	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B13 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,661	1. YES
24,072	2. NO
45	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C13 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
3,995	1. YES
27,002	2. NO
78	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A14 - EVER SWEAT OR HEART BEAT FAST WHEN EFFECTS OF ALCOHOL WERE WEARING OFF

Type: Numeric

N	Value
4,206	1. YES
27,427	2. NO
124	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B14 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,551	1. YES
24,154	2. NO
73	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C14 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
3,924	1. YES
27,020	2. NO
131	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A15 - EVER SEE, FEEL, HEAR THINGS WHEN EFFECTS OF ALCOHOL WERE WEARING OFF

Type: Numeric

N	Value
992	1. YES
30,712	2. NO
53	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B15 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
297	1. YES
25,448	2. NO
33	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C15 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
935	1. YES
30,086	2. NO
54	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A16 - EVER HAVE FITS OR SEIZURES WHEN EFFECTS OF ALCOHOL WERE WEARING OFF

Type: Numeric

N	Value
263	1. YES
31,468	2. NO
26	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B16 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
68	1. YES
25,692	2. NO
18	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C16 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
246	1. YES
30,804	2. NO
25	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1B17 – AT LEAST 2 WITHDRAWAL SYMPTOMS OCCURRED AROUND THE SAME TIME IN LAST 12 MONTHS

Type: Numeric

N	Value
1,387	1. YES
982	2. NO
27	9. Unknown
33,913	BL. NA, less than two withdrawal symptoms in last 12 months

N2BQ1C18 - AT LEAST 2 WITHDRAWAL SYMPTOMS OCCURRED AROUND THE SAME TIME BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,879	1. YES
2,921	2. NO
126	9. Unknown
29,383	BL. NA, less than two withdrawal symptoms before 12 months ago

N2BQ1A19 - EVER DRINK OR USE MEDICINE OR DRUG OTHER THAN ASPIRIN, TYLENOL OR ADVIL TO GET OVER BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
2,959	1. YES
28,770	2. NO
28	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B19 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,004	1. YES
24,755	2. NO
19	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C19 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,831	1. YES
28,216	2. NO
28	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A20 - EVER DRINK OR USE MEDICINE OR DRUG OTHER THAN ASPIRIN, TYLENOL OR ADVIL TO AVOID BAD
AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
1,913	1. YES
29,818	2. NO
26	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B20 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
684	1. YES
25,078	2. NO
16	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C20 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,815	1. YES
29,233	2. NO
27	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A21 - EVER HAVE PERIOD WHEN SPENT LOT OF TIME DRINKING

Type: Numeric

N	Value
6,229	1. YES
25,471	2. NO
57	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B21 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,131	1. YES
24,599	2. NO
48	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C21 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
6,012	1. YES
25,006	2. NO
57	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A22 - EVER SPEND A LOT OF TIME BEING SICK OR GETTING OVER BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
2,615	1. YES
29,112	2. NO
30	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B22 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
667	1. YES
25,090	2. NO
21	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C22 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,505	1. YES
28,540	2. NO
30	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A23 - EVER GIVE UP OR CUT DOWN IMPORTANT ACTIVITIES TO DRINK

Type: Numeric

N	Value
1,928	1. YES
29,805	2. NO
24	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B23 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
435	1. YES
25,325	2. NO
18	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C23 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,860	1. YES
29,191	2. NO
24	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A24 - EVER GIVE UP OR CUT DOWN PLEASURABLE ACTIVITIES TO DRINK

Type: Numeric

N	Value
1,663	1. YES
30,066	2. NO
28	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B24 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
410	1. YES
25,347	2. NO
21	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C24 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,613	1. YES
29,434	2. NO
28	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A25 - EVER CONTINUE TO DRINK EVEN THOUGH MADE DEPRESSED, UNINTERESTED IN THINGS, SUSPICIOUS OR DISTRUSTFUL OF OTHER PEOPLE

Type: Numeric

N	Value
2,749	1. YES
28,961	2. NO
47	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B25 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
807	1. YES
24,935	2. NO
36	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C25 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,613	1. YES
28,413	2. NO
49	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A26 - EVER CONTINUE TO DRINK EVEN THOUGH CAUSING HEALTH PROBLEM

Type: Numeric

N	Value
2,994	1. YES
28,721	2. NO
42	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B26 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,046	1. YES
24,699	2. NO
33	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C26 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,818	1. YES
28,213	2. NO
44	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A27 - EVER CONTINUE TO DRINK DESPITE PRIOR BLACKOUT

Type: Numeric

N	Value
5,055	1. YES
26,655	2. NO
47	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B27 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,176	1. YES
24,565	2. NO
37	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C27 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,827	1. YES
26,200	2. NO
48	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A28 - EVER FEEL A VERY STRONG URGE TO DRINK

Type: Numeric

N	Value
5,805	1. YES
25,918	2. NO
34	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B28 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
2,789	1. YES
22,966	2. NO
23	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C28 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
5,449	1. YES
25,590	2. NO
36	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A29 - EVER WANT A DRINK SO BADLY COULDN'T THINK OF ANYTHING ELSE

Type: Numeric

N	Value
1,590	1. YES
30,145	2. NO
22	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B29 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
551	1. YES
25,213	2. NO
14	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C29 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,517	1. YES
29,535	2. NO
23	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A30 - EVER HAVE PERIOD WHEN DRINKING INTERFERED WITH TAKING CARE OF HOME OR FAMILY

Type: Numeric

N	Value
1,753	1. YES
29,984	2. NO
20	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B30 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
409	1. YES
25,356	2. NO
13	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C30 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,689	1. YES
29,366	2. NO
20	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A31 - EVER HAVE JOB OR SCHOOL TROUBLES BECAUSE OF DRINKING

Type: Numeric

N	Value
1,654	1. YES
30,085	2. NO
18	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B31 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
248	1. YES
25,520	2. NO
10	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C31 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,612	1. YES
29,445	2. NO
18	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A32 - CONTINUE TO DRINK EVEN THOUGH CAUSING PROBLEMS AT SCHOOL OR WORK

Type: Numeric

N	Value
1,707	1. YES
30,025	2. NO
25	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B32 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
251	1. YES
25,508	2. NO
19	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C32 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,666	1. YES
29,384	2. NO
25	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A33 - MORE THAN ONCE DRIVE A VEHICLE WHILE DRINKING

Type: Numeric

N	Value
9,485	1. YES
22,215	2. NO
57	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B33 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
2,091	1. YES
23,639	2. NO
48	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C33 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
9,246	1. YES
21,773	2. NO
56	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A34 - EVER HAVE A VEHICLE ACCIDENT WHILE INTOXICATED

Type: Numeric

N	Value
2,393	1. YES
29,338	2. NO
26	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B34 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
244	1. YES
25,517	2. NO
17	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C34 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,329	1. YES
28,721	2. NO
25	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A35 - MORE THAN ONCE DRIVE A VEHICLE AFTER HAVING TOO MUCH TO DRINK

Type: Numeric

N	Value
8,959	1. YES
22,740	2. NO
58	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B35 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,407	1. YES
24,328	2. NO
43	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C35 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
8,767	1. YES
22,250	2. NO
58	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A36 - EVER IN SITUATIONS THAT INCREASED CHANCES OF GETTING HURT WHILE DRINKING OR AFTER DRINKING

Type: Numeric

N	Value
4,780	1. YES
26,933	2. NO
44	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B36 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
945	1. YES
24,804	2. NO
29	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C36 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,627	1. YES
26,404	2. NO
44	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A37 - EVER HAVE PROBLEMS WITH FAMILY OR FRIENDS BECAUSE OF DRINKING

Type: Numeric

N	Value
4,990	1. YES
26,742	2. NO
25	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B37 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,345	1. YES
24,416	2. NO
17	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C37 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,766	1. YES
26,283	2. NO
26	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A38 - EVER CONTINUE TO DRINK DESPITE CAUSING TROUBLE WITH FAMILY OR FRIENDS

Type: Numeric

N	Value
3,525	1. YES
28,202	2. NO
30	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B38 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
937	1. YES
24,819	2. NO
22	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C38 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
3,418	1. YES
27,626	2. NO
31	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ1A39 - EVER GET INTO PHYSICAL FIGHT WHEN OR RIGHT AFTER DRINKING

Type: Numeric

N	Value
4,270	1. YES
27,462	2. NO
25	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ1B39 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
613	1. YES
25,149	2. NO
16	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ1C39 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,111	1. YES
26,939	2. NO
25	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING AROUND THE SAME TIME ON AND OFF FOR A FEW MONTHS OR LONGER

Type: Numeric

N	Value
4,845	1. YES
9,751	2. NO
185	9. Unknown
21,528	BL. NA, lifetime abstainer or started drinking in last 12 months; did not meet symptom criteria for prior-to-past year alcohol use disorder

N2BQ2B - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING AROUND THE SAME TIME MOST DAYS FOR AT LEAST A MONTH

Type: Numeric

N	Value
406	1. YES
9,407	2. NO
123	9. Unknown
26,373	BL. NA, lifetime abstainer or started drinking in last 12 months; did not meet symptom criteria for prior-to-past year alcohol use disorder; had period when some of these experiences were happening around the same time on and off for a few months or longer

N2BQ2C - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES HAPPENED WITHIN THE SAME ONE YEAR PERIOD

Type: Numeric

N	Value
2,534	1. YES
6,841	2. NO
155	9. Unknown
26,779	BL. NA, lifetime abstainer or started drinking in last 12 months; did not meet symptom criteria for prior-to-past year alcohol use disorder; had period when some of these experiences were happening around the same time on and off for a few months or longer or most days for at least a month

N2BQ2D - AGE AT ONSET OF PRIOR-TO-PAST-YEAR ALCOHOL USE DISORDER

Type: Numeric

N	Value
7,618	10-78. Age
167	99. Unknown
28,524	BL. NA, lifetime abstainer or started drinking in last 12 months; did not meet symptom and/or duration criteria for prior-to-past-year alcohol use disorder

N2BQ2E - NUMBER OF EPISODES OF PRIOR-TO-PAST-YEAR ALCOHOL USE DISORDER

Type: Numeric

N	Value
7,327	1-38. Episodes
458	99. Unknown
28,524	BL. NA, lifetime abstainer or started drinking in last 12 months; did not meet symptom and/or duration criteria for prior-to-past-year alcohol use disorder

N2BQ2FR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF PRIOR-TO-PAST-YEAR ALCOHOL USE DISORDER (BASED ON N2BQ2H IF ONLY 1 EPISODE)

Type: Numeric

N	Value
7,389	1-600. Months
396	9999. Unknown
28,524	BL. NA, lifetime abstainer or started drinking in last 12 months; did not meet symptom and/or duration criteria for prior-to-past-year alcohol use disorder

N2BQ2GR - AGE WHEN ONLY/MOST RECENT EPISODE OF PRIOR-TO-PAST-YEAR ALCOHOL USE DISORDER BEGAN (BASED ON N2BQ2D IF ONLY 1 EPISODE)

Type: Numeric

N	Value
7,595	10-83. Age
190	99. Unknown
28,524	BL. NA, lifetime abstainer or started drinking in last 12 months; did not meet symptom and/ or duration criteria for prior-to-past-year alcohol use disorder

N2BQ2I - AGE AT FULL REMISSION OF PRIOR-TO-PAST-YEAR ALCOHOL USE DISORDER

Type: Numeric

N	Value
3,711	11-80. Age
202	99. Unknown
32,396	BL. NA, lifetime abstainer or started drinking in last 12 months; did not meet symptom and/ or duration criteria for prior-to-past-year alcohol use disorder; had 1+ alcohol use disorder symptoms other than craving in last 12 months

N2BQ3A2 - EVER RIDE IN VEHICLE AS PASSENGER WHILE YOU WERE DRINKING

Type: Numeric

N	Value
12,692	1. YES
19,010	2. NO
55	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ3B2 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
3,999	1. YES
21,732	2. NO
47	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ3C2 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
12,178	1. YES
18,842	2. NO
55	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ3A3 - EVER HAVE A VEHICLE ACCIDENT WITH INJURY WHILE INTOXICATED

Type: Numeric

N	Value
1,012	1. YES
30,725	2. NO
20	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ3B3 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
102	1. YES
25,661	2. NO
15	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ3C3 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
993	1. YES
30,064	2. NO
18	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ3A4 - EVER HAVE AN NON-VEHICLE ACCIDENT WITH INJURY WHILE INTOXICATED

Type: Numeric

N	Value
2,284	1. YES
29,443	2. NO
30	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ3B4 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
458	1. YES
25,301	2. NO
19	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ3C4 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,134	1. YES
28,911	2. NO
30	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ3A5 - EVER GET ARRESTED, HELD AT A POLICE STATION OR HAVE OTHER LEGAL PROBLEMS BECAUSE OF DRINKING

Type: Numeric

N	Value
3,141	1. YES
28,595	2. NO
21	9. Unknown
4,552	BL. NA, lifetime abstainer

N2BQ3B5 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
243	1. YES
25,517	2. NO
18	9. Unknown
10,531	BL. NA, former drinker or lifetime abstainer

N2BQ3C5 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
3,059	1. YES
27,995	2. NO
21	9. Unknown
5,234	BL. NA, lifetime abstainer or started drinking in last 12 months

N2BQ3A6 - EVER RIDE IN A VEHICLE WHILE THE DRIVER WAS DRINKING

Type: Numeric

N	Value
13,214	1. YES
22,936	2. NO
159	9. Unknown

N2BQ3B6 - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
2,681	1. YES
33,467	2. NO
161	9. Unknown

N2BQ3C6 - HAPPEN PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
12,864	1. YES
23,228	2. NO
217	9. Unknown

SECTION 2C: TREATMENT UTILIZATION (ALCOHOL)

N2CQ1 - EVER SOUGHT HELP BECAUSE OF DRINKING

Type: Numeric

N	Value
2,581	1. YES
29,160	2. NO
16	9. Unknown
4,552	BL. NA, lifetime abstainer

N2CQ2A1 - EVER WENT TO ALCOHOLICS/NARCOTICS/COCAINE ANONYMOUS, OR 12-STEP MEETING

Type: Numeric

N	Value
2,001	1. YES
579	2. NO
1	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B1 - WHEN WENT TO ALCOHOLICS/NARCOTICS/COCAINE ANONYMOUS, OR 12-STEP MEETING

Type: Numeric

N	Value
135	1. LAST 12 MONTHS ONLY
1,432	2. BEFORE THE LAST 12 MONTHS ONLY
432	3. BOTH TIME PERIODS
2	9. Unknown
34,308	BL. NA, never or unknown if ever went to any 12-step meeting

N2CQ2A2 - EVER WENT TO FAMILY SERVICES OR OTHER SOCIAL SERVICE AGENCY

Type: Numeric

N	Value
565	1. YES
2,006	2. NO
10	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B2 - WHEN WENT TO FAMILY SERVICES OR OTHER SOCIAL SERVICE AGENCY

Type: Numeric

N	Value
45	1. LAST 12 MONTHS ONLY
419	2. BEFORE THE LAST 12 MONTHS ONLY
100	3. BOTH TIME PERIODS
1	9. Unknown
35,744	BL. NA, never or unknown if ever went to any social service agency

N2CQ2A3 - EVER WENT TO ALCOHOL/DRUG DETOXIFICATION WARD/CLINIC

Type: Numeric

N	Value
810	1. YES
1,766	2. NO
5	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B3 - WHEN WENT TO ALCOHOL/DRUG DETOXIFICATION WARD/CLINIC

Type: Numeric

N	Value
48	1. LAST 12 MONTHS ONLY
703	2. BEFORE THE LAST 12 MONTHS ONLY
59	3. BOTH TIME PERIODS
35,499	BL. NA, never or unknown if ever went to alcohol/drug detoxification ward/clinic

N2CQ2A4 - EVER WENT TO INPATIENT WARD OF PSYCHIATRIC/GENERAL HOSPITAL OR COMMUNITY MENTAL HEALTH PROGRAM

Type: Numeric

N	Value
574	1. YES
2,005	2. NO
2	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B4 - WHEN WENT TO INPATIENT WARD OF PSYCHIATRIC/GENERAL HOSPITAL OR COMMUNITY MENTAL HEALTH PROGRAM

Type: Numeric

N	Value
38	1. LAST 12 MONTHS ONLY
481	2. BEFORE THE LAST 12 MONTHS ONLY
54	3. BOTH TIME PERIODS
1	9. Unknown
35,735	BL. NA, never or unknown if ever went to inpatient ward

N2CQ2A5 - EVER WENT TO OUTPATIENT CLINIC, INCLUDING OUTREACH AND DAY/PARTIAL PATIENT PROGRAM

Type: Numeric

N	Value
809	1. YES
1,767	2. NO
5	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B5 - WHEN WENT TO OUTPATIENT CLINIC, INCLUDING OUTREACH AND DAY/PARTIAL PATIENT PROGRAM

Type: Numeric

N	Value
66	1. LAST 12 MONTHS ONLY
621	2. BEFORE THE LAST 12 MONTHS ONLY
122	3. BOTH TIME PERIODS
35,500	BL. NA, never or unknown if ever went to outpatient clinic

N2CQ2A6 - EVER WENT TO ALCOHOL/DRUG REHABILITATION PROGRAM

Type: Numeric

N	Value
1,167	1. YES
1,411	2. NO
3	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B6 - WHEN WENT TO ALCOHOL/DRUG REHABILITATION PROGRAM

Type: Numeric

N	Value
57	1. LAST 12 MONTHS ONLY
1,003	2. BEFORE THE LAST 12 MONTHS ONLY
106	3. BOTH TIME PERIODS
1	9. Unknown
35,142	BL. NA, never or unknown if ever went to alcohol/drug rehabilitation program

N2CQ2A7 - EVER WENT TO EMERGENCY ROOM BECAUSE OF DRINKING

Type: Numeric

N	Value
663	1. YES
1,913	2. NO
5	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B7 - WHEN WENT TO EMERGENCY ROOM BECAUSE OF DRINKING

Type: Numeric

N	Value
43	1. LAST 12 MONTHS ONLY
578	2. BEFORE THE LAST 12 MONTHS ONLY
42	3. BOTH TIME PERIODS
35,646	BL. NA, never or unknown if ever went to emergency room because of drinking

N2CQ2A8 - EVER WENT TO HALFWAY HOUSE/THERAPEUTIC COMMUNITY

Type: Numeric

N	Value
277	1. YES
2,303	2. NO
1	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B8 - WHEN WENT TO HALFWAY HOUSE/THERAPEUTIC COMMUNITY

Type: Numeric

N	Value
19	1. LAST 12 MONTHS ONLY
236	2. BEFORE THE LAST 12 MONTHS ONLY
22	3. BOTH TIME PERIODS
36,032	BL. NA, never or unknown if ever went to halfway house/therapeutic community

N2CQ2A9 - EVER WENT TO CRISIS CENTER BECAUSE OF DRINKING

Type: Numeric

N	Value
121	1. YES
2,458	2. NO
2	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B9 - WHEN WENT TO CRISIS CENTER BECAUSE OF DRINKING

Type: Numeric

N	Value
7	1. LAST 12 MONTHS ONLY
101	2. BEFORE THE LAST 12 MONTHS ONLY
13	3. BOTH TIME PERIODS
36,188	BL. NA, never or unknown if ever went to crisis center because of drinking

N2CQ2A10 - EVER WENT TO EMPLOYEE ASSISTANCE PROGRAM (EAP)

Type: Numeric

N	Value
148	1. YES
2,431	2. NO
2	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B10 - WHEN WENT TO EMPLOYEE ASSISTANCE PROGRAM (EAP)

Type: Numeric

N	Value
15	1. LAST 12 MONTHS ONLY
128	2. BEFORE THE LAST 12 MONTHS ONLY
5	3. BOTH TIME PERIODS
36,161	BL. NA, never or unknown if ever went to EAP because of drinking

N2CQ2A11 - EVER WENT TO CLERGYMAN, PRIEST OR RABBI BECAUSE OF DRINKING

Type: Numeric

N	Value
350	1. YES
2,229	2. NO
2	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B11 - WHEN WENT TO CLERGYMAN, PRIEST OR RABBI BECAUSE OF DRINKING

Type: Numeric

N	Value
27	1. LAST 12 MONTHS ONLY
263	2. BEFORE THE LAST 12 MONTHS ONLY
60	3. BOTH TIME PERIODS
35,959	BL. NA, never or unknown if ever went to clergyman, priest or rabbi because of drinking

N2CQ2A12 - EVER WENT TO PRIVATE PHYSICIAN, PSYCHIATRIST, PSYCHOLOGIST, SOCIAL WORKER, OR ANY OTHER PROFESSIONAL

Type: Numeric

N	Value
988	1. YES
1,591	2. NO
2	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B12 - WHEN WENT TO PRIVATE PHYSICIAN, PSYCHIATRIST, PSYCHOLOGIST, SOCIAL WORKER, OR ANY OTHER PROFESSIONAL

Type: Numeric

N	Value
78	1. LAST 12 MONTHS ONLY
708	2. BEFORE THE LAST 12 MONTHS ONLY
202	3. BOTH TIME PERIODS
35,321	BL. NA, never or unknown if ever went to doctor or other health professional

N2CQ2A13 - EVER WENT TO ANY OTHER AGENCY OR PROFESSIONAL

Type: Numeric

N	Value
239	1. YES
2,341	2. NO
1	9. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ2B13 - WHEN WENT TO ANY OTHER AGENCY OR PROFESSIONAL

Type: Numeric

N	Value
16	1. LAST 12 MONTHS ONLY
192	2. BEFORE THE LAST 12 MONTHS ONLY
31	3. BOTH TIME PERIODS
36,070	BL. NA, never or unknown if ever went to other agency or professional

N2CQ3A - AGE WHEN FIRST SOUGHT HELP BECAUSE OF DRINKING

Type: Numeric

N	Value
2,530	10-72. Age
51	99. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ3B - AGE AT ONLY/MOST RECENT TIME SOUGHT HELP WITH DRINKING

Type: Numeric

N	Value
2,521	13-80. Age
60	99. Unknown
33,728	BL. NA, never or unknown if ever sought help with drinking

N2CQ4A - EVER THOUGHT SHOULD SEEK HELP WITH DRINKING BUT DIDN'T GO

Type: Numeric

N	Value
1,743	1. YES
29,991	2. NO
23	9. Unknown
4,552	BL. NA, lifetime abstainer

N2CQ4B - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
448	1. YES
1,295	2. NO
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4C - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
1,652	1. YES
88	2. NO
34,569	BL. NA, never or unknown if ever thought should seek help but didn't go; started drinking in last 12 months

N2CQ4D1 - DID NOT SEEK HELP BECAUSE WANTED TO GO, BUT HEALTH INSURANCE DIDN'T COVER

Type: Numeric

N	Value
217	1. YES
1,516	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D2 - DID NOT SEEK HELP BECAUSE DIDN'T THINK ANYONE COULD HELP

Type: Numeric

N	Value
293	1. YES
1,440	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D3 - DID NOT SEEK HELP BECAUSE DIDN'T KNOW ANY PLACE TO GO FOR HELP

Type: Numeric

N	Value
163	1. YES
1,570	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D4 - DID NOT SEEK HELP BECAUSE COULDN'T AFFORD TO PAY THE BILL

Type: Numeric

N	Value
287	1. YES
1,446	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D5 - DID NOT SEEK HELP BECAUSE DIDN'T HAVE ANY WAY TO GET THERE

Type: Numeric

N	Value
82	1. YES
1,651	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D6 - DID NOT SEEK HELP BECAUSE DIDN'T HAVE TIME

Type: Numeric

N	Value
203	1. YES
1,530	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D7 - DID NOT SEEK HELP BECAUSE THOUGHT THE PROBLEM WOULD GET BETTER BY ITSELF

Type: Numeric

N	Value
589	1. YES
1,144	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D8 - DID NOT SEEK HELP BECAUSE WAS TOO EMBARRASSED TO DISCUSS IT WITH ANYONE

Type: Numeric

N	Value
406	1. YES
1,327	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D9 - DID NOT SEEK HELP BECAUSE AFRAID OF WHAT BOSS, FRIENDS, FAMILY, OR OTHERS WOULD THINK

Type: Numeric

N	Value
200	1. YES
1,533	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D10 - DID NOT SEEK HELP BECAUSE THOUGHT SHOULD BE STRONG ENOUGH TO HANDLE ALONE

Type: Numeric

N	Value
653	1. YES
1,080	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D11 - DID NOT SEEK HELP BECAUSE WAS AFRAID THEY WOULD PUT ME INTO THE HOSPITAL

Type: Numeric

N	Value
118	1. YES
1,615	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D12 - DID NOT SEEK HELP BECAUSE WAS AFRAID OF THE TREATMENT THEY WOULD GIVE ME

Type: Numeric

N	Value
107	1. YES
1,626	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D13 - DID NOT SEEK HELP BECAUSE HATED ANSWERING PERSONAL QUESTIONS

Type: Numeric

N	Value
209	1. YES
1,524	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D14 - DID NOT SEEK HELP BECAUSE THE HOURS WERE INCONVENIENT

Type: Numeric

N	Value
71	1. YES
1,662	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D15 - DID NOT SEEK HELP BECAUSE A MEMBER OF MY FAMILY OBJECTED

Type: Numeric

N	Value
30	1. YES
1,703	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D16 - DID NOT SEEK HELP BECAUSE FAMILY THOUGHT I SHOULD GO BUT I DIDN'T THINK IT WAS NECESSARY

Type: Numeric

N	Value
220	1. YES
1,513	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D17 - DID NOT SEEK HELP BECAUSE CAN'T SPEAK ENGLISH VERY WELL

Type: Numeric

N	Value
7	1. YES
1,726	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D18 - DID NOT SEEK HELP BECAUSE WAS AFRAID I WOULD LOSE MY JOB

Type: Numeric

N	Value
104	1. YES
1,629	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D19 - DID NOT SEEK HELP BECAUSE COULDN'T ARRANGE FOR CHILD CARE

Type: Numeric

N	Value
20	1. YES
1,713	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D20 - DID NOT SEEK HELP BECAUSE HAD TO WAIT TOO LONG TO GET INTO A PROGRAM

Type: Numeric

N	Value
60	1. YES
1,673	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D21 - DID NOT SEEK HELP BECAUSE WANTED TO KEEP DRINKING OR GOT DRUNK

Type: Numeric

N	Value
371	1. YES
1,362	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D22 - DID NOT SEEK HELP BECAUSE DIDN'T THINK DRINKING PROBLEM WAS SERIOUS ENOUGH

Type: Numeric

N	Value
460	1. YES
1,273	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D23 - DID NOT SEEK HELP BECAUSE DIDN'T WANT TO GO

Type: Numeric

N	Value
404	1. YES
1,329	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D24 - DID NOT SEEK HELP BECAUSE STOPPED DRINKING ON MY OWN

Type: Numeric

N	Value
403	1. YES
1,330	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D25 - DID NOT SEEK HELP BECAUSE FRIENDS OR FAMILY HELPED ME STOP DRINKING

Type: Numeric

N	Value
90	1. YES
1,643	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D26 - DID NOT SEEK HELP BECAUSE TRIED GETTING HELP BEFORE AND IT DIDN'T WORK

Type: Numeric

N	Value
126	1. YES
1,607	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D27 - DID NOT SEEK HELP BECAUSE AFRAID CHILDREN WOULD BE TAKEN AWAY

Type: Numeric

N	Value
53	1. YES
1,680	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D28 - DID NOT SEEK HELP BECAUSE RELIGIOUS BELIEFS PREVENT GOING FOR TREATMENT

Type: Numeric

N	Value
10	1. YES
1,723	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

N2CQ4D29 - DID NOT SEEK HELP FOR OTHER REASON

Type: Numeric

N	Value
91	1. YES
1,642	2. NO
10	9. Unknown
34,566	BL. NA, never or unknown if ever thought should seek help but didn't go

SECTION 2D: FAMILY HISTORY (ALCOHOLISM)

N2DQ1 - BLOOD/NATURAL FATHER EVER AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
9,418	1. YES
25,012	2. NO
1,879	9. Unknown

N2DQ2 - BLOOD/NATURAL MOTHER EVER AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
3,225	1. YES
32,458	2. NO
626	9. Unknown

N2DQ3A - NUMBER OF FULL BROTHERS WHO LIVED TO BE 10 YEARS OLD

Type: Numeric

N	Value
36,015	0-23. Number
294	99. Unknown

N2DQ3C1 - NUMBER OF FULL BROTHERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
35,709	0-14. Number
600	99. Unknown

N2DQ3C2 - ANY FULL BROTHERS EVER ALCOHOLICS OR PROBLEMS DRINKERS

Type: Numeric

N	Value
6,528	1. Yes
29,225	2. No
556	9. Unknown

N2DQ4A - NUMBER OF FULL SISTERS WHO LIVED TO BE 10 YEARS OLD

Type: Numeric

N	Value
36,041	0-25. Number
268	99. Unknown

N2DQ4C1 - NUMBER OF FULL SISTERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
35,881	0-7. Number
428	99. Unknown

N2DQ4C2 - ANY FULL SISTERS EVER ALCOHOLICS OR PROBLEMS DRINKERS

Type: Numeric

N	Value
3,170	1. Yes
32,728	2. No
411	9. Unknown

N2DQ5A - NUMBER OF NATURAL SONS WHO LIVED TO BE 10 YEARS OLD

Type: Numeric

N	Value
36,216	0-25. Number
93	99. Unknown

N2DQ5C1 - NUMBER OF NATURAL SONS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
36,098	0-9. Number
211	99. Unknown

N2DQ5C2 - ANY NATURAL SONS EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
1,879	1. Yes
34,229	2. No
201	9. Unknown

N2DQ6A - NUMBER OF NATURAL DAUGHTERS WHO LIVED TO BE 10 YEARS OLD

Type: Numeric

N	Value
36,227	0-13. Number
82	99. Unknown

N2DQ6C1 - NUMBER OF NATURAL DAUGHTERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
36,136	0-9. Number
173	99. Unknown

N2DQ6C2 - ANY NATURAL DAUGHTERS EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
1,086	1. Yes
35,060	2. No
163	9. Unknown

N2DQ7A - NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO LIVED TO BE 10 YEARS OLD

Type: Numeric

N	Value
32,193	0-24. Number
4,116	99. Unknown

N2DQ7C1 - NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
29,803	0-15. Number
6,506	99. Unknown

N2DQ7C2 - ANY OF NATURAL FATHER'S FULL BROTHERS EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
7,737	1. Yes
22,329	2. No
6,243	9. Unknown

N2DQ8A - NUMBER OF NATURAL FATHER'S FULL SISTERS WHO LIVED TO BE 10 YEARS OLD

Type: Numeric

N	Value
32,448	0-23. Number
3,861	99. Unknown

N2DQ8C1 - NUMBER OF NATURAL FATHER'S FULL SISTERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
30,902	0-9. Number
5,407	99. Unknown

N2DQ8C2 - ANY OF NATURAL FATHER'S FULL SISTERS EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
3,035	1. Yes
28,002	2. No
5,272	9. Unknown

N2DQ9A - NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO LIVED TO BE 10 YEARS OLD

Type: Numeric

N	Value
34,338	0-24. Number
1,971	99. Unknown

N2DQ9C1 - NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
32,964	0-12. Number
3,345	99. Unknown

N2DQ9C2 - ANY OF NATURAL MOTHER'S FULL BROTHERS EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
8,349	1. Yes
24,794	2. No
3,166	9. Unknown

N2DQ10A - NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO LIVED TO BE 10 YEARS OLD

Type: Numeric

N	Value
34,509	0-25. Number
1,800	99. Unknown

N2DQ10C1 - NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
33,690	0-10. Number
2,619	99. Unknown

N2DQ10C2 - ANY OF NATURAL MOTHER'S FULL SISTERS EVER ALCOHOLICS OR PROBLEM DRINKERS

Type: Numeric

N	Value
3,912	1. Yes
29,858	2. No
2,539	9. Unknown

N2DQ11 - NATURAL GRANDFATHER ON FATHER'S SIDE EVER AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
4,811	1. YES
21,587	2. NO
9,911	9. Unknown

N2DQ12 - NATURAL GRANDMOTHER ON FATHER'S SIDE EVER AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
1,380	1. YES
27,714	2. NO
7,215	9. Unknown

N2DQ13A - NATURAL GRANDFATHER ON MOTHER'S SIDE EVER AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
5,311	1. YES
24,380	2. NO
6,618	9. Unknown

N2DQ13B - NATURAL GRANDMOTHER ON MOTHER'S SIDE EVER AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
1,712	1. YES
29,846	2. NO
4,751	9. Unknown

N2DQ14A - ADOPTIVE FATHER EVER AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
67	1. YES
36,211	2. NO
31	9. Unknown

N2DQ14B - ADOPTIVE MOTHER EVER AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
24	1. YES
36,264	2. NO
21	9. Unknown

N2DQ15 - EVER MARRIED TO AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
4,048	1. YES
32,131	2. NO
130	9. Unknown

N2DQ16 - CURRENT SPOUSE EVER AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
990	1. YES
35,229	2. NO
90	9. Unknown

N2DQ17 - CURRENT SPOUSE IS AN ALCOHOLIC OR PROBLEM DRINKER AT THIS TIME

Type: Numeric

N	Value
464	1. YES
35,715	2. NO
130	9. Unknown

N2DQ18 - EVER LIVED WITH SOMEONE AS IF MARRIED WHO WAS AN ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
3,996	1. YES
32,188	2. NO
125	9. Unknown

N2DQ20 - CURRENTLY LIVING AS IF MARRIED WITH ALCOHOLIC OR PROBLEM DRINKER

Type: Numeric

N	Value
74	1. YES
36,109	2. NO
126	9. Unknown

SECTION 2E: BACKGROUND INFORMATION II

N2EQ1A - HOW OFTEN SPEAKS ENGLISH

Type: Numeric

N	Value
964	1. ALMOST NEVER
1,151	2. SOMETIMES
979	3. OFTEN
3,902	4. ALMOST ALWAYS
41	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1B - HOW OFTEN SPEAKS ENGLISH WITH FRIENDS

Type: Numeric

N	Value
1,633	1. ALMOST NEVER
1,048	2. SOMETIMES
650	3. OFTEN
3,666	4. ALMOST ALWAYS
40	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1C - HOW OFTEN THINKS IN ENGLISH

Type: Numeric

N	Value
1,407	1. ALMOST NEVER
1,092	2. SOMETIMES
823	3. OFTEN
3,663	4. ALMOST ALWAYS
52	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1D - HOW OFTEN SPEAKS IN SPANISH

Type: Numeric

N	Value
1,196	1. ALMOST NEVER
1,453	2. SOMETIMES
1,307	3. OFTEN
3,035	4. ALMOST ALWAYS
46	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1E - HOW OFTEN SPEAKS SPANISH WITH FRIENDS

Type: Numeric

N	Value
1,821	1. ALMOST NEVER
1,369	2. SOMETIMES
986	3. OFTEN
2,813	4. ALMOST ALWAYS
48	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1F - HOW OFTEN THINKS IN SPANISH

Type: Numeric

N	Value
1,959	1. ALMOST NEVER
1,261	2. SOMETIMES
864	3. OFTEN
2,898	4. ALMOST ALWAYS
55	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1G - HOW OFTEN WATCHES TELEVISION IN ENGLISH

Type: Numeric

N	Value
799	1. ALMOST NEVER
1,396	2. SOMETIMES
883	3. OFTEN
3,917	4. ALMOST ALWAYS
42	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1H - HOW OFTEN LISTENS TO RADIO PROGRAMS IN ENGLISH

Type: Numeric

N	Value
1,455	1. ALMOST NEVER
1,172	2. SOMETIMES
753	3. OFTEN
3,615	4. ALMOST ALWAYS
42	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1I - HOW OFTEN LISTENS TO MUSIC IN ENGLISH

Type: Numeric

N	Value
1,092	1. ALMOST NEVER
1,309	2. SOMETIMES
950	3. OFTEN
3,644	4. ALMOST ALWAYS
42	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1J - HOW OFTEN WATCHES TELEVISION IN SPANISH

Type: Numeric

N	Value
2,329	1. ALMOST NEVER
1,719	2. SOMETIMES
782	3. OFTEN
2,160	4. ALMOST ALWAYS
47	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1K - HOW OFTEN LISTENS TO RADIO PROGRAMS IN SPANISH

Type: Numeric

N	Value
2,545	1. ALMOST NEVER
1,612	2. SOMETIMES
857	3. OFTEN
1,978	4. ALMOST ALWAYS
45	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1L - HOW OFTEN LISTENS TO MUSIC IN SPANISH

Type: Numeric

N	Value
1,514	1. ALMOST NEVER
1,991	2. SOMETIMES
1,207	3. OFTEN
2,279	4. ALMOST ALWAYS
46	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1M - HOW WELL SPEAKS ENGLISH

Type: Numeric

N	Value
847	1. VERY POORLY
906	2. POORLY
1,474	3. WELL
3,764	4. VERY WELL
46	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1N - HOW WELL READS IN ENGLISH

Type: Numeric

N	Value
941	1. VERY POORLY
892	2. POORLY
1,398	3. WELL
3,761	4. VERY WELL
45	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1O - HOW WELL UNDERSTANDS TV PROGRAMS IN ENGLISH

Type: Numeric

N	Value
666	1. VERY POORLY
805	2. POORLY
1,385	3. WELL
4,129	4. VERY WELL
52	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1P - HOW WELL UNDERSTANDS RADIO PROGRAMS IN ENGLISH

Type: Numeric

N	Value
802	1. VERY POORLY
851	2. POORLY
1,267	3. WELL
4,059	4. VERY WELL
58	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1Q - HOW WELL WRITES IN ENGLISH

Type: Numeric

N	Value
1,118	1. VERY POORLY
1,039	2. POORLY
1,193	3. WELL
3,638	4. VERY WELL
49	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1R - HOW WELL UNDERSTANDS MUSIC IN ENGLISH

Type: Numeric

N	Value
811	1. VERY POORLY
926	2. POORLY
1,310	3. WELL
3,943	4. VERY WELL
47	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1S - HOW WELL SPEAKS SPANISH

Type: Numeric

N	Value
880	1. VERY POORLY
624	2. POORLY
1,374	3. WELL
4,109	4. VERY WELL
50	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1T - HOW WELL READS IN SPANISH

Type: Numeric

N	Value
1,175	1. VERY POORLY
817	2. POORLY
1,340	3. WELL
3,657	4. VERY WELL
48	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1U - HOW WELL UNDERSTANDS TV PROGRAMS IN SPANISH

Type: Numeric

N	Value
891	1. VERY POORLY
585	2. POORLY
1,274	3. WELL
4,237	4. VERY WELL
50	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1V - HOW WELL UNDERSTANDS RADIO PROGRAMS IN SPANISH

Type: Numeric

N	Value
970	1. VERY POORLY
542	2. POORLY
1,235	3. WELL
4,230	4. VERY WELL
60	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1W - HOW WELL WRITES IN SPANISH

Type: Numeric

N	Value
1,466	1. VERY POORLY
944	2. POORLY
1,208	3. WELL
3,368	4. VERY WELL
51	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ1X - HOW WELL UNDERSTANDS MUSIC IN SPANISH

Type: Numeric

N	Value
853	1. VERY POORLY
522	2. POORLY
1,271	3. WELL
4,342	4. VERY WELL
49	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ2A - STRONG SENSE OF SELF AS A PERSON OF HISPANIC OR LATINO ORIGIN

Type: Numeric

N	Value
4,228	1. STRONGLY AGREE
1,829	2. AGREE
493	3. SOMEWHAT AGREE
135	4. SOMEWHAT DISAGREE
126	5. DISAGREE
164	6. STRONGLY DISAGREE
62	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ2B - IDENTIFIES WITH OTHER HISPANICS

Type: Numeric

N	Value
3,690	1. STRONGLY AGREE
2,086	2. AGREE
660	3. SOMEWHAT AGREE
195	4. SOMEWHAT DISAGREE
173	5. DISAGREE
172	6. STRONGLY DISAGREE
61	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ2C - MOST OF CLOSE FRIENDS ARE OF HISPANIC ORIGIN

Type: Numeric

N	Value
2,965	1. STRONGLY AGREE
1,698	2. AGREE
971	3. SOMEWHAT AGREE
405	4. SOMEWHAT DISAGREE
600	5. DISAGREE
336	6. STRONGLY DISAGREE
62	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ2D - HISPANIC HERITAGE IS IMPORTANT

Type: Numeric

N	Value
3,884	1. STRONGLY AGREE
1,828	2. AGREE
747	3. SOMEWHAT AGREE
169	4. SOMEWHAT DISAGREE
178	5. DISAGREE
166	6. STRONGLY DISAGREE
65	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ2E - MORE COMFORTABLE IN SOCIAL SITUATIONS WHERE OTHER HISPANICS ARE PRESENT

Type: Numeric

N	Value
2,387	1. STRONGLY AGREE
1,596	2. AGREE
1,288	3. SOMEWHAT AGREE
667	4. SOMEWHAT DISAGREE
701	5. DISAGREE
331	6. STRONGLY DISAGREE
67	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ2F - PROUD OF HISPANIC HERITAGE

Type: Numeric

N	Value
4,495	1. STRONGLY AGREE
1,798	2. AGREE
393	3. SOMEWHAT AGREE
76	4. SOMEWHAT DISAGREE
87	5. DISAGREE
124	6. STRONGLY DISAGREE
64	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ2G - HISPANIC BACKGROUND PLAYS BIG PART IN INTERACTION WITH OTHERS

Type: Numeric

N	Value
2,891	1. STRONGLY AGREE
1,693	2. AGREE
954	3. SOMEWHAT AGREE
527	4. SOMEWHAT DISAGREE
568	5. DISAGREE
332	6. STRONGLY DISAGREE
72	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ2H - VALUES AND BEHAVIORS ARE SHARED BY PEOPLE OF HISPANIC ORIGIN

Type: Numeric

N	Value
2,521	1. STRONGLY AGREE
1,986	2. AGREE
1,220	3. SOMEWHAT AGREE
491	4. SOMEWHAT DISAGREE
457	5. DISAGREE
256	6. STRONGLY DISAGREE
106	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3A1 - DURING LAST 12 MONTHS, HOW OFTEN EXPERIENCED DISCRIMINATION IN ABILITY TO OBTAIN HEALTH CARE BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
5,657	1. NEVER
689	2. ALMOST NEVER
474	3. SOMETIMES
94	4. FAIRLY OFTEN
60	5. VERY OFTEN
63	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3B1 - BEFORE 12 MONTHS AGO, HOW OFTEN EXPERIENCED DISCRIMINATION IN ABILITY TO OBTAIN HEALTH CARE BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
5,610	1. NEVER
707	2. ALMOST NEVER
492	3. SOMETIMES
112	4. FAIRLY OFTEN
48	5. VERY OFTEN
68	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3A2 - DURING LAST 12 MONTHS, HOW OFTEN EXPERIENCED DISCRIMINATION IN HOW TREATED WHEN GOT CARE BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
5,773	1. NEVER
634	2. ALMOST NEVER
456	3. SOMETIMES
68	4. FAIRLY OFTEN
45	5. VERY OFTEN
61	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3B2 - BEFORE 12 MONTHS AGO, HOW OFTEN EXPERIENCED DISCRIMINATION IN HOW TREATED WHEN GOT CARE BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
5,646	1. NEVER
678	2. ALMOST NEVER
516	3. SOMETIMES
91	4. FAIRLY OFTEN
45	5. VERY OFTEN
61	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3A3 - DURING LAST 12 MONTHS, HOW OFTEN EXPERIENCED DISCRIMINATION IN PUBLIC BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
4,996	1. NEVER
946	2. ALMOST NEVER
850	3. SOMETIMES
133	4. FAIRLY OFTEN
63	5. VERY OFTEN
49	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3B3 - BEFORE 12 MONTHS AGO, HOW OFTEN EXPERIENCED DISCRIMINATION IN PUBLIC BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
4,764	1. NEVER
1,007	2. ALMOST NEVER
958	3. SOMETIMES
184	4. FAIRLY OFTEN
71	5. VERY OFTEN
53	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3A4 - DURING LAST 12 MONTHS, HOW OFTEN EXPERIENCED DISCRIMINATION IN ANY OTHER SITUATION BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
5,446	1. NEVER
770	2. ALMOST NEVER
564	3. SOMETIMES
136	4. FAIRLY OFTEN
65	5. VERY OFTEN
56	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3B4 - BEFORE 12 MONTHS AGO, HOW OFTEN EXPERIENCED DISCRIMINATION IN ANY OTHER SITUATION BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
5,267	1. NEVER
842	2. ALMOST NEVER
655	3. SOMETIMES
148	4. FAIRLY OFTEN
66	5. VERY OFTEN
59	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3A5 - DURING LAST 12 MONTHS, HOW OFTEN CALLED A RACIST NAME BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
5,804	1. NEVER
646	2. ALMOST NEVER
411	3. SOMETIMES
79	4. FAIRLY OFTEN
39	5. VERY OFTEN
58	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3B5 - BEFORE 12 MONTHS AGO, HOW OFTEN CALLED A RACIST NAME BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
5,371	1. NEVER
857	2. ALMOST NEVER
582	3. SOMETIMES
101	4. FAIRLY OFTEN
64	5. VERY OFTEN
62	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3A6 - DURING LAST 12 MONTHS, HOW OFTEN WERE MADE FUN OF, PICKED ON, OR THREATENED BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
6,400	1. NEVER
365	2. ALMOST NEVER
167	3. SOMETIMES
30	4. FAIRLY OFTEN
20	5. VERY OFTEN
55	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3B6 - BEFORE 12 MONTHS AGO, HOW OFTEN WERE MADE FUN OF, PICKED ON, OR THREATENED BECAUSE OF HISPANIC HERITAGE

Type: Numeric

N	Value
6,025	1. NEVER
572	2. ALMOST NEVER
289	3. SOMETIMES
58	4. FAIRLY OFTEN
34	5. VERY OFTEN
59	9. Unknown
29,272	BL. NA, not Hispanic

N2EQ3C - WHEN TREATED UNFAIRLY BECAUSE OF HISPANIC HERITAGE ACCEPT IT AS FACT OF LIFE OR TRY TO DO SOMETHING ABOUT IT

Type: Numeric

N	Value
1,593	1. ACCEPT IT
1,620	2. TRY TO DO SOMETHING ABOUT IT
78	9. Unknown
33,018	BL. NA, not Hispanic or never experienced discrimination

N2EQ3D - WHEN TREATED UNFAIRLY BECAUSE OF HISPANIC HERITAGE TALK TO OTHER PEOPLE OR KEEP IT TO SELF

Type: Numeric

N	Value
2,169	1. TALK TO OTHER PEOPLE
1,085	2. KEEP IT TO YOURSELF
37	9. Unknown
33,018	BL. NA, not Hispanic or never experienced discrimination

N2EQ4A - SPEAKS OR DID SPEAK AN ASIAN OR PACIFIC ISLANDER LANGUAGE

Type: Numeric

N	Value
1,439	1. YES
368	2. NO
4	9. Unknown
34,498	BL. NA, not a non-Hispanic Asian or Pacific Islander

N2EQ4B - WHICH LANGUAGE

Type: Character

N	Value
1,439	A-Z Language
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander or does not speak an Asian language

N2EQ5A - HOW OFTEN SPEAKS ENGLISH

Type: Numeric

N	Value
120	1. ALMOST NEVER
190	2. SOMETIMES
307	3. OFTEN
822	4. ALMOST ALWAYS
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5B - HOW OFTEN SPEAKS ENGLISH WITH FRIENDS

Type: Numeric

N	Value
211	1. ALMOST NEVER
264	2. SOMETIMES
257	3. OFTEN
706	4. ALMOST ALWAYS
1	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5C - HOW OFTEN THINKS IN ENGLISH

Type: Numeric

N	Value
237	1. ALMOST NEVER
299	2. SOMETIMES
281	3. OFTEN
620	4. ALMOST ALWAYS
2	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5D - HOW OFTEN SPEAKS IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
109	1. ALMOST NEVER
421	2. SOMETIMES
383	3. OFTEN
526	4. ALMOST ALWAYS
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5E - HOW OFTEN SPEAKS AN ASIAN LANGUAGE WITH FRIENDS

Type: Numeric

N	Value
287	1. ALMOST NEVER
345	2. SOMETIMES
302	3. OFTEN
502	4. ALMOST ALWAYS
3	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5F - HOW OFTEN THINKS IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
237	1. ALMOST NEVER
347	2. SOMETIMES
280	3. OFTEN
573	4. ALMOST ALWAYS
2	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5G - HOW OFTEN WATCHES TELEVISION IN ENGLISH

Type: Numeric

N	Value
144	1. ALMOST NEVER
284	2. SOMETIMES
226	3. OFTEN
785	4. ALMOST ALWAYS
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5H - HOW OFTEN LISTENS TO RADIO PROGRAMS IN ENGLISH

Type: Numeric

N	Value
281	1. ALMOST NEVER
275	2. SOMETIMES
135	3. OFTEN
747	4. ALMOST ALWAYS
1	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5I - HOW OFTEN LISTENS TO MUSIC IN ENGLISH

Type: Numeric

N	Value
218	1. ALMOST NEVER
310	2. SOMETIMES
198	3. OFTEN
713	4. ALMOST ALWAYS
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5J - HOW OFTEN WATCHES TELEVISION IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
500	1. ALMOST NEVER
423	2. SOMETIMES
231	3. OFTEN
285	4. ALMOST ALWAYS
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5K - HOW OFTEN LISTENS TO RADIO PROGRAMS IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
879	1. ALMOST NEVER
251	2. SOMETIMES
119	3. OFTEN
190	4. ALMOST ALWAYS
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5L - HOW OFTEN LISTENS TO MUSIC IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
439	1. ALMOST NEVER
487	2. SOMETIMES
251	3. OFTEN
262	4. ALMOST ALWAYS
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5M - HOW WELL SPEAKS ENGLISH

Type: Numeric

N	Value
122	1. VERY POORLY
145	2. POORLY
457	3. WELL
715	4. VERY WELL
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5N - HOW WELL READS IN ENGLISH

Type: Numeric

N	Value
125	1. VERY POORLY
130	2. POORLY
368	3. WELL
816	4. VERY WELL
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5O - HOW WELL UNDERSTANDS TV PROGRAMS IN ENGLISH

Type: Numeric

N	Value
118	1. VERY POORLY
163	2. POORLY
373	3. WELL
783	4. VERY WELL
2	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5P - HOW WELL UNDERSTANDS RADIO PROGRAMS IN ENGLISH

Type: Numeric

N	Value
137	1. VERY POORLY
173	2. POORLY
354	3. WELL
766	4. VERY WELL
9	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5Q - HOW WELL LISTENS TO MUSIC IN ENGLISH

Type: Numeric

N	Value
138	1. VERY POORLY
160	2. POORLY
407	3. WELL
733	4. VERY WELL
1	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5R - HOW WELL LISTENS TO RADIO PROGRAMS IN ENGLISH

Type: Numeric

N	Value
150	1. VERY POORLY
226	2. POORLY
357	3. WELL
701	4. VERY WELL
5	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5S - HOW WELL SPEAKS AN ASIAN LANGUAGE

Type: Numeric

N	Value
52	1. VERY POORLY
104	2. POORLY
252	3. WELL
1,031	4. VERY WELL
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5T - HOW WELL READS IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
198	1. VERY POORLY
137	2. POORLY
180	3. WELL
923	4. VERY WELL
1	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5U - HOW WELL UNDERSTANDS TV PROGRAMS IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
70	1. VERY POORLY
105	2. POORLY
242	3. WELL
1,019	4. VERY WELL
3	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5V - HOW WELL UNDERSTANDS RADIO PROGRAMS IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
91	1. VERY POORLY
97	2. POORLY
243	3. WELL
997	4. VERY WELL
11	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5W - HOW WELL WRITES IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
234	1. VERY POORLY
161	2. POORLY
212	3. WELL
831	4. VERY WELL
1	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ5X - HOW WELL UNDERSTANDS MUSIC IN AN ASIAN LANGUAGE

Type: Numeric

N	Value
85	1. VERY POORLY
127	2. POORLY
261	3. WELL
965	4. VERY WELL
1	9. Unknown
34,870	BL. NA, not a non-Hispanic Asian or Pacific Islander; does not speak an Asian language

N2EQ6A - SPEAKS OR DID SPEAK A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
2,088	1. YES
25,357	2. NO
16	9. Unknown
8,848	BL. NA, Hispanic or Asian or Pacific Islander

N2EQ6B - WHICH LANGUAGE

Type: Character

N	Value
2,088	A-Z Language
34,221	BL. NA, Hispanic, Asian or Pacific Islander

N2EQ7A - HOW OFTEN SPEAKS ENGLISH

Type: Numeric

N	Value
25	1. ALMOST NEVER
91	2. SOMETIMES
213	3. OFTEN
1,757	4. ALMOST ALWAYS
2	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7B - HOW OFTEN SPEAKS ENGLISH WITH FRIENDS

Type: Numeric

N	Value
53	1. ALMOST NEVER
161	2. SOMETIMES
170	3. OFTEN
1,702	4. ALMOST ALWAYS
2	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7C - HOW OFTEN THINKS IN ENGLISH

Type: Numeric

N	Value
63	1. ALMOST NEVER
198	2. SOMETIMES
217	3. OFTEN
1,598	4. ALMOST ALWAYS
12	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7D - HOW OFTEN SPEAKS IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
533	1. ALMOST NEVER
832	2. SOMETIMES
432	3. OFTEN
288	4. ALMOST ALWAYS
3	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7E - HOW OFTEN SPEAKS A NON-ENGLISH LANGUAGE WITH FRIENDS

Type: Numeric

N	Value
953	1. ALMOST NEVER
582	2. SOMETIMES
281	3. OFTEN
269	4. ALMOST ALWAYS
3	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7F - HOW OFTEN THINKS IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
829	1. ALMOST NEVER
665	2. SOMETIMES
265	3. OFTEN
317	4. ALMOST ALWAYS
12	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7G - HOW OFTEN WATCHES TELEVISION IN ENGLISH

Type: Numeric

N	Value
88	1. ALMOST NEVER
106	2. SOMETIMES
132	3. OFTEN
1,758	4. ALMOST ALWAYS
4	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7H - HOW OFTEN LISTENS TO RADIO PROGRAMS IN ENGLISH

Type: Numeric

N	Value
144	1. ALMOST NEVER
130	2. SOMETIMES
125	3. OFTEN
1,684	4. ALMOST ALWAYS
5	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7I - HOW OFTEN LISTENS TO MUSIC IN ENGLISH

Type: Numeric

N	Value
80	1. ALMOST NEVER
151	2. SOMETIMES
183	3. OFTEN
1,670	4. ALMOST ALWAYS
4	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7J - HOW OFTEN WATCHES TELEVISION IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
1,435	1. ALMOST NEVER
446	2. SOMETIMES
91	3. OFTEN
110	4. ALMOST ALWAYS
6	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7K - HOW OFTEN LISTENS TO RADIO PROGRAMS IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
1,569	1. ALMOST NEVER
337	2. SOMETIMES
97	3. OFTEN
80	4. ALMOST ALWAYS
5	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7L - HOW OFTEN LISTENS TO MUSIC IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
956	1. ALMOST NEVER
753	2. SOMETIMES
241	3. OFTEN
134	4. ALMOST ALWAYS
4	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7M - HOW WELL SPEAKS ENGLISH

Type: Numeric

N	Value
14	1. VERY POORLY
50	2. POORLY
334	3. WELL
1,687	4. VERY WELL
3	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7N - HOW WELL READS IN ENGLISH

Type: Numeric

N	Value
18	1. VERY POORLY
60	2. POORLY
282	3. WELL
1,726	4. VERY WELL
2	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7O - HOW WELL UNDERSTANDS TV PROGRAMS IN ENGLISH

Type: Numeric

N	Value
9	1. VERY POORLY
36	2. POORLY
245	3. WELL
1,790	4. VERY WELL
8	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7P - HOW WELL UNDERSTANDS RADIO PROGRAMS IN ENGLISH

Type: Numeric

N	Value
14	1. VERY POORLY
45	2. POORLY
244	3. WELL
1,771	4. VERY WELL
14	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7Q - HOW WELL WRITES IN ENGLISH

Type: Numeric

N	Value
27	1. VERY POORLY
90	2. POORLY
305	3. WELL
1,662	4. VERY WELL
4	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7R - HOW WELL UNDERSTANDS MUSIC IN ENGLISH

Type: Numeric

N	Value
17	1. VERY POORLY
70	2. POORLY
291	3. WELL
1,703	4. VERY WELL
7	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7S - HOW WELL SPEAKS A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
168	1. VERY POORLY
375	2. POORLY
625	3. WELL
916	4. VERY WELL
4	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7T - HOW WELL READS IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
375	1. VERY POORLY
442	2. POORLY
480	3. WELL
778	4. VERY WELL
13	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7U - HOW WELL UNDERSTANDS TV PROGRAMS IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
278	1. VERY POORLY
405	2. POORLY
487	3. WELL
869	4. VERY WELL
49	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7V - HOW WELL UNDERSTANDS RADIO PROGRAMS IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
320	1. VERY POORLY
393	2. POORLY
459	3. WELL
867	4. VERY WELL
49	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7W - HOW WELL WRITES IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
525	1. VERY POORLY
491	2. POORLY
356	3. WELL
693	4. VERY WELL
23	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ7X - HOW WELL UNDERSTANDS MUSIC IN A NON-ENGLISH LANGUAGE

Type: Numeric

N	Value
255	1. VERY POORLY
370	2. POORLY
535	3. WELL
907	4. VERY WELL
21	9. Unknown
34,221	BL. NA, Hispanic, Asian or Pacific Islander; does not speak non-English language

N2EQ9A - STRONG SENSE OF SELF AS A MEMBER OF RACE/ETHNIC GROUP

Type: Numeric

N	Value
14,991	1. STRONGLY AGREE
8,555	2. AGREE
3,325	3. SOMEWHAT AGREE
728	4. SOMEWHAT DISAGREE
1,011	5. DISAGREE
407	6. STRONGLY DISAGREE
255	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ9B - IDENTIFIES WITH OTHER MEMBERS OF RACE/ETHNIC GROUP

Type: Numeric

N	Value
12,604	1. STRONGLY AGREE
9,857	2. AGREE
4,152	3. SOMEWHAT AGREE
917	4. SOMEWHAT DISAGREE
1,062	5. DISAGREE
387	6. STRONGLY DISAGREE
293	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ9C - MOST OF CLOSE FRIENDS ARE FROM YOUR RACE/ETHNIC GROUP

Type: Numeric

N	Value
8,801	1. STRONGLY AGREE
8,321	2. AGREE
5,091	3. SOMEWHAT AGREE
2,256	4. SOMEWHAT DISAGREE
3,310	5. DISAGREE
1,313	6. STRONGLY DISAGREE
180	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ9D - RACE/ETHNIC HERITAGE IS IMPORTANT

Type: Numeric

N	Value
10,241	1. STRONGLY AGREE
7,775	2. AGREE
5,932	3. SOMEWHAT AGREE
1,961	4. SOMEWHAT DISAGREE
2,395	5. DISAGREE
795	6. STRONGLY DISAGREE
173	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ9E - MORE COMFORTABLE IN SOCIAL SITUATIONS WHERE OTHER MEMBERS OF RACE/ETHNIC GROUP ARE PRESENT

Type: Numeric

N	Value
4,991	1. STRONGLY AGREE
6,036	2. AGREE
7,010	3. SOMEWHAT AGREE
3,997	4. SOMEWHAT DISAGREE
5,190	5. DISAGREE
1,862	6. STRONGLY DISAGREE
186	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ9F - PROUD OF RACE/ETHNIC HERITAGE

Type: Numeric

N	Value
13,292	1. STRONGLY AGREE
9,671	2. AGREE
4,148	3. SOMEWHAT AGREE
963	4. SOMEWHAT DISAGREE
716	5. DISAGREE
282	6. STRONGLY DISAGREE
200	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ9G - RACE/ETHNIC BACKGROUND PLAYS BIG PART IN INTERACTION WITH OTHERS

Type: Numeric

N	Value
5,705	1. STRONGLY AGREE
5,606	2. AGREE
5,917	3. SOMEWHAT AGREE
3,769	4. SOMEWHAT DISAGREE
5,883	5. DISAGREE
2,142	6. STRONGLY DISAGREE
250	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ9H - VALUES AND BEHAVIORS ARE SHARED BY PEOPLE OF YOUR RACE/ETHNIC BACKGROUND

Type: Numeric

N	Value
5,562	1. STRONGLY AGREE
7,973	2. AGREE
7,255	3. SOMEWHAT AGREE
3,223	4. SOMEWHAT DISAGREE
3,243	5. DISAGREE
1,079	6. STRONGLY DISAGREE
937	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10A1 - DURING LAST 12 MONTHS, HOW OFTEN EXPERIENCED DISCRIMINATION IN ABILITY TO OBTAIN HEALTH CARE BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
26,819	1. NEVER
1,226	2. ALMOST NEVER
693	3. SOMETIMES
181	4. FAIRLY OFTEN
147	5. VERY OFTEN
206	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10B1 - BEFORE 12 MONTHS AGO, HOW OFTEN EXPERIENCED DISCRIMINATION IN ABILITY TO OBTAIN HEALTH CARE BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
26,312	1. NEVER
1,464	2. ALMOST NEVER
865	3. SOMETIMES
240	4. FAIRLY OFTEN
155	5. VERY OFTEN
236	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10A2 - DURING LAST 12 MONTHS, HOW OFTEN EXPERIENCED DISCRIMINATION IN HOW TREATED WHEN GOT CARE BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
26,599	1. NEVER
1,377	2. ALMOST NEVER
827	3. SOMETIMES
156	4. FAIRLY OFTEN
109	5. VERY OFTEN
204	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10B2 - BEFORE 12 MONTHS AGO, HOW OFTEN EXPERIENCED DISCRIMINATION IN HOW TREATED WHEN GOT CARE BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
26,066	1. NEVER
1,675	2. ALMOST NEVER
970	3. SOMETIMES
239	4. FAIRLY OFTEN
109	5. VERY OFTEN
213	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10A3 - DURING LAST 12 MONTHS, HOW OFTEN EXPERIENCED DISCRIMINATION IN PUBLIC BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
23,233	1. NEVER
2,908	2. ALMOST NEVER
2,387	3. SOMETIMES
387	4. FAIRLY OFTEN
170	5. VERY OFTEN
187	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10B3 - BEFORE 12 MONTHS AGO, HOW OFTEN EXPERIENCED DISCRIMINATION IN PUBLIC BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
21,978	1. NEVER
3,460	2. ALMOST NEVER
2,849	3. SOMETIMES
545	4. FAIRLY OFTEN
240	5. VERY OFTEN
200	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10A4 - DURING LAST 12 MONTHS, HOW OFTEN EXPERIENCED DISCRIMINATION IN ANY OTHER SITUATION BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
24,872	1. NEVER
2,039	2. ALMOST NEVER
1,554	3. SOMETIMES
401	4. FAIRLY OFTEN
211	5. VERY OFTEN
195	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10B4 - BEFORE 12 MONTHS AGO, HOW OFTEN EXPERIENCED DISCRIMINATION IN ANY OTHER SITUATION BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
23,802	1. NEVER
2,556	2. ALMOST NEVER
1,976	3. SOMETIMES
493	4. FAIRLY OFTEN
243	5. VERY OFTEN
202	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10A5 - DURING LAST 12 MONTHS, HOW OFTEN CALLED A RACIST NAME BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
25,440	1. NEVER
2,178	2. ALMOST NEVER
1,091	3. SOMETIMES
241	4. FAIRLY OFTEN
127	5. VERY OFTEN
195	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10B5 - BEFORE 12 MONTHS AGO, HOW OFTEN CALLED A RACIST NAME BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
22,793	1. NEVER
3,692	2. ALMOST NEVER
1,986	3. SOMETIMES
398	4. FAIRLY OFTEN
194	5. VERY OFTEN
209	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10A6 - DURING LAST 12 MONTHS, HOW OFTEN WERE MADE FUN OF, PICKED ON, OR THREATENED BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
27,463	1. NEVER
1,100	2. ALMOST NEVER
397	3. SOMETIMES
73	4. FAIRLY OFTEN
60	5. VERY OFTEN
179	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ10B6 - BEFORE 12 MONTHS AGO, HOW OFTEN WERE MADE FUN OF, PICKED ON, OR THREATENED BECAUSE OF RACE OR ETHNICITY

Type: Numeric

N	Value
25,445	1. NEVER
2,346	2. ALMOST NEVER
973	3. SOMETIMES
211	4. FAIRLY OFTEN
110	5. VERY OFTEN
187	9. Unknown
7,037	BL. NA, is of Hispanic heritage

N2EQ11 - WHEN TREATED UNFAIRLY BECAUSE OF RACE OR ETHNICITY ACCEPT IT AS FACT OF LIFE OR TRY TO DO SOMETHING ABOUT IT

Type: Numeric

N	Value
6,245	1. ACCEPT IT
4,790	2. TRY TO DO SOMETHING ABOUT IT
224	9. Unknown
25,050	BL. NA, is of Hispanic heritage or never experienced discrimination

N2EQ12 - WHEN TREATED UNFAIRLY BECAUSE OF RACE OR ETHNICITY TALK TO OTHER PEOPLE OR KEEP IT TO SELF

Type: Numeric

N	Value
7,397	1. TALK TO OTHER PEOPLE
3,707	2. KEEP IT TO YOURSELF
155	9. Unknown
25,050	BL. NA, is of Hispanic heritage or never experienced discrimination

N2EQ17A - HAS CHILDREN 18+

Type: Numeric

N	Value
15,664	1. YES
20,601	2. NO
44	9. Unknown

N2EQ17B - HOW MANY OF YOUR GROWN CHILDREN DO YOU CONTACT AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
15,654	0-15. Number
10	99. Unknown
20,645	BL. NA, does not or unknown if has children 18+

N2EQ18A - PARENTS OR GUARDIANS STILL LIVING

Type: Numeric

N	Value
25,052	1. YES
11,179	2. NO
78	9. Unknown

N2EQ18B - DO YOU CONTACT PARENTS AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
22,629	1. YES
2,419	2. NO
4	9. Unknown
11,257	BL. NA, parents or guardians deceased or unknown if they are still living

N2EQ19A - SPOUSE'S PARENTS OR GUARDIANS STILL LIVING

Type: Numeric

N	Value
11,431	1. YES
5,307	2. NO
56	9. Unknown
19,515	BL. NA, not currently married/cohabiting

N2EQ19B - DO YOU CONTACT SPOUSE'S PARENTS AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
8,160	1. YES
3,270	2. NO
1	9. Unknown
24,878	BL. NA, not currently married/cohabiting; spouse's parents or guardians deceased or unknown if they are still living

N2EQ20A - HOW MANY OF OTHER RELATIVES ARE YOU CLOSE TO

Type: Numeric

N	Value
36,010	0-60. Number
299	99. Unknown

N2EQ20B - HOW MANY OTHER RELATIVES DO YOU CONTACT AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
35,982	0-50. Number
28	99. Unknown
299	BL. NA, not or unknown if close to any other relatives

N2EQ21A - NUMBER OF CLOSE FRIENDS

Type: Numeric

N	Value
36,034	0-50. Number
275	99. Unknown

N2EQ21B - NUMBER OF CLOSE FRIENDS CONTACT AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
36,023	0-50. Number
11	99. Unknown
275	BL. NA, does not or unknown if have close friends

N2EQ22A - ATTEND ANY CLASSES ON A REGULAR BASIS

Type: Numeric

N	Value
4,950	1. YES
31,335	2. NO
24	9. Unknown

N2EQ22B - NUMBER OF FELLOW STUDENTS CONTACT AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
4,907	0-50. Number
43	99. Unknown
31,359	BL. NA, does not attend or unknown if attend any classes

N2EQ23 - NUMBER OF CO-WORKERS CONTACT SOCIALLY AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
20,938	0-50. Number
74	99. Unknown
15,297	BL. NA, not currently employed

N2EQ24 - NUMBER OF NEIGHBORS CONTACT SOCIALLY AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
36,235	0-50. Number
74	99. Unknown

N2EQ25A - CURRENTLY INVOLVED IN REGULAR VOLUNTEER WORK

Type: Numeric

N	Value
6,488	1. YES
29,797	2. NO
24	9. Unknown

N2EQ25B - NUMBER OF VOLUNTEERS CONTACT SOCIALLY AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
6,433	0-50. Number
55	99. Unknown
29,821	BL. NA, does not do or unknown if do any regular volunteer work

N2EQ26A - BELONG TO ANY OTHER GROUPS

Type: Numeric

N	Value
6,475	1. YES
29,805	2. NO
29	9. Unknown

N2EQ26B - NUMBER OF OTHER GROUPS BELONG TO

Type: Numeric

N	Value
6,473	1-10. Number
2	99. Unknown
29,834	BL. NA, does not or unknown if belongs to any other groups

N2EQ26C - NUMBER OF OTHER GROUP MEMBERS CONTACT SOCIALLY AT LEAST ONCE EVERY 2 WEEKS

Type: Numeric

N	Value
6,428	0-50. Number
47	99. Unknown
29,834	BL. NA, does not or unknown if belongs to any other groups

N2EQ27A - WOULD HAVE A HARD TIME FINDING SOMEONE TO TAKE A DAY TRIP WITH ME

Type: Numeric

N	Value
22,123	1. DEFINITELY FALSE
7,688	2. PROBABLY FALSE
4,041	3. PROBABLY TRUE
2,379	4. DEFINITELY TRUE
78	9. Unknown

N2EQ27B - FEEL THAT THERE IS NO ONE TO SHARE WORRIES AND FEARS WITH

Type: Numeric

N	Value
26,700	1. DEFINITELY FALSE
4,749	2. PROBABLY FALSE
2,552	3. PROBABLY TRUE
2,220	4. DEFINITELY TRUE
88	9. Unknown

N2EQ27C - WOULD BE ABLE TO FIND SOMEONE TO HELP WITH CHORES IF SICK

Type: Numeric

N	Value
1,856	1. DEFINITELY FALSE
1,769	2. PROBABLY FALSE
7,531	3. PROBABLY TRUE
25,086	4. DEFINITELY TRUE
67	9. Unknown

N2EQ27D - SOMEONE TO TURN TO FOR FOR ADVICE ON FAMILY PROBLEMS

Type: Numeric

N	Value
1,616	1. DEFINITELY FALSE
1,537	2. PROBABLY FALSE
6,998	3. PROBABLY TRUE
26,036	4. DEFINITELY TRUE
122	9. Unknown

N2EQ27E - COULD EASILY FIND SOMEONE TO GO TO MOVIE ON SPUR OF THE MOMENT

Type: Numeric

N	Value
1,820	1. DEFINITELY FALSE
3,431	2. PROBABLY FALSE
11,291	3. PROBABLY TRUE
19,643	4. DEFINITELY TRUE
124	9. Unknown

N2EQ27F - SOMEONE I COULD TURN TO FOR PERSONAL PROBLEMS

Type: Numeric

N	Value
867	1. DEFINITELY FALSE
1,144	2. PROBABLY FALSE
7,264	3. PROBABLY TRUE
26,959	4. DEFINITELY TRUE
75	9. Unknown

N2EQ27G - DON'T OFTEN GET INVITED TO DO THINGS WITH OTHERS

Type: Numeric

N	Value
21,239	1. DEFINITELY FALSE
8,423	2. PROBABLY FALSE
4,327	3. PROBABLY TRUE
2,241	4. DEFINITELY TRUE
79	9. Unknown

N2EQ27H - WOULD BE DIFFICULT TO FIND SOMEONE TO WATCH HOUSE IF OUT OF TOWN

Type: Numeric

N	Value
22,234	1. DEFINITELY FALSE
7,032	2. PROBABLY FALSE
3,476	3. PROBABLY TRUE
3,467	4. DEFINITELY TRUE
100	9. Unknown

N2EQ27I - COULD EASILY FIND LUNCH COMPANION

Type: Numeric

N	Value
1,090	1. DEFINITELY FALSE
1,975	2. PROBABLY FALSE
10,459	3. PROBABLY TRUE
22,723	4. DEFINITELY TRUE
62	9. Unknown

N2EQ27J - SOMEONE WOULD GET ME IF STRANDED 10 MILES FROM HOME

Type: Numeric

N	Value
643	1. DEFINITELY FALSE
694	2. PROBABLY FALSE
6,058	3. PROBABLY TRUE
28,848	4. DEFINITELY TRUE
66	9. Unknown

N2EQ27K - WOULD BE DIFFICULT TO GET ADVICE FROM SOMEONE FOR A FAMILY CRISIS

Type: Numeric

N	Value
22,398	1. DEFINITELY FALSE
6,342	2. PROBABLY FALSE
3,439	3. PROBABLY TRUE
4,015	4. DEFINITELY TRUE
115	9. Unknown

N2EQ27L - WOULD HAVE A HARD TIME FINDING SOMEONE TO HELP ME MOVE

Type: Numeric

N	Value
23,796	1. DEFINITELY FALSE
6,674	2. PROBABLY FALSE
2,938	3. PROBABLY TRUE
2,825	4. DEFINITELY TRUE
76	9. Unknown

SECTION 3A: TOBACCO AND NICOTINE USE (TUD)

N3AQ1A - EVER SMOKED 100+ CIGARETTES

Type: Numeric

N	Value
14,778	1. YES
21,491	2. NO
40	9. Unknown

N3AQ1B - EVER SMOKED 50+ CIGARS

Type: Numeric

N	Value
2,488	1. YES
33,788	2. NO
33	9. Unknown

N3AQ1C - EVER SMOKED A PIPE 50+ TIMES

Type: Numeric

N	Value
1,396	1. YES
34,887	2. NO
26	9. Unknown

N3AQ1D - EVER USED SNUFF/CHEWING TOBACCO 20+ TIMES

Type: Numeric

N	Value
2,319	1. YES
33,968	2. NO
22	9. Unknown

N3AQ1E - EVER USED E-CIGARETTES OR E-LIQUID

Type: Numeric

N	Value
1,770	1. YES
34,513	2. NO
26	9. Unknown

NSMOKER - TOBACCO USE STATUS

Type: Numeric

N	Value
10,039	1. Current smoker
5,926	2. Former smoker
20,344	3. Non-smoker

N3AQ2A1 - AGE WHEN SMOKED FIRST FULL CIGARETTE

Type: Numeric

N	Value
14,701	5-79. Age
77	99. Unknown
21,531	BL. NA, never or unknown if ever smoked 100+ cigarettes

N3AQ2B1 - SMOKED CIGARETTES DURING LAST 12 MONTHS

Type: Numeric

N	Value
8,883	1. YES
5,893	2. NO
2	9. Unknown
21,531	BL. NA, never or unknown if ever smoked 100+ cigarettes

N3AQ3A1R - DURATION (HOURS) SINCE LAST SMOKED CIGARETTE

Type: Numeric

N	Value
14,738	1-657450. Hours
40	999999. Unknown
21,531	BL. NA, never or unknown if ever smoked 100+ cigarettes

N3AQ3B1 - USUAL FREQUENCY WHEN SMOKED CIGARETTES IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
11,388	1. EVERY DAY
674	2. 5 TO 6 DAYS A WEEK
739	3. 3 TO 4 DAYS A WEEK
696	4. 1 TO 2 DAYS A WEEK
422	5. 2 TO 3 DAYS A MONTH
825	6. ONCE A MONTH OR LESS
34	9. Unknown
21,531	BL. NA, never or unknown if ever smoked 100+ cigarettes

N3AQ3C11 - USUAL QUANTITY WHEN SMOKED CIGARETTES IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
14,636	1-80. Number
142	99. Unknown
21,531	BL. NA, never or unknown if ever smoked 100+ cigarettes

N3AQ3D1R - DURATION (DAYS) USED CIGARETTES IN AMOUNTS REPORTED FOR PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
14,451	1-26663. Days
327	99999. Unknown
21,531	BL. NA, never or unknown if ever smoked 100+ cigarettes

N3AQ41 - EVER SMOKED CIGARETTES EVERY DAY

Type: Numeric

N	Value
13,103	1. YES
1,663	2. NO
12	9. Unknown
21,531	BL. NA, never or unknown if ever smoked 100+ cigarettes

N3AQ51 - AGE STARTED SMOKING CIGARETTES EVERY DAY

Type: Numeric

N	Value
12,970	10-79. Age
133	99. Unknown
23,206	BL. NA, never or unknown if ever smoked cigarettes every day

N3AQ6A1 - USUAL QUANTITY WHEN SMOKED CIGARETTES EVERY DAY

Type: Numeric

N	Value
13,007	1-80. Number
96	99. Unknown
23,206	BL. NA, never or unknown if ever smoked cigarettes every day

N3AQ71R - DURATION (DAYS) WHEN SMOKED CIGARETTES EVERY DAY

Type: Numeric

N	Value
12,856	1-26663. Days
247	99999. Unknown
23,206	BL. NA, never or unknown if ever smoked cigarettes every day

N3AQ2A2 - AGE WHEN SMOKED FIRST FULL CIGAR

Type: Numeric

N	Value
2,380	5-70. Age
108	99. Unknown
33,821	BL. NA, never or unknown if ever smoked 50+ cigars

N3AQ2B2 - SMOKED CIGARS DURING LAST 12 MONTHS

Type: Numeric

N	Value
1,220	1. YES
1,260	2. NO
8	9. Unknown
33,821	BL. NA, never or unknown if ever smoked 50+ CIGARs

N3AQ3A2R - DURATION (HOURS) SINCE LAST SMOKED CIGARS

Type: Numeric

N	Value
2,408	1-701280. Hours
80	999999. Unknown
33,821	BL. NA, never or unknown if ever smoked 50+ cigars

N3AQ3B2 - USUAL FREQUENCY WHEN SMOKED CIGARS IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
435	1. EVERY DAY
85	2. 5 TO 6 DAYS A WEEK
133	3. 3 TO 4 DAYS A WEEK
258	4. 1 TO 2 DAYS A WEEK
285	5. 2 TO 3 DAYS A MONTH
1,239	6. ONCE A MONTH OR LESS
53	9. Unknown
33,821	BL. NA, never or unknown if ever smoked 50+ cigars

N3AQ3C12 - USUAL QUANTITY WHEN SMOKED CIGARS IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
2,411	1-20. Number
77	99. Unknown
33,821	BL. NA, never or unknown if ever smoked 50+ cigars

N3AQ3D2R - DURATION (DAYS) USED CIGARS IN AMOUNTS REPORTED FOR PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
2,318	1-29220. Days
170	99999. Unknown
33,821	BL. NA, never or unknown if ever smoked 50+ cigars

N3AQ42 - EVER SMOKED CIGARS EVERY DAY

Type: Numeric

N	Value
700	1. YES
1,772	2. NO
16	9. Unknown
33,821	BL. NA, never or unknown if ever smoked 50+ cigars

N3AQ52 - AGE STARTED SMOKING CIGARS EVERY DAY

Type: Numeric

N	Value
692	10-85. Age
8	99. Unknown
35,609	BL. NA, never or unknown if ever smoked cigars every day

N3AQ6A2 - USUAL QUANTITY WHEN SMOKED CIGARS EVERY DAY

Type: Numeric

N	Value
695	1-60. Number
5	99. Unknown
35,609	BL. NA, never or unknown if ever smoked cigars every day

N3AQ72R - DURATION (DAYS) WHEN SMOKED CIGARS EVERY DAY

Type: Numeric

N	Value
692	1-21915. Days
8	99999. Unknown
35,609	BL. NA, never or unknown if ever smoked cigars every day

N3AQ2A3 - AGE WHEN SMOKED FIRST FULL PIPE BOWL OF TOBACCO

Type: Numeric

N	Value
1,315	5-68. Age
81	99. Unknown
34,913	BL. NA, never or unknown if ever smoked a pipe 50+ times

N3AQ2B3 - SMOKED PIPE DURING LAST 12 MONTHS

Type: Numeric

N	Value
213	1. YES
1,177	2. NO
6	9. Unknown
34,913	BL. NA, never or unknown if ever smoked 50+ bowls of tobacco

N3AQ3A3R - DURATION (HOURS) SINCE LAST SMOKED PIPE

Type: Numeric

N	Value
1,337	1-657450. Hours
59	999999. Unknown
34,913	BL. NA, never or unknown if ever smoked a pipe 50+ times

N3AQ3B3 - USUAL FREQUENCY WHEN SMOKED PIPE IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
391	1. EVERY DAY
57	2. 5 TO 6 DAYS A WEEK
121	3. 3 TO 4 DAYS A WEEK
192	4. 1 TO 2 DAYS A WEEK
125	5. 2 TO 3 DAYS A MONTH
473	6. ONCE A MONTH OR LESS
37	9. Unknown
34,913	BL. NA, never or unknown if ever smoked a pipe 50+ times

N3AQ3C13 - USUAL QUANTITY WHEN SMOKED PIPE IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
1,308	1-20. Number
88	99. Unknown
34,913	BL. NA, never or unknown if ever smoked a pipe 50+ times

N3AQ3D3R - DURATION (DAYS) USED PIPE IN AMOUNTS REPORTED FOR PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
1,288	1-25568. Days
108	99999. Unknown
34,913	BL. NA, never or unknown if ever smoked a pipe 50+ times

N3AQ43 - EVER SMOKED PIPE EVERY DAY

Type: Numeric

N	Value
555	1. YES
831	2. NO
10	9. Unknown
34,913	BL. NA, never or unknown if ever smoked a pipe 50+ times

N3AQ53 - AGE WHEN SMOKED PIPE EVERY DAY

Type: Numeric

N	Value
535	10-85. Age
20	99. Unknown
35,754	BL. NA, never or unknown if ever smoked a pipe every day

N3AQ6A3 - USUAL QUANTITY WHEN SMOKED PIPE EVERY DAY

Type: Numeric

N	Value
524	1-35. Number
31	99. Unknown
35,754	BL. NA, never or unknown if ever smoked a pipe every day

N3AQ73R - DURATION (DAYS) WHEN SMOKED PIPE EVERY DAY

Type: Numeric

N	Value
525	1-25568. Days
30	99999. Unknown
35,754	BL. NA, never or unknown if ever smoked a pipe every day

N3AQ2A4 - AGE WHEN FIRST USED SNUFF/CHEWING TOBACCO

Type: Numeric

N	Value
2,298	5-72. Age
21	99. Unknown
33,990	BL. NA, never or unknown if ever used snuff/chewing tobacco 20+ times

N3AQ2B4 - USED SNUFF/CHEWING TOBACCO DURING LAST 12 MONTHS

Type: Numeric

N	Value
1,011	1. YES
1,307	2. NO
1	9. Unknown
33,990	BL. NA, never or unknown if ever used snuff/chewing tobacco 20+ times

N3AQ3A4R - HOW LONG (HOURS) AGO LAST USED SNUFF/CHEWING TOBACCO

Type: Numeric

N	Value
2,291	1-701280. Hours
28	999999. Unknown
33,990	BL. NA, never or unknown if ever used snuff/chewing tobacco 20+ times

N3AQ3B4 - USUAL FREQUENCY WHEN USED SNUFF/CHEWING TOBACCO IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
1,024	1. EVERY DAY
142	2. 5 TO 6 DAYS A WEEK
197	3. 3 TO 4 DAYS A WEEK
216	4. 1 TO 2 DAYS A WEEK
166	5. 2 TO 3 DAYS A MONTH
556	6. ONCE A MONTH OR LESS
18	9. Unknown
33,990	BL. NA, never or unknown if ever used snuff/chewing tobacco 20+ times

N3AQ3C14 - USUAL QUANTITY WHEN USED SNUFF/CHEWING TOBACCO IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
2,214	1-20. Number
105	99. Unknown
33,990	BL. NA, never or unknown if ever used snuff/chewing tobacco 20+ times

N3AQ3D4R - DURATION (DAYS) USED SNUFF/CHEWING TOBACCO IN AMOUNTS REPORTED FOR PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
2,220	1-29220. Days
99	99999. Unknown
33,990	BL. NA, never or unknown if ever used snuff/chewing tobacco 20+ times

N3AQ44 - EVER USED SNUFF/CHEWING TOBACCO EVERY DAY

Type: Numeric

N	Value
1,343	1. YES
970	2. NO
6	9. Unknown
33,990	BL. NA, never or unknown if ever used snuff/chewing tobacco 20+ times

N3AQ54 - AGE STARTED USING SNUFF/CHEWING TOBACCO EVERY DAY

Type: Numeric

N	Value
1,323	10-72. Age
20	99. Unknown
34,966	BL. NA, never or unknown if ever used snuff/chewing tobacco every day

N3AQ6A4 - USUAL QUANTITY WHEN USED SNUFF/CHEWING TOBACCO EVERY DAY

Type: Numeric

N	Value
1,278	1-50. Number
65	99. Unknown
34,966	BL. NA, never or unknown if ever used snuff/chewing tobacco every day

N3AQ74R - DURATION (DAYS) WHEN USED SNUFF/CHEWING TOBACCO EVERY DAY

Type: Numeric

N	Value
1,293	1-29220. Days
50	99999. Unknown
34,966	BL. NA, never or unknown if ever used snuff/chewing tobacco every day

N3AQ2A5 - AGE WHEN FIRST USED E-CIGARETTES/E-LIQUID

Type: Numeric

N	Value
1,760	13-78. Age
10	99. Unknown
34,539	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid

N3AQ2B5 - USED E-CIGARETTES/E-LIQUID DURING LAST 12 MONTHS

Type: Numeric

N	Value
1,240	1. YES
524	2. NO
6	9. Unknown
34,539	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid

N3AQ3A5R - DURATION (HOURS) SINCE LAST USED E-CIGARETTES/E-LIQUID

Type: Numeric

N	Value
1,743	1-350640. Hours
27	999999. Unknown
34,539	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid

N3AQ3B5 - USUAL FREQUENCY WHEN USED E-CIGARETTES/E-LIQUID IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
401	1. EVERY DAY
90	2. 5 TO 6 DAYS A WEEK
122	3. 3 TO 4 DAYS A WEEK
154	4. 1 TO 2 DAYS A WEEK
157	5. 2 TO 3 DAYS A MONTH
824	6. ONCE A MONTH OR LESS
22	9. Unknown
34,539	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid

N3AQ3C15 - USUAL QUANTITY WHEN USED E-CIGARETTES IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
66	0. Did not use E-Cigarettes
1,448	1-61. Number
256	99. Unknown
34,539	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid

N3AQ3C25 - USUAL QUANTITY WHEN USED E-LIQUID IN PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
1,487	0. Did not use E-Liquid
197	1-80. Number
86	99. Unknown
34,539	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid

N3AQ3C35R - MILLIGRAMS OF NICOTINE IN E-CIGARETTE CARTRIDGE OR E-LIQUID IN PAST YEAR/ YEAR MOST RECENTLY USED (CONTAINS VALUE REPORTED IN N3AQ3C35SP IF OTHER' IN N3AQ3C35)

Type: Numeric

N	Value
947	0-36. Mg
823	99. Unknown
34,539	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid

N3AQ3D5R - DURATION (DAYS) USED E-CIGARETTES/E-LIQUID IN AMOUNTS REPORTED FOR PAST YEAR/YEAR MOST RECENTLY USED

Type: Numeric

N	Value
1,566	1-5479. Days
204	99999. Unknown
34,539	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid

N3AQ45 - EVER USED E-CIGARETTES/E-LIQUID EVERY DAY

Type: Numeric

N	Value
627	1. YES
1,137	2. NO
6	9. Unknown
34,539	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid

N3AQ55 - AGE STARTED USING E-CIGARETTES/E-LIQUID EVERY DAY

Type: Numeric

N	Value
624	15-78. Age
3	99. Unknown
35,682	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid every day

N3AQ6A5 - USUAL QUANTITY WHEN USED E-CIGARETTES EVERY DAY

Type: Numeric

N	Value
28	0. Did not use E-Cigarettes every day
527	1-50. Number
72	99. Unknown
35,682	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid every day

N3AQ6B5 - USUAL QUANTITY WHEN USED E-LIQUID EVERY DAY

Type: Numeric

N	Value
500	0.Did not use E-Liquid every day
99	1-80. Number
28	99. Unknown
35,682	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid every day

N3AQ6C5R - MILLIGRAMS OF NICOTINE IN DAILY USE OF E-CIGARETTE CARTRIDGE OR E-LIQUID (CONTAINS VALUE REPORTED IN N3AQ6C5SP IF 'OTHER' IN N3AQ6C5)

Type: Numeric

N	Value
404	0-36. Mg
223	99. Unknown
35,682	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid every day

N3AQ75R - DURATION (DAYS) WHEN USED E-CIGARETTES/E-LIQUID EVERY DAY

Type: Numeric

N	Value
581	1-4383. Days
46	99999. Unknown
35,682	BL. NA, never or unknown if ever used E-Cigarettes/E-Liquid every day

N3AQ8A1 - MORE THAN ONCE WANT TO STOP/CUT DOWN ON TOBACCO/NICOTINE USE

Type: Numeric

N	Value
12,403	1. YES
3,542	2. NO
20	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B1 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
5,992	1. YES
4,039	2. NO
8	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C1 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
11,692	1. YES
4,206	2. NO
20	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A2 - MORE THAN ONCE UNSUCCESSFULLY TRY TO STOP/CUT DOWN ON TOBACCO/NICOTINE USE

Type: Numeric

N	Value
8,765	1. YES
7,176	2. NO
24	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B2 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
4,181	1. YES
5,846	2. NO
12	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C2 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
8,351	1. YES
7,542	2. NO
25	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A3 - EVER GIVE UP/CUT DOWN ON ACTIVITIES OF INTEREST TO YOU BECAUSE TOBACCO USE NOT PERMITTED AT ACTIVITY

Type: Numeric

N	Value
1,620	1. YES
14,315	2. NO
30	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B3 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
735	1. YES
9,292	2. NO
12	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C3 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
1,551	1. YES
14,336	2. NO
31	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A4 - EVER GIVE UP/CUT DOWN ON ACTIVITIES THAT WERE IMPORTANT TO YOU BECAUSE TOBACCO USE NOT PERMITTED AT ACTIVITY

Type: Numeric

N	Value
977	1. YES
14,968	2. NO
20	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B4 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
420	1. YES
9,610	2. NO
9	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C4 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
943	1. YES
14,955	2. NO
20	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A5 - EVER CONTINUE TO USE TOBACCO EVEN THOUGH AWARE IT WAS CAUSING/EXACERBATING A HEALTH PROBLEM

Type: Numeric

N	Value
7,570	1. YES
8,353	2. NO
42	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B5 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
4,352	1. YES
5,655	2. NO
32	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C5 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
7,255	1. YES
8,618	2. NO
45	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A6 - EVER FIND SELF CHAIN SMOKING OR USING ONE PINCH OR PLUG OF SNUFF/CHEWING TOBACCO RIGHT AFTER ANOTHER

Type: Numeric

N	Value
5,866	1. YES
10,077	2. NO
22	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B6 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
2,746	1. YES
7,279	2. NO
14	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C6 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
5,529	1. YES
10,362	2. NO
27	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A7 - EVER FEEL DEPRESSED AFTER STOPPING OR CUTTING DOWN ON TOBACCO USE

Type: Numeric

N	Value
2,979	1. YES
12,827	2. NO
159	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B7 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,287	1. YES
8,690	2. NO
62	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C7 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,785	1. YES
12,974	2. NO
159	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A8 - EVER HAVE DIFFICULTY FALLING/STAYING ASLEEP AFTER STOPPING/CUTTING DOWN ON TOBACCO USE

Type: Numeric

N	Value
2,618	1. YES
13,160	2. NO
187	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B8 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,351	1. YES
8,614	2. NO
74	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C8 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,432	1. YES
13,295	2. NO
191	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A9 - EVER HAVE DIFFICULTY CONCENTRATING AFTER STOPPING/CUTTING DOWN ON TOBACCO USE

Type: Numeric

N	Value
3,190	1. YES
12,646	2. NO
129	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B9 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,505	1. YES
8,486	2. NO
48	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C9 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,987	1. YES
12,798	2. NO
133	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A10 - EVER EAT MORE THAN USUAL OR GAIN WEIGHT AFTER STOPPING/CUTTING DOWN ON TOBACCO USE

Type: Numeric

N	Value
6,305	1. YES
9,533	2. NO
127	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B10 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,975	1. YES
7,999	2. NO
65	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C10 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
5,880	1. YES
9,910	2. NO
128	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A11 - EVER BECOME EASILY IRRITATED, ANGRY OR FRUSTRATED AFTER STOPPING/CUTTING DOWN ON TOBACCO USE

Type: Numeric

N	Value
6,632	1. YES
9,207	2. NO
126	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B11 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
2,920	1. YES
7,077	2. NO
42	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C11 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
6,183	1. YES
9,606	2. NO
129	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A12 - EVER FEEL ANXIOUS OR NERVOUS AFTER STOPPING/CUTTING DOWN ON TOBACCO USE

Type: Numeric

N	Value
5,532	1. YES
10,317	2. NO
116	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B12 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
2,487	1. YES
7,503	2. NO
49	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C12 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
5,187	1. YES
10,609	2. NO
122	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A13 - EVER FEEL HEART BEAT MORE SLOWLY THAN USUAL AFTER STOPPING/CUTTING DOWN ON TOBACCO USE

Type: Numeric

N	Value
1,039	1. YES
14,473	2. NO
453	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B13 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
516	1. YES
9,311	2. NO
212	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C13 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
963	1. YES
14,499	2. NO
456	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A14 - EVER FEEL MORE RESTLESS THAN USUAL AFTER STOPPING/CUTTING DOWN ON TOBACCO USE

Type: Numeric

N	Value
4,676	1. YES
11,118	2. NO
171	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B14 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
2,036	1. YES
7,924	2. NO
79	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C14 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
4,388	1. YES
11,354	2. NO
176	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8B15 - DID AT LEAST 4 WITHDRAWAL SYMPTOMS HAPPEN AROUND THE SAME TIME IN LAST 12 MONTHS

Type: Numeric

N	Value
1,419	1. YES
365	2. NO
26	9. Unknown
34,499	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user; less than four withdrawal symptoms in last 12 months

N3AQ8C16 - DID AT LEAST 4 WITHDRAWAL SYMPTOMS HAPPEN AROUND THE SAME TIME BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,128	1. YES
847	2. NO
90	9. Unknown
32,244	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months ; less than four withdrawal symptoms before 12 months ago

N3AQ8A17 - EVER USE TOBACCO TO AVOID NICOTINE WITHDRAWAL SYMPTOMS

Type: Numeric

N	Value
3,395	1. YES
12,538	2. NO
32	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B17 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,070	1. YES
8,951	2. NO
18	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C17 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,104	1. YES
12,782	2. NO
32	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A18 - EVER WAKE UP IN THE MIDDLE OF THE NIGHT TO USE TOBACCO

Type: Numeric

N	Value
4,146	1. YES
11,792	2. NO
27	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B18 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
2,498	1. YES
7,529	2. NO
12	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C18 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,958	1. YES
11,928	2. NO
32	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A19 - OFTEN USE TOBACCO JUST AFTER/SHORTLY AFTER GETTING UP IN MORNING

Type: Numeric

N	Value
9,418	1. YES
6,505	2. NO
42	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B19 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
5,965	1. YES
4,063	2. NO
11	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C19 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
9,142	1. YES
6,733	2. NO
43	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A20 - EVER FIND YOURSELF USING TOBACCO JUST AFTER BEING IN SITUATION WHERE TOBACCO USE WAS PROHIBITED

Type: Numeric

N	Value
7,793	1. YES
8,124	2. NO
48	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B20 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
4,821	1. YES
5,201	2. NO
17	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C20 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
7,607	1. YES
8,263	2. NO
48	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A21 - EVER HAD TO USE MUCH MORE TOBACCO THAN USUAL TO GET DESIRED EFFECT

Type: Numeric

N	Value
2,415	1. YES
13,470	2. NO
80	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B21 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,207	1. YES
8,806	2. NO
26	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C21 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,287	1. YES
13,546	2. NO
85	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A22 - EVER INCREASE USE OF TOBACCO BECAUSE AMOUNT USED TO USE DIDN'T GIVE SAME EFFECT

Type: Numeric

N	Value
2,146	1. YES
13,742	2. NO
77	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B22 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
984	1. YES
9,024	2. NO
31	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C22 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,039	1. YES
13,800	2. NO
79	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A23 - EVER HAVE PERIOD WHEN USED TOBACCO MORE/LONGER THAN INTENDED TO

Type: Numeric

N	Value
4,436	1. YES
11,400	2. NO
129	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B23 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
2,260	1. YES
7,717	2. NO
62	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C23 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
4,233	1. YES
11,554	2. NO
131	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A24 - EVER CONTINUE TO USE TOBACCO EVEN THOUGH AWARE IT MADE YOU NERVOUS/JITTERY/DEPRESSED

Type: Numeric

N	Value
3,447	1. YES
12,427	2. NO
91	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B24 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,914	1. YES
8,075	2. NO
50	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C24 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,332	1. YES
12,491	2. NO
95	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A25 - MORE THAN ONCE USE TOBACCO IN A DANGEROUS SITUATION

Type: Numeric

N	Value
3,434	1. YES
12,490	2. NO
41	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B25 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,594	1. YES
8,431	2. NO
14	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C25 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,338	1. YES
12,538	2. NO
42	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A26 - EVER HAVE ARGUMENTS WITH FAMILY OR FRIENDS BECAUSE OF TOBACCO OR NICOTINE USE

Type: Numeric

N	Value
3,396	1. YES
12,549	2. NO
20	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B26 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,513	1. YES
8,517	2. NO
9	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C26 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,234	1. YES
12,664	2. NO
20	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A27 - CONTINUE TO USE TOBACCO OR NICOTINE EVEN IF CAUSING PROBLEMS WITH PEOPLE

Type: Numeric

N	Value
3,377	1. YES
12,552	2. NO
36	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B27 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,639	1. YES
8,379	2. NO
21	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C27 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,225	1. YES
12,655	2. NO
38	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A28 - EVER HAVE JOB OR SCHOOL PROBLEMS AS A RESULT OF TOBACCO/NICOTINE USE

Type: Numeric

N	Value
570	1. YES
15,378	2. NO
17	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B28 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
107	1. YES
9,924	2. NO
8	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C28 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
546	1. YES
15,355	2. NO
17	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A29 - CONTINUE TO USE TOBACCO OR NICOTINE EVEN IF CAUSING PROBLEMS AT JOB OR SCHOOL

Type: Numeric

N	Value
748	1. YES
15,194	2. NO
23	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B29 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
191	1. YES
9,834	2. NO
14	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C29 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
724	1. YES
15,171	2. NO
23	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A30 - EVER HAVE PERIOD WHEN TOBACCO USE INTERFERED WITH TAKING CARE OF HOME OR FAMILY

Type: Numeric

N	Value
265	1. YES
15,684	2. NO
16	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B30 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
106	1. YES
9,926	2. NO
7	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C30 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
259	1. YES
15,643	2. NO
16	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A33 - EVER HAVE PERIOD WHEN SPENT A LOT OF TIME USING TOBACCO OR NICOTINE

Type: Numeric

N	Value
3,247	1. YES
12,629	2. NO
89	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B33 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,546	1. YES
8,444	2. NO
49	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C33 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,151	1. YES
12,677	2. NO
90	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A34 - EVER HAVE PERIOD WHEN SPENT A LOT OF TIME MAKING SURE THAT YOU HAD ENOUGH TOBACCO OR NICOTINE

Type: Numeric

N	Value
4,595	1. YES
11,335	2. NO
35	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B34 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
2,586	1. YES
7,435	2. NO
18	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C34 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
4,455	1. YES
11,426	2. NO
37	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A35 - EVER HAVE A VERY STRONG DESIRE TO USE TOBACCO OR NICOTINE

Type: Numeric

N	Value
8,685	1. YES
7,240	2. NO
40	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B35 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
5,170	1. YES
4,850	2. NO
19	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C35 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
8,412	1. YES
7,462	2. NO
44	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A36 - EVER WANT TO USE TOBACCO OR NICOTINE SO BADLY THAT YOU COULDN'T THINK OF ANYTHING ELSE

Type: Numeric

N	Value
3,169	1. YES
12,759	2. NO
37	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B36 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,860	1. YES
8,166	2. NO
13	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C36 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,061	1. YES
12,819	2. NO
38	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A37 - EVER USE TOBACCO OR NICOTINE WITHIN 30 MINUTES OF WAKING UP

Type: Numeric

N	Value
9,144	1. YES
6,739	2. NO
82	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B37 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
5,709	1. YES
4,313	2. NO
17	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C37 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
8,906	1. YES
6,928	2. NO
84	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A38 - EVER USE TOBACCO OR NICOTINE MORE FREQUENTLY DURING FIRST HOURS OF WAKING UP

Type: Numeric

N	Value
3,836	1. YES
11,999	2. NO
130	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B38 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
2,622	1. YES
7,376	2. NO
41	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C38 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,707	1. YES
12,077	2. NO
134	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A39 - EVER FIND FIRST USE AFTER WAKING UP MORE SATISFYING THAN REST OF DAY

Type: Numeric

N	Value
5,004	1. YES
10,781	2. NO
180	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B39 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
3,260	1. YES
6,726	2. NO
53	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C39 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
4,855	1. YES
10,876	2. NO
187	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ8A40 - EVER FIND IT DIFFICULT TO KEEP FROM USING TOBACCO IN PLACES WHERE PROHIBITED

Type: Numeric

N	Value
2,913	1. YES
13,012	2. NO
40	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ8B40 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,684	1. YES
8,339	2. NO
16	9. Unknown
26,270	BL. NA, never or unknown if ever used tobacco/nicotine; former tobacco/nicotine user

N3AQ8C40 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,829	1. YES
13,048	2. NO
41	9. Unknown
20,391	BL. NA, never or unknown if ever used tobacco/nicotine; started using tobacco/nicotine in last 12 months

N3AQ91 - SMOKED CIGARETTES WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE IN LAST 12 MONTHS

Type: Numeric

N	Value
6,611	1. YES
604	2. NO
29,094	BL. NA, didn't meet symptom criteria for nicotine use disorder in last 12 months

N3AQ92 - SMOKED CIGARS WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE IN LAST 12 MONTHS

Type: Numeric

N	Value
220	1. YES
6,995	2. NO
29,094	BL. NA, didn't meet symptom criteria for nicotine use disorder in last 12 months

N3AQ93 - SMOKED PIPE WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE IN LAST 12 MONTHS

Type: Numeric

N	Value
29	1. YES
7,186	2. NO
29,094	BL. NA, didn't meet symptom criteria for nicotine use disorder in last 12 months

N3AQ94 - USED SNUFF WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE IN LAST 12 MONTHS

Type: Numeric

N	Value
318	1. YES
6,897	2. NO
29,094	BL. NA, didn't meet symptom criteria for nicotine use disorder in last 12 months

N3AQ95 - USED CHEWING TOBACCO WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE IN LAST 12 MONTHS

Type: Numeric

N	Value
331	1. YES
6,884	2. NO
29,094	BL. NA, didn't meet symptom criteria for nicotine use disorder in last 12 months

N3AQ96 - USED E-CIGARETTES WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE IN LAST 12 MONTHS

Type: Numeric

N	Value
107	1. YES
7,108	2. NO
29,094	BL. NA, didn't meet symptom criteria for nicotine use disorder in last 12 months

N3AQ97 - USED E-LIQUID WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE IN LAST 12 MONTHS

Type: Numeric

N	Value
30	1. YES
7,185	2. NO
29,094	BL. NA, didn't meet symptom criteria for nicotine use disorder in last 12 months

N3AQ10A - EVER HAVE PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING AROUND SAME TIME MOST DAYS FOR AT LEAST A MONTH

Type: Numeric

N	Value
5,266	1. YES
6,373	2. NO
420	9. Unknown
24,250	BL. NA, didn't meet symptom criteria for nicotine use disorder before 12 months ago

N3AQ10B - EVER HAVE PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING AROUND SAME TIME OFF AND ON FOR A FEW MONTHS OR LONGER

Type: Numeric

N	Value
610	1. YES
5,790	2. NO
393	9. Unknown
29,516	BL. NA, didn't meet symptom criteria for nicotine use disorder before 12 months ago; had period when some of these experiences were happening most days for at least a month

N3AQ10C - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES HAPPENED THE SAME TIME WITHIN A YEAR

Type: Numeric

N	Value
1,042	1. YES
4,769	2. NO
372	9. Unknown
30,126	BL. NA, didn't meet symptom criteria for nicotine use disorder before 12 months ago; had period when some of these experiences were happening most days for at least a month or on and off for a few months or longer

N3AQ10D - AGE AT ONSET OF NICOTINE USE DISORDER

Type: Numeric

N	Value
6,412	10-77. Age
506	99. Unknown
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ10E - NUMBER OF EPISODES OF NICOTINE USE DISORDER

Type: Numeric

N	Value
6,323	1-90. Episodes
595	99. Unknown
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ10FR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF NICOTINE USE DISORDER (BASED ON N3AQ10H IF ONLY ONE EPISODE)

Type: Numeric

N	Value
6,918	1-780. Months
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ10GR - AGE WHEN ONLY/MOST RECENT EPISODE OF NICOTINE USE DISORDER BEGAN (BASED ON N3AQ10D IF ONLY ONE EPISODE)

Type: Numeric

N	Value
6,395	10-83. Age
523	99. Unknown
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ10I - AGE AT FULL REMISSION OF NICOTINE USE DISORDER

Type: Numeric

N	Value
2,170	12-82. Age
85	99. Unknown
34,054	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago; had 1+ symptoms of nicotine use disorder other than craving in last 12 months

N3AQ11A1 - SMOKED CIGARETTES WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,156	1. YES
3,762	2. NO
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ11A2 - SMOKED CIGARS WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
274	1. YES
6,644	2. NO
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ11A3 - SMOKED PIPE WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
197	1. YES
6,721	2. NO
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ11A4 - USED SNUFF WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
322	1. YES
6,596	2. NO
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ11A5 - USED CHEWING TOBACCO WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/ NICOTINE BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
376	1. YES
6,542	2. NO
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ11A6 - USED E-CIGARETTES WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
246	1. YES
6,672	2. NO
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ11A7 - USED E-LIQUID WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO/NICOTINE BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
10	1. YES
6,908	2. NO
29,391	BL. NA, didn't meet symptom and/or duration criteria for nicotine use disorder before 12 months ago

N3AQ11B - IN LAST 12 MONTHS GET INTO TROUBLE BECAUSE OF TOBACCO/NICOTINE USE IN PROHIBITED PLACE

Type: Numeric

N	Value
156	1. YES
15,774	2. NO
35	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ11C - BEFORE 12 MONTHS GET INTO TROUBLE BECAUSE OF TOBACCO/NICOTINE USE IN PROHIBITED PLACE

Type: Numeric

N	Value
614	1. YES
15,292	2. NO
59	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ11D - IN LAST 12 MONTHS USE AGAIN IN PROHIBITED PLACE EVEN THOUGH PREVIOUSLY GOT INTO TROUBLE FOR USING THERE

Type: Numeric

N	Value
308	1. YES
15,626	2. NO
31	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ11E - BEFORE LAST 12 MONTHS USE AGAIN IN PROHIBITED PLACE EVEN THOUGH PREVIOUSLY GOT INTO TROUBLE FOR USING THERE

Type: Numeric

N	Value
716	1. YES
15,194	2. NO
55	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ12 - EVER SEEN ANYONE TO GET HELP RELATED TO USE OF TOBACCO OR NICOTINE

Type: Numeric

N	Value
2,056	1. YES
13,886	2. NO
23	9. Unknown
20,344	BL. NA, never or unknown if ever used tobacco/nicotine

N3AQ13A1 - GO TO COUNSELING, FAMILY SERVICES, OR OTHER SOCIAL SERVICES

Type: Numeric

N	Value
356	1. YES
1,700	2. NO
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13B1 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
355	1. YES
1,701	2. NO
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13C1 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
355	1. YES
1,699	2. NO
34,255	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use; started using tobacco/ nicotine in last 12 months

N3AQ13A2 - GO TO A SUPPORT GROUP

Type: Numeric

N	Value
243	1. YES
1,813	2. NO
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13B2 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
241	1. YES
1,815	2. NO
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13C2 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
243	1. YES
1,811	2. NO
34,255	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use; started using tobacco/ nicotine in last 12 months

N3AQ13A3 - HAVE A HEALTH PROFESSIONAL PRESCRIBE ANY MEDICINE OR DRUG

Type: Numeric

N	Value
1,334	1. YES
721	2. NO
1	9. Unknown
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13B3 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,333	1. YES
722	2. NO
1	9. Unknown
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13C3 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
1,333	1. YES
720	2. NO
1	9. Unknown
34,255	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use; started using tobacco/ nicotine in last 12 months

N3AQ13A4 - USE NICOTINE PATCHES, LOZENGES OR GUM

Type: Numeric

N	Value
1,340	1. YES
716	2. NO
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13B4 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,340	1. YES
716	2. NO
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13C4 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
1,340	1. YES
714	2. NO
34,255	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use; started using tobacco/ nicotine in last 12 months

N3AQ13A5 - USE E-CIGARETTES OR E-LIQUID

Type: Numeric

N	Value
383	1. YES
1,673	2. NO
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13B5 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
383	1. YES
1,673	2. NO
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13C5 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
382	1. YES
1,672	2. NO
34,255	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use; started using tobacco/ nicotine in last 12 months

N3AQ13A6 - RECEIVE ACUPUNCTURE, ACUPRESSURE, E-THERAPY OR MEDITATE

Type: Numeric

N	Value
239	1. YES
1,816	2. NO
1	9. Unknown
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13B6 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
237	1. YES
1,818	2. NO
1	9. Unknown
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13C6 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
238	1. YES
1,815	2. NO
1	9. Unknown
34,255	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use; started using tobacco/ nicotine in last 12 months

N3AQ13A7 - USE ANY OTHER METHODS TO HELP YOU QUIT OR CUT DOWN

Type: Numeric

N	Value
539	1. YES
1,515	2. NO
2	9. Unknown
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13B7 - HAPPEN IN LAST 12 MONTHS

Type: Numeric

N	Value
538	1. YES
1,516	2. NO
2	9. Unknown
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ13C7 - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
538	1. YES
1,514	2. NO
2	9. Unknown
34,255	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use; started using tobacco/ nicotine in last 12 months

N3AQ14A - AGE WHEN SOUGHT HELP THE FIRST TIME

Type: Numeric

N	Value
1,979	10-85. Age
77	99. Unknown
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ14B - AGE WHEN SOUGHT HELP MOST RECENT TIME

Type: Numeric

N	Value
1,774	15-80. Age
282	99. Unknown
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

N3AQ15 - IN ENTIRE LIFE, NUMBER OF TIMES YOU USED THESE RESOURCES

Type: Numeric

N	Value
1,768	1-20. Number
288	99. Unknown
34,253	BL. NA, never or unknown if ever used tobacco/nicotine; did not seek or unknown if sought help related to tobacco or nicotine use

SECTION 3B: MEDICINE USE

N3BQ1A1 - EVER USED SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
2,611	1. YES
33,649	2. NO
49	9. Unknown

N3BQ1A2 - EVER USED PAINKILLERS

Type: Numeric

N	Value
4,090	1. YES
32,167	2. NO
52	9. Unknown

N3BQ1A3 - EVER USED MARIJUANA

Type: Numeric

N	Value
11,272	1. YES
24,971	2. NO
66	9. Unknown

N3BQ1A4 - EVER USED COCAINE/CRACK

Type: Numeric

N	Value
3,543	1. YES
32,712	2. NO
54	9. Unknown

N3BQ1A5 - EVER USED STIMULANTS

Type: Numeric

N	Value
2,714	1. YES
33,542	2. NO
53	9. Unknown

N3BQ1A6 - EVER USED CLUB DRUGS

Type: Numeric

N	Value
1,592	1. YES
34,666	2. NO
51	9. Unknown

N3BQ1A7 - EVER USED HALLUCINOGENS

Type: Numeric

N	Value
3,078	1. YES
33,177	2. NO
54	9. Unknown

N3BQ1A8 - EVER USED INHALANTS

Type: Numeric

N	Value
1,023	1. YES
35,241	2. NO
45	9. Unknown

N3BQ1A9 - EVER USED HEROIN

Type: Numeric

N	Value
597	1. YES
35,665	2. NO
47	9. Unknown

N3BQ1A10 - EVER USED OTHER DRUGS

Type: Numeric

N	Value
304	1. YES
35,960	2. NO
45	9. Unknown

NDRUGUSER - DRUG USE STATUS

Type: Numeric

N	Value
13,047	1. DRUG USER
23,262	2. DRUG NON-USER

N3BD1Q2A - AGE FIRST USED SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
2,509	10-85. Age
102	99. Unknown
33,698	BL. NA, never or unknown if ever used sedatives/tranquilizers

N3BD2Q2A - AGE FIRST USED PAINKILLERS

Type: Numeric

N	Value
3,954	10-88. Age
136	99. Unknown
32,219	BL. NA, never or unknown if ever used painkillers

N3BD3Q2A - AGE FIRST USED MARIJUANA

Type: Numeric

N	Value
11,239	10-79. Age
33	99. Unknown
25,037	BL. NA, never or unknown if ever used marijuana

N3BD4Q2A - AGE FIRST USED COCAINE/CRACK

Type: Numeric

N	Value
3,522	10-70. Age
21	99. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BD5Q2A - AGE FIRST USED STIMULANTS

Type: Numeric

N	Value
2,699	10-82. Age
15	99. Unknown
33,595	BL. NA, never or unknown if ever used stimulants

N3BD6Q2A - AGE FIRST USED CLUB DRUGS

Type: Numeric

N	Value
1,579	10-52. Age
13	99. Unknown
34,717	BL. NA, never or unknown if ever used club drugs

N3BD7Q2A - AGE FIRST USED HALLUCINOGENS

Type: Numeric

N	Value
3,065	10-70. Age
13	99. Unknown
33,231	BL. NA, never or unknown if ever used hallucinogens

N3BD8Q2A - AGE FIRST USED INHALANTS

Type: Numeric

N	Value
1,010	10-59. Age
13	99. Unknown
35,286	BL. NA, never or unknown if ever used inhalants

N3BD9Q2A - AGE FIRST USED HEROIN

Type: Numeric

N	Value
580	10-53. Age
17	99. Unknown
35,712	BL. NA, never or unknown if ever used heroin

N3BD10Q2A - AGE FIRST USED OTHER DRUG

Type: Numeric

N	Value
301	10-84. Age
3	99. Unknown
36,005	BL. NA, never or unknown if ever used other drug

N3BD1Q2B - USED SEDATIVES/TRANQUILIZERS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/ BOTH TIME PERIODS

Type: Numeric

N	Value
125	1. LAST 12 MONTHS ONLY
1,688	2. BEFORE THE LAST 12 MONTHS ONLY
702	3. BOTH TIME PERIODS
96	9. Unknown
33,698	BL. NA, never or unknown if ever used sedatives/tranquilizers

N3BD2Q2B - USED PAINKILLERS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS

Type: Numeric

N	Value
212	1. LAST 12 MONTHS ONLY
2,342	2. BEFORE THE LAST 12 MONTHS ONLY
1,367	3. BOTH TIME PERIODS
169	9. Unknown
32,219	BL. NA, never or unknown if ever used painkillers

N3BD3Q2B - USED MARIJUANA IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS

Type: Numeric

N	Value
117	1. LAST 12 MONTHS ONLY
7,486	2. BEFORE THE LAST 12 MONTHS ONLY
3,584	3. BOTH TIME PERIODS
85	9. Unknown
25,037	BL. NA, never or unknown if ever used marijuana

N3BD4Q2B - USED COCAINE/CRACK IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS

Type: Numeric

N	Value
45	1. LAST 12 MONTHS ONLY
3,060	2. BEFORE THE LAST 12 MONTHS ONLY
374	3. BOTH TIME PERIODS
64	9. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BD5Q2B - USED STIMULANTS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS

Type: Numeric

N	Value
75	1. LAST 12 MONTHS ONLY
2,231	2. BEFORE THE LAST 12 MONTHS ONLY
333	3. BOTH TIME PERIODS
75	9. Unknown
33,595	BL. NA, never or unknown if ever used stimulants

N3BD6Q2B - USED CLUB DRUGS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS

Type: Numeric

N	Value
70	1. LAST 12 MONTHS ONLY
1,303	2. BEFORE THE LAST 12 MONTHS ONLY
179	3. BOTH TIME PERIODS
40	9. Unknown
34,717	BL. NA, never or unknown if ever used club drugs

N3BD7Q2B - USED HALLUCINOGENS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS

Type: Numeric

N	Value
55	1. LAST 12 MONTHS ONLY
2,811	2. BEFORE THE LAST 12 MONTHS ONLY
164	3. BOTH TIME PERIODS
48	9. Unknown
33,231	BL. NA, never or unknown if ever used hallucinogens

N3BD8Q2B - USED INHALANTS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS

Type: Numeric

N	Value
17	1. LAST 12 MONTHS ONLY
895	2. BEFORE THE LAST 12 MONTHS ONLY
59	3. BOTH TIME PERIODS
52	9. Unknown
35,286	BL. NA, never or unknown if ever used inhalants

N3BD9Q2B - USED HEROIN IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS

Type: Numeric

N	Value
13	1. LAST 12 MONTHS ONLY
485	2. BEFORE THE LAST 12 MONTHS ONLY
54	3. BOTH TIME PERIODS
45	9. Unknown
35,712	BL. NA, never or unknown if ever used heroin

N3BD10Q2B - USED OTHER DRUG IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS

Type: Numeric

N	Value
37	1. LAST 12 MONTHS ONLY
183	2. BEFORE THE LAST 12 MONTHS ONLY
74	3. BOTH TIME PERIODS
10	9. Unknown
36,005	BL. NA, never or unknown if ever used other drug

N3BD1Q2C - HOW OFTEN USED SEDATIVES/TRANQUILIZERS IN THE LAST 12 MONTHS

Type: Numeric

N	Value
200	1. EVERY DAY
43	2. NEARLY EVERY DAY
50	3. 3 TO 4 TIMES A WEEK
67	4. 1 TO 2 TIMES A WEEK
82	5. 2 TO 3 TIMES A MONTH
53	6. ONCE A MONTH
57	7. 7 TO 11 TIMES IN THE LAST YEAR
103	8. 3 TO 6 TIMES IN THE LAST YEAR
78	9. 2 TIMES IN THE LAST YEAR
90	10. ONCE IN THE LAST YEAR
4	99. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3BD2Q2C - HOW OFTEN USED PAINKILLERS IN THE LAST 12 MONTHS

Type: Numeric

N	Value
329	1. EVERY DAY
91	2. NEARLY EVERY DAY
123	3. 3 TO 4 TIMES A WEEK
120	4. 1 TO 2 TIMES A WEEK
167	5. 2 TO 3 TIMES A MONTH
125	6. ONCE A MONTH
123	7. 7 TO 11 TIMES IN THE LAST YEAR
203	8. 3 TO 6 TIMES IN THE LAST YEAR
141	9. 2 TIMES IN THE LAST YEAR
145	10. ONCE IN THE LAST YEAR
12	99. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3BD3Q2C - HOW OFTEN USED MARIJUANA IN THE LAST 12 MONTHS

Type: Numeric

N	Value
732	1. EVERY DAY
429	2. NEARLY EVERY DAY
366	3. 3 TO 4 TIMES A WEEK
377	4. 1 TO 2 TIMES A WEEK
372	5. 2 TO 3 TIMES A MONTH
303	6. ONCE A MONTH
210	7. 7 TO 11 TIMES IN THE LAST YEAR
362	8. 3 TO 6 TIMES IN THE LAST YEAR
307	9. 2 TIMES IN THE LAST YEAR
231	10. ONCE IN THE LAST YEAR
12	99. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3BD4Q2C - HOW OFTEN USED COCAINE/CRACK IN THE LAST 12 MONTHS

Type: Numeric

N	Value
10	1. EVERY DAY
15	2. NEARLY EVERY DAY
27	3. 3 TO 4 TIMES A WEEK
30	4. 1 TO 2 TIMES A WEEK
41	5. 2 TO 3 TIMES A MONTH
50	6. ONCE A MONTH
27	7. 7 TO 11 TIMES IN THE LAST YEAR
64	8. 3 TO 6 TIMES IN THE LAST YEAR
75	9. 2 TIMES IN THE LAST YEAR
78	10. ONCE IN THE LAST YEAR
2	99. Unknown
35,890	BL. NA, did not use cocaine/crack in the last 12 months

N3BD5Q2C - HOW OFTEN USED STIMULANTS IN THE LAST 12 MONTHS

Type: Numeric

N	Value
64	1. EVERY DAY
30	2. NEARLY EVERY DAY
26	3. 3 TO 4 TIMES A WEEK
28	4. 1 TO 2 TIMES A WEEK
46	5. 2 TO 3 TIMES A MONTH
30	6. ONCE A MONTH
37	7. 7 TO 11 TIMES IN THE LAST YEAR
57	8. 3 TO 6 TIMES IN THE LAST YEAR
45	9. 2 TIMES IN THE LAST YEAR
42	10. ONCE IN THE LAST YEAR
3	99. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3BD6Q2C - HOW OFTEN USED CLUB DRUGS IN THE LAST 12 MONTHS

Type: Numeric

N	Value
2	1. EVERY DAY
1	2. NEARLY EVERY DAY
4	3. 3 TO 4 TIMES A WEEK
10	4. 1 TO 2 TIMES A WEEK
22	5. 2 TO 3 TIMES A MONTH
21	6. ONCE A MONTH
19	7. 7 TO 11 TIMES IN THE LAST YEAR
49	8. 3 TO 6 TIMES IN THE LAST YEAR
60	9. 2 TIMES IN THE LAST YEAR
59	10. ONCE IN THE LAST YEAR
2	99. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3BD7Q2C - HOW OFTEN USED HALLUCINOGENS IN THE LAST 12 MONTHS

Type: Numeric

N	Value
2	1. EVERY DAY
2	2. NEARLY EVERY DAY
3	3. 3 TO 4 TIMES A WEEK
1	4. 1 TO 2 TIMES A WEEK
4	5. 2 TO 3 TIMES A MONTH
8	6. ONCE A MONTH
8	7. 7 TO 11 TIMES IN THE LAST YEAR
47	8. 3 TO 6 TIMES IN THE LAST YEAR
50	9. 2 TIMES IN THE LAST YEAR
94	10. ONCE IN THE LAST YEAR
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3BD8Q2C - HOW OFTEN USED INHALANTS IN THE LAST 12 MONTHS

Type: Numeric

N	Value
3	1. EVERY DAY
3	3. 3 TO 4 TIMES A WEEK
4	4. 1 TO 2 TIMES A WEEK
6	5. 2 TO 3 TIMES A MONTH
5	6. ONCE A MONTH
1	7. 7 TO 11 TIMES IN THE LAST YEAR
22	8. 3 TO 6 TIMES IN THE LAST YEAR
11	9. 2 TIMES IN THE LAST YEAR
21	10. ONCE IN THE LAST YEAR
36,233	BL. NA, did not use inhalants in the last 12 months

N3BD9Q2C - HOW OFTEN USED HEROIN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
19	1. EVERY DAY
4	2. NEARLY EVERY DAY
10	3. 3 TO 4 TIMES A WEEK
4	4. 1 TO 2 TIMES A WEEK
4	5. 2 TO 3 TIMES A MONTH
3	6. ONCE A MONTH
1	7. 7 TO 11 TIMES IN THE LAST YEAR
7	8. 3 TO 6 TIMES IN THE LAST YEAR
4	9. 2 TIMES IN THE LAST YEAR
11	10. ONCE IN THE LAST YEAR
36,242	BL. NA, did not use heroin in the last 12 months

N3BD10Q2C - HOW OFTEN USED OTHER DRUG IN THE LAST 12 MONTHS

Type: Numeric

N	Value
65	1. EVERY DAY
5	2. NEARLY EVERY DAY
4	3. 3 TO 4 TIMES A WEEK
4	4. 1 TO 2 TIMES A WEEK
2	5. 2 TO 3 TIMES A MONTH
1	6. ONCE A MONTH
6	7. 7 TO 11 TIMES IN THE LAST YEAR
8	8. 3 TO 6 TIMES IN THE LAST YEAR
6	9. 2 TIMES IN THE LAST YEAR
10	10. ONCE IN THE LAST YEAR
36,198	BL. NA, did not use other drug in the last 12 months

N3BD1Q2DR - NUMBER OF DAYS SINCE MOST RECENT SEDATIVE/TRANQUILIZER USE

Type: Numeric

N	Value
2,478	1-21915. Days
133	99999. Unknown
33,698	BL. NA, never or unknown if ever used sedatives/tranquilizers

N3BD2Q2DR - NUMBER OF DAYS SINCE MOST RECENT PAINKILLERS USE

Type: Numeric

N	Value
3,866	1-25933. Days
224	99999. Unknown
32,219	BL. NA, never or unknown if ever used painkillers

N3BD3Q2DR - NUMBER OF DAYS SINCE MOST RECENT MARIJUANA USE

Type: Numeric

N	Value
11,126	1-25933. Days
146	99999. Unknown
25,037	BL. NA, never or unknown if ever used marijuana

N3BD4Q2DR - NUMBER OF DAYS SINCE MOST RECENT COCAINE/CRACK USE

Type: Numeric

N	Value
3,451	1-18263. Days
92	99999. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BD5Q2DR - NUMBER OF DAYS SINCE MOST RECENT STIMULANTS USE

Type: Numeric

N	Value
2,606	1-25202. Days
108	99999. Unknown
33,595	BL. NA, never or unknown if ever used stimulants

N3BD6Q2DR - NUMBER OF DAYS SINCE MOST RECENT CLUB DRUGS USE

Type: Numeric

N	Value
1,542	1-15341. Days
50	99999. Unknown
34,717	BL. NA, never or unknown if ever used club drugs

N3BD7Q2DR - NUMBER OF DAYS SINCE MOST RECENT HALLUCINOGEN USE

Type: Numeric

N	Value
3,014	1-20454. Days
64	99999. Unknown
33,231	BL. NA, never or unknown if ever used hallucinogens

N3BD8Q2DR - NUMBER OF DAYS SINCE MOST RECENT INHALANT USE

Type: Numeric

N	Value
961	1-21550. Days
63	99999. Unknown
35,285	BL. NA, never or unknown if ever used inhalants

N3BD9Q2DR - NUMBER OF DAYS SINCE MOST RECENT HEROIN USE

Type: Numeric

N	Value
551	1-19358. Days
46	99999. Unknown
35,712	BL. NA, never or unknown if ever used heroin

N3BD10Q2DR - NUMBER OF DAYS SINCE MOST RECENT OTHER DRUG USE

Type: Numeric

N	Value
288	1-18628. Days
16	99999. Unknown
36,005	BL. NA, never or unknown if ever used other drug

N3BD1Q2E - HOW OFTEN USED SEDATIVES/TRANQUILIZERS WHEN USING THE MOST

Type: Numeric

N	Value
540	1. EVERY DAY
141	2. NEARLY EVERY DAY
193	3. 3 TO 4 TIMES A WEEK
273	4. 1 TO 2 TIMES A WEEK
212	5. 2 TO 3 TIMES A MONTH
171	6. ONCE A MONTH
88	7. 7 TO 11 TIMES IN THE LAST YEAR
232	8. 3 TO 6 TIMES IN THE LAST YEAR
244	9. 2 TIMES IN THE LAST YEAR
393	10. ONCE IN THE LAST YEAR
124	99. Unknown
33,698	BL. NA, never or unknown if ever used sedatives/tranquilizers

N3BD2Q2E - HOW OFTEN USED PAINKILLERS WHEN USING THE MOST

Type: Numeric

N	Value
1,113	1. EVERY DAY
318	2. NEARLY EVERY DAY
323	3. 3 TO 4 TIMES A WEEK
394	4. 1 TO 2 TIMES A WEEK
300	5. 2 TO 3 TIMES A MONTH
232	6. ONCE A MONTH
118	7. 7 TO 11 TIMES IN THE LAST YEAR
258	8. 3 TO 6 TIMES IN THE LAST YEAR
311	9. 2 TIMES IN THE LAST YEAR
526	10. ONCE IN THE LAST YEAR
197	99. Unknown
32,219	BL. NA, never or unknown if ever used painkillers

N3BD3Q2E - HOW OFTEN USED MARIJUANA WHEN USING THE MOST

Type: Numeric

N	Value
3,045	1. EVERY DAY
1,056	2. NEARLY EVERY DAY
980	3. 3 TO 4 TIMES A WEEK
1,337	4. 1 TO 2 TIMES A WEEK
877	5. 2 TO 3 TIMES A MONTH
632	6. ONCE A MONTH
278	7. 7 TO 11 TIMES IN THE LAST YEAR
795	8. 3 TO 6 TIMES IN THE LAST YEAR
783	9. 2 TIMES IN THE LAST YEAR
1,381	10. ONCE IN THE LAST YEAR
108	99. Unknown
25,037	BL. NA, never or unknown if ever used marijuana

N3BD4Q2E - HOW OFTEN USED COCAINE/CRACK WHEN USING THE MOST

Type: Numeric

N	Value
460	1. EVERY DAY
205	2. NEARLY EVERY DAY
286	3. 3 TO 4 TIMES A WEEK
458	4. 1 TO 2 TIMES A WEEK
371	5. 2 TO 3 TIMES A MONTH
292	6. ONCE A MONTH
104	7. 7 TO 11 TIMES IN THE LAST YEAR
327	8. 3 TO 6 TIMES IN THE LAST YEAR
350	9. 2 TIMES IN THE LAST YEAR
607	10. ONCE IN THE LAST YEAR
83	99. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BD5Q2E - HOW OFTEN USED STIMULANTS WHEN USING THE MOST

Type: Numeric

N	Value
485	1. EVERY DAY
184	2. NEARLY EVERY DAY
228	3. 3 TO 4 TIMES A WEEK
354	4. 1 TO 2 TIMES A WEEK
256	5. 2 TO 3 TIMES A MONTH
194	6. ONCE A MONTH
90	7. 7 TO 11 TIMES IN THE LAST YEAR
229	8. 3 TO 6 TIMES IN THE LAST YEAR
233	9. 2 TIMES IN THE LAST YEAR
368	10. ONCE IN THE LAST YEAR
93	99. Unknown
33,595	BL. NA, never or unknown if ever used stimulants

N3BD6Q2E - HOW OFTEN USED CLUB DRUGS WHEN USING THE MOST

Type: Numeric

N	Value
40	1. EVERY DAY
38	2. NEARLY EVERY DAY
58	3. 3 TO 4 TIMES A WEEK
167	4. 1 TO 2 TIMES A WEEK
139	5. 2 TO 3 TIMES A MONTH
168	6. ONCE A MONTH
59	7. 7 TO 11 TIMES IN THE LAST YEAR
196	8. 3 TO 6 TIMES IN THE LAST YEAR
223	9. 2 TIMES IN THE LAST YEAR
456	10. ONCE IN THE LAST YEAR
48	99. Unknown
34,717	BL. NA, never or unknown if ever used club drugs

N3BD7Q2E - HOW OFTEN USED HALLUCINOGENS WHEN USING THE MOST

Type: Numeric

N	Value
55	1. EVERY DAY
44	2. NEARLY EVERY DAY
69	3. 3 TO 4 TIMES A WEEK
223	4. 1 TO 2 TIMES A WEEK
228	5. 2 TO 3 TIMES A MONTH
272	6. ONCE A MONTH
118	7. 7 TO 11 TIMES IN THE LAST YEAR
447	8. 3 TO 6 TIMES IN THE LAST YEAR
569	9. 2 TIMES IN THE LAST YEAR
992	10. ONCE IN THE LAST YEAR
61	99. Unknown
33,231	BL. NA, never or unknown if ever used hallucinogens

N3BD8Q2E - HOW OFTEN USED INHALANTS WHEN USING THE MOST

Type: Numeric

N	Value
39	1. EVERY DAY
24	2. NEARLY EVERY DAY
43	3. 3 TO 4 TIMES A WEEK
90	4. 1 TO 2 TIMES A WEEK
68	5. 2 TO 3 TIMES A MONTH
75	6. ONCE A MONTH
33	7. 7 TO 11 TIMES IN THE LAST YEAR
123	8. 3 TO 6 TIMES IN THE LAST YEAR
141	9. 2 TIMES IN THE LAST YEAR
328	10. ONCE IN THE LAST YEAR
59	99. Unknown
35,286	BL. NA, never or unknown if ever used inhalants

N3BD9Q2E - HOW OFTEN USED HEROIN WHEN USING THE MOST

Type: Numeric

N	Value
168	1. EVERY DAY
37	2. NEARLY EVERY DAY
32	3. 3 TO 4 TIMES A WEEK
37	4. 1 TO 2 TIMES A WEEK
26	5. 2 TO 3 TIMES A MONTH
14	6. ONCE A MONTH
11	7. 7 TO 11 TIMES IN THE LAST YEAR
34	8. 3 TO 6 TIMES IN THE LAST YEAR
38	9. 2 TIMES IN THE LAST YEAR
149	10. ONCE IN THE LAST YEAR
51	99. Unknown
35,712	BL. NA, never or unknown if ever used heroin

N3BD10Q2E - HOW OFTEN USED OTHER DRUG WHEN USING THE MOST

Type: Numeric

N	Value
137	1. EVERY DAY
19	2. NEARLY EVERY DAY
20	3. 3 TO 4 TIMES A WEEK
21	4. 1 TO 2 TIMES A WEEK
6	5. 2 TO 3 TIMES A MONTH
6	6. ONCE A MONTH
3	7. 7 TO 11 TIMES IN THE LAST YEAR
16	8. 3 TO 6 TIMES IN THE LAST YEAR
18	9. 2 TIMES IN THE LAST YEAR
47	10. ONCE IN THE LAST YEAR
11	99. Unknown
36,005	BL. NA, never or unknown if ever used other drug

N3BD1Q2F - AGE WHEN BEGAN USING SEDATIVES/TRANQUILIZERS MOST

Type: Numeric

N	Value
2,509	10-85. Age
102	99. Unknown
33,698	BL. NA, never or unknown if ever used sedatives/tranquilizers

N3BD2Q2F - AGE WHEN BEGAN USING PAINKILLERS MOST

Type: Numeric

N	Value
3,956	10-88. Age
134	99. Unknown
32,219	BL. NA, never or unknown if ever used painkillers

N3BD3Q2F - AGE WHEN BEGAN USING MARIJUANA MOST

Type: Numeric

N	Value
11,241	10-79. Age
31	99. Unknown
25,037	BL. NA, never or unknown if ever used marijuana

N3BD4Q2F - AGE WHEN BEGAN USING COCAINE/CRACK MOST

Type: Numeric

N	Value
3,524	10-70. Age
19	99. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BD5Q2F - AGE WHEN BEGAN USING STIMULANTS MOST

Type: Numeric

N	Value
2,702	10-82. Age
12	99. Unknown
33,595	BL. NA, never or unknown if ever used stimulants

N3BD6Q2F - AGE WHEN BEGAN USING CLUB DRUGS MOST

Type: Numeric

N	Value
1,581	10-52. Age
11	99. Unknown
34,717	BL. NA, never or unknown if ever used club drugs

N3BD7Q2F - AGE WHEN BEGAN USING HALLUCINOGENS MOST

Type: Numeric

N	Value
3,067	10-70. Age
11	99. Unknown
33,231	BL. NA, never or unknown if ever used hallucinogens

N3BD8Q2F - AGE WHEN BEGAN USING INHALANTS MOST

Type: Numeric

N	Value
1,013	10-59. Age
10	99. Unknown
35,286	BL. NA, never or unknown if ever used inhalants

N3BD9Q2F - AGE WHEN BEGAN USING HEROIN MOST

Type: Numeric

N	Value
583	10-53. Age
14	99. Unknown
35,712	BL. NA, never or unknown if ever used heroin

N3BD10Q2F - AGE WHEN BEGAN USING OTHER DRUG MOST

Type: Numeric

N	Value
301	10-84. Age
3	99. Unknown
36,005	BL. NA, never or unknown if ever used other drug

N3BD1Q2GR - DURATION (WEEKS) USED SEDATIVES/TRANQUILIZERS THE MOST

Type: Numeric

N	Value
2,442	1-3120. Weeks
169	9999. Unknown
33,698	BL. NA, never or unknown if ever used sedatives/tranquilizers

N3BD2Q2GR - DURATION (WEEKS) USED PAINKILLERS THE MOST

Type: Numeric

N	Value
3,827	1-3120. Weeks
263	9999. Unknown
32,219	BL. NA, never or unknown if ever used painkillers

N3BD3Q2GR - DURATION (WEEKS) USED MARIJUANA THE MOST

Type: Numeric

N	Value
11,049	1-3380. Weeks
223	9999. Unknown
25,037	BL. NA, never or unknown if ever used marijuana

N3BD4Q2GR - DURATION (WEEKS) USED COCAINE/CRACK THE MOST

Type: Numeric

N	Value
3,450	1-2340. Weeks
93	9999. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BD5Q2GR - DURATION (WEEKS) USED STIMULANTS THE MOST

Type: Numeric

N	Value
2,650	1-3120. Weeks
64	9999. Unknown
33,595	BL. NA, never or unknown if ever used stimulants

N3BD6Q2GR - DURATION (WEEKS) USED CLUB DRUGS THE MOST

Type: Numeric

N	Value
1,558	1-2964. Weeks
34	9999. Unknown
34,717	BL. NA, never or unknown if ever used club drugs

N3BD7Q2GR - DURATION (WEEKS) USED HALLUCINOGENS THE MOST

Type: Numeric

N	Value
3,025	1-2444. Weeks
53	9999. Unknown
33,231	BL. NA, never or unknown if ever used hallucinogens

N3BD8Q2GR - DURATION (WEEKS) USED INHALANTS THE MOST

Type: Numeric

N	Value
987	1-2340. Weeks
36	9999. Unknown
35,286	BL. NA, never or unknown if ever used inhalants

N3BD9Q2GR - DURATION (WEEKS) USED HEROIN THE MOST

Type: Numeric

N	Value
559	1-2288. Weeks
38	9999. Unknown
35,712	BL. NA, never or unknown if ever used heroin

N3BD10Q2GR - DURATION (WEEKS) USED OTHER DRUG THE MOST

Type: Numeric

N	Value
292	1-1664. Weeks
12	9999. Unknown
36,005	BL. NA, never or unknown if ever used other drug

N3BQ3 - NUMBER OF MARIJUANA JOINTS USUALLY SMOKED IN A DAY IN THE LAST 12 MONTHS

Type: Numeric

N	Value
3,592	1-30. Number
109	99. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3BQ4 - NUMBER OF MARIJUANA JOINTS USUALLY SMOKED IN A DAY WHEN USING MARIJUANA THE MOST

Type: Numeric

N	Value
10,857	1-40. Number
415	99. Unknown
25,037	BL. NA, never or unknown if ever used marijuana

N3BQ5UNIT - UNIT OF CONSUMPTION OF COCAINE/CRACK USUALLY USED IN A DAY IN THE LAST 12 MONTHS

Type: Numeric

N	Value
148	1. GRAM(S)
186	2. LINE(S)
57	3. ROCK(S)
28	9. Unknown
35,890	BL. NA, never or unknown if used cocaine/crack in the last 12 months

N3BQ5CONT - AMOUNT OF COCAINE/CRACK USUALLY USED IN A DAY IN THE LAST 12 MONTHS

Type: Numeric

N	Value
390	0-20. Number
29	99. Unknown
35,890	BL. NA, never or unknown if used cocaine/crack in the last 12 months

N3BQ6UNIT - UNIT OF CONSUMPTION OF COCAINE/CRACK USED THE MOST IN A DAY

Type: Numeric

N	Value
1,041	1. GRAM(S)
1,820	2. LINE(S)
290	3. ROCK(S)
392	9. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BQ6CONT - AMOUNT OF COCAINE/CRACK USED THE MOST IN A DAY

Type: Numeric

N	Value
3,152	1-30. Number
391	99. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BQ7A1 - METHOD OF COCAINE/CRACK USE: IV

Type: Numeric

N	Value
193	1. YES
3,286	2. NO
64	9. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BQ7A2 - METHOD OF COCAINE/CRACK USE: INJECTION

Type: Numeric

N	Value
88	1. YES
3,391	2. NO
64	9. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BQ7A3 - METHOD OF COCAINE/CRACK USE: SMOKING, FREEBASING

Type: Numeric

N	Value
958	1. YES
2,521	2. NO
64	9. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BQ7A4 - METHOD OF COCAINE/CRACK USE: SNORTING, SNIFFING, BREATHING

Type: Numeric

N	Value
3,032	1. YES
447	2. NO
64	9. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BQ7A5 - METHOD OF COCAINE/CRACK USE: BY MOUTH, DRINKING

Type: Numeric

N	Value
172	1. YES
3,307	2. NO
64	9. Unknown
32,766	BL. NA, never or unknown if ever used cocaine/crack

N3BQ7A6 - METHOD OF COCAINE/CRACK USE: OTHER METHOD

Type: Numeric

N	Value
33	1. YES
3,446	2. NO
64	9. Unknown
32,766	BL. NA, never or unknown if ever used cocaine

N3BQ7B - USE PRESCRIPTIONS STIMULANTS ON YOUR OWN IN LAST 12 MONTHS

Type: Numeric

N	Value
254	1. YES
152	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in last 12 months

N3BQ7C - USE NON-PRESCRIPTIONS STIMULANTS IN LAST 12 MONTHS

Type: Numeric

N	Value
154	1. YES
252	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in last 12 months

N3BQ7D - USE PRESCRIPTIONS STIMULANTS ON YOUR OWN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
943	1. YES
1,602	2. NO
94	9. Unknown
33,670	BL. NA, did not use stimulants before 12 months ago

N3BQ7E - USE NON-PRESCRIPTIONS STIMULANTS BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
1,277	1. YES
1,272	2. NO
90	9. Unknown
33,670	BL. NA, did not use stimulants before 12 months ago

N3BQ8 - EVER TAKEN ANY MEDICINE OR DRUG ON YOUR OWN BY INJECTION

Type: Numeric

N	Value
441	1. YES
7,312	2. NO
75	9. Unknown
28,481	BL. NA, never or unknown if ever used medicine or drug; only used marijuana and/or inhalants/solvents

N3BQ9 - IN LAST 12 MONTHS, TAKEN ANY MEDICINE OR DRUG ON YOUR OWN BY INJECTION

Type: Numeric

N	Value
61	1. YES
380	2. NO
35,868	BL. NA, never or unknown if ever took any medicine or drug on own by injection

N3BQ10 - IN THE LAST 12 MONTHS, HOW OFTEN INJECTED MEDICINE OR DRUG

Type: Numeric

N	Value
14	1. EVERY DAY
11	2. NEARLY EVERY DAY
4	3. 3 TO 4 TIMES A WEEK
9	4. 1 TO 2 TIMES A WEEK
6	5. 2 TO 3 TIMES A MONTH
1	6. ONCE A MONTH
6	7. 7 TO 11 TIMES IN THE LAST YEAR
5	8. 3 TO 6 TIMES IN THE LAST YEAR
1	9. 2 TIMES IN THE LAST YEAR
4	10. ONCE IN THE LAST YEAR
36,248	BL. NA, did not inject any medicine or drug on own in last 12 months

N3BQ11 - BEFORE 12 MONTHS AGO, TAKEN ANY MEDICINE OR DRUG ON YOUR OWN BY INJECTION

Type: Numeric

N	Value
430	1. YES
11	2. NO
35,868	BL. NA, never or unknown if ever took any medicine or drug on own by injection

N3BQ12 - HOW OFTEN INJECTED MEDICINE OR DRUG WHEN USING THE MOST (BASED ON N3BQ10 IF USED ONLY IN THE LAST 12 MONTHS)

Type: Numeric

N	Value
153	1. EVERY DAY
45	2. NEARLY EVERY DAY
36	3. 3 TO 4 TIMES A WEEK
52	4. 1 TO 2 TIMES A WEEK
25	5. 2 TO 3 TIMES A MONTH
9	6. ONCE A MONTH
8	7. 7 TO 11 TIMES A YEAR
17	8. 3 TO 6 TIMES A YEAR
24	9. 2 TIMES A YEAR
66	10. ONCE A YEAR
6	99. Unknown
35,868	BL. NA, never or unknown if ever took any medicine or drug on own by injection

N3BQ13R - DURATION (WEEKS) OF PERIOD WHEN INJECTING THE MOST

Type: Numeric

N	Value
427	1-2288. Weeks
14	9999. Unknown
35,868	BL. NA, never or unknown if ever took any medicine or drug on own by injection

N3BQ14 - AGE WHEN FIRST INJECTED

Type: Numeric

N	Value
437	10-76. Age
4	99. Unknown
35,868	BL. NA, never or unknown if ever took any medicine or drug on own by injection

N3BQ15 - IN LAST 12 MONTHS DID YOU SHARE A NEEDLE

Type: Numeric

N	Value
13	1. YES
48	2. NO
36,248	BL. NA, did not inject any medicine or drug on own in last 12 months

N3BQ16 - BEFORE 12 MONTHS AGO DID YOU SHARE A NEEDLE

Type: Numeric

N	Value
148	1. YES
276	2. NO
6	9. Unknown
35,879	BL. NA, did not inject any medicine or drug on own before 12 months ago

N3BQ17 - HOW MANY PEOPLE SHARED A NEEDLE OR OTHER INJECTION EQUIPMENT WHEN LAST SHARED

Type: Numeric

N	Value
62	1. 1
43	2. 2
20	3. 3
9	4. 4
9	5. 5 OR MORE
8	9. Unknown
36,158	BL. NA, did not or unknown if ever shared a needle/other injection equipment

SECTION 3C: MEDICINE EXPERIENCES (DUD)

N3CQ1A1 - EVER FOUND THAT USUAL AMOUNT OF MEDICINE/DRUG HAD LESS EFFECT

Type: Numeric

N	Value
3,083	1. YES
9,802	2. NO
162	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B1 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
773	1. YES
4,311	2. NO
37	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
64	1. YES
754	2. NO
9	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
201	1. YES
1,369	2. NO
9	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
463	1. YES
3,217	2. NO
21	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
66	1. YES
350	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
64	1. YES
341	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
20	1. YES
229	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
9	1. YES
210	2. NO
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
6	1. YES
69	2. NO
1	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
26	1. YES
40	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C1 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
106	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D1 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,912	1. YES
9,760	2. NO
161	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E1 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
262	1. YES
2,172	2. NO
52	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E1 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
617	1. YES
3,194	2. NO
67	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E1 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,743	1. YES
9,285	2. NO
127	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E1 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
682	1. YES
2,761	2. NO
55	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E1 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
416	1. YES
2,185	2. NO
38	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E1 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
124	1. YES
1,380	2. NO
18	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E1 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
141	1. YES
2,844	2. NO
38	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E1 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
38	1. YES
946	2. NO
22	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E1 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
144	1. YES
417	2. NO
23	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E1 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
20	1. YES
240	2. NO
7	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A2 - EVER FOUND THAT YOU HAD TO USE MUCH MORE OF MEDICINE/DRUG TO GET EFFECT

Type: Numeric

N	Value
2,829	1. YES
10,088	2. NO
130	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B2 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
743	1. YES
4,344	2. NO
34	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
60	1. YES
755	2. NO
12	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
205	1. YES
1,367	2. NO
7	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
429	1. YES
3,252	2. NO
20	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
66	1. YES
352	2. NO
1	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
61	1. YES
344	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
17	1. YES
232	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
6	1. YES
213	2. NO
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
4	1. YES
71	2. NO
1	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
23	1. YES
43	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C2 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
3	1. YES
108	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D2 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,661	1. YES
10,041	2. NO
131	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E2 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
238	1. YES
2,202	2. NO
46	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E2 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
575	1. YES
3,247	2. NO
56	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E2 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,525	1. YES
9,532	2. NO
98	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E2 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
667	1. YES
2,787	2. NO
44	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E2 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
409	1. YES
2,201	2. NO
29	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E2 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
118	1. YES
1,384	2. NO
20	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E2 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
134	1. YES
2,861	2. NO
28	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E2 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
42	1. YES
944	2. NO
20	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E2 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
143	1. YES
418	2. NO
23	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E2 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
16	1. YES
245	2. NO
6	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A3 - SLEPT MORE THAN USUAL WHEN EFFECTS OF MEDICINES/DRUGS WEARING OFF

Type: Numeric

N	Value
3,366	1. YES
9,482	2. NO
199	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B3 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
815	1. YES
4,271	2. NO
35	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
67	1. YES
750	2. NO
10	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
159	1. YES
1,409	2. NO
11	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
472	1. YES
3,212	2. NO
17	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
88	1. YES
330	2. NO
1	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
75	1. YES
331	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
33	1. YES
216	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
17	1. YES
202	2. NO
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
6	1. YES
68	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
14	1. YES
53	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C3 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
108	2. NO
1	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D3 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
3,229	1. YES
9,406	2. NO
198	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E3 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
287	1. YES
2,129	2. NO
70	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E3 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
476	1. YES
3,324	2. NO
78	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E3 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,706	1. YES
9,282	2. NO
167	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E3 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
729	1. YES
2,698	2. NO
71	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E3 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
550	1. YES
2,036	2. NO
53	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E3 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
217	1. YES
1,277	2. NO
28	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E3 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
224	1. YES
2,746	2. NO
53	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E3 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
33	1. YES
946	2. NO
27	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E3 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
83	1. YES
479	2. NO
22	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E3 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
11	1. YES
250	2. NO
6	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A4 - FELT WEAK OR TIRED

Type: Numeric

N	Value
4,298	1. YES
8,574	2. NO
175	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B4 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,181	1. YES
3,910	2. NO
30	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
113	1. YES
703	2. NO
11	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
301	1. YES
1,267	2. NO
11	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
613	1. YES
3,072	2. NO
16	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
109	1. YES
309	2. NO
1	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
101	1. YES
305	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
55	1. YES
193	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
21	1. YES
197	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
6	1. YES
69	2. NO
1	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
26	1. YES
40	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C4 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
16	1. YES
93	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D4 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,083	1. YES
8,575	2. NO
175	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E4 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
388	1. YES
2,021	2. NO
77	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E4 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
700	1. YES
3,091	2. NO
87	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E4 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
2,093	1. YES
8,906	2. NO
156	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E4 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
877	1. YES
2,551	2. NO
70	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E4 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
655	1. YES
1,929	2. NO
55	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E4 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
280	1. YES
1,217	2. NO
25	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E4 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
276	1. YES
2,687	2. NO
60	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E4 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
39	1. YES
935	2. NO
32	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E4 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
148	1. YES
418	2. NO
18	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E4 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
26	1. YES
233	2. NO
8	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A5 - FELT DEPRESSED

Type: Numeric

N	Value
2,675	1. YES
10,216	2. NO
156	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B5 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
707	1. YES
4,366	2. NO
48	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
100	1. YES
698	2. NO
29	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
193	1. YES
1,357	2. NO
29	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
281	1. YES
3,395	2. NO
25	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
92	1. YES
322	2. NO
5	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
68	1. YES
332	2. NO
8	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
37	1. YES
211	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
12	1. YES
204	2. NO
3	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
4	1. YES
69	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
24	1. YES
42	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C5 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
12	1. YES
98	2. NO
1	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D5 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,539	1. YES
10,136	2. NO
158	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E5 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
323	1. YES
2,060	2. NO
103	9. Unknown
33,823	BL. NA, did not use sedatives /tranquilizers prior to last 12 months

N3CD2Q1E5 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
465	1. YES
3,286	2. NO
127	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E5 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
900	1. YES
10,066	2. NO
189	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E5 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
821	1. YES
2,579	2. NO
98	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E5 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
450	1. YES
2,109	2. NO
80	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E5 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
213	1. YES
1,277	2. NO
32	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E5 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
172	1. YES
2,771	2. NO
80	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E5 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
34	1. YES
937	2. NO
35	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E5 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
137	1. YES
422	2. NO
25	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E5 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
19	1. YES
238	2. NO
10	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A6 - FOUND HEART BEATING FAST

Type: Numeric

N	Value
2,427	1. YES
10,372	2. NO
248	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B6 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
460	1. YES
4,616	2. NO
45	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
38	1. YES
773	2. NO
16	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
92	1. YES
1,470	2. NO
17	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
165	1. YES
3,512	2. NO
24	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
96	1. YES
321	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
72	1. YES
332	2. NO
4	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
36	1. YES
213	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
9	1. YES
206	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
5	1. YES
69	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
8	1. YES
59	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C6 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
4	1. YES
102	2. NO
5	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D6 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,329	1. YES
10,259	2. NO
245	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E6 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
130	1. YES
2,271	2. NO
85	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E6 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
251	1. YES
3,529	2. NO
98	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E6 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
687	1. YES
10,261	2. NO
207	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E6 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
937	1. YES
2,468	2. NO
93	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E6 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
522	1. YES
2,034	2. NO
83	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E6 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
194	1. YES
1,297	2. NO
31	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E6 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
144	1. YES
2,806	2. NO
73	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E6 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
37	1. YES
927	2. NO
42	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E6 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
81	1. YES
476	2. NO
27	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E6 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
17	1. YES
237	2. NO
13	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A7 - HAD NAUSEA OR VOMITING

Type: Numeric

N	Value
1,504	1. YES
11,410	2. NO
133	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B7 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
287	1. YES
4,808	2. NO
26	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
30	1. YES
785	2. NO
12	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
119	1. YES
1,452	2. NO
8	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
62	1. YES
3,623	2. NO
16	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
36	1. YES
379	2. NO
4	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
18	1. YES
387	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
18	1. YES
230	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
7	1. YES
210	2. NO
2	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
72	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
25	1. YES
41	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C7 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
105	2. NO
1	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D7 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,424	1. YES
11,276	2. NO
133	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E7 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
104	1. YES
2,314	2. NO
68	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E7 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
422	1. YES
3,376	2. NO
80	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E7 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
334	1. YES
10,709	2. NO
112	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E7 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
292	1. YES
3,145	2. NO
61	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E7 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
172	1. YES
2,417	2. NO
50	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E7 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
136	1. YES
1,363	2. NO
23	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E7 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
136	1. YES
2,842	2. NO
45	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E7 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
22	1. YES
956	2. NO
28	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E7 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
177	1. YES
383	2. NO
24	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E7 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
12	1. YES
246	2. NO
9	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A8 - YAWNED A LOT

Type: Numeric

N	Value
2,661	1. YES
9,965	2. NO
421	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B8 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
772	1. YES
4,256	2. NO
93	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
56	1. YES
732	2. NO
39	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
141	1. YES
1,404	2. NO
34	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
519	1. YES
3,124	2. NO
58	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
40	1. YES
372	2. NO
7	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
44	1. YES
349	2. NO
15	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
19	1. YES
227	2. NO
3	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
14	1. YES
201	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
71	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
17	1. YES
48	2. NO
2	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C8 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
4	1. YES
103	2. NO
4	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D8 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,540	1. YES
9,871	2. NO
422	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E8 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
194	1. YES
2,163	2. NO
129	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E8 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
352	1. YES
3,372	2. NO
154	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E8 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,572	1. YES
9,200	2. NO
383	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E8 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
307	1. YES
3,024	2. NO
167	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E8 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
284	1. YES
2,222	2. NO
133	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E8 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
97	1. YES
1,368	2. NO
57	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E8 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
96	1. YES
2,778	2. NO
149	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E8 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
15	1. YES
924	2. NO
67	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E8 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
96	1. YES
444	2. NO
44	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E8 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
7	1. YES
242	2. NO
18	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A9 - HAD RUNNY EYES OR RUNNY NOSE

Type: Numeric

N	Value
1,402	1. YES
11,404	2. NO
241	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B9 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
296	1. YES
4,781	2. NO
44	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
19	1. YES
792	2. NO
16	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
72	1. YES
1,487	2. NO
20	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
93	1. YES
3,583	2. NO
25	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
69	1. YES
347	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
21	1. YES
380	2. NO
7	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
14	1. YES
233	2. NO
2	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
6	1. YES
209	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
5	1. YES
67	2. NO
4	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
27	1. YES
40	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C9 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
104	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D9 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,360	1. YES
11,233	2. NO
240	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E9 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
42	1. YES
2,357	2. NO
87	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E9 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
156	1. YES
3,614	2. NO
108	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E9 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
258	1. YES
10,702	2. NO
195	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E9 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
762	1. YES
2,634	2. NO
102	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E9 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
150	1. YES
2,412	2. NO
77	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E9 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
44	1. YES
1,442	2. NO
36	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E9 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
37	1. YES
2,903	2. NO
83	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E9 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
12	1. YES
958	2. NO
36	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E9 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
130	1. YES
424	2. NO
30	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E9 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
4	1. YES
250	2. NO
13	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A10 - ATE MORE THAN USUAL OR GAINED WEIGHT

Type: Numeric

N	Value
3,913	1. YES
8,982	2. NO
152	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B10 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
969	1. YES
4,119	2. NO
33	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
34	1. YES
777	2. NO
16	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
72	1. YES
1,494	2. NO
13	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
825	1. YES
2,861	2. NO
15	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
19	1. YES
395	2. NO
5	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
27	1. YES
374	2. NO
7	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
2	1. YES
246	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
215	2. NO
3	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
73	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
9	1. YES
58	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C10 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
15	1. YES
95	2. NO
1	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D10 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
3,751	1. YES
8,930	2. NO
152	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E10 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
85	1. YES
2,331	2. NO
70	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E10 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
165	1. YES
3,631	2. NO
82	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E10 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
3,303	1. YES
7,727	2. NO
125	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E10 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
140	1. YES
3,292	2. NO
66	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E10 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
146	1. YES
2,450	2. NO
43	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E10 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
23	1. YES
1,479	2. NO
20	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E10 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
21	1. YES
2,959	2. NO
43	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E10 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
6	1. YES
976	2. NO
24	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E10 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
32	1. YES
533	2. NO
19	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E10 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
33	1. YES
225	2. NO
9	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A11 - FELT ANXIOUS OR NERVOUS

Type: Numeric

N	Value
3,157	1. YES
9,737	2. NO
153	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B11 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
728	1. YES
4,347	2. NO
46	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
79	1. YES
722	2. NO
26	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
148	1. YES
1,404	2. NO
27	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
340	1. YES
3,335	2. NO
26	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
92	1. YES
323	2. NO
4	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
82	1. YES
322	2. NO
4	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
20	1. YES
226	2. NO
3	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
17	1. YES
200	2. NO
2	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
5	1. YES
68	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
19	1. YES
48	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C11 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
11	1. YES
97	2. NO
3	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D11 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
3,037	1. YES
9,642	2. NO
154	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E11 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
228	1. YES
2,169	2. NO
89	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E11 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
384	1. YES
3,388	2. NO
106	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E11 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,341	1. YES
9,668	2. NO
146	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E11 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
926	1. YES
2,495	2. NO
77	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E11 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
599	1. YES
1,977	2. NO
63	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E11 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
173	1. YES
1,325	2. NO
24	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E11 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
253	1. YES
2,718	2. NO
52	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E11 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
39	1. YES
936	2. NO
31	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E11 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
110	1. YES
453	2. NO
21	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E11 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
16	1. YES
237	2. NO
14	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A12 - HAD MUSCLE ACHES OR CRAMPS

Type: Numeric

N	Value
1,328	1. YES
11,549	2. NO
170	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B12 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
401	1. YES
4,681	2. NO
39	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
40	1. YES
768	2. NO
19	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
179	1. YES
1,382	2. NO
18	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
82	1. YES
3,597	2. NO
22	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
48	1. YES
367	2. NO
4	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
51	1. YES
352	2. NO
5	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
20	1. YES
228	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
5	1. YES
213	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
72	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
24	1. YES
43	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C12 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
104	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D12 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,251	1. YES
11,413	2. NO
169	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E12 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
81	1. YES
2,326	2. NO
79	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E12 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
393	1. YES
3,396	2. NO
89	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E12 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
152	1. YES
10,865	2. NO
138	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E12 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
313	1. YES
3,117	2. NO
68	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E12 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
285	1. YES
2,292	2. NO
62	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E12 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
102	1. YES
1,401	2. NO
19	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E12 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
113	1. YES
2,856	2. NO
54	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E12 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
17	1. YES
963	2. NO
26	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E12 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
137	1. YES
425	2. NO
22	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E12 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
8	1. YES
248	2. NO
11	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A13 - HAD A FEVER

Type: Numeric

N	Value
551	1. YES
12,314	2. NO
182	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B13 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
113	1. YES
4,963	2. NO
45	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
13	1. YES
796	2. NO
18	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
46	1. YES
1,510	2. NO
23	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
22	1. YES
3,655	2. NO
24	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
14	1. YES
404	2. NO
1	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
9	1. YES
392	2. NO
7	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
8	1. YES
238	2. NO
3	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
214	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
72	2. NO
4	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
9	1. YES
56	2. NO
2	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C13 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
7	1. YES
100	2. NO
4	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D13 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
509	1. YES
12,142	2. NO
182	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E13 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
28	1. YES
2,362	2. NO
96	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E13 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
158	1. YES
3,597	2. NO
123	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E13 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
79	1. YES
10,919	2. NO
157	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E13 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
112	1. YES
3,292	2. NO
94	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E13 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
73	1. YES
2,493	2. NO
73	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E13 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
31	1. YES
1,458	2. NO
33	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E13 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
27	1. YES
2,931	2. NO
65	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E13 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
6	1. YES
967	2. NO
33	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E13 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
75	1. YES
477	2. NO
32	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E13 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
243	2. NO
19	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A14 - BECAME VERY RESTLESS

Type: Numeric

N	Value
2,167	1. YES
10,729	2. NO
151	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B14 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
455	1. YES
4,630	2. NO
36	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
41	1. YES
769	2. NO
17	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
117	1. YES
1,443	2. NO
19	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
146	1. YES
3,534	2. NO
21	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
74	1. YES
343	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
70	1. YES
331	2. NO
7	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
26	1. YES
219	2. NO
4	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
9	1. YES
205	2. NO
5	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
4	1. YES
68	2. NO
4	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
20	1. YES
46	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C14 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
6	1. YES
102	2. NO
3	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D14 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,068	1. YES
10,613	2. NO
152	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E14 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
103	1. YES
2,303	2. NO
80	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E14 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
300	1. YES
3,487	2. NO
91	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E14 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
488	1. YES
10,544	2. NO
123	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E14 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
774	1. YES
2,657	2. NO
67	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E14 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
515	1. YES
2,064	2. NO
60	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E14 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
155	1. YES
1,342	2. NO
25	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E14 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
158	1. YES
2,816	2. NO
49	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E14 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
22	1. YES
955	2. NO
29	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E14 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
112	1. YES
451	2. NO
21	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E14 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
16	1. YES
240	2. NO
11	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A15 - MOVED OR TALKED MUCH MORE SLOWLY THAN USUAL

Type: Numeric

N	Value
2,160	1. YES
10,610	2. NO
277	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B15 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
510	1. YES
4,547	2. NO
64	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
52	1. YES
757	2. NO
18	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
91	1. YES
1,460	2. NO
28	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
334	1. YES
3,330	2. NO
37	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
30	1. YES
386	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
23	1. YES
380	2. NO
5	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
17	1. YES
230	2. NO
2	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
11	1. YES
206	2. NO
2	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
3	1. YES
67	2. NO
6	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
19	1. YES
48	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C15 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
3	1. YES
107	2. NO
1	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D15 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,076	1. YES
10,482	2. NO
275	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E15 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
180	1. YES
2,222	2. NO
84	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E15 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
279	1. YES
3,498	2. NO
101	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E15 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,348	1. YES
9,584	2. NO
223	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E15 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
257	1. YES
3,147	2. NO
94	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E15 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
161	1. YES
2,396	2. NO
82	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E15 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
85	1. YES
1,410	2. NO
27	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E15 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
113	1. YES
2,828	2. NO
82	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E15 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
22	1. YES
950	2. NO
34	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E15 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
90	1. YES
470	2. NO
24	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E15 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
12	1. YES
248	2. NO
7	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A16 - FOUND YOUR PUPILS DILATING OR HAIR STANDING UP

Type: Numeric

N	Value
2,201	1. YES
10,462	2. NO
384	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B16 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
434	1. YES
4,600	2. NO
87	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
23	1. YES
783	2. NO
21	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
60	1. YES
1,495	2. NO
24	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
237	1. YES
3,406	2. NO
58	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
62	1. YES
351	2. NO
6	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
52	1. YES
353	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
58	1. YES
188	2. NO
3	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
30	1. YES
185	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
6	1. YES
65	2. NO
5	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
15	1. YES
51	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C16 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
109	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D16 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,138	1. YES
10,312	2. NO
383	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E16 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
79	1. YES
2,295	2. NO
112	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E16 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
198	1. YES
3,544	2. NO
136	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E16 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
896	1. YES
9,926	2. NO
333	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E16 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
599	1. YES
2,746	2. NO
153	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E16 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
433	1. YES
2,091	2. NO
115	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E16 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
285	1. YES
1,196	2. NO
41	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E16 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
360	1. YES
2,534	2. NO
129	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E16 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
29	1. YES
924	2. NO
53	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E16 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
83	1. YES
464	2. NO
37	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E16 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
254	2. NO
12	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A17 - HAD UNPLEASANT DREAMS THAT SEEMED REAL

Type: Numeric

N	Value
1,742	1. YES
11,094	2. NO
211	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B17 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
457	1. YES
4,596	2. NO
68	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
57	1. YES
744	2. NO
26	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
104	1. YES
1,443	2. NO
32	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
222	1. YES
3,433	2. NO
46	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
35	1. YES
376	2. NO
8	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
39	1. YES
357	2. NO
12	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
11	1. YES
233	2. NO
5	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
17	1. YES
199	2. NO
3	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
70	2. NO
4	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
16	1. YES
51	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C17 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
8	1. YES
101	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D17 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,641	1. YES
10,978	2. NO
214	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E17 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
145	1. YES
2,222	2. NO
119	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E17 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
278	1. YES
3,464	2. NO
136	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E17 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
585	1. YES
10,356	2. NO
214	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E17 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
352	1. YES
3,029	2. NO
117	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E17 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
210	1. YES
2,334	2. NO
95	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E17 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
89	1. YES
1,384	2. NO
49	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E17 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
256	1. YES
2,679	2. NO
88	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E17 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
19	1. YES
943	2. NO
44	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E17 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
85	1. YES
467	2. NO
32	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E17 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
12	1. YES
242	2. NO
13	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A18 - SAW, FELT, OR HEARD THINGS THAT WEREN'T THERE

Type: Numeric

N	Value
1,489	1. YES
11,394	2. NO
164	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B18 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
213	1. YES
4,873	2. NO
35	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
14	1. YES
798	2. NO
15	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
28	1. YES
1,537	2. NO
14	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
99	1. YES
3,582	2. NO
20	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
21	1. YES
396	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
26	1. YES
379	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
11	1. YES
236	2. NO
2	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
24	1. YES
191	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
73	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
5	1. YES
61	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C18 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
109	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D18 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,435	1. YES
11,234	2. NO
164	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E18 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
59	1. YES
2,355	2. NO
72	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E18 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
85	1. YES
3,713	2. NO
80	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E18 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
435	1. YES
10,598	2. NO
122	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E18 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
283	1. YES
3,153	2. NO
62	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E18 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
232	1. YES
2,355	2. NO
52	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E18 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
103	1. YES
1,394	2. NO
25	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E18 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
485	1. YES
2,494	2. NO
44	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E18 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
21	1. YES
957	2. NO
28	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E18 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
38	1. YES
523	2. NO
23	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E18 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
256	2. NO
6	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A19 - FELT SHAKY OR HAD SHAKY OR TREMBLING HANDS

Type: Numeric

N	Value
1,606	1. YES
11,286	2. NO
155	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B19 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
330	1. YES
4,756	2. NO
35	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
38	1. YES
772	2. NO
17	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
99	1. YES
1,466	2. NO
14	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
75	1. YES
3,609	2. NO
17	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
49	1. YES
365	2. NO
5	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
64	1. YES
339	2. NO
5	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
21	1. YES
227	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
9	1. YES
208	2. NO
2	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
73	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
16	1. YES
51	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C19 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
104	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D19 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,517	1. YES
11,162	2. NO
154	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E19 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
106	1. YES
2,307	2. NO
73	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E19 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
259	1. YES
3,536	2. NO
83	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E19 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
262	1. YES
10,767	2. NO
126	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E19 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
546	1. YES
2,888	2. NO
64	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E19 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
431	1. YES
2,156	2. NO
52	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E19 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
123	1. YES
1,374	2. NO
25	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E19 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
113	1. YES
2,857	2. NO
53	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E19 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
15	1. YES
963	2. NO
28	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E19 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
92	1. YES
470	2. NO
22	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E19 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
10	1. YES
249	2. NO
8	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A20 - HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP

Type: Numeric

N	Value
2,499	1. YES
10,393	2. NO
155	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B20 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
633	1. YES
4,437	2. NO
51	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
86	1. YES
714	2. NO
27	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
164	1. YES
1,390	2. NO
25	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
208	1. YES
3,468	2. NO
25	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
95	1. YES
317	2. NO
7	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
76	1. YES
324	2. NO
8	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
46	1. YES
199	2. NO
4	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
20	1. YES
195	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
71	2. NO
4	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
23	1. YES
43	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C20 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
13	1. YES
93	2. NO
5	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D20 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,391	1. YES
10,283	2. NO
159	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E20 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
164	1. YES
2,227	2. NO
95	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E20 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
343	1. YES
3,426	2. NO
109	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E20 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
479	1. YES
10,536	2. NO
140	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E20 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
917	1. YES
2,505	2. NO
76	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E20 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
606	1. YES
1,974	2. NO
59	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E20 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
211	1. YES
1,283	2. NO
28	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E20 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
300	1. YES
2,669	2. NO
54	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E20 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
12	1. YES
961	2. NO
33	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E20 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
103	1. YES
457	2. NO
24	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E20 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
4	1. YES
242	2. NO
21	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A21 - HAD FITS OR SEIZURES

Type: Numeric

N	Value
163	1. YES
12,764	2. NO
120	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B21 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
29	1. YES
5,076	2. NO
16	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
8	1. YES
812	2. NO
7	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
8	1. YES
1,567	2. NO
4	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
8	1. YES
3,685	2. NO
8	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
1	1. YES
417	2. NO
1	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
5	1. YES
401	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
1	1. YES
248	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
217	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
74	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
67	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C21 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
109	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D21 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
155	1. YES
12,559	2. NO
119	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E21 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
18	1. YES
2,422	2. NO
46	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E21 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
28	1. YES
3,796	2. NO
54	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E21 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
23	1. YES
11,055	2. NO
77	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E21 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
49	1. YES
3,409	2. NO
40	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E21 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
30	1. YES
2,577	2. NO
32	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E21 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
7	1. YES
1,502	2. NO
13	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E21 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
13	1. YES
2,986	2. NO
24	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E21 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
984	2. NO
20	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E21 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
25	1. YES
544	2. NO
15	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E21 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
3	1. YES
258	2. NO
6	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A22 - BECAME MORE IRRITABLE THAN USUAL

Type: Numeric

N	Value
2,318	1. YES
10,582	2. NO
147	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B22 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
574	1. YES
4,513	2. NO
34	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
58	1. YES
756	2. NO
13	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
161	1. YES
1,402	2. NO
16	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
251	1. YES
3,429	2. NO
21	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
76	1. YES
340	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
70	1. YES
334	2. NO
4	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
28	1. YES
218	2. NO
3	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
8	1. YES
209	2. NO
2	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
5	1. YES
68	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
25	1. YES
42	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C22 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
7	1. YES
102	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D22 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,219	1. YES
10,467	2. NO
147	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E22 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
210	1. YES
2,200	2. NO
76	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E22 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
438	1. YES
3,354	2. NO
86	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E22 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
717	1. YES
10,314	2. NO
124	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E22 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
786	1. YES
2,646	2. NO
66	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E22 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
559	1. YES
2,021	2. NO
59	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E22 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
135	1. YES
1,363	2. NO
24	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E22 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
141	1. YES
2,828	2. NO
54	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E22 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
38	1. YES
936	2. NO
32	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E22 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
135	1. YES
429	2. NO
20	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E22 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
18	1. YES
237	2. NO
12	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A23 - ATE LESS THAN USUAL OR LOST WEIGHT

Type: Numeric

N	Value
2,068	1. YES
10,840	2. NO
139	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B23 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
409	1. YES
4,683	2. NO
29	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
33	1. YES
785	2. NO
9	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
121	1. YES
1,446	2. NO
12	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
123	1. YES
3,560	2. NO
18	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
59	1. YES
358	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
78	1. YES
327	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
24	1. YES
225	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
8	1. YES
210	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
3	1. YES
70	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
17	1. YES
48	2. NO
2	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C23 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
107	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D23 - HAPPENED PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,948	1. YES
10,744	2. NO
141	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E23 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
104	1. YES
2,313	2. NO
69	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E23 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
296	1. YES
3,502	2. NO
80	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E23 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
325	1. YES
10,720	2. NO
110	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E23 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
827	1. YES
2,616	2. NO
55	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E23 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
586	1. YES
2,006	2. NO
47	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E23 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
137	1. YES
1,364	2. NO
21	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E23 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
105	1. YES
2,878	2. NO
40	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E23 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
18	1. YES
964	2. NO
24	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E23 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
113	1. YES
448	2. NO
23	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E23 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
10	1. YES
249	2. NO
8	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A24 - FELT ANGRY, COMBATIVE OR AGGRESSIVE

Type: Numeric

N	Value
1,436	1. YES
11,479	2. NO
132	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B24 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
335	1. YES
4,761	2. NO
25	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
30	1. YES
786	2. NO
11	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
96	1. YES
1,474	2. NO
9	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
118	1. YES
3,568	2. NO
15	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
49	1. YES
368	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
57	1. YES
350	2. NO
1	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
20	1. YES
229	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
4	1. YES
212	2. NO
3	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
72	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
15	1. YES
51	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C24 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
109	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D24 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,368	1. YES
11,333	2. NO
132	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E24 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
99	1. YES
2,328	2. NO
59	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E24 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
256	1. YES
3,555	2. NO
67	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E24 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
332	1. YES
10,727	2. NO
96	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E24 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
528	1. YES
2,916	2. NO
54	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E24 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
381	1. YES
2,217	2. NO
41	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E24 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
77	1. YES
1,428	2. NO
17	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E24 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
76	1. YES
2,912	2. NO
35	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E24 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
18	1. YES
969	2. NO
19	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E24 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
92	1. YES
471	2. NO
21	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E24 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
15	1. YES
246	2. NO
6	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A25 - HAD A HEADACHE

Type: Numeric

N	Value
2,641	1. YES
10,193	2. NO
213	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B25 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
683	1. YES
4,384	2. NO
54	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
62	1. YES
742	2. NO
23	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
184	1. YES
1,368	2. NO
27	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
321	1. YES
3,346	2. NO
34	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
76	1. YES
339	2. NO
4	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
72	1. YES
330	2. NO
6	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
38	1. YES
209	2. NO
2	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
13	1. YES
202	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
11	1. YES
61	2. NO
4	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
16	1. YES
51	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C25 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
8	1. YES
100	2. NO
3	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D25 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,520	1. YES
10,099	2. NO
214	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E25 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
183	1. YES
2,190	2. NO
113	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E25 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
488	1. YES
3,263	2. NO
127	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E25 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,096	1. YES
9,851	2. NO
208	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E25 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
616	1. YES
2,767	2. NO
115	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E25 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
436	1. YES
2,105	2. NO
98	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E25 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
210	1. YES
1,273	2. NO
39	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E25 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
199	1. YES
2,727	2. NO
97	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E25 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
83	1. YES
872	2. NO
51	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E25 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
88	1. YES
459	2. NO
37	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E25 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
13	1. YES
234	2. NO
20	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A26 - FOUND YOURSELF SWEATING

Type: Numeric

N	Value
1,771	1. YES
11,082	2. NO
194	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B26 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
431	1. YES
4,646	2. NO
44	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
41	1. YES
765	2. NO
21	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
136	1. YES
1,419	2. NO
24	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
114	1. YES
3,565	2. NO
22	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
74	1. YES
340	2. NO
5	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
57	1. YES
346	2. NO
5	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
37	1. YES
208	2. NO
4	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
13	1. YES
200	2. NO
6	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
6	1. YES
68	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
22	1. YES
45	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C26 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
6	1. YES
102	2. NO
3	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D26 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,685	1. YES
10,953	2. NO
195	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E26 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
101	1. YES
2,300	2. NO
85	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E26 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
338	1. YES
3,439	2. NO
101	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E26 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
311	1. YES
10,683	2. NO
161	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E26 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
618	1. YES
2,789	2. NO
91	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E26 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
413	1. YES
2,149	2. NO
77	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E26 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
206	1. YES
1,286	2. NO
30	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E26 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
137	1. YES
2,809	2. NO
77	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E26 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
18	1. YES
948	2. NO
40	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E26 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
125	1. YES
438	2. NO
21	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E26 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
10	1. YES
244	2. NO
13	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A27 - HAD CHILLS

Type: Numeric

N	Value
1,076	1. YES
11,780	2. NO
191	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B27 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
237	1. YES
4,845	2. NO
39	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
23	1. YES
789	2. NO
15	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
90	1. YES
1,469	2. NO
20	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
53	1. YES
3,630	2. NO
18	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
23	1. YES
393	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
29	1. YES
375	2. NO
4	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
23	1. YES
223	2. NO
3	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
7	1. YES
209	2. NO
3	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
71	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
26	1. YES
41	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C27 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
107	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D27 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,032	1. YES
11,611	2. NO
190	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E27 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
61	1. YES
2,344	2. NO
81	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E27 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
268	1. YES
3,517	2. NO
93	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E27 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
157	1. YES
10,857	2. NO
141	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E27 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
298	1. YES
3,119	2. NO
81	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E27 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
215	1. YES
2,355	2. NO
69	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E27 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
115	1. YES
1,381	2. NO
26	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E27 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
87	1. YES
2,874	2. NO
62	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E27 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
11	1. YES
960	2. NO
35	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E27 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
158	1. YES
404	2. NO
22	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E27 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
254	2. NO
8	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A28 - HAD STOMACH PAIN

Type: Numeric

N	Value
1,031	1. YES
11,862	2. NO
154	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B28 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
274	1. YES
4,809	2. NO
38	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
27	1. YES
780	2. NO
20	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
117	1. YES
1,439	2. NO
23	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
67	1. YES
3,619	2. NO
15	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
23	1. YES
392	2. NO
4	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
24	1. YES
380	2. NO
4	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
17	1. YES
230	2. NO
2	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
13	1. YES
202	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
3	1. YES
70	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
21	1. YES
46	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C28 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
6	1. YES
101	2. NO
4	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D28 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
968	1. YES
11,711	2. NO
154	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E28 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
56	1. YES
2,346	2. NO
84	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E28 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
280	1. YES
3,502	2. NO
96	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E28 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
158	1. YES
10,872	2. NO
125	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E28 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
216	1. YES
3,207	2. NO
75	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E28 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
175	1. YES
2,403	2. NO
61	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E28 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
69	1. YES
1,427	2. NO
26	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E28 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
104	1. YES
2,860	2. NO
59	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E28 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
12	1. YES
964	2. NO
30	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E28 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
123	1. YES
441	2. NO
20	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E28 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
6	1. YES
248	2. NO
13	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1B281 - AT LEAST 2 WITHDRAWAL SYMPTOMS HAPPENED AROUND THE SAME TIME IN THE LAST 12 MONTHS

Type: Numeric

N	Value
917	1. YES
939	2. NO
25	9. Unknown
34,428	BL. NA, less than 2 withdrawal symptoms for any specific drug in the last 12 months

N3CD1Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
74	1. YES
29	2. NO
36,206	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time for sedatives/tranquilizers in the last 12 month did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
205	1. YES
15	2. NO
36,089	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time for NO in the last 12 months; did not use painkillers in the last 12 months

N3CD3Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
475	1. YES
56	2. NO
2	9. Unknown
35,776	BL. NA, less than 2 withdrawal or 2+ withdrawal symptoms that did not happen at around the same time for marijuana in the last 12 months; did not use marijuana in the last 12 months

N3CD4Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
108	1. YES
16	2. NO
36,185	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time for cocaine in the last 12 months; did not use cocaine in the last 12 months

N3CD5Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
83	1. YES
14	2. NO
36,212	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time for stimulants in the last 12 months; did not use stimulants in the last 12 months

N3CD6Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
46	1. YES
11	2. NO
1	9. Unknown
36,251	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time for club drugs in the last 12 months; did not use club drugs in the last 12 months

N3CD7Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
19	1. YES
7	2. NO
36,283	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time for hallucinogens in the last 12 months; did not use hallucinogens in the last 12 months

N3CD8Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
9	1. YES
2	2. NO
36,298	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time for inhalants in the last 12 months; did not use inhalants in the last 12 months

N3CD9Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
30	1. YES
1	2. NO
36,278	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time for heroin in the last 12 months; did not use heroin in the last 12 months

N3CD10Q1C281 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
13	1. YES
3	2. NO
36,293	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time for other drug in the last 12 months; did not use other drug in the last 12 months

N3CQ1D282 - AT LEAST 2 WITHDRAWAL SYMPTOMS HAPPENED AROUND THE SAME TIME PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
3,502	1. YES
2,653	2. NO
160	9. Unknown
29,994	BL. NA, less than 2 withdrawal symptoms for any specific drug prior to last 12 months

N3CD1Q1E282 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
248	1. YES
138	2. NO
6	9. Unknown
35,917	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E282 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
563	1. YES
111	2. NO
4	9. Unknown
35,631	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use painkillers prior to last 12 months

N3CD3Q1E282 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,642	1. YES
423	2. NO
8	9. Unknown
34,236	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use marijuana prior to last 12 months

N3CD4Q1E282 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
962	1. YES
134	2. NO
3	9. Unknown
35,210	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use cocaine prior to last 12 months

N3CD5Q1E282 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
634	1. YES
112	2. NO
7	9. Unknown
35,556	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use stimulants prior to last 12 months

N3CD6Q1E282 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
254	1. YES
81	2. NO
2	9. Unknown
35,972	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use club drugs prior to last 12 months

N3CD7Q1E282 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
272	1. YES
190	2. NO
7	9. Unknown
35,840	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use hallucinogens prior to last 12 months

N3CD8Q1E282 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
45	1. YES
32	2. NO
1	9. Unknown
36,231	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use inhalants prior to last 12 months

N3CD9Q1E282 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
151	1. YES
29	2. NO
36,129	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use heroin prior to last 12 months

N3CD10Q1E282 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
24	1. YES
9	2. NO
36,276	BL. NA, less than 2 withdrawal symptoms or 2+ withdrawal symptoms that did not happen at around the same time prior to last 12 months; did not use other drug prior to last 12 months

N3CQ1A29 - TOOK MORE OF SAME OR SIMILAR DRUG TO GET OVER ANY OF THESE BAD AFTEREFFECTS

Type: Numeric

N	Value
1,215	1. YES
11,708	2. NO
124	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B29 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
303	1. YES
4,795	2. NO
23	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
34	1. YES
784	2. NO
9	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
71	1. YES
1,497	2. NO
11	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
144	1. YES
3,546	2. NO
11	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
31	1. YES
386	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
42	1. YES
363	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
9	1. YES
238	2. NO
2	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
4	1. YES
214	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
72	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
22	1. YES
45	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C29 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
110	2. NO
1	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D29 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,166	1. YES
11,543	2. NO
124	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E29 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
122	1. YES
2,311	2. NO
53	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E29 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
293	1. YES
3,520	2. NO
65	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E29 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
392	1. YES
10,677	2. NO
86	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E29 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
373	1. YES
3,078	2. NO
47	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E29 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
278	1. YES
2,320	2. NO
41	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E29 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
53	1. YES
1,450	2. NO
19	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E29 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
37	1. YES
2,953	2. NO
33	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E29 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
14	1. YES
968	2. NO
24	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E29 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
107	1. YES
460	2. NO
17	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E29 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
3	1. YES
258	2. NO
6	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A30 - MORE THAN ONCE WANTED TO STOP OR CUT DOWN ON USING ANY OF THESE MEDICINES/DRUGS

Type: Numeric

N	Value
4,351	1. YES
8,571	2. NO
125	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B30 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,087	1. YES
4,013	2. NO
21	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
110	1. YES
706	2. NO
11	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
247	1. YES
1,322	2. NO
10	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
661	1. YES
3,032	2. NO
8	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
134	1. YES
282	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
87	1. YES
320	2. NO
1	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
50	1. YES
199	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
23	1. YES
195	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
5	1. YES
69	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
35	1. YES
31	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C30 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
15	1. YES
94	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D30 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,047	1. YES
8,663	2. NO
123	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E30 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
460	1. YES
1,978	2. NO
48	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E30 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
804	1. YES
3,008	2. NO
66	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E30 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
2,469	1. YES
8,601	2. NO
85	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E30 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
1,259	1. YES
2,193	2. NO
46	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E30 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
738	1. YES
1,869	2. NO
32	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E30 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
320	1. YES
1,182	2. NO
20	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E30 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
494	1. YES
2,502	2. NO
27	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E30 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
149	1. YES
839	2. NO
18	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E30 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
225	1. YES
338	2. NO
21	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E30 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
36	1. YES
224	2. NO
7	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A31 - MORE THAN ONCE TRIED TO STOP OR CUT DOWN BUT COULDN'T DO IT

Type: Numeric

N	Value
1,710	1. YES
11,222	2. NO
115	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B31 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
482	1. YES
4,618	2. NO
21	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
54	1. YES
764	2. NO
9	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
124	1. YES
1,447	2. NO
8	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
252	1. YES
3,440	2. NO
9	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
60	1. YES
357	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
36	1. YES
370	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
9	1. YES
240	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
3	1. YES
215	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
6	1. YES
68	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
26	1. YES
41	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C31 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
103	2. NO
3	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D31 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,624	1. YES
11,098	2. NO
111	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E31 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
171	1. YES
2,271	2. NO
44	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E31 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
340	1. YES
3,482	2. NO
56	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E31 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
728	1. YES
10,358	2. NO
69	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E31 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
556	1. YES
2,906	2. NO
36	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E31 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
289	1. YES
2,321	2. NO
29	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E31 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
69	1. YES
1,437	2. NO
16	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E31 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
79	1. YES
2,922	2. NO
22	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E31 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
36	1. YES
951	2. NO
19	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E31 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
141	1. YES
425	2. NO
18	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E31 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
12	1. YES
247	2. NO
8	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A32 - OFTEN USED MEDICINE/DRUG IN LARGER AMOUNTS OR LONGER PERIOD OF TIME THAN INTENDED

Type: Numeric

N	Value
1,992	1. YES
10,942	2. NO
113	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B32 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
439	1. YES
4,660	2. NO
22	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
35	1. YES
783	2. NO
9	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
111	1. YES
1,460	2. NO
8	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
208	1. YES
3,481	2. NO
12	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
67	1. YES
351	2. NO
1	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
40	1. YES
366	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
12	1. YES
237	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
5	1. YES
213	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
3	1. YES
71	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
25	1. YES
42	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C32 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
110	2. NO
1	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D32 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,915	1. YES
10,809	2. NO
109	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E32 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
162	1. YES
2,278	2. NO
46	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E32 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
409	1. YES
3,412	2. NO
57	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E32 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
768	1. YES
10,317	2. NO
70	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E32 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
722	1. YES
2,736	2. NO
40	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E32 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
368	1. YES
2,236	2. NO
35	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E32 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
96	1. YES
1,407	2. NO
19	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E32 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
98	1. YES
2,897	2. NO
28	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E32 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
26	1. YES
961	2. NO
19	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E32 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
141	1. YES
424	2. NO
19	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E32 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
6	1. YES
255	2. NO
6	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A33 - HAD A PERIOD WHEN SPENT A LOT OF TIME USING MEDICINE/DRUG OR GETTING OVER ITS BAD
AFTEREFFECTS

Type: Numeric

N	Value
1,590	1. YES
11,321	2. NO
136	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B33 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
310	1. YES
4,779	2. NO
32	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
27	1. YES
785	2. NO
15	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
78	1. YES
1,485	2. NO
16	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
141	1. YES
3,545	2. NO
15	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
53	1. YES
364	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
31	1. YES
374	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
12	1. YES
236	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
4	1. YES
214	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
71	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
24	1. YES
42	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C33 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
107	2. NO
2	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D33 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,557	1. YES
11,144	2. NO
132	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E33 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
138	1. YES
2,292	2. NO
56	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E33 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
309	1. YES
3,499	2. NO
70	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E33 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
608	1. YES
10,463	2. NO
84	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E33 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
544	1. YES
2,906	2. NO
48	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E33 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
350	1. YES
2,247	2. NO
42	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E33 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
94	1. YES
1,408	2. NO
20	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E33 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
85	1. YES
2,907	2. NO
31	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E33 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
27	1. YES
958	2. NO
21	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E33 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
140	1. YES
424	2. NO
20	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E33 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
6	1. YES
254	2. NO
7	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A34 - HAD A PERIOD WHEN SPENT A LOT OF TIME ENSURING DRUG AVAILABILITY

Type: Numeric

N	Value
2,186	1. YES
10,749	2. NO
112	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B34 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
624	1. YES
4,472	2. NO
25	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
55	1. YES
761	2. NO
11	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
141	1. YES
1,428	2. NO
10	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
392	1. YES
3,294	2. NO
15	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
38	1. YES
379	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
36	1. YES
370	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
6	1. YES
243	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
217	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
73	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
27	1. YES
38	2. NO
2	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C34 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
10	1. YES
101	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D34 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,108	1. YES
10,615	2. NO
110	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E34 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
157	1. YES
2,284	2. NO
45	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E34 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
385	1. YES
3,437	2. NO
56	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E34 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,144	1. YES
9,939	2. NO
72	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E34 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
528	1. YES
2,928	2. NO
42	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E34 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
349	1. YES
2,254	2. NO
36	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E34 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
66	1. YES
1,438	2. NO
18	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E34 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
65	1. YES
2,928	2. NO
30	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E34 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
19	1. YES
967	2. NO
20	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E34 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
154	1. YES
409	2. NO
21	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E34 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
14	1. YES
248	2. NO
5	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A35 - GAVE UP OR CUT DOWN ON IMPORTANT ACTIVITIES IN ORDER TO USE DRUG

Type: Numeric

N	Value
1,497	1. YES
11,439	2. NO
111	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B35 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
267	1. YES
4,835	2. NO
19	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
19	1. YES
797	2. NO
11	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
62	1. YES
1,508	2. NO
9	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
121	1. YES
3,572	2. NO
8	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
56	1. YES
362	2. NO
1	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
24	1. YES
382	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
7	1. YES
242	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
2	1. YES
216	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
73	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
20	1. YES
46	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C35 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
109	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D35 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,462	1. YES
11,262	2. NO
109	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E35 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
100	1. YES
2,336	2. NO
50	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E35 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
251	1. YES
3,566	2. NO
61	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E35 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
581	1. YES
10,500	2. NO
74	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E35 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
557	1. YES
2,897	2. NO
44	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E35 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
293	1. YES
2,314	2. NO
32	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E35 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
62	1. YES
1,443	2. NO
17	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E35 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
78	1. YES
2,917	2. NO
28	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E35 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
22	1. YES
964	2. NO
20	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E35 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
135	1. YES
428	2. NO
21	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E35 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
11	1. YES
252	2. NO
4	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A36 - GAVE UP OR CUT DOWN ON INTERESTING ACTIVITIES IN ORDER TO USE DRUG

Type: Numeric

N	Value
1,288	1. YES
11,648	2. NO
111	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B36 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
234	1. YES
4,866	2. NO
21	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
11	1. YES
805	2. NO
11	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
49	1. YES
1,522	2. NO
8	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
101	1. YES
3,590	2. NO
10	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
51	1. YES
365	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
21	1. YES
386	2. NO
1	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
6	1. YES
243	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
217	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
72	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
16	1. YES
51	2. NO
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C36 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
4	1. YES
107	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D36 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,262	1. YES
11,463	2. NO
108	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E36 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
96	1. YES
2,344	2. NO
46	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E36 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
219	1. YES
3,601	2. NO
58	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E36 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
488	1. YES
10,596	2. NO
71	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E36 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
515	1. YES
2,940	2. NO
43	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E36 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
263	1. YES
2,344	2. NO
32	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E36 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
50	1. YES
1,455	2. NO
17	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E36 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
65	1. YES
2,931	2. NO
27	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E36 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
18	1. YES
968	2. NO
20	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E36 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
123	1. YES
441	2. NO
20	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E36 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
10	1. YES
253	2. NO
4	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A37 - CONTINUED TO USE MEDICINE/DRUG EVEN THOUGH YOU KNEW IT WAS MAKING YOU FEEL DEPRESSED, UNINTERESTED IN THINGS OR SUSPICIOUS OF OTHER PEOPLE

Type: Numeric

N	Value
1,776	1. YES
11,152	2. NO
119	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B37 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
364	1. YES
4,729	2. NO
28	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
28	1. YES
782	2. NO
17	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
74	1. YES
1,492	2. NO
13	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
178	1. YES
3,510	2. NO
13	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
66	1. YES
350	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
40	1. YES
367	2. NO
1	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
14	1. YES
235	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
3	1. YES
214	2. NO
2	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
73	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
20	1. YES
46	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C37 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
110	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D37 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,722	1. YES
10,993	2. NO
118	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E37 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
128	1. YES
2,304	2. NO
54	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E37 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
270	1. YES
3,540	2. NO
68	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E37 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
731	1. YES
10,349	2. NO
75	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E37 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
629	1. YES
2,825	2. NO
44	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E37 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
340	1. YES
2,264	2. NO
35	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E37 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
85	1. YES
1,418	2. NO
19	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E37 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
76	1. YES
2,917	2. NO
30	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E37 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
20	1. YES
966	2. NO
20	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E37 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
130	1. YES
433	2. NO
21	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E37 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
257	2. NO
5	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A38 - CONTINUED TO USE MEDICINE/DRUG EVEN THOUGH KNEW IT WAS CAUSING HEALTH PROBLEM

Type: Numeric

N	Value
1,734	1. YES
11,194	2. NO
119	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B38 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
417	1. YES
4,678	2. NO
26	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
26	1. YES
787	2. NO
14	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
73	1. YES
1,497	2. NO
9	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
222	1. YES
3,466	2. NO
13	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
71	1. YES
345	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
39	1. YES
368	2. NO
1	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
17	1. YES
231	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
5	1. YES
213	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
5	1. YES
69	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
23	1. YES
43	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C38 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
4	1. YES
107	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D38 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,683	1. YES
11,032	2. NO
118	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E38 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
141	1. YES
2,294	2. NO
51	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E38 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
300	1. YES
3,512	2. NO
66	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E38 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
727	1. YES
10,347	2. NO
81	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E38 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
606	1. YES
2,845	2. NO
47	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E38 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
351	1. YES
2,251	2. NO
37	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E38 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
95	1. YES
1,406	2. NO
21	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E38 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
113	1. YES
2,876	2. NO
34	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E38 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
42	1. YES
943	2. NO
21	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E38 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
134	1. YES
431	2. NO
19	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E38 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
13	1. YES
249	2. NO
5	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A39 - FELT A VERY STRONG URGE OR DESIRE TO USE A MEDICINE/DRUG

Type: Numeric

N	Value
2,918	1. YES
10,020	2. NO
109	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B39 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
934	1. YES
4,162	2. NO
25	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
63	1. YES
749	2. NO
15	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
148	1. YES
1,421	2. NO
10	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
645	1. YES
3,042	2. NO
14	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
95	1. YES
320	2. NO
4	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
64	1. YES
342	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
19	1. YES
229	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
14	1. YES
204	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
4	1. YES
70	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
36	1. YES
30	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C39 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
110	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D39 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
2,813	1. YES
9,912	2. NO
108	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E39 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
217	1. YES
2,221	2. NO
48	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E39 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
441	1. YES
3,375	2. NO
62	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E39 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,513	1. YES
9,570	2. NO
72	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E39 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
868	1. YES
2,585	2. NO
45	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E39 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
488	1. YES
2,118	2. NO
33	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E39 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
116	1. YES
1,386	2. NO
20	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E39 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
130	1. YES
2,863	2. NO
30	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E39 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
32	1. YES
953	2. NO
21	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E39 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
173	1. YES
392	2. NO
19	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E39 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
10	1. YES
253	2. NO
4	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A40 - WANTED A MEDICINE/DRUG SO BADLY YOU COULDN'T THINK OF ANYTHING ELSE

Type: Numeric

N	Value
1,366	1. YES
11,574	2. NO
107	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B40 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
325	1. YES
4,776	2. NO
20	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
24	1. YES
789	2. NO
14	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
65	1. YES
1,506	2. NO
8	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
180	1. YES
3,512	2. NO
9	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
40	1. YES
377	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
25	1. YES
381	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
2	1. YES
247	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
2	1. YES
215	2. NO
2	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
74	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
28	1. YES
38	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C40 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
110	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D40 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,336	1. YES
11,392	2. NO
105	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E40 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
98	1. YES
2,343	2. NO
45	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E40 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
255	1. YES
3,568	2. NO
55	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E40 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
492	1. YES
10,600	2. NO
63	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E40 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
505	1. YES
2,955	2. NO
38	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E40 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
261	1. YES
2,352	2. NO
26	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E40 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
42	1. YES
1,463	2. NO
17	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E40 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
41	1. YES
2,958	2. NO
24	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E40 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
12	1. YES
976	2. NO
18	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E40 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
144	1. YES
423	2. NO
17	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E40 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
261	2. NO
4	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A41 - HAD ARGUMENTS WITH FAMILY OR FRIENDS AS A RESULT OF MEDICINE/DRUG USE

Type: Numeric

N	Value
2,031	1. YES
10,909	2. NO
107	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B41 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
376	1. YES
4,726	2. NO
19	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
28	1. YES
786	2. NO
13	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
67	1. YES
1,505	2. NO
7	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
209	1. YES
3,483	2. NO
9	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
58	1. YES
359	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
44	1. YES
362	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
11	1. YES
238	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
7	1. YES
211	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
3	1. YES
71	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
22	1. YES
44	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C41 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
111	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D41 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,977	1. YES
10,751	2. NO
105	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E41 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
150	1. YES
2,284	2. NO
52	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E41 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
323	1. YES
3,494	2. NO
61	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E41 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
938	1. YES
10,147	2. NO
70	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E41 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
662	1. YES
2,794	2. NO
42	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E41 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
391	1. YES
2,215	2. NO
33	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E41 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
93	1. YES
1,411	2. NO
18	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E41 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
106	1. YES
2,889	2. NO
28	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E41 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
32	1. YES
955	2. NO
19	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E41 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
149	1. YES
416	2. NO
19	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E41 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
8	1. YES
254	2. NO
5	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A42 - CONTINUED TO USE MEDICINE/DRUG EVEN THOUGH CAUSING PROBLEM WITH FAMILY/FRIENDS

Type: Numeric

N	Value
1,911	1. YES
11,023	2. NO
113	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B42 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
373	1. YES
4,725	2. NO
23	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
28	1. YES
784	2. NO
15	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
65	1. YES
1,506	2. NO
8	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
202	1. YES
3,487	2. NO
12	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
65	1. YES
351	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
45	1. YES
361	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
10	1. YES
239	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
4	1. YES
214	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
3	1. YES
71	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
23	1. YES
42	2. NO
2	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C42 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
111	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D42 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,862	1. YES
10,860	2. NO
111	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E42 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
145	1. YES
2,292	2. NO
49	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E42 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
314	1. YES
3,508	2. NO
56	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E42 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
852	1. YES
10,229	2. NO
74	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E42 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
661	1. YES
2,796	2. NO
41	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E42 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
386	1. YES
2,221	2. NO
32	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E42 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
80	1. YES
1,423	2. NO
19	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E42 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
99	1. YES
2,895	2. NO
29	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E42 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
34	1. YES
953	2. NO
19	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E42 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
152	1. YES
414	2. NO
18	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E42 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
6	1. YES
257	2. NO
4	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A43 - GOT INTO PHYSICAL FIGHTS WHILE UNDER INFLUENCE OF MEDICINE/DRUG

Type: Numeric

N	Value
902	1. YES
12,033	2. NO
112	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B43 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
97	1. YES
5,001	2. NO
23	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
10	1. YES
804	2. NO
13	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
17	1. YES
1,553	2. NO
9	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
44	1. YES
3,646	2. NO
11	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
23	1. YES
393	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
15	1. YES
390	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
7	1. YES
242	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
217	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
74	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
2	1. YES
63	2. NO
2	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C43 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
111	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D43 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
876	1. YES
11,846	2. NO
111	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E43 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
60	1. YES
2,375	2. NO
51	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E43 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
122	1. YES
3,695	2. NO
61	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E43 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
282	1. YES
10,797	2. NO
76	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E43 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
372	1. YES
3,082	2. NO
44	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E43 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
220	1. YES
2,388	2. NO
31	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E43 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
56	1. YES
1,445	2. NO
21	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E43 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
46	1. YES
2,947	2. NO
30	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E43 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
9	1. YES
977	2. NO
20	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E43 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
64	1. YES
500	2. NO
20	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E43 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
6	1. YES
258	2. NO
3	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A44 - HAD JOB OR SCHOOL PROBLEMS DUE TO MEDICINE/DRUG USE

Type: Numeric

N	Value
1,123	1. YES
11,819	2. NO
105	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B44 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
96	1. YES
5,006	2. NO
19	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
9	1. YES
807	2. NO
11	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
17	1. YES
1,556	2. NO
6	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
43	1. YES
3,650	2. NO
8	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
22	1. YES
394	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
13	1. YES
393	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
6	1. YES
243	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
3	1. YES
215	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
72	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
10	1. YES
55	2. NO
2	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C44 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
111	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D44 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,102	1. YES
11,628	2. NO
103	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E44 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
73	1. YES
2,369	2. NO
44	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E44 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
152	1. YES
3,671	2. NO
55	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E44 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
555	1. YES
10,536	2. NO
64	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E44 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
361	1. YES
3,099	2. NO
38	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E44 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
207	1. YES
2,406	2. NO
26	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E44 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
43	1. YES
1,460	2. NO
19	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E44 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
72	1. YES
2,928	2. NO
23	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E44 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
22	1. YES
966	2. NO
18	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E44 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
79	1. YES
486	2. NO
19	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E44 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
3	1. YES
261	2. NO
3	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A45 - CONTINUED TO USE MEDICINE/DRUG EVEN THOUGH CAUSING PROBLEMS AT SCHOOL/WORK

Type: Numeric

N	Value
1,130	1. YES
11,809	2. NO
108	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B45 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
118	1. YES
4,981	2. NO
22	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
7	1. YES
808	2. NO
12	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
25	1. YES
1,548	2. NO
6	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
58	1. YES
3,632	2. NO
11	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
25	1. YES
390	2. NO
4	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
11	1. YES
395	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
6	1. YES
243	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
3	1. YES
215	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
73	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
11	1. YES
55	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C45 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
110	2. NO
1	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D45 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,118	1. YES
11,609	2. NO
106	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E45 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
73	1. YES
2,369	2. NO
44	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E45 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
163	1. YES
3,663	2. NO
52	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E45 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
548	1. YES
10,542	2. NO
65	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E45 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
384	1. YES
3,076	2. NO
38	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E45 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
217	1. YES
2,396	2. NO
26	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E45 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
46	1. YES
1,458	2. NO
18	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E45 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
72	1. YES
2,930	2. NO
21	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E45 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
21	1. YES
967	2. NO
18	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E45 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
92	1. YES
476	2. NO
16	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E45 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
261	2. NO
4	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A46 - HAD A PERIOD WHEN MEDICINE/DRUG USE INTERFERED WITH TAKING CARE OF FAMILY

Type: Numeric

N	Value
817	1. YES
12,123	2. NO
107	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B46 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
112	1. YES
4,986	2. NO
23	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
10	1. YES
803	2. NO
14	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
37	1. YES
1,533	2. NO
9	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
29	1. YES
3,662	2. NO
10	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
26	1. YES
389	2. NO
4	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
14	1. YES
392	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
1	1. YES
248	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
217	2. NO
1	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
74	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
11	1. YES
54	2. NO
2	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C46 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
110	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D46 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
803	1. YES
11,925	2. NO
105	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E46 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
67	1. YES
2,375	2. NO
44	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E46 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
174	1. YES
3,650	2. NO
54	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E46 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
195	1. YES
10,898	2. NO
62	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E46 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
386	1. YES
3,074	2. NO
38	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E46 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
205	1. YES
2,409	2. NO
25	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E46 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
28	1. YES
1,476	2. NO
18	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E46 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
32	1. YES
2,969	2. NO
22	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E46 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
11	1. YES
978	2. NO
17	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E46 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
95	1. YES
471	2. NO
18	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E46 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
259	2. NO
3	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A47 - MORE THAN ONCE DROVE A VEHICLE WHEN UNDER THE INFLUENCE OF MEDICINE OR DRUG

Type: Numeric

N	Value
4,172	1. YES
8,753	2. NO
122	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B47 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,033	1. YES
4,065	2. NO
23	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
49	1. YES
765	2. NO
13	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
157	1. YES
1,414	2. NO
8	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
801	1. YES
2,889	2. NO
11	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
70	1. YES
344	2. NO
5	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
73	1. YES
332	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
26	1. YES
223	2. NO
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
11	1. YES
206	2. NO
2	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
4	1. YES
70	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
14	1. YES
52	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C47 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
9	1. YES
102	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D47 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
4,064	1. YES
8,648	2. NO
121	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E47 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
326	1. YES
2,102	2. NO
58	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E47 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
633	1. YES
3,179	2. NO
66	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E47 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
3,091	1. YES
7,971	2. NO
93	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E47 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
979	1. YES
2,465	2. NO
54	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E47 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
714	1. YES
1,883	2. NO
42	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E47 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
173	1. YES
1,325	2. NO
24	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E47 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
304	1. YES
2,683	2. NO
36	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E47 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
60	1. YES
921	2. NO
25	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E47 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
155	1. YES
410	2. NO
19	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E47 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
32	1. YES
231	2. NO
4	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ1A48 - FOUND YOURSELF UNDER THE INFLUENCE OF MEDICINE/DRUG IN DANGEROUS SITUATIONS

Type: Numeric

N	Value
1,827	1. YES
11,095	2. NO
125	9. Unknown
23,262	BL. NA, never or unknown if ever used drugs

N3CQ1B48 - HAPPENED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
312	1. YES
4,783	2. NO
26	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CD1Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
24	1. YES
791	2. NO
12	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CD2Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
55	1. YES
1,516	2. NO
8	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CD3Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
220	1. YES
3,468	2. NO
13	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CD4Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
38	1. YES
378	2. NO
3	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CD5Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
24	1. YES
381	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CD6Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
20	1. YES
228	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CD7Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
11	1. YES
205	2. NO
3	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CD8Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
72	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CD9Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
11	1. YES
55	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CD10Q1C48 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
111	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ1D48 - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,796	1. YES
10,914	2. NO
123	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CD1Q1E48 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
172	1. YES
2,264	2. NO
50	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CD2Q1E48 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
305	1. YES
3,512	2. NO
61	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CD3Q1E48 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,137	1. YES
9,935	2. NO
83	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CD4Q1E48 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
552	1. YES
2,901	2. NO
45	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CD5Q1E48 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
366	1. YES
2,235	2. NO
38	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CD6Q1E48 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
125	1. YES
1,377	2. NO
20	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CD7Q1E48 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
233	1. YES
2,759	2. NO
31	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CD8Q1E48 - HAPPENED PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
40	1. YES
944	2. NO
22	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CD9Q1E48 - HAPPENED PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
98	1. YES
466	2. NO
20	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CD10Q1E48 - HAPPENED PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
8	1. YES
254	2. NO
5	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CD1Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH SEDATIVES/TRANQUILIZERS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
321	1. YES
246	2. NO
24	9. Unknown
35,718	BL. NA, did not meet symptom criteria for prior-to-past-year sedative/tranquilizer use disorder

N3CD2Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH PAINKILLERS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
549	1. YES
490	2. NO
39	9. Unknown
35,231	BL. NA, did not meet symptom criteria for prior-to-past-year painkiller use disorder

N3CD3Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH MARIJUANA WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
1,998	1. YES
1,966	2. NO
126	9. Unknown
32,219	BL. NA, did not meet symptom criteria for prior-to-past-year marijuana use disorder

N3CD4Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH COCAINE WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
861	1. YES
725	2. NO
60	9. Unknown
34,663	BL. NA, did not meet symptom criteria for prior-to-past-year cocaine use disorder

N3CD5Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH STIMULANTS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
552	1. YES
427	2. NO
52	9. Unknown
35,278	BL. NA, did not meet symptom criteria for prior-to-past-year stimulant use disorder

N3CD6Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH CLUB DRUGS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
186	1. YES
229	2. NO
12	9. Unknown
35,882	BL. NA, did not meet symptom criteria for prior-to-past-year club drug use disorder

N3CD7Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH HALLUCINOGENS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
219	1. YES
337	2. NO
30	9. Unknown
35,723	BL. NA, did not meet symptom criteria for prior-to-past-year hallucinogen use disorder

N3CD8Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH INHALANTS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
48	1. YES
80	2. NO
10	9. Unknown
36,171	BL. NA, did not meet symptom criteria for prior-to-past-year inhalant use disorder

N3CD9Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH HEROIN WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
148	1. YES
104	2. NO
17	9. Unknown
36,040	BL. NA, did not meet symptom criteria for prior-to-past-year heroin use disorder

N3CD10Q2A - EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH OTHER DRUG WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD

Type: Numeric

N	Value
19	1. YES
26	2. NO
1	9. Unknown
36,263	BL. NA, did not meet symptom criteria for prior-to-past-year other drug use disorder

N3CD1Q2B - AGE AT ONSET OF SEDATIVE/TRANQUILIZER USE DISORDER

Type: Numeric

N	Value
312	10-75. Age
9	99. Unknown
35,988	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year sedative/ tranquilizer use disorder

N3CD2Q2B - AGE AT ONSET OF PAINKILLER USE DISORDER

Type: Numeric

N	Value
533	10-71. Age
16	99. Unknown
35,760	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year painkiller use disorder

N3CD3Q2B - AGE AT ONSET OF MARIJUANA USE DISORDER

Type: Numeric

N	Value
1,967	10-71. Age
31	99. Unknown
34,311	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year marijuana use disorder

N3CD4Q2B - AGE AT ONSET OF COCAINE USE DISORDER

Type: Numeric

N	Value
839	10-56. Age
22	99. Unknown
35,448	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year cocaine use disorder

N3CD5Q2B - AGE AT ONSET OF STIMULANT USE DISORDER

Type: Numeric

N	Value
543	10-57. Age
9	99. Unknown
35,757	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year stimulant use disorder

N3CD6Q2B - AGE AT ONSET OF CLUB DRUG USE DISORDER

Type: Numeric

N	Value
185	14-45. Age
1	99. Unknown
36,123	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year club drug use disorder

N3CD7Q2B - AGE AT ONSET OF HALLUCINOGEN USE DISORDER

Type: Numeric

N	Value
217	10-35. Age
2	99. Unknown
36,090	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year hallucinogen use disorder

N3CD8Q2B - AGE AT ONSET OF INHALANT USE DISORDER

Type: Numeric

N	Value
48	10-44. Age
36,261	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year inhalant use disorder

N3CD9Q2B - AGE AT ONSET OF HEROIN USE DISORDER

Type: Numeric

N	Value
148	11-48. Age
36,161	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year heroin use disorder

N3CD10Q2B - AGE AT ONSET OF OTHER DRUG USE DISORDER

Type: Numeric

N	Value
19	16-58. Age
36,290	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year other drug use disorder

N3CD1Q2C - NUMBER OF EPISODES OF SEDATIVE/TRANQUILIZER USE DISORDER

Type: Numeric

N	Value
298	1-42. Episodes
23	99. Unknown
35,988	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year sedative/tranquilizer use disorder

N3CD2Q2C - NUMBER OF EPISODES OF PAINKILLER USE DISORDER

Type: Numeric

N	Value
513	1-50. Episodes
36	99. Unknown
35,760	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year painkiller use disorder

N3CD3Q2C - NUMBER OF EPISODES OF MARIJUANA USE DISORDER

Type: Numeric

N	Value
1,858	1-45. Episodes
140	99. Unknown
34,311	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year marijuana use disorder

N3CD4Q2C - NUMBER OF EPISODES OF COCAINE USE DISORDER

Type: Numeric

N	Value
799	1-98. Episodes
62	99. Unknown
35,448	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year cocaine use disorder

N3CD5Q2C - NUMBER OF EPISODES OF STIMULANT USE DISORDER

Type: Numeric

N	Value
525	1-20. Episodes
27	99. Unknown
35,757	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year stimulant use disorder

N3CD6Q2C - NUMBER OF EPISODES OF CLUB DRUG USE DISORDER

Type: Numeric

N	Value
180	1-10. Episodes
6	99. Unknown
36,123	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year club drug use disorder

N3CD7Q2C - NUMBER OF EPISODES OF HALLUCINOGEN USE DISORDER

Type: Numeric

N	Value
206	1-11. Episodes
13	99. Unknown
36,090	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year hallucinogen use disorder

N3CD8Q2C - NUMBER OF EPISODES OF INHALANT USE DISORDER

Type: Numeric

N	Value
48	1-6. Episodes
36,261	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year inhalant use disorder

N3CD9Q2C - NUMBER OF EPISODES OF HEROIN USE DISORDER

Type: Numeric

N	Value
143	1-11. Episodes
5	99. Unknown
36,161	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year heroin use disorder

N3CD10Q2C - NUMBER OF EPISODES OF OTHER DRUG USE DISORDER

Type: Numeric

N	Value
17	1-3. Episodes
2	99. Unknown
36,290	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year other drug use disorder

N3CD1Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF SEDATIVE/TRANQUILIZER USE DISORDER (BASED ON N3CD1Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
318	1-528. Months
3	9999. Unknown
35,988	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year sedative/ tranquilizer use disorder

N3CD2Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF PAINKILLER USE DISORDER (BASED ON N3CD2Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
544	1-420. Months
6	9999. Unknown
35,759	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year painkiller use disorder

N3CD3Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF MARIJUANA USE DISORDER (BASED ON N3CD3Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,985	1-588. Months
13	9999. Unknown
34,311	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year marijuana use disorder

N3CD4Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF COCAINE USE DISORDER (BASED ON N3CD4Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
853	1-456. Months
8	9999. Unknown
35,448	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year cocaine use disorder

N3CD5Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF STIMULANT USE DISORDER (BASED ON N3CD5Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
549	1-540. Months
3	9999. Unknown
35,757	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year stimulant use disorder

N3CD6Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF CLUB DRUG USE DISORDER (BASED ON N3CD6Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
185	1-276. Months
1	9999. Unknown
36,123	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year club drug use disorder

N3CD7Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF HALLUCINOGEN USE DISORDER (BASED ON N3CD7Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
218	1-432. Months
1	9999. Unknown
36,090	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year hallucinogen use disorder

N3CD8Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF INHALANT USE DISORDER (BASED ON N3CD8Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
48	1-408. Months
36,261	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year inhalant use disorder

N3CD9Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF HEROIN USE DISORDER (BASED ON N3CD9Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
148	1-432. Months
36,161	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year heroin use disorder

N3CD10Q2DR - DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF OTHER DRUG USE DISORDER (BASED ON N3CD10Q2FR IF ONLY 1 EPISODE)

Type: Numeric

N	Value
19	1-300. Months
36,290	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year other drug use disorder

N3CD1Q2E - AGE AT MOST RECENT/ONLY EPISODE OF SEDATIVE/TRANQUILIZER USE DISORDER (BASED ON N3CD1Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
308	12-75. Age
13	99. Unknown
35,988	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year sedative/ tranquilizer use disorder

N3CD2Q2E - AGE AT MOST RECENT/ONLY EPISODE OF PAINKILLER USE DISORDER (BASED ON N3CD2Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
531	13-76. Age
18	99. Unknown
35,760	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year painkiller use disorder

N3CD3Q2E - AGE AT MOST RECENT/ONLY EPISODE OF MARIJUANA USE DISORDER (BASED ON N3CD3Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,946	5-71. Age
52	99. Unknown
34,311	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year marijuana use disorder

N3CD4Q2E - AGE AT MOST RECENT/ONLY EPISODE OF COCAINE USE DISORDER (BASED ON N3CD4Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
828	5-66. Age
33	99. Unknown
35,448	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year cocaine use disorder

N3CD5Q2E - AGE AT MOST RECENT/ONLY EPISODE OF STIMULANT USE DISORDER (BASED ON N3CD5Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
541	5-58. Age
11	99. Unknown
35,757	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year stimulant use disorder

N3CD6Q2E - AGE AT MOST RECENT/ONLY EPISODE OF CLUB DRUG USE DISORDER (BASED ON N3CD6Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
182	14-45. Age
4	99. Unknown
36,123	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year club drug use disorder

N3CD7Q2E - AGE AT MOST RECENT/ONLY EPISODE OF HALLUCINOGEN USE DISORDER (BASED ON N3CD7Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
216	10-51. Age
3	99. Unknown
36,090	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year hallucinogen use disorder

N3CD8Q2E - AGE AT MOST RECENT/ONLY EPISODE OF INHALANT USE DISORDER (BASED ON N3CD8Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
48	10-52. Age
36,261	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year inhalant use disorder

N3CD9Q2E - AGE AT MOST RECENT/ONLY EPISODE OF HEROIN USE DISORDER (BASED ON N3CD9Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
147	12-62. Age
1	99. Unknown
36,161	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year heroin use disorder

N3CD10Q2E - AGE AT MOST RECENT/ONLY EPISODE OF OTHER DRUG USE DISORDER (BASED ON N3CD10Q2B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
18	16-63. Age
1	99. Unknown
36,290	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year other drug use disorder

N3CD1Q2G - AGE AT FULL REMISSION OF SEDATIVE/TRANQUILIZER USE DISORDER

Type: Numeric

N	Value
236	14-72. Age
36,073	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year sedative/ tranquilizer use disorder; had 1+ symptoms of sedative/tranquilizer use disorder other than craving in last 12 months

N3CD2Q2G - AGE AT FULL REMISSION OF PAINKILLER USE DISORDER

Type: Numeric

N	Value
341	15-72. Age
35,968	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year painkiller use disorder; had 1+ symptoms of painkiller use disorder other than craving in last 12 months

N3CD3Q2G - AGE AT FULL REMISSION OF MARIJUANA USE DISORDER

Type: Numeric

N	Value
1,285	12-72. Age
16	99. Unknown
35,008	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year marijuana use disorder; had 1+ symptoms of marijuana use disorder other than craving in last 12 months

N3CD4Q2G - AGE AT FULL REMISSION OF COCAINE USE DISORDER

Type: Numeric

N	Value
741	15-66. Age
1	99. Unknown
35,567	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year cocaine use disorder; had 1+ symptoms of cocaine use disorder other than craving in last 12 months

N3CD5Q2G - AGE AT FULL REMISSION OF STIMULANT USE DISORDER

Type: Numeric

N	Value
467	15-61. Age
35,842	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year stimulant use disorder; had 1+ symptoms of stimulant use disorder other than craving in last 12 months

N3CD6Q2G - AGE AT FULL REMISSION OF CLUB DRUG USE DISORDER

Type: Numeric

N	Value
162	15-47. Age
36,147	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year club drug use disorder; had 1+ symptoms of club drug use disorder other than craving in last 12 months

N3CD7Q2G - AGE AT FULL REMISSION OF HALLUCINOGEN USE DISORDER

Type: Numeric

N	Value
210	15-68. Age
36,099	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year hallucinogen use disorder; had 1+ symptoms of hallucinogen use disorder other than craving in last 12 months

N3CD8Q2G - AGE AT FULL REMISSION OF INHALANT USE DISORDER

Type: Numeric

N	Value
43	12-51. Age
36,266	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year inhalant use disorder; had 1+ symptoms of inhalant use disorder other than craving in last 12 months

N3CD9Q2G - AGE AT FULL REMISSION OF HEROIN USE DISORDER

Type: Numeric

N	Value
118	13-59. Age
36,191	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year heroin use disorder; had 1+ symptoms of heroin use disorder other than craving in last 12 months

N3CD10Q2G - AGE AT FULL REMISSION OF OTHER DRUG USE DISORDER

Type: Numeric

N	Value
14	16-56. Age
36,295	BL. NA, did not meet symptom and/or duration criteria for prior-to-past-year other drug use disorder; had 1+ symptoms of other drug use disorder other than craving in last 12 months

N3CQ3A - WHEN YOU HAD SOME EXPERIENCES WITH SEDATIVES/TRANQUILIZERS IN LAST 12 MONTHS WERE YOU USING THEM WITHOUT A PRESCRIPTION

Type: Numeric

N	Value
65	1. YES
91	2. NO
2	9. Unknown
36,151	BL. NA, did not meet symptom criteria for sedative/tranquilizer use disorder in last 12 months

N3CQ3B - WHEN YOU HAD EXPERIENCES WITH SEDATIVES/TRANQUILIZERS IN THE LAST 12 MONTHS WERE YOU USING THEM IN LARGER AMOUNTS OR MORE FREQUENTLY THAN PRESCRIBED

Type: Numeric

N	Value
68	1. YES
87	2. NO
3	9. Unknown
36,151	BL. NA, did not meet symptom criteria for sedative/tranquilizer use disorder in last 12 months

N3CQ4A - WHEN YOU HAD SOME EXPERIENCES WITH SEDATIVES/TRANQUILIZERS BEFORE 12 MONTHS AGO WERE YOU USING THEM WITHOUT A PRESCRIPTION

Type: Numeric

N	Value
357	1. YES
218	2. NO
16	9. Unknown
35,718	BL. NA, did not meet symptom criteria for sedative/tranquilizer use disorder before 12 months ago

N3CQ4B - DID ALL OF THESE TIMES BEFORE 12 MONTHS AGO ONLY HAPPEN WHEN USING SEDATIVES OR TRANQUILIZERS WITHOUT A PRESCRIPTION

Type: Numeric

N	Value
280	1. YES
292	2. NO
19	9. Unknown
35,718	BL. NA, did not meet symptom criteria for sedative/tranquilizer use disorder before 12 months ago

N3CQ4C - WHEN YOU HAD SOME EXPERIENCES WITH SEDATIVES/TRANQUILIZERS BEFORE 12 MONTHS AGO WERE YOU USING THEM IN LARGER AMOUNTS OR MORE FREQUENTLY THAN PRESCRIBED

Type: Numeric

N	Value
112	1. YES
460	2. NO
19	9. Unknown
35,718	BL. NA, did not meet symptom criteria for sedative/tranquilizer use disorder before 12 months ago

N3CQ5 - DID ALL THOSE TIMES BEFORE 12 MONTHS AGO ONLY HAPPEN WHEN USING SEDATIVES OR TRANQUILIZERS IN LARGER AMOUNTS OR MORE FREQUENTLY THAN PRESCRIBED

Type: Numeric

N	Value
83	1. YES
487	2. NO
21	9. Unknown
35,718	BL. NA, did not meet symptom criteria for sedative/tranquilizer use disorder before 12 months ago

N3CQ6A - WHEN YOU HAD SOME EXPERIENCES WITH PAINKILLERS IN LAST 12 MONTHS WERE YOU USING THEM WITHOUT A PRESCRIPTION

Type: Numeric

N	Value
170	1. YES
219	2. NO
2	9. Unknown
35,918	BL. NA, did not meet symptom criteria for painkiller use disorder in last 12 months

N3CQ6B - WHEN YOU HAD EXPERIENCES WITH PAINKILLERS IN THE LAST 12 MONTHS WERE YOU USING THEM IN LARGER AMOUNTS OR MORE FREQUENTLY THAN PRESCRIBED

Type: Numeric

N	Value
171	1. YES
217	2. NO
3	9. Unknown
35,918	BL. NA, did not meet symptom criteria for painkiller use disorder in last 12 months

N3CQ7A - WHEN YOU HAD SOME EXPERIENCES WITH PAINKILLERS BEFORE 12 MONTHS AGO WERE YOU USING THEM WITHOUT A PRESCRIPTION

Type: Numeric

N	Value
642	1. YES
420	2. NO
16	9. Unknown
35,231	BL. NA, did not meet symptom criteria for painkiller use disorder before 12 months ago

N3CQ7B - DID ALL OF THESE TIME BEFORE 12 MONTHS AGO ONLY HAPPEN WHEN USING PAINKILLERS WITHOUT A PRESCRIPTION

Type: Numeric

N	Value
446	1. YES
615	2. NO
17	9. Unknown
35,231	BL. NA, did not meet symptom criteria for painkiller use disorder before 12 months ago

N3CQ7C - WHEN YOU HAD SOME EXPERIENCES WITH PAINKILLERS BEFORE 12 MONTHS AGO WERE YOU USING THEM IN LARGER AMOUNTS OR MORE FREQUENTLY THAN PRESCRIBED

Type: Numeric

N	Value
279	1. YES
783	2. NO
16	9. Unknown
35,231	BL. NA, did not meet symptom criteria for painkiller use disorder before 12 months ago

N3CQ8 - DID ALL THOSE TIMES BEFORE 12 MONTHS AGO ONLY HAPPEN WHEN USING PAINKILLERS IN LARGER AMOUNTS OR MORE FREQUENTLY THAN PRESCRIBED

Type: Numeric

N	Value
200	1. YES
859	2. NO
19	9. Unknown
35,231	BL. NA, did not meet symptom criteria for painkiller use disorder before 12 months ago

N3CQ9A - WHEN YOU HAD SOME EXPERIENCES WITH STIMULANTS IN LAST 12 MONTHS WERE YOU USING THEM WITHOUT A PRESCRIPTION

Type: Numeric

N	Value
109	1. YES
30	2. NO
3	9. Unknown
36,167	BL. NA, did not meet symptom criteria for stimulant use disorder in last 12 months

N3CQ9B - WHEN YOU HAD EXPERIENCES WITH STIMULANTS IN THE LAST 12 MONTHS WERE YOU USING THEM IN LARGER AMOUNTS OR MORE FREQUENTLY THAN PRESCRIBED

Type: Numeric

N	Value
84	1. YES
55	2. NO
3	9. Unknown
36,167	BL. NA, did not meet symptom criteria for stimulant use disorder in last 12 months

N3CQ10A - WHEN YOU HAD SOME EXPERIENCES WITH STIMULANTS BEFORE 12 MONTHS AGO WERE YOU USING THEM WITHOUT A PRESCRIPTION

Type: Numeric

N	Value
815	1. YES
195	2. NO
21	9. Unknown
35,278	BL. NA, did not meet symptom criteria for stimulant use disorder before 12 months ago

N3CQ10B - DID ALL OF THESE TIME BEFORE 12 MONTHS AGO ONLY HAPPEN WHEN USING STIMULANTS WITHOUT A PRESCRIPTION

Type: Numeric

N	Value
751	1. YES
253	2. NO
27	9. Unknown
35,278	BL. NA, did not meet symptom criteria for stimulant use disorder before 12 months ago

N3CQ10C - WHEN YOU HAD SOME EXPERIENCES WITH STIMULANTS BEFORE 12 MONTHS AGO WERE YOU USING THEM IN LARGER AMOUNTS OR MORE FREQUENTLY THAN PRESCRIBED

Type: Numeric

N	Value
78	1. YES
932	2. NO
21	9. Unknown
35,278	BL. NA, did not meet symptom criteria for stimulant use disorder before 12 months ago

N3CQ11 - DID ALL THOSE TIMES BEFORE 12 MONTHS AGO ONLY HAPPEN WHEN USING STIMULANTS IN LARGER AMOUNTS OR MORE FREQUENTLY THAN PRESCRIBED

Type: Numeric

N	Value
45	1. YES
958	2. NO
28	9. Unknown
35,278	BL. NA, did not meet symptom criteria for stimulant use disorder before 12 months ago

N3CQ12A - IN THE LAST 12 MONTHS MORE THAN ONCE GET ARRESTED OR OTHER LEGAL PROBLEMS DUE TO MEDICINE/DRUG USE

Type: Numeric

N	Value
137	1. YES
4,970	2. NO
14	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CQ12B1 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
3	1. YES
814	2. NO
10	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CQ12B2 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
12	1. YES
1,561	2. NO
6	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CQ12B3 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
97	1. YES
3,596	2. NO
8	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CQ12B4 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
18	1. YES
399	2. NO
2	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CQ12B5 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
10	1. YES
396	2. NO
2	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CQ12B6 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
2	1. YES
246	2. NO
1	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CQ12B7 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
3	1. YES
214	2. NO
2	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CQ12B8 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
74	2. NO
2	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CQ12B9 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
2	1. YES
63	2. NO
2	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CQ12B10 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
111	2. NO
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ12C - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
886	1. YES
11,856	2. NO
91	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CQ12D1 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
29	1. YES
2,419	2. NO
38	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CQ12D2 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
83	1. YES
3,749	2. NO
46	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CQ12D3 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
474	1. YES
10,627	2. NO
54	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CQ12D4 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
243	1. YES
3,224	2. NO
31	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CQ12D5 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
127	1. YES
2,489	2. NO
23	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CQ12D6 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
16	1. YES
1,488	2. NO
18	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CQ12D7 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
26	1. YES
2,977	2. NO
20	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CQ12D8 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
5	1. YES
985	2. NO
16	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CQ12D9 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
72	1. YES
498	2. NO
14	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CQ12D10 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
263	2. NO
3	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

N3CQ13A - IN THE LAST 12 MONTHS USED ANY MEDICINE/DRUG TO MAKE YOU MORE ALERT OR ENHANCE MENTAL PERFORMANCE

Type: Numeric

N	Value
488	1. YES
4,618	2. NO
15	9. Unknown
31,188	BL. NA, did not use drugs in the last 12 months

N3CQ13B1 - HAPPENED IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
19	1. YES
796	2. NO
12	9. Unknown
35,482	BL. NA, did not use sedatives/tranquilizers in the last 12 months

N3CQ13B2 - HAPPENED IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
52	1. YES
1,516	2. NO
11	9. Unknown
34,730	BL. NA, did not use painkillers in the last 12 months

N3CQ13B3 - HAPPENED IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
220	1. YES
3,467	2. NO
14	9. Unknown
32,608	BL. NA, did not use marijuana in the last 12 months

N3CQ13B4 - HAPPENED IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
24	1. YES
391	2. NO
4	9. Unknown
35,890	BL. NA, did not use cocaine in the last 12 months

N3CQ13B5 - HAPPENED IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
174	1. YES
231	2. NO
3	9. Unknown
35,901	BL. NA, did not use stimulants in the last 12 months

N3CQ13B6 - HAPPENED IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
5	1. YES
242	2. NO
2	9. Unknown
36,060	BL. NA, did not use club drugs in the last 12 months

N3CQ13B7 - HAPPENED IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
4	1. YES
211	2. NO
4	9. Unknown
36,090	BL. NA, did not use hallucinogens in the last 12 months

N3CQ13B8 - HAPPENED IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
72	2. NO
3	9. Unknown
36,233	BL. NA, did not use inhalants in the last 12 months

N3CQ13B9 - HAPPENED IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
7	1. YES
59	2. NO
1	9. Unknown
36,242	BL. NA, did not use heroin in the last 12 months

N3CQ13B10 - HAPPENED IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
108	2. NO
1	9. Unknown
36,198	BL. NA, did not use other drug in the last 12 months

N3CQ13C - HAPPENED PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
1,196	1. YES
11,540	2. NO
97	9. Unknown
23,476	BL. NA, did not use drugs prior to last 12 months

N3CQ13D1 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
30	1. YES
2,411	2. NO
45	9. Unknown
33,823	BL. NA, did not use sedatives/tranquilizers prior to last 12 months

N3CQ13D2 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
115	1. YES
3,708	2. NO
55	9. Unknown
32,431	BL. NA, did not use painkillers prior to last 12 months

N3CQ13D3 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
317	1. YES
10,767	2. NO
71	9. Unknown
25,154	BL. NA, did not use marijuana prior to last 12 months

N3CQ13D4 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
161	1. YES
3,294	2. NO
43	9. Unknown
32,811	BL. NA, did not use cocaine prior to last 12 months

N3CQ13D5 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
663	1. YES
1,944	2. NO
32	9. Unknown
33,670	BL. NA, did not use stimulants prior to last 12 months

N3CQ13D6 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
13	1. YES
1,483	2. NO
26	9. Unknown
34,787	BL. NA, did not use club drugs prior to last 12 months

N3CQ13D7 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
18	1. YES
2,972	2. NO
33	9. Unknown
33,286	BL. NA, did not use hallucinogens prior to last 12 months

N3CQ13D8 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
982	2. NO
22	9. Unknown
35,303	BL. NA, did not use inhalants prior to last 12 months

N3CQ13D9 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
21	1. YES
544	2. NO
19	9. Unknown
35,725	BL. NA, did not use heroin prior to last 12 months

N3CQ13D10 - HAPPENED PRIOR TO THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
5	1. YES
258	2. NO
4	9. Unknown
36,042	BL. NA, did not use other drug prior to last 12 months

SECTION 3D: TREATMENT UTILIZATION (DRUG)

N3DQ1 - EVER SOUGHT HELP BECAUSE OF MEDICINE OR DRUG USE

Type: Numeric

N	Value
1,246	1. YES
11,719	2. NO
82	9. Unknown
23,262	BL. NA, lifetime non drug user

N3DQ2A1 - EVER WENT TO NARCOTICS/COCAINE/ALCOHOLICS ANONYMOUS OR ANY 12-STEP MEETING

Type: Numeric

N	Value
817	1. YES
382	2. NO
47	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B1 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
259	1. YES
940	2. NO
47	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
40	1. YES
489	2. NO
26	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
74	1. YES
595	2. NO
29	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
98	1. YES
962	2. NO
38	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
119	1. YES
663	2. NO
15	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
67	1. YES
500	2. NO
15	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
14	1. YES
318	2. NO
5	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
25	1. YES
570	2. NO
16	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
10	1. YES
223	2. NO
8	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
38	1. YES
226	2. NO
4	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C1 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
67	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D1 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
775	1. YES
420	2. NO
48	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E1 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
72	1. YES
444	2. NO
28	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E1 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
147	1. YES
505	2. NO
35	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E1 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
275	1. YES
775	2. NO
48	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E1 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
391	1. YES
380	2. NO
23	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E1 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
170	1. YES
387	2. NO
22	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E1 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
30	1. YES
292	2. NO
8	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E1 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
63	1. YES
519	2. NO
25	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E1 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
21	1. YES
205	2. NO
13	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E1 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
90	1. YES
167	2. NO
7	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E1 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
6	1. YES
55	2. NO
6	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A2 - EVER WENT TO FAMILY SERVICES OR OTHER SOCIAL SERVICE AGENCY

Type: Numeric

N	Value
220	1. YES
976	2. NO
50	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B2 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
62	1. YES
1,134	2. NO
50	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
12	1. YES
520	2. NO
23	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
14	1. YES
656	2. NO
28	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
18	1. YES
1,042	2. NO
38	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
24	1. YES
760	2. NO
13	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
13	1. YES
555	2. NO
14	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
3	1. YES
330	2. NO
4	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
5	1. YES
590	2. NO
16	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
233	2. NO
7	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
10	1. YES
255	2. NO
3	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C2 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
69	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D2 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
207	1. YES
986	2. NO
50	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E2 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
22	1. YES
500	2. NO
22	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E2 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
40	1. YES
619	2. NO
28	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E2 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
77	1. YES
982	2. NO
39	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E2 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
84	1. YES
697	2. NO
13	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E2 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
41	1. YES
523	2. NO
15	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E2 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
7	1. YES
319	2. NO
4	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E2 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
9	1. YES
582	2. NO
16	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E2 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
5	1. YES
227	2. NO
7	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E2 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
20	1. YES
241	2. NO
3	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E2 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
59	2. NO
6	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A3 - DRUG OR ALCOHOL DETOXIFICATION WARD OR CLINIC

Type: Numeric

N	Value
441	1. YES
758	2. NO
47	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B3 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
62	1. YES
1,137	2. NO
47	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
9	1. YES
522	2. NO
24	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
21	1. YES
648	2. NO
29	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
9	1. YES
1,052	2. NO
37	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
25	1. YES
759	2. NO
13	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
9	1. YES
559	2. NO
14	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
2	1. YES
330	2. NO
5	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
2	1. YES
594	2. NO
15	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
232	2. NO
8	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
10	1. YES
254	2. NO
4	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C3 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
69	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D3 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
421	1. YES
774	2. NO
48	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E3 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
42	1. YES
479	2. NO
23	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E3 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
89	1. YES
567	2. NO
31	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E3 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
99	1. YES
958	2. NO
41	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E3 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
213	1. YES
564	2. NO
17	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E3 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
67	1. YES
495	2. NO
17	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E3 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
8	1. YES
318	2. NO
4	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E3 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
24	1. YES
565	2. NO
18	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E3 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
11	1. YES
221	2. NO
7	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E3 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
76	1. YES
185	2. NO
3	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E3 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
3	1. YES
59	2. NO
5	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A4 - INPATIENT WARD OF A PSYCHIATRIC OR GENERAL HOSPITAL

Type: Numeric

N	Value
318	1. YES
880	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B4 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
55	1. YES
1,143	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
10	1. YES
521	2. NO
24	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
14	1. YES
655	2. NO
29	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
13	1. YES
1,046	2. NO
39	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
19	1. YES
763	2. NO
15	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
11	1. YES
555	2. NO
16	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
2	1. YES
330	2. NO
5	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
593	2. NO
17	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
231	2. NO
8	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
4	1. YES
260	2. NO
4	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C4 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
69	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D4 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
300	1. YES
894	2. NO
49	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E4 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
43	1. YES
476	2. NO
25	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E4 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
61	1. YES
593	2. NO
33	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E4 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
74	1. YES
980	2. NO
44	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E4 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
144	1. YES
630	2. NO
20	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E4 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
64	1. YES
495	2. NO
20	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E4 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
11	1. YES
313	2. NO
6	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E4 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
21	1. YES
566	2. NO
20	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E4 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
8	1. YES
222	2. NO
9	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E4 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
50	1. YES
208	2. NO
6	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E4 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
4	1. YES
57	2. NO
6	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A5 - OUTPATIENT CLINIC

Type: Numeric

N	Value
457	1. YES
739	2. NO
50	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B5 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
115	1. YES
1,081	2. NO
50	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
12	1. YES
519	2. NO
24	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
32	1. YES
636	2. NO
30	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
30	1. YES
1,029	2. NO
39	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
40	1. YES
742	2. NO
15	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
25	1. YES
541	2. NO
16	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
6	1. YES
326	2. NO
5	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
7	1. YES
588	2. NO
16	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
3	1. YES
231	2. NO
7	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
20	1. YES
244	2. NO
4	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C5 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
69	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D5 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
432	1. YES
760	2. NO
51	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E5 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
48	1. YES
472	2. NO
24	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E5 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
91	1. YES
564	2. NO
32	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E5 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
136	1. YES
917	2. NO
45	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E5 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
186	1. YES
589	2. NO
19	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E5 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
97	1. YES
465	2. NO
17	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E5 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
17	1. YES
307	2. NO
6	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E5 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
35	1. YES
552	2. NO
20	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E5 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
13	1. YES
217	2. NO
9	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E5 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
59	1. YES
199	2. NO
6	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E5 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
60	2. NO
5	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A6 - DRUG OR ALCOHOL REHABILITATION PROGRAM

Type: Numeric

N	Value
596	1. YES
602	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B6 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
100	1. YES
1,098	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
13	1. YES
519	2. NO
23	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
27	1. YES
642	2. NO
29	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
25	1. YES
1,035	2. NO
38	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
48	1. YES
735	2. NO
14	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
23	1. YES
544	2. NO
15	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
6	1. YES
326	2. NO
5	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
7	1. YES
588	2. NO
16	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
231	2. NO
8	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
15	1. YES
250	2. NO
3	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C6 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
70	2. NO
4	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D6 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
569	1. YES
626	2. NO
48	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E6 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
55	1. YES
465	2. NO
24	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E6 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
111	1. YES
545	2. NO
31	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E6 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
176	1. YES
877	2. NO
45	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E6 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
302	1. YES
473	2. NO
19	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E6 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
129	1. YES
430	2. NO
20	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E6 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
26	1. YES
298	2. NO
6	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E6 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
47	1. YES
537	2. NO
23	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E6 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
17	1. YES
210	2. NO
12	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E6 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
77	1. YES
182	2. NO
5	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E6 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
61	2. NO
4	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A7 - METHADONE MAINTENANCE PROGRAM

Type: Numeric

N	Value
102	1. YES
1,095	2. NO
49	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B7 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
38	1. YES
1,159	2. NO
49	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
532	2. NO
23	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
21	1. YES
649	2. NO
28	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1	1. YES
1,060	2. NO
37	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
4	1. YES
780	2. NO
13	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
2	1. YES
565	2. NO
15	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
332	2. NO
5	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
594	2. NO
16	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
234	2. NO
7	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
19	1. YES
245	2. NO
4	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C7 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
69	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D7 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
97	1. YES
1,097	2. NO
49	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E7 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
5	1. YES
518	2. NO
21	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E7 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
40	1. YES
620	2. NO
27	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E7 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
3	1. YES
1,058	2. NO
37	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E7 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
11	1. YES
770	2. NO
13	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E7 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
4	1. YES
560	2. NO
15	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E7 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
325	2. NO
5	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E7 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
4	1. YES
587	2. NO
16	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E7 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
231	2. NO
7	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E7 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
51	1. YES
209	2. NO
4	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E7 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
62	2. NO
5	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A8 - EMERGENCY ROOM FOR ANY REASON RELATED TO DRUG USE

Type: Numeric

N	Value
229	1. YES
969	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B8 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
29	1. YES
1,169	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
3	1. YES
529	2. NO
23	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
16	1. YES
654	2. NO
28	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
2	1. YES
1,060	2. NO
36	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
4	1. YES
780	2. NO
13	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
1	1. YES
567	2. NO
14	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
333	2. NO
4	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
596	2. NO
15	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
234	2. NO
7	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
5	1. YES
260	2. NO
3	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C8 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
68	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D8 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
215	1. YES
980	2. NO
48	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E8 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
28	1. YES
491	2. NO
25	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E8 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
52	1. YES
604	2. NO
31	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E8 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
21	1. YES
1,037	2. NO
40	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E8 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
72	1. YES
705	2. NO
17	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E8 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
32	1. YES
529	2. NO
18	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E8 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
1	1. YES
323	2. NO
6	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E8 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
15	1. YES
573	2. NO
19	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E8 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
228	2. NO
9	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E8 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
39	1. YES
220	2. NO
5	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E8 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
2	1. YES
60	2. NO
5	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A9 - HALFWAY HOUSE, THERAPEUTIC COMMUNITIES

Type: Numeric

N	Value
155	1. YES
1,042	2. NO
49	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B9 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
18	1. YES
1,179	2. NO
49	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
5	1. YES
525	2. NO
25	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
3	1. YES
665	2. NO
30	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
2	1. YES
1,058	2. NO
38	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
12	1. YES
770	2. NO
15	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
4	1. YES
562	2. NO
16	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
1	1. YES
330	2. NO
6	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
593	2. NO
17	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
232	2. NO
8	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
1	1. YES
263	2. NO
4	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C9 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
69	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D9 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
146	1. YES
1,048	2. NO
49	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E9 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
16	1. YES
506	2. NO
22	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E9 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
26	1. YES
633	2. NO
28	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E9 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
32	1. YES
1,029	2. NO
37	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E9 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
76	1. YES
704	2. NO
14	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E9 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
39	1. YES
525	2. NO
15	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E9 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
5	1. YES
320	2. NO
5	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E9 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
11	1. YES
580	2. NO
16	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E9 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
3	1. YES
229	2. NO
7	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E9 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
27	1. YES
234	2. NO
3	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E9 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
61	2. NO
5	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A10 - CRISIS CENTER FOR ANY REASON RELATED TO DRUG USE

Type: Numeric

N	Value
66	1. YES
1,130	2. NO
50	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B10 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
14	1. YES
1,182	2. NO
50	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
2	1. YES
529	2. NO
24	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
4	1. YES
665	2. NO
29	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
3	1. YES
1,057	2. NO
38	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
5	1. YES
778	2. NO
14	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
1	1. YES
566	2. NO
15	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
331	2. NO
6	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
1	1. YES
594	2. NO
16	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
233	2. NO
7	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
2	1. YES
262	2. NO
4	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C10 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
69	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D10 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
62	1. YES
1,131	2. NO
50	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E10 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
7	1. YES
515	2. NO
22	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E10 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
16	1. YES
643	2. NO
28	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E10 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
14	1. YES
1,046	2. NO
38	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E10 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
29	1. YES
751	2. NO
14	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E10 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
10	1. YES
554	2. NO
15	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E10 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
324	2. NO
6	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E10 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
3	1. YES
588	2. NO
16	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E10 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
2	1. YES
230	2. NO
7	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E10 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
6	1. YES
254	2. NO
4	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E10 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
61	2. NO
5	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A11 - EMPLOYEE ASSISTANCE PROGRAM (EAP)

Type: Numeric

N	Value
48	1. YES
1,150	2. NO
48	9. Unknown
35,063	BL. NA, lifetime drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B11 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
1	1. YES
1,197	2. NO
48	9. Unknown
35,063	BL. NA, lifetime drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
1	1. YES
531	2. NO
23	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
670	2. NO
28	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
1,062	2. NO
36	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
784	2. NO
13	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
568	2. NO
14	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
333	2. NO
4	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
596	2. NO
15	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
234	2. NO
7	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
265	2. NO
3	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C11 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
69	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D11 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
48	1. YES
1,147	2. NO
48	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E11 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
3	1. YES
520	2. NO
21	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E11 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
7	1. YES
653	2. NO
27	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E11 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
19	1. YES
1,043	2. NO
36	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E11 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
23	1. YES
758	2. NO
13	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E11 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
13	1. YES
552	2. NO
14	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E11 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
2	1. YES
324	2. NO
4	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E11 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
2	1. YES
590	2. NO
15	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E11 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
232	2. NO
7	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E11 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
2	1. YES
259	2. NO
3	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E11 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
62	2. NO
5	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A12 - CLERGYMAN, PRIEST, RABBI OR ANY OTHER RELIGIOUS COUNSELOR RELATED TO DRUG USE

Type: Numeric

N	Value
136	1. YES
1,062	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B12 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
41	1. YES
1,157	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
4	1. YES
528	2. NO
23	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
8	1. YES
662	2. NO
28	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
16	1. YES
1,046	2. NO
36	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
23	1. YES
761	2. NO
13	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
6	1. YES
562	2. NO
14	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
1	1. YES
332	2. NO
4	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
3	1. YES
593	2. NO
15	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
234	2. NO
7	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
5	1. YES
260	2. NO
3	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C12 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
69	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D12 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
127	1. YES
1,068	2. NO
48	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E12 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
17	1. YES
505	2. NO
22	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E12 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
24	1. YES
635	2. NO
28	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E12 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
43	1. YES
1,018	2. NO
37	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E12 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
68	1. YES
713	2. NO
13	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E12 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
36	1. YES
529	2. NO
14	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E12 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
7	1. YES
319	2. NO
4	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E12 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
18	1. YES
574	2. NO
15	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E12 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
231	2. NO
7	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E12 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
12	1. YES
249	2. NO
3	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E12 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
61	2. NO
5	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A13 - PRIVATE PHYSICIAN OR ANY OTHER PROFESSIONAL

Type: Numeric

N	Value
520	1. YES
678	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B13 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
197	1. YES
1,001	2. NO
48	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
43	1. YES
485	2. NO
27	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
63	1. YES
602	2. NO
33	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
57	1. YES
999	2. NO
42	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
45	1. YES
738	2. NO
14	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
32	1. YES
534	2. NO
16	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
5	1. YES
327	2. NO
5	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
8	1. YES
586	2. NO
17	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
3	1. YES
230	2. NO
8	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
14	1. YES
249	2. NO
5	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C13 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
8	1. YES
61	2. NO
5	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D13 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
481	1. YES
714	2. NO
48	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E13 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
80	1. YES
436	2. NO
28	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E13 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
119	1. YES
534	2. NO
34	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E13 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
152	1. YES
901	2. NO
45	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E13 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
167	1. YES
611	2. NO
16	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E13 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
98	1. YES
463	2. NO
18	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E13 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
16	1. YES
309	2. NO
5	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E13 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
27	1. YES
561	2. NO
19	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E13 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
7	1. YES
223	2. NO
9	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E13 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
34	1. YES
225	2. NO
5	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E13 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
10	1. YES
52	2. NO
5	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ2A14 - ANY OTHER AGENCY OR PROFESSIONAL

Type: Numeric

N	Value
76	1. YES
1,118	2. NO
52	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ2B14 - WENT THERE IN LAST 12 MONTHS

Type: Numeric

N	Value
24	1. YES
1,170	2. NO
52	9. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DD1Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
4	1. YES
526	2. NO
25	9. Unknown
35,754	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used sedatives/tranquilizers

N3DD2Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
10	1. YES
656	2. NO
32	9. Unknown
35,611	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used painkillers

N3DD3Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
8	1. YES
1,051	2. NO
39	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used marijuana

N3DD4Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
6	1. YES
776	2. NO
15	9. Unknown
35,512	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used cocaine

N3DD5Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
5	1. YES
561	2. NO
16	9. Unknown
35,727	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used stimulants

N3DD6Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
2	1. YES
331	2. NO
4	9. Unknown
35,972	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used club drugs

N3DD7Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
593	2. NO
18	9. Unknown
35,698	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used hallucinogens

N3DD8Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
233	2. NO
8	9. Unknown
36,068	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used inhalants

N3DD9Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
1	1. YES
263	2. NO
4	9. Unknown
36,041	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used heroin

N3DD10Q2C14 - HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
68	2. NO
6	9. Unknown
36,235	BL. NA, lifetime non drug user; never or unknown if ever sought help; never used other drugs

N3DQ2D14 - WENT PRIOR TO LAST 12 MONTHS

Type: Numeric

N	Value
70	1. YES
1,121	2. NO
52	9. Unknown
35,066	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use; didn't use any drugs prior to last 12 months

N3DD1Q2E14 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH SEDATIVES/TRANQUILIZERS

Type: Numeric

N	Value
12	1. YES
509	2. NO
23	9. Unknown
35,765	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use sedatives/tranquilizers prior to last 12 months

N3DD2Q2E14 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH PAINKILLERS

Type: Numeric

N	Value
17	1. YES
639	2. NO
31	9. Unknown
35,622	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use painkillers prior to last 12 months

N3DD3Q2E14 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH MARIJUANA

Type: Numeric

N	Value
29	1. YES
1,030	2. NO
39	9. Unknown
35,211	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use marijuana prior to last 12 months

N3DD4Q2E14 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH COCAINE

Type: Numeric

N	Value
30	1. YES
749	2. NO
15	9. Unknown
35,515	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use cocaine prior to last 12 months

N3DD5Q2E14 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH STIMULANTS

Type: Numeric

N	Value
23	1. YES
540	2. NO
16	9. Unknown
35,730	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use stimulants prior to last 12 months

N3DD6Q2E14 - HAPPEN PRIOR TO THE LAST 12 MONTHS WITH CLUB DRUGS

Type: Numeric

N	Value
6	1. YES
320	2. NO
4	9. Unknown
35,979	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use club drugs prior to last 12 months

N3DD7Q2E14 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS

Type: Numeric

N	Value
6	1. YES
583	2. NO
18	9. Unknown
35,702	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use hallucinogens prior to last 12 months

N3DD8Q2E14 - HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS

Type: Numeric

N	Value
1	1. YES
230	2. NO
8	9. Unknown
36,070	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use inhalants prior to last 12 months

N3DD9Q2E14 - HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN

Type: Numeric

N	Value
1	1. YES
259	2. NO
4	9. Unknown
36,045	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use heroin prior to last 12 months

N3DD10Q2E14 - HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG

Type: Numeric

N	Value
1	1. YES
60	2. NO
6	9. Unknown
36,242	BL. NA, lifetime non drug user; never or unknown if ever sought help; didn't use other drugs prior to last 12 months

N3DQ3A - AGE WHEN FIRST SOUGHT HELP BECAUSE OF MEDICINE/DRUG USE

Type: Numeric

N	Value
1,205	10-82. Age
41	99. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ3B - AGE AT ONLY/MOST RECENT TIME SOUGHT HELP WITH MEDICINE/DRUG USE

Type: Numeric

N	Value
1,211	13-83. Age
35	99. Unknown
35,063	BL. NA, lifetime non drug user; never or unknown if ever sought help with medicine/drug use

N3DQ4A - EVER THOUGHT SHOULD SEEK HELP WITH MEDICINE/DRUG USE BUT DIDN'T GO

Type: Numeric

N	Value
941	1. YES
12,022	2. NO
84	9. Unknown
23,262	BL. NA, lifetime non drug user

N3DQ4B - HAPPEN IN THE LAST 12 MONTHS

Type: Numeric

N	Value
214	1. YES
727	2. NO
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4C - HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
893	1. YES
47	2. NO
35,369	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go; didn't use any drugs prior to last 12 months

N3DQ4D1 - DID NOT SEEK HELP BECAUSE WANTED TO GO, BUT HEALTH INSURANCE DIDN'T COVER

Type: Numeric

N	Value
142	1. YES
792	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D2 - DID NOT SEEK HELP BECAUSE DIDN'T THINK ANYONE COULD HELP

Type: Numeric

N	Value
150	1. YES
784	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D3 - DID NOT SEEK HELP BECAUSE DIDN'T KNOW ANY PLACE TO GO FOR HELP

Type: Numeric

N	Value
101	1. YES
833	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D4 - DID NOT SEEK HELP BECAUSE COULDN'T AFFORD TO PAY THE BILL

Type: Numeric

N	Value
174	1. YES
760	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D5 - DID NOT SEEK HELP BECAUSE DIDN'T HAVE ANY WAY TO GET THERE

Type: Numeric

N	Value
43	1. YES
891	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D6 - DID NOT SEEK HELP BECAUSE DIDN'T HAVE TIME

Type: Numeric

N	Value
89	1. YES
845	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D7 - DID NOT SEEK HELP BECAUSE THOUGHT THE PROBLEM WOULD GET BETTER BY ITSELF

Type: Numeric

N	Value
308	1. YES
626	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D8 - DID NOT SEEK HELP BECAUSE WAS TOO EMBARRASSED TO DISCUSS IT WITH ANYONE

Type: Numeric

N	Value
246	1. YES
688	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D9 - DID NOT SEEK HELP BECAUSE AFRAID OF WHAT BOSS, FRIENDS, FAMILY, OR OTHERS WOULD THINK

Type: Numeric

N	Value
151	1. YES
783	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D10 - DID NOT SEEK HELP BECAUSE THOUGHT SHOULD BE STRONG ENOUGH TO HANDLE ALONE

Type: Numeric

N	Value
352	1. YES
582	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D11 - DID NOT SEEK HELP BECAUSE WAS AFRAID THEY WOULD PUT ME INTO THE HOSPITAL

Type: Numeric

N	Value
98	1. YES
836	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D12 - DID NOT SEEK HELP BECAUSE WAS AFRAID OF THE TREATMENT THEY WOULD GIVE ME

Type: Numeric

N	Value
84	1. YES
850	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D13 - DID NOT SEEK HELP BECAUSE HATED ANSWERING PERSONAL QUESTIONS

Type: Numeric

N	Value
106	1. YES
828	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D14 - DID NOT SEEK HELP BECAUSE THE HOURS WERE INCONVENIENT

Type: Numeric

N	Value
24	1. YES
910	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D15 - DID NOT SEEK HELP BECAUSE A MEMBER OF MY FAMILY OBJECTED

Type: Numeric

N	Value
10	1. YES
924	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D16 - DID NOT SEEK HELP BECAUSE FAMILY THOUGHT SHOULD GO BUT I DIDN'T THINK IT WAS NECESSARY

Type: Numeric

N	Value
109	1. YES
825	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D17 - DID NOT SEEK HELP BECAUSE CAN'T SPEAK ENGLISH VERY WELL

Type: Numeric

N	Value
3	1. YES
931	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D18 - DID NOT SEEK HELP BECAUSE WAS AFRAID I WOULD LOSE MY JOB

Type: Numeric

N	Value
75	1. YES
859	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D19 - DID NOT SEEK HELP BECAUSE COULDN'T ARRANGE FOR CHILD CARE

Type: Numeric

N	Value
25	1. YES
909	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D20 - DID NOT SEEK HELP BECAUSE HAD TO WAIT TOO LONG TO GET INTO A PROGRAM

Type: Numeric

N	Value
56	1. YES
878	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D21 - DID NOT SEEK HELP BECAUSE WANTED TO KEEP USING MEDICINES OR DRUGS

Type: Numeric

N	Value
274	1. YES
660	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D22 - DID NOT SEEK HELP BECAUSE DIDN'T THINK DRUG PROBLEM WAS SERIOUS ENOUGH

Type: Numeric

N	Value
204	1. YES
730	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D23 - DID NOT SEEK HELP BECAUSE DIDN'T WANT TO GO

Type: Numeric

N	Value
286	1. YES
648	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D24 - DID NOT SEEK HELP BECAUSE STOPPED USING DRUGS ON MY OWN

Type: Numeric

N	Value
192	1. YES
742	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D25 - DID NOT SEEK HELP BECAUSE FRIENDS OR FAMILY HELPED ME STOP USING DRUGS

Type: Numeric

N	Value
56	1. YES
878	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D26 - DID NOT SEEK HELP BECAUSE TRIED GETTING HELP BEFORE AND IT DIDN'T WORK

Type: Numeric

N	Value
83	1. YES
851	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D27 - DID NOT SEEK HELP BECAUSE WAS AFRAID MY CHILDREN WOULD BE TAKEN AWAY

Type: Numeric

N	Value
72	1. YES
862	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D28 - DID NOT SEEK HELP BECAUSE RELIGIOUS BELIEFS DIDN'T ALLOW ME TO GO

Type: Numeric

N	Value
934	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

N3DQ4D29 - DID NOT SEEK HELP FOR OTHER REASON

Type: Numeric

N	Value
51	1. YES
883	2. NO
7	9. Unknown
35,368	BL. NA, lifetime non drug user; never or unknown if ever thought should seek help but didn't go

SECTION 3E: FAMILY HISTORY (II) (DRUG)

N3EQ1 - BLOOD/NATURAL FATHER EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
2,473	1. YES
31,616	2. NO
2,220	9. Unknown

N3EQ2 - BLOOD/NATURAL MOTHER EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
1,745	1. YES
33,691	2. NO
873	9. Unknown

N3EQ3B - NUMBER OF FULL BROTHERS WHO EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
35,529	0-11. Number
780	99. Unknown

N3EQ3C - ANY FULL BROTHERS EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
4,785	1. YES
30,859	2. NO
665	9. Unknown

N3EQ4B - NUMBER OF FULL SISTERS WHO EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
35,667	0-7. Number
642	99. Unknown

N3EQ4C - ANY FULL SISTERS EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
2,787	1. YES
32,964	2. NO
558	9. Unknown

N3EQ5B - NUMBER OF NATURAL SONS WHO EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
36,020	0-5. Number
289	99. Unknown

N3EQ5C - ANY NATURAL SONS EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
1,932	1. YES
34,134	2. NO
243	9. Unknown

N3EQ6B - NUMBER OF NATURAL DAUGHTERS WHO EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
36,075	0-5. Number
234	99. Unknown

N3EQ6C - ANY NATURAL DAUGHTERS EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
1,153	1. YES
34,952	2. NO
204	9. Unknown

N3EQ7B - NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
29,692	0-10. Number
6,617	99. Unknown

N3EQ7C - ANY OF NATURAL FATHER'S FULL BROTHERS EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
2,860	1. YES
28,550	2. NO
4,899	9. Unknown

N3EQ8B - NUMBER OF NATURAL FATHER'S FULL SISTERS WHO EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
30,548	0-6. Number
5,761	99. Unknown

N3EQ8C - ANY OF NATURAL FATHER'S FULL SISTERS EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
1,732	1. YES
30,209	2. NO
4,368	9. Unknown

N3EQ9B - NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
32,560	0-7. Number
3,749	99. Unknown

N3EQ9C - ANY OF NATURAL MOTHER'S FULL BROTHERS EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
3,592	1. YES
29,968	2. NO
2,749	9. Unknown

N3EQ10B - NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
33,091	0-10. Number
3,218	99. Unknown

N3EQ10C - ANY OF NATURAL MOTHER'S FULL SISTERS EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
2,439	1. YES
31,485	2. NO
2,385	9. Unknown

N3EQ11 - NATURAL GRANDFATHER ON FATHER'S SIDE EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
296	1. YES
29,158	2. NO
6,855	9. Unknown

N3EQ12 - NATURAL GRANDMOTHER ON FATHER'S SIDE EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
208	1. YES
30,201	2. NO
5,900	9. Unknown

N3EQ13 - NATURAL GRANDFATHER ON MOTHER'S SIDE EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
392	1. YES
30,893	2. NO
5,024	9. Unknown

N3EQ14 - NATURAL GRANDMOTHER ON MOTHER'S SIDE EVER HAD PROBLEMS WITH DRUGS

Type: Numeric

N	Value
365	1. YES
31,813	2. NO
4,131	9. Unknown

SECTION 4A: LOW MOOD I (MDE)

N4AQ1A - EVER HAD 2-WEEK PERIOD WHEN FELT SAD, HOPELESS, DEPRESSED, OR DOWN NEARLY EVERY DAY

Type: Numeric

N	Value
11,227	1. YES
25,013	2. NO
69	9. Unknown

N4AQ1B - EVER HAD 2-WEEK PERIOD WHEN OTHER PEOPLE NOTICED THAT YOU WERE SAD, HOPELESS, DEPRESSED, OR DOWN NEARLY EVERY DAY

Type: Numeric

N	Value
9,429	1. YES
26,720	2. NO
160	9. Unknown

N4AQ1C - EVER HAD 2-WEEK PERIOD WHEN DIDN'T CARE ABOUT THINGS USUALLY CARED ABOUT

Type: Numeric

N	Value
9,853	1. YES
26,355	2. NO
101	9. Unknown

N4AQ1D - EVER HAD 2-WEEK PERIOD WHEN OTHER PEOPLE NOTICED THAT YOU DIDN'T CARE ABOUT THINGS USUALLY CARED ABOUT

Type: Numeric

N	Value
8,317	1. YES
27,796	2. NO
196	9. Unknown

N4AQ3A - DID YOU FEEL OR DID OTHERS NOTICE YOU WERE SAD, HOPELESS, DEPRESSED, OR DOWN

Type: Numeric

N	Value
10,385	1. YES
2,105	2. NO
60	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3B - DID YOU FIND OR DID OTHERS NOTICE YOU DIDN'T CARE ABOUT THINGS

Type: Numeric

N	Value
9,119	1. YES
3,343	2. NO
88	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3C - LOST 2+ POUNDS/WEEK FOR SEVERAL WEEKS OR 10+ POUNDS IN MONTH, WHEN NOT SICK OR DIETING

Type: Numeric

N	Value
4,683	1. YES
7,678	2. NO
189	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3D - LOST APPETITE NEARLY EVERY DAY FOR 2+ WEEKS

Type: Numeric

N	Value
7,030	1. YES
5,430	2. NO
90	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3E - GAINED 2+ POUNDS/WEEK FOR SEVERAL WEEKS OR 10+ POUNDS IN MONTH, WHEN NOT GROWING OR PREGNANT

Type: Numeric

N	Value
3,157	1. YES
9,227	2. NO
166	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3F - WANTED TO EAT MORE THAN USUAL MOST DAYS FOR 2+ WEEKS

Type: Numeric

N	Value
3,501	1. YES
8,990	2. NO
59	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3G - HAD TROUBLE FALLING ASLEEP NEARLY EVERY DAY FOR 2+ WEEKS

Type: Numeric

N	Value
8,343	1. YES
4,121	2. NO
86	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3H - WOKE UP TOO EARLY NEARLY EVERY DAY FOR 2+ WEEKS

Type: Numeric

N	Value
5,975	1. YES
6,419	2. NO
156	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3I - SLEPT MORE THAN USUAL NEARLY EVERY DAY FOR 2+ WEEKS

Type: Numeric

N	Value
5,498	1. YES
6,974	2. NO
78	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3J - FELT TIRED/EASILY TIRED NEARLY EVERY DAY FOR 2+ WEEKS, WHEN NOT DOING MORE THAN USUAL

Type: Numeric

N	Value
8,728	1. YES
3,697	2. NO
125	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3K - FELT SO TIRED NEARLY EVERY DAY FOR 2+ WEEKS SMALL THINGS TOOK EFFORT

Type: Numeric

N	Value
7,644	1. YES
4,811	2. NO
95	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3L1 - MOVED/TALKED MUCH MORE SLOWLY THAN USUAL MOST DAYS FOR 2+ WEEKS

Type: Numeric

N	Value
4,073	1. YES
8,149	2. NO
328	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3L2 - OTHER PEOPLE NOTICED YOU MOVED/TALKED MUCH MORE SLOWLY THAN USUAL

Type: Numeric

N	Value
3,459	1. YES
8,730	2. NO
361	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3M - YOU FIDGETED/PACED MOST OF THE TIME FOR 2+ WEEKS

Type: Numeric

N	Value
3,694	1. YES
8,750	2. NO
106	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3N - OTHER PEOPLE NOTICED THAT YOU FIDGETED/PACED MOST OF THE TIME FOR 2+ WEEKS

Type: Numeric

N	Value
2,984	1. YES
9,378	2. NO
188	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3O - BECAME SO RESTLESS THAT FELT UNCOMFORTABLE FOR 2+ WEEKS

Type: Numeric

N	Value
3,970	1. YES
8,476	2. NO
104	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3P - OTHER PEOPLE NOTICED YOU WERE SO RESTLESS THAT YOU SEEMED UNCOMFORTABLE

Type: Numeric

N	Value
3,199	1. YES
9,105	2. NO
246	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3Q - FELT WORTHLESS NEARLY EVERY DAY FOR 2+ WEEKS

Type: Numeric

N	Value
6,169	1. YES
6,300	2. NO
81	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3R - FELT GUILTY ABOUT THINGS WOULDN'T NORMALLY FEEL GUILTY ABOUT 2+ WEEKS

Type: Numeric

N	Value
5,967	1. YES
6,474	2. NO
109	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3S - FELT USELESS OR GOOD FOR NOTHING NEARLY EVERY DAY FOR 2+ WEEKS

Type: Numeric

N	Value
6,385	1. YES
6,095	2. NO
70	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3T - HAD TROUBLE CONCENTRATING/KEEPING MIND ON THINGS MOST DAYS FOR 2+ WEEKS

Type: Numeric

N	Value
8,598	1. YES
3,871	2. NO
81	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3U - OTHER PEOPLE NOTICE THAT YOU HAD TROUBLE CONCENTRATING/KEEPING MIND ON THINGS

Type: Numeric

N	Value
6,116	1. YES
6,132	2. NO
302	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3V - FOUND IT HARDER TO MAKE DECISIONS MOST OF THE TIME FOR 2+ WEEKS

Type: Numeric

N	Value
7,306	1. YES
5,134	2. NO
110	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3W - OTHER PEOPLE NOTICE THAT YOU FOUND IT HARDER TO MAKE DECISIONS

Type: Numeric

N	Value
5,052	1. YES
7,144	2. NO
354	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3X - ATTEMPTED SUICIDE

Type: Numeric

N	Value
1,515	1. YES
10,992	2. NO
43	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3Y - THOUGHT ABOUT COMMITTING SUICIDE

Type: Numeric

N	Value
4,036	1. YES
8,465	2. NO
49	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3Z - FELT LIKE WANTED TO DIE

Type: Numeric

N	Value
4,846	1. YES
7,631	2. NO
73	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ3AA - THOUGHT A LOT ABOUT OWN DEATH

Type: Numeric

N	Value
3,755	1. YES
8,734	2. NO
61	9. Unknown
23,759	BL. NA, never or unknown if ever had period of low mood/when didn't care

N4AQ4A - FELT KEYED UP OR TENSE FOR AT LEAST 2 WEEKS WHEN MOOD AT THE LOWEST

Type: Numeric

N	Value
5,780	1. YES
4,423	2. NO
97	9. Unknown
26,009	BL. NA, never or unknown if ever had low mood with at least 3 symptom criteria

N4AQ4B - SPENT A LOT OF TIME WORRYING ABOUT UNPLEASANT THINGS

Type: Numeric

N	Value
6,566	1. YES
3,661	2. NO
73	9. Unknown
26,009	BL. NA, never or unknown if ever had low mood with at least 3 symptom criteria

N4AQ4D - FEARED SOMETHING AWFUL MAY HAPPEN

Type: Numeric

N	Value
5,225	1. YES
5,012	2. NO
63	9. Unknown
26,009	BL. NA, never or unknown if ever had low mood with at least 3 symptom criteria

N4AQ4E - DIFFICULTY SITTING STILL OR FIDGETING

Type: Numeric

N	Value
3,815	1. YES
6,414	2. NO
71	9. Unknown
26,009	BL. NA, never or unknown if ever had low mood with at least 3 symptom criteria

N4AQ4F - WORRIED A LOT ABOUT UNREASONABLE THINGS

Type: Numeric

N	Value
6,205	1. YES
4,013	2. NO
82	9. Unknown
26,009	BL. NA, never or unknown if ever had low mood with at least 3 symptom criteria

N4AQ4G - FOUND IT DIFFICULT TO STOP OR CONTROL WORRYING

Type: Numeric

N	Value
6,925	1. YES
3,309	2. NO
66	9. Unknown
26,009	BL. NA, never or unknown if ever had low mood with at least 3 symptom criteria

N4AQ4H - HAD TROUBLE CONCENTRATING BECAUSE OF WORRY

Type: Numeric

N	Value
7,142	1. YES
3,099	2. NO
59	9. Unknown
26,009	BL. NA, never or unknown if ever had low mood with at least 3 symptom criteria

N4AQ4I - FELT YOU MIGHT LOSE CONTROL OF YOURSELF

Type: Numeric

N	Value
3,810	1. YES
6,411	2. NO
79	9. Unknown
26,009	BL. NA, never or unknown if ever had low mood with at least 3 symptom criteria

N4AQ5A - FELT UPSET BY LOW MOOD OR THESE OTHER EXPERIENCES

Type: Numeric

N	Value
7,267	1. YES
2,325	2. NO
73	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ5B - HAD ARGUMENTS/FRICTION WITH FAMILY, FRIENDS, PEOPLE AT WORK, OR ANYONE ELSE

Type: Numeric

N	Value
4,603	1. YES
5,029	2. NO
33	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ5C - WERE TROUBLED BECAUSE OF WAY YOU FELT/OFTEN WISHED COULD GET BETTER

Type: Numeric

N	Value
7,698	1. YES
1,899	2. NO
68	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ5D - HAD TROUBLE DOING THINGS SUPPOSED TO DO--LIKE WORKING, DOING SCHOOLWORK, OR TAKING CARE OF HOME/FAMILY

Type: Numeric

N	Value
6,123	1. YES
3,504	2. NO
38	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ5E - SPENT MORE TIME THAN USUAL ALONE BECAUSE DIDN'T WANT TO BE AROUND PEOPLE

Type: Numeric

N	Value
7,421	1. YES
2,210	2. NO
34	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ5F - COULDN'T DO THINGS USUALLY DID/WANTED TO DO

Type: Numeric

N	Value
6,641	1. YES
2,970	2. NO
54	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ5G - DID A LOT LESS THAN USUAL OR WERE LESS ACTIVE

Type: Numeric

N	Value
7,820	1. YES
1,796	2. NO
49	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ5H - DEPENDED LOT MORE ON PEOPLE TO TAKE CARE OF EVERYDAY THINGS/GIVE YOU ATTENTION

Type: Numeric

N	Value
3,214	1. YES
6,421	2. NO
30	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ6A - AGE AT ONSET OF FIRST EPISODE

Type: Numeric

N	Value
9,508	5-86. Age
2	90. Age 90+
155	99. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ6B - WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS

Type: Numeric

N	Value
631	1. YES
9,018	2. NO
16	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ7 - NUMBER OF EPISODES

Type: Numeric

N	Value
8,889	1-98. Episodes
776	99. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ8AR - AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON N4AQ6A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
9,521	5-88. Age
2	90. Age 90+
142	99. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ8BR - DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N4AQ6B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,661	1. Yes
6,965	2. No
39	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ9AR - DURATION (WEEKS) OF ONLY/MOST RECENT EPISODE (BASED ON N4AQ9E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
9,401	2-4123. Weeks
54	9997. Unknown, but less than 2 months
114	9998. Unknown, but 2 months or longer
96	9999. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ9BR - WAS THERE 2+ MONTH PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N4AQ9F IF ONLY 1 EPISODE)

Type: Numeric

N	Value
7,927	1. Yes
1,634	2. No
104	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ9CR - WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON N4AQ9G IF ONLY 1 EPISODE)

Type: Numeric

N	Value
3,632	1. Yes
5,920	2. No
113	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ9DR - DURATION (WEEKS) OF ONLY/LONGEST EPISODE (BASED ON N4AQ9E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
9,360	2-4123. Weeks
51	9997. Unknown, but less than 2 months
168	9998. Unknown, but 2 months or longer
86	9999. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ10BR - ONLY/ALL EPISODE(S) LASTED FOR AT LEAST 2 MONTHS (BASED ON N4AQ9E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
5,150	1. Yes
3,801	2. No
714	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ10CR - ONLY/ALL EPISODE(S) OF <2 MONTHS IN LAST 12 MONTHS HAPPENED AFTER SOMEONE CLOSE DIED (BASED ON N4AQ10A & N4AQ9E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
465	1. Yes
1,307	2. No
11	9. Unknown
34,526	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; no episode in last 12 months; only/all episode(s) lasted at least 2 months

N4AQ10DR - ONLY/ALL EPISODE(S) OF <2 MONTHS PRIOR TO LAST 12 MONTHS HAPPENED AFTER SOMEONE CLOSE DIED
(BASED ON N4AQ10A & N4AQ9E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,172	1. Yes
2,956	2. No
55	9. Unknown
32,126	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; no episode prior to last 12 months; only/all episode(s) lasted at least 2 months

N4AQ11 - ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL

Type: Numeric

N	Value
886	1. YES
8,701	2. NO
78	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ12 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
699	1. YES
8,891	2. NO
75	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ13 - ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG

Type: Numeric

N	Value
758	1. YES
8,832	2. NO
75	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ14 - ANY EPISODE BEGAN AFTER EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG

Type: Numeric

N	Value
683	1. YES
8,905	2. NO
77	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ15CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N4AQ11-N4AQ14 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
209	1. Yes
2,425	2. No
27	9. Unknown
33,648	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset in last 12 months

N4AQ15DR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS
(BASED ON N4AQ15A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
155	1. Yes
2,477	2. No
29	9. Unknown
33,648	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset in last 12 months

N4AQ15ER - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS
(BASED ON N4AQ15A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
105	1. Yes
2,525	2. No
31	9. Unknown
33,648	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset in last 12 months

N4AQ15FR - CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N4AQ15B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
93	1. Yes
2,535	2. No
33	9. Unknown
33,648	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset in last 12 months

N4AQ15GR - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N4AQ11-N4AQ14 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
694	1. Yes
8,237	2. No
103	9. Unknown
27,275	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset prior to the last 12 months

N4AQ15HR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N4AQ15A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
455	1. Yes
8,467	2. No
112	9. Unknown
27,275	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset prior to the last 12 months

N4AQ15IR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON N4AQ15A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
383	1. Yes
8,538	2. No
113	9. Unknown
27,275	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset prior to the last 12 months

N4AQ15JR - CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N4AQ15B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
301	1. Yes
8,611	2. No
122	9. Unknown
27,275	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset prior to the last 12 months

N4AQ16A - WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP TO IMPROVE MOOD

Type: Numeric

N	Value
5,789	1. YES
3,854	2. NO
22	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ16B - WENT TO SELF-HELP OR SUPPORT GROUP, USED A HOTLINE FOR HELP TO IMPROVE MOOD

Type: Numeric

N	Value
1,585	1. YES
8,061	2. NO
19	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ17A - STAYED OVERNIGHT IN HOSPITAL BECAUSE OF DEPRESSION

Type: Numeric

N	Value
1,313	1. YES
8,331	2. NO
21	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ17B - WENT TO EMERGENCY ROOM FOR HELP BECAUSE OF DEPRESSION

Type: Numeric

N	Value
1,126	1. YES
8,517	2. NO
22	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ18 - DOCTOR PRESCRIBED MEDICINE/DRUG TO IMPROVE MOOD

Type: Numeric

N	Value
4,923	1. YES
4,714	2. NO
28	9. Unknown
26,644	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress

N4AQ19 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
6,394	5-87. Age
119	99. Unknown
29,796	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; did not seek or unknown if sought help for depression

N4AQ20 - SEEK HELP IN THE LAST 12 MONTHS

Type: Numeric

N	Value
2,538	1. YES
3,967	2. NO
8	9. Unknown
29,796	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; did not seek or unknown if sought help for depression

N4AQ21 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
6,165	1. YES
348	2. NO
29,796	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; did not seek or unknown if sought help for depression

N4AQ22CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N4AQ22A IF ONLY 1 EPISODE WITH ONSET)

Type: Numeric

N	Value
403	1. Yes
2,248	2. No
10	9. Unknown
33,648	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset in last 12 months

N4AQ22DR - DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N4AQ22B IF ONLY 1 EPISODE WITH ONSET)

Type: Numeric

N	Value
237	1. Yes
2,413	2. No
11	9. Unknown
33,648	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset in last 12 months

N4AQ22ER - ONLY/ALL EPISODE(S) PRIOR TO THE LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N4AQ22A IF ONLY 1 EPISODE WITH ONSET)

Type: Numeric

N	Value
1,066	1. Yes
7,917	2. No
51	9. Unknown
27,275	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset prior to the last 12 months

N4AQ22FR - DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO THE LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N4AQ22B IF ONLY 1 EPISODE WITH ONSET)

Type: Numeric

N	Value
714	1. Yes
8,259	2. No
61	9. Unknown
27,275	BL. NA, worst period did not meet symptom criteria for major depression or depression with anxious distress; had no episode with onset prior to the last 12 months

N4AQ23A1 - FELT EXTREMELY EXCITED OR ELATED DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
1,130	1. YES
8,042	2. NO
72	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B1 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
295	1. YES
2,247	2. NO
19	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C1 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,029	1. YES
7,557	2. NO
70	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A2 - FELT VERY IRRITABLE OR EASILY ANNOYED DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
5,630	1. YES
3,559	2. NO
55	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B2 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,496	1. YES
1,052	2. NO
13	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C2 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
5,173	1. YES
3,425	2. NO
58	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A3 - FELT EXTREMELY REVVED UP OR ENERGETIC DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
1,293	1. YES
7,902	2. NO
49	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B3 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
333	1. YES
2,215	2. NO
13	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C3 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,188	1. YES
7,421	2. NO
47	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A4 - NEEDED MUCH LESS SLEEP THAN USUAL DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
2,188	1. YES
6,963	2. NO
93	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B4 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
512	1. YES
2,029	2. NO
20	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C4 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,986	1. YES
6,578	2. NO
92	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A5 - FELT RESTED AFTER GETTING MUCH LESS SLEEP THAN USUAL DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
1,495	1. YES
7,632	2. NO
117	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B5 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
378	1. YES
2,160	2. NO
23	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C5 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,337	1. YES
7,205	2. NO
114	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A6 - FOUND YOU WERE MORE TALKATIVE THAN USUAL DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
1,381	1. YES
7,793	2. NO
70	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B6 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
366	1. YES
2,180	2. NO
15	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C6 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,267	1. YES
7,318	2. NO
71	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A7 - FELT PRESSURE TO KEEP TALKING DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
1,256	1. YES
7,923	2. NO
65	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B7 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
318	1. YES
2,226	2. NO
17	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C7 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,161	1. YES
7,431	2. NO
64	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A8 - TALKED SO FAST PEOPLE COULD NOT UNDERSTAND YOU DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
985	1. YES
8,213	2. NO
46	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B8 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
305	1. YES
2,245	2. NO
11	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C8 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
886	1. YES
7,723	2. NO
47	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A9 - FOUND YOUR THOUGHTS RACING SO FAST THAT YOU COULDN'T KEEP TRACK OF THEM DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
2,597	1. YES
6,591	2. NO
56	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B9 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
788	1. YES
1,761	2. NO
12	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C9 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
2,369	1. YES
6,228	2. NO
59	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A10 - FOUND YOUR THOUGHTS RACING SO FAST THAT YOU COULDN'T FOLLOW THEM DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
2,286	1. YES
6,895	2. NO
63	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B10 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
712	1. YES
1,832	2. NO
17	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C10 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
2,105	1. YES
6,488	2. NO
63	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A11 - BECAME MUCH MORE ACTIVE THAN USUAL AT WORK OR AT HOME DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
1,277	1. YES
7,917	2. NO
50	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B11 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
333	1. YES
2,216	2. NO
12	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C11 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,150	1. YES
7,456	2. NO
50	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A12 - BECAME MORE SEXUALLY ACTIVE THAN USUAL DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
807	1. YES
8,368	2. NO
69	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B12 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
192	1. YES
2,352	2. NO
17	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C12 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
736	1. YES
7,852	2. NO
68	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A13 - HAD SEX WITH PEOPLE YOU NORMALLY WOULDN'T BE INTERESTED IN DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
690	1. YES
8,485	2. NO
69	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B13 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
122	1. YES
2,418	2. NO
21	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C13 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
643	1. YES
7,945	2. NO
68	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A14 - DID ANYTHING UNUSUAL THAT COULD HAVE GOTTEN YOU INTO TROUBLE DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
1,674	1. YES
7,534	2. NO
36	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B14 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
404	1. YES
2,149	2. NO
8	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C14 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,556	1. YES
7,065	2. NO
35	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A15 - DID ANYTHING THAT YOU LATER REGRETTED DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
1,792	1. YES
7,412	2. NO
40	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B15 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
422	1. YES
2,130	2. NO
9	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C15 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,654	1. YES
6,963	2. NO
39	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A16 - FELT THAT YOU WERE AN UNUSUALLY IMPORTANT PERSON OR HAD SPECIAL GIFTS DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
689	1. YES
8,506	2. NO
49	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B16 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
157	1. YES
2,391	2. NO
13	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C16 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
630	1. YES
7,979	2. NO
47	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A17 - HAD TROUBLE CONCENTRATING BECAUSE LITTLE THINGS GOT YOU OFF TRACK DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
3,989	1. YES
5,193	2. NO
62	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B17 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
1,057	1. YES
1,486	2. NO
18	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C17 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
3,700	1. YES
4,892	2. NO
64	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ23A18 - FELT SO RESTLESS THAT YOU FIDGETED, PACED OR COULDN'T KEEP STILL DURING ANY PERIOD OF LOW MOOD

Type: Numeric

N	Value
2,553	1. YES
6,632	2. NO
59	9. Unknown
27,065	BL. NA, worst period did not meet symptom criteria for major depression

N4AQ23B18 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
722	1. YES
1,826	2. NO
13	9. Unknown
33,748	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months

N4AQ23C18 - HAPPENED DURING ANY EPISODE THAT BEGAN PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
2,364	1. YES
6,234	2. NO
58	9. Unknown
27,653	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months

N4AQ25 - DID SOME OF THESE EXPERIENCES HAPPEN NEARLY EVERY DAY DURING ANY PERIOD OF LOW MOOD IN THE LAST 12 MONTHS (INCLUDES SINGLE-EPISODE IN TIME PERIOD)

Type: Numeric

N	Value
867	1. YES
366	2. NO
9	9. Unknown
35,067	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months; did not meet symptom criteria for mixed mood features in the last 12 months

N4AQ26 - DID SOME OF THESE EXPERIENCES HAPPEN NEARLY EVERY DAY DURING ALL PERIODS OF LOW MOOD IN THE LAST 12 MONTHS (INCLUDES SINGLE-EPISODE IN TIME PERIOD)

Type: Numeric

N	Value
714	1. YES
513	2. NO
15	9. Unknown
35,067	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset in last 12 months; did not meet symptom criteria for mixed mood features in the last 12 months

N4AQ27 - DID SOME OF THESE EXPERIENCES HAPPEN NEARLY EVERY DAY DURING ANY PERIOD OF LOW MOOD BEFORE 12 MONTHS AGO (INCLUDES SINGLE-EPISODE IN TIME PERIOD)

Type: Numeric

N	Value
3,235	1. YES
1,102	2. NO
46	9. Unknown
31,926	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months; did not meet symptom criteria for mixed mood features before 12 months ago

N4AQ28 - DID SOME OF THESE EXPERIENCES HAPPEN NEARLY EVERY DAY DURING ALL PERIODS OF LOW MOOD BEFORE 12 MONTHS AGO (INCLUDES SINGLE-EPISODE IN TIME PERIOD)

Type: Numeric

N	Value
2,779	1. YES
1,542	2. NO
62	9. Unknown
31,926	BL. NA, worst period did not meet symptom criteria for major depression; had no episodes with onset prior to the last 12 months; did not meet symptom criteria for mixed mood features before 12 months ago

SECTION 4B: LOW MOOD II (DYSTHYMIA)

N4BQ1 - HAD 2+ YEAR PERIOD WHEN MOOD WAS LOW MORE THAN HALF THE TIME

Type: Numeric

N	Value
2,716	1. YES
33,464	2. NO
129	9. Unknown

N4BQ3A - OFTEN LOST APPETITE

Type: Numeric

N	Value
1,576	1. YES
1,119	2. NO
21	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3B - OFTEN FOUND WANTED TO EAT LOT MORE THAN USUAL FOR NO SPECIAL REASON

Type: Numeric

N	Value
1,025	1. YES
1,675	2. NO
16	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3C - OFTEN HAD TROUBLE FALLING ASLEEP, STAYING ASLEEP, OR WAKING UP TOO EARLY

Type: Numeric

N	Value
2,035	1. YES
671	2. NO
10	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3D - OFTEN SLEPT MORE THAN USUAL

Type: Numeric

N	Value
1,504	1. YES
1,198	2. NO
14	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3E - OFTEN FELT TIRED/FELT DIDN'T HAVE MUCH ENERGY

Type: Numeric

N	Value
2,375	1. YES
332	2. NO
9	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3F - OFTEN HAD TROUBLE CONCENTRATING/KEEPING MIND ON THINGS

Type: Numeric

N	Value
2,205	1. YES
502	2. NO
9	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3G - OFTEN FOUND IT HARDER TO MAKE DECISIONS

Type: Numeric

N	Value
1,993	1. YES
712	2. NO
11	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3H - OFTEN FELT THAT YOU WEREN'T AS GOOD AS OTHER PEOPLE

Type: Numeric

N	Value
1,964	1. YES
741	2. NO
11	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3I - OFTEN FELT DOWN ON SELF

Type: Numeric

N	Value
2,315	1. YES
395	2. NO
6	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3J - OFTEN FELT THAT YOU WERE INADEQUATE OR A FAILURE

Type: Numeric

N	Value
2,095	1. YES
615	2. NO
6	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3K - OFTEN FELT LIKE LIFE WOULD NEVER WORK OUT THE WAY YOU WANTED

Type: Numeric

N	Value
2,155	1. YES
549	2. NO
12	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3L - OFTEN FELT THAT THINGS WERE BAD AND WOULD NEVER GET BETTER

Type: Numeric

N	Value
2,016	1. YES
689	2. NO
11	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ3M - OFTEN FELT HOPELESS

Type: Numeric

N	Value
2,145	1. YES
567	2. NO
4	9. Unknown
33,593	BL. NA, never or unknown if ever had 2+ year period of low mood

N4BQ4A - FELT UPSET BY LOW MOOD OR THESE OTHER EXPERIENCES

Type: Numeric

N	Value
2,217	1. YES
404	2. NO
10	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ4B - WISHED YOU COULD GET BETTER

Type: Numeric

N	Value
2,476	1. YES
146	2. NO
9	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ4C - HAD ARGUMENTS/FRICTION WITH FAMILY, FRIENDS, PEOPLE AT WORK, OR ANYONE ELSE

Type: Numeric

N	Value
1,538	1. YES
1,083	2. NO
10	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ4D - HAD TROUBLE DOING THINGS SUPPOSED TO DO-LIKE WORKING, DOING SCHOOLWORK, OR TAKING CARE OF HOME OR FAMILY

Type: Numeric

N	Value
1,797	1. YES
828	2. NO
6	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ4E - DWELLED ON THE PAST/BROODED ABOUT PAST

Type: Numeric

N	Value
2,027	1. YES
598	2. NO
6	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ4F - FOUND SELF DOING LOT LESS THAN USUAL/BEING LESS ACTIVE

Type: Numeric

N	Value
2,154	1. YES
466	2. NO
11	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ4G - SPENT MORE TIME BY SELF BECAUSE DIDN'T WANT TO BE AROUND OTHER PEOPLE

Type: Numeric

N	Value
2,220	1. YES
406	2. NO
5	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ4H - ASKED PEOPLE FOR HELP SO MUCH THAT IT CAUSED PROBLEMS GETTING ALONG WITH THEM

Type: Numeric

N	Value
543	1. YES
2,080	2. NO
8	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ5 - AGE AT ONSET OF FIRST EPISODE

Type: Numeric

N	Value
2,556	5-86. Age
75	99. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ6 - NUMBER OF EPISODES

Type: Numeric

N	Value
2,362	1-19. Episodes
269	99. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ7AR - AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON N4BQ5 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,518	5-88. Age
113	99. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ7BR - DURATION (YEARS) OF ONLY/MOST RECENT EPISODE (BASED ON N4BQ8B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,518	2-60. Years
113	99. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ7CR - WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N4BQ8C IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,821	1. Yes
768	2. No
42	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ7DR - WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON N4BQ8D IF ONLY 1 EPISODE)

Type: Numeric

N	Value
877	1. Yes
1,709	2. No
45	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ8AR - DURATION (YEARS) OF ONLY/LONGEST EPISODE (BASED ON N4BQ8B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,488	2-66. Years
143	99. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ9 - ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL

Type: Numeric

N	Value
263	1. YES
2,341	2. NO
27	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ10 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
228	1. YES
2,374	2. NO
29	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ11 - ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG

Type: Numeric

N	Value
258	1. YES
2,353	2. NO
20	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ12 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG

Type: Numeric

N	Value
236	1. YES
2,372	2. NO
23	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ13IR - ONLY/ALL EPISODE(S) BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N4BQ9-12 IF ONLY ONE EPISODE, BASED ON N4BQ13C AND N4BQ13F IF ONLY 2 EPISODES, AND BASED ON N4BQ13C AND N4BQ13I IF 3+ EPISODES)

Type: Numeric

N	Value
293	1. Yes
2,302	2. No
36	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ13JR - STOPPED HEAVY DRINKING/DRUGS FOR 1+ MONTHS AFTER ONLY/ANY EPISODE (BASED ON N4BQ13A IF ONLY ONE EPISODE, BASED ON N4BQ13D AND N4BQ13G IF ONLY 2 EPISODES, AND BASED ON N4BQ13D AND N4BQ13J IF 3+ EPISODES)

Type: Numeric

N	Value
231	1. Yes
2,360	2. No
40	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ13KR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) (BASED ON N4BQ13A IF ONLY ONE EPISODE, BASED ON N4BQ13D AND N4BQ13G IF ONLY 2 EPISODES, AND BASED ON N4BQ13D AND N4BQ13K IF 3+ EPISODES)

Type: Numeric

N	Value
164	1. Yes
2,427	2. No
40	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ13LR - CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE (BASED ON N4BQ13B IF ONLY ONE EPISODE, BASED ON N4BQ13E AND N4BQ13H IF ONLY 2 EPISODES, AND BASED ON N4BQ13E AND N4BQ13L IF 3+ EPISODES)

Type: Numeric

N	Value
206	1. Yes
2,383	2. No
42	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ14A - WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP TO IMPROVE MOOD

Type: Numeric

N	Value
1,712	1. YES
905	2. NO
14	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ14B - WENT TO A SELF-HELP OR SUPPORT GROUP, USED A HOTLINE FOR HELP TO IMPROVE MOOD

Type: Numeric

N	Value
564	1. YES
2,055	2. NO
12	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ15A - STAYED OVERNIGHT IN HOSPITAL BECAUSE OF PERSISTENT DEPRESSION/DYSTHYMIA

Type: Numeric

N	Value
523	1. YES
2,095	2. NO
13	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ15B - WENT TO EMERGENCY ROOM FOR HELP BECAUSE OF PERSISTENT DEPRESSION/DYSTHYMIA

Type: Numeric

N	Value
443	1. YES
2,178	2. NO
10	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ16 - DOCTOR PRESCRIBED MEDICINE/DRUG TO IMPROVE MOOD/MAKE YOU FEEL BETTER

Type: Numeric

N	Value
1,561	1. YES
1,058	2. NO
12	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ17 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
1,854	5-86. Age
53	99. Unknown
34,402	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia; did not seek or unknown if sought help for persistent depression/dysthymia

N4BQ18 - SEEK HELP IN LAST 12 MONTHS

Type: Numeric

N	Value
1,035	1. YES
870	2. NO
2	9. Unknown
34,402	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia; did not seek or unknown if sought help for persistent depression/dysthymia

N4BQ19 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
1,860	1. YES
46	2. NO
1	9. Unknown
34,402	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia; did not seek or unknown if sought help for persistent depression/dysthymia

N4BQ20GR - ONLY/ALL EPISODE(S) RELATED TO ILLNESS (BASED ON N4BQ20A IF ONLY 1 EPISODE, BASED ON N4BQ20C AND N4BQ20E IF ONLY 2 EPISODES, AND BASED ON N4BQ20C AND N4BQ20G IF 3+ EPISODES)

Type: Numeric

N	Value
345	1. Yes
2,264	2. No
22	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

N4BQ20HR - DOCTOR SAID THAT ONLY/ALL EPISODE(S) RELATED TO ILLNESS (BASED ON N4BQ20B IF ONLY 1 EPISODE, BASED ON N4BQ20D & N4BQ20F IF ONLY 2 EPISODES, AND BASED ON N4BQ20D AND N4BQ20H IF 3+ EPISODES)

Type: Numeric

N	Value
258	1. Yes
2,353	2. No
20	9. Unknown
33,678	BL. NA, worst period did not meet symptom criteria for persistent depression/dysthymia

SECTION 4C: FAMILY HISTORY (III) (MOOD DISORDER)

N4CQ1 - BLOOD/NATURAL FATHER EVER DEPRESSED

Type: Numeric

N	Value
5,111	1. YES
26,109	2. NO
5,089	9. Unknown

N4CQ2 - BLOOD/NATURAL MOTHER EVER DEPRESSED

Type: Numeric

N	Value
9,211	1. YES
24,423	2. NO
2,675	9. Unknown

N4CQ3B - NUMBER OF FULL BROTHERS WHO WERE EVER DEPRESSED

Type: Numeric

N	Value
34,100	0-10. Number
2,209	99. Unknown

N4CQ3C - ANY FULL BROTHERS EVER DEPRESSED

Type: Numeric

N	Value
4,840	1. YES
29,450	2. NO
2,019	9. Unknown

N4CQ4B - NUMBER OF FULL SISTERS WHO WERE EVER DEPRESSED

Type: Numeric

N	Value
34,496	0-12. Number
1,813	99. Unknown

N4CQ4C - ANY FULL SISTERS EVER DEPRESSED

Type: Numeric

N	Value
5,701	1. YES
28,923	2. NO
1,685	9. Unknown

N4CQ5B - NUMBER OF NATURAL SONS WHO WERE EVER DEPRESSED

Type: Numeric

N	Value
35,627	0-9. Number
682	99. Unknown

N4CQ5C - ANY NATURAL SONS EVER DEPRESSED

Type: Numeric

N	Value
2,493	1. YES
33,210	2. NO
606	9. Unknown

N4CQ6B - NUMBER OF NATURAL DAUGHTERS WHO WERE EVER DEPRESSED

Type: Numeric

N	Value
35,741	0-6. Number
568	99. Unknown

N4CQ6C - ANY NATURAL DAUGHTERS EVER DEPRESSED

Type: Numeric

N	Value
2,604	1. YES
33,185	2. NO
520	9. Unknown

N4CQ7B - NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO WERE EVER DEPRESSED

Type: Numeric

N	Value
26,241	0-13. Number
10,068	99. Unknown

N4CQ7C - ANY OF NATURAL FATHER'S FULL BROTHERS EVER DEPRESSED

Type: Numeric

N	Value
2,482	1. YES
25,247	2. NO
8,580	9. Unknown

N4CQ8B - NUMBER OF NATURAL FATHER'S FULL SISTERS WHO WERE EVER DEPRESSED

Type: Numeric

N	Value
27,186	0-13. Number
9,123	99. Unknown

N4CQ8C - ANY OF NATURAL FATHER'S FULL SISTERS EVER DEPRESSED

Type: Numeric

N	Value
2,696	1. YES
25,691	2. NO
7,922	9. Unknown

N4CQ9B - NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO WERE EVER DEPRESSED

Type: Numeric

N	Value
29,073	0-12. Number
7,236	99. Unknown

N4CQ9C - ANY OF NATURAL MOTHER'S FULL BROTHERS EVER DEPRESSED

Type: Numeric

N	Value
3,387	1. YES
26,609	2. NO
6,313	9. Unknown

N4CQ10B - NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO WERE EVER DEPRESSED

Type: Numeric

N	Value
29,994	0-9. Number
6,315	99. Unknown

N4CQ10C - ANY OF NATURAL MOTHER'S FULL SISTERS EVER DEPRESSED

Type: Numeric

N	Value
4,241	1. YES
26,482	2. NO
5,586	9. Unknown

N4CQ11 - NATURAL GRANDFATHER ON FATHER'S SIDE EVER DEPRESSED

Type: Numeric

N	Value
1,057	1. YES
23,717	2. NO
11,535	9. Unknown

N4CQ12 - NATURAL GRANDMOTHER ON FATHER'S SIDE EVER DEPRESSED

Type: Numeric

N	Value
1,690	1. YES
24,032	2. NO
10,587	9. Unknown

N4CQ13 - NATURAL GRANDFATHER ON MOTHER'S SIDE EVER DEPRESSED

Type: Numeric

N	Value
1,418	1. YES
25,137	2. NO
9,754	9. Unknown

N4CQ14 - NATURAL GRANDMOTHER ON MOTHER'S SIDE EVER DEPRESSED

Type: Numeric

N	Value
2,782	1. YES
24,926	2. NO
8,601	9. Unknown

SECTION 5: HIGH MOOD (MANIC EPISODE)

N5Q1A - HAD 1+ WEEK PERIOD WHEN SO EXCITED/ELATED THAT SEEMED NOT NORMAL SELF

Type: Numeric

N	Value
2,446	1. YES
33,703	2. NO
160	9. Unknown

N5Q1B - HAD 1+ WEEK PERIOD WHEN SO IRRITABLE/EASILY ANNOYED THAT IT CAUSED YOU TO START FIGHTS OR ARGUMENTS

Type: Numeric

N	Value
3,754	1. YES
32,445	2. NO
110	9. Unknown

N5Q2 - WHEN EXCITED/ELATED/IRRITABLE FOR AT LEAST 1 WEEK, WERE YOU ALSO SO REVVED UP OR ENERGETIC THAT PEOPLE THOUGHT YOU WERE NOT YOUR NORMAL SELF

Type: Numeric

N	Value
1,879	1. YES
3,067	2. NO
43	9. Unknown
31,320	BL. NA, not/unknown if excited/elated/irritable for at least 1 week

N5Q3A - HAD LESS THAN 1 WEEK PERIOD WHEN SO EXCITED/ELATED THAT SEEMED NOT NORMAL SELF

Type: Numeric

N	Value
1,075	1. YES
33,188	2. NO
167	9. Unknown
1,879	BL. NA, excited/elated/irritable and revved up/energetic for at least 1 week

N5Q3B - HAD LESS THAN 1 WEEK PERIOD WHEN SO IRRITABLE/EASILY ANNOYED THAT IT CAUSED YOU TO START FIGHTS OR ARGUMENTS

Type: Numeric

N	Value
3,259	1. YES
31,043	2. NO
128	9. Unknown
1,879	BL. NA, excited/elated/irritable and revved up/energetic for at least 1 week

N5Q4 - WHEN EXCITED/ELATED/IRRITABLE FOR LESS THAN 1 WEEK, WERE YOU ALSO SO REVVED UP OR ENERGETIC THAT PEOPLE THOUGHT YOU WERE NOT YOUR NORMAL SELF

Type: Numeric

N	Value
567	1. YES
3,116	2. NO
42	9. Unknown
32,584	BL. NA, not/unknown if excited/elated/irritable for <1 week; had period when excited/elated/irritable and revved up/energetic for at least 1 week

N5Q5A - JUST AFTER ANY TIMES WHEN EXCITED/ELATED/IRRITABLE FOR LESS THAN 1 WEEK AND ALSO REVVED UP, WERE YOU HOSPITALIZED FOR THESE MOOD CHANGES

Type: Numeric

N	Value
29	1. YES
538	2. NO
35,742	BL. NA, not/unknown if excited/elated/irritable and revved up/energetic for less than 1 week; had period when excited/elated/irritable and revved up/energetic for at least 1 week

N5Q5B - DID ANY OF THESE TIMES LASTING LESS THAN 1 WEEK, LAST FOR AT LEAST 4 DAYS

Type: Numeric

N	Value
130	1. YES
399	2. NO
9	9. Unknown
35,771	BL. NA, hospitalized for or not/unknown if excited/elated/irritable and revved up/energetic for less than 1 week; had period when excited/elated/irritable and revved up/energetic for at least 1 week

N5Q6A - FELT EXTREMELY EXCITED OR ELATED

Type: Numeric

N	Value
1,424	1. YES
588	2. NO
26	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6B - FELT EXTREMELY REVVED UP OR ENERGETIC

Type: Numeric

N	Value
1,517	1. YES
505	2. NO
16	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6C - FELT VERY IRRITABLE OR EASILY ANNOYED

Type: Numeric

N	Value
1,527	1. YES
504	2. NO
7	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6D - NEEDED MUCH LESS SLEEP THAN USUAL

Type: Numeric

N	Value
1,088	1. YES
938	2. NO
12	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6E - FELT RESTED AFTER GETTING LESS SLEEP THAN USUAL

Type: Numeric

N	Value
984	1. YES
1,036	2. NO
18	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6F - FOUND SELF MORE TALKATIVE THAN USUAL

Type: Numeric

N	Value
1,150	1. YES
875	2. NO
13	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6G - FELT PRESSURE TO KEEP TALKING

Type: Numeric

N	Value
630	1. YES
1,400	2. NO
8	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6H - TALKED SO FAST PEOPLE HAD TROUBLE UNDERSTANDING/GETTING IN WORD EDGEWISE

Type: Numeric

N	Value
797	1. YES
1,232	2. NO
9	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6I - HAD TROUBLE CONCENTRATING BECAUSE LITTLE THINGS GOT YOU EASILY OFF TRACK

Type: Numeric

N	Value
1,136	1. YES
893	2. NO
9	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6J - THOUGHTS RACED SO FAST THAT YOU COULDN'T KEEP TRACK OF THEM

Type: Numeric

N	Value
1,148	1. YES
884	2. NO
6	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6K - THOUGHTS RACED SO FAST THAT IT WAS HARD FOR YOU TO FOLLOW THEM

Type: Numeric

N	Value
1,078	1. YES
954	2. NO
6	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6L1 - FELT SO RESTLESS YOU FIDGETED, PACED, OR COULDN'T SIT STILL

Type: Numeric

N	Value
1,177	1. YES
855	2. NO
6	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6L2 - DID OTHERS NOTICE YOU WERE SO RESTLESS

Type: Numeric

N	Value
1,243	1. YES
772	2. NO
23	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6M - BECAME MORE ACTIVE THAN USUAL AT WORK, HOME, PURSUING OTHER INTERESTS

Type: Numeric

N	Value
1,053	1. YES
969	2. NO
16	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6N - BECAME MORE SEXUALLY ACTIVE

Type: Numeric

N	Value
462	1. YES
1,551	2. NO
25	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6O - HAD SEX WITH PEOPLE WHO NORMALLY WOULD NOT INTEREST YOU

Type: Numeric

N	Value
295	1. YES
1,729	2. NO
14	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6P - BECAME SO PHYSICALLY RESTLESS THAT IT MADE YOU UNCOMFORTABLE

Type: Numeric

N	Value
810	1. YES
1,222	2. NO
6	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6Q - DID UNUSUAL THINGS THAT COULD GET YOU INTO TROUBLE--BUYING THINGS COULDN'T AFFORD/MAKING FOOLISH MONEY DECISIONS/DRIVING RECKLESSLY

Type: Numeric

N	Value
680	1. YES
1,353	2. NO
5	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6R - DID THINGS LATER REGRETTED--SPENT TIME WITH PEOPLE NOT NORMALLY INTERESTED IN

Type: Numeric

N	Value
693	1. YES
1,343	2. NO
2	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q6S - FELT UNUSUALLY IMPORTANT, HAD SPECIAL GIFTS/POWERS/ABILITIES

Type: Numeric

N	Value
467	1. YES
1,568	2. NO
3	9. Unknown
34,271	BL. NA, never or unknown if ever had period of being excited/elated/irritable and revved up/energetic

N5Q7A - WAS UPSET BECAUSE OF FEELING EXTREMELY EXCITED/ELATED/IRRITABLE/ EASILY ANNOYED

Type: Numeric

N	Value
777	1. YES
672	2. NO
13	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q7B - HAD SERIOUS PROBLEMS GETTING ALONG WITH OTHER PEOPLE, LIKE ARGUMENTS

Type: Numeric

N	Value
729	1. YES
728	2. NO
5	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q7C - HAD SERIOUS PROBLEMS WITH THINGS SUPPOSED TO DO--WORK, SCHOOLWORK, CARING FOR HOME/FAMILY

Type: Numeric

N	Value
626	1. YES
833	2. NO
3	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q7D - HAD TROUBLE GETTING THINGS DONE

Type: Numeric

N	Value
744	1. YES
713	2. NO
5	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q7E - HAD LEGAL TROUBLE--GETTING ARRESTED, HELD AT POLICE STATION, IN JAIL

Type: Numeric

N	Value
273	1. YES
1,185	2. NO
4	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q8A - AGE AT ONSET OF FIRST EPISODE

Type: Numeric

N	Value
1,390	5-77. Age
72	99. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q8B - WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS

Type: Numeric

N	Value
99	1. YES
1,356	2. NO
7	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q9 - NUMBER OF EPISODES

Type: Numeric

N	Value
1,229	1-98. Episodes
233	99. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q10AR - AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON N5Q8A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,403	5-80. Age
59	99. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q10BR - DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N5Q8B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
587	1. Yes
861	2. No
14	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q11AR - DURATION (DAYS) OF ONLY/MOST RECENT EPISODE (BASED ON N5Q11E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,404	3-14975. Days
58	99999. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q11BR - WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N5Q11F IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,102	1. Yes
336	2. No
24	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q11CR - WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON N5Q11G IF ONLY 1 EPISODE)

Type: Numeric

N	Value
675	1. Yes
760	2. No
27	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q11DR - DURATION (DAYS) OF ONLY/LONGEST EPISODE (BASED ON N5Q11E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,350	4-14975. Days
112	99999. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q12 - ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL

Type: Numeric

N	Value
238	1. YES
1,209	2. NO
15	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q13 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
196	1. YES
1,251	2. NO
15	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q14 - ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG

Type: Numeric

N	Value
241	1. YES
1,209	2. NO
12	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q15 - ANY EPISODE BEGAN AFTER EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG

Type: Numeric

N	Value
221	1. YES
1,232	2. NO
9	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q16CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N5Q12-N5Q15 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
74	1. Yes
504	2. No
9	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset in last 12 months

N5Q16DR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N5Q16A IF ONLY ONE EPISODE)

Type: Numeric

N	Value
48	1. Yes
528	2. No
11	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset in last 12 months

N5Q16ER - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON N5Q16A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
34	1. Yes
542	2. No
11	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset in last 12 months

N5Q16FR - CONTINUED TO FEEL MANIC/HYPOMANIC FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N5Q16B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
28	1. Yes
548	2. No
11	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset in last 12 months

N5Q16GR - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N5Q12-N5Q15 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
224	1. Yes
1,111	2. No
28	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset prior to the last 12 months

N5Q16HR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N5Q16A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
151	1. Yes
1,182	2. No
30	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset prior to the last 12 months

N5Q16IR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON N5Q16A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
126	1. Yes
1,207	2. No
30	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset prior to the last 12 months

N5Q16JR - CONTINUED TO FEEL MANIC/HYPOMANIC FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N5Q16B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
92	1. Yes
1,238	2. No
33	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset prior to the last 12 months

N5Q17A - WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP TO CALM DOWN

Type: Numeric

N	Value
576	1. YES
882	2. NO
4	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q17B - WENT TO A SELF-HELP OR SUPPORT GROUP, USED A HOT LINE FOR HELP TO CALM DOWN

Type: Numeric

N	Value
216	1. YES
1,243	2. NO
3	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q18A - STAYED OVERNIGHT IN HOSPITAL BECAUSE OF MANIA/HYPOMANIA

Type: Numeric

N	Value
215	1. YES
1,243	2. NO
4	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q18B - WENT TO EMERGENCY ROOM FOR HELP BECAUSE OF MANIA/HYPOMANIA

Type: Numeric

N	Value
188	1. YES
1,270	2. NO
4	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q19 - DOCTOR PRESCRIBED MEDICINE/DRUG TO CALM YOU DOWN/MAKE YOU FEEL BETTER

Type: Numeric

N	Value
550	1. YES
910	2. NO
2	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q20 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
679	5-77. Age
29	99. Unknown
35,601	BL. NA, worst period did not meet symptom criteria for mania/hypomania; did not seek or unknown if sought help for mania/hypomania

N5Q21 - SEEK HELP IN THE LAST 12 MONTHS

Type: Numeric

N	Value
395	1. YES
309	2. NO
4	9. Unknown
35,601	BL. NA, worst period did not meet symptom criteria for mania/hypomania; did not seek or unknown if sought help for mania/hypomania

N5Q22 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
668	1. YES
40	2. NO
35,601	BL. NA, worst period did not meet symptom criteria for mania/hypomania; did not seek or unknown if sought help for mania/hypomania

N5Q23CR - ONLY/ALL EPISODES IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N5Q23A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
79	1. Yes
503	2. No
5	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset in last 12 months

N5Q23DR - DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N5Q23B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
53	1. Yes
529	2. No
5	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset in last 12 months

N5Q23ER - ONLY/ALL EPISODES PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N5Q23A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
163	1. Yes
1,185	2. No
15	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset prior to the last 12 months

N5Q23FR - DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N5Q23B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
113	1. Yes
1,235	2. No
15	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode with onset prior to the last 12 months

N5Q24A1 - FELT SAD, HOPELESS, DEPRESSED OR DOWN NEARLY EVERY DAY DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
678	1. YES
766	2. NO
18	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B1 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
226	1. YES
356	2. NO
5	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C1 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
627	1. YES
717	2. NO
19	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A2 - DID NOT CARE ABOUT THINGS USUALLY CARED ABOUT DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
761	1. YES
682	2. NO
19	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B2 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
243	1. YES
337	2. NO
7	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C2 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
705	1. YES
639	2. NO
19	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A3 - FELT TIRED NEARLY ALL THE TIME, EVEN THOUGH NOT DOING MORE THAN USUAL DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
798	1. YES
650	2. NO
14	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B3 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
265	1. YES
316	2. NO
6	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C3 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
720	1. YES
629	2. NO
14	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A4 - FELT SO TIRED NEARLY ALL THE TIME THAT SMALL THINGS TOOK EFFORT DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
731	1. YES
718	2. NO
13	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B4 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
241	1. YES
339	2. NO
7	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C4 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
662	1. YES
687	2. NO
14	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A5 - MOVED OR TALKED MUCH MORE SLOWLY THAN USUAL DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
444	1. YES
989	2. NO
29	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B5 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
143	1. YES
430	2. NO
14	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C5 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
404	1. YES
931	2. NO
28	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A6 - FELT WORTHLESS NEARLY EVERY DAY DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
593	1. YES
850	2. NO
19	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B6 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
195	1. YES
382	2. NO
10	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C6 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
550	1. YES
796	2. NO
17	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A7 - FELT GUILTY ABOUT THINGS YOU NORMALLY WOULDN'T FEEL GUILTY ABOUT DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
715	1. YES
729	2. NO
18	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B7 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
242	1. YES
335	2. NO
10	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C7 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
656	1. YES
689	2. NO
18	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A8 - FELT USELESS OR GOOD FOR NOTHING DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
662	1. YES
782	2. NO
18	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B8 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
219	1. YES
358	2. NO
10	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C8 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
618	1. YES
729	2. NO
16	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A9 - ATTEMPTED SUICIDE DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
235	1. YES
1,217	2. NO
10	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B9 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
35	1. YES
547	2. NO
5	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C9 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
225	1. YES
1,129	2. NO
9	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A10 - THOUGHT ABOUT COMMITTING SUICIDE DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
444	1. YES
1,008	2. NO
10	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B10 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
103	1. YES
477	2. NO
7	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C10 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
423	1. YES
931	2. NO
9	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A11 - FELT LIKE YOU WANTED TO DIE DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
518	1. YES
934	2. NO
10	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B11 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
127	1. YES
456	2. NO
4	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C11 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
494	1. YES
860	2. NO
9	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A12 - THOUGHT A LOT ABOUT OWN DEATH DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
493	1. YES
958	2. NO
11	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B12 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
152	1. YES
430	2. NO
5	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C12 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
459	1. YES
894	2. NO
10	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q24A13 - WORRIED A LOT DURING ANY PERIOD OF HIGH MOOD

Type: Numeric

N	Value
900	1. YES
552	2. NO
10	9. Unknown
34,847	BL. NA, worst period did not meet symptom criteria for mania/hypomania

N5Q24B13 - HAPPENED DURING ANY EPISODE THAT BEGAN IN LAST 12 MONTHS

Type: Numeric

N	Value
282	1. YES
300	2. NO
5	9. Unknown
35,722	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months

N5Q24C13 - HAPPENED DURING ANY EPISODE THAT BEGAN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
828	1. YES
526	2. NO
9	9. Unknown
34,946	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months

N5Q26A - SOME EXPERIENCES HAPPENED DURING ANY PERIOD IN LAST 12 MONTHS (INCLUDES SINGLE-EPISODE IN TIME PERIOD)

Type: Numeric

N	Value
237	1. YES
72	2. NO
5	9. Unknown
35,995	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months; did not meet symptom criteria for mixed mood features in last 12 months

N5Q26B - SOME EXPERIENCES HAPPENED DURING ALL PERIODS IN LAST 12 MONTHS (INCLUDES SINGLE-EPISODE IN TIME PERIOD)

Type: Numeric

N	Value
203	1. YES
106	2. NO
5	9. Unknown
35,995	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset in last 12 months; did not meet symptom criteria for mixed mood features in last 12 months

N5Q27 - SOME EXPERIENCES HAPPENED DURING ANY PERIOD BEFORE 12 MONTHS AGO (INCLUDES SINGLE-EPISODE IN TIME PERIOD)

Type: Numeric

N	Value
655	1. YES
189	2. NO
23	9. Unknown
35,442	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months; did not meet symptom criteria for mixed mood features before 12 months ago

N5Q28 - SOME EXPERIENCES HAPPENED DURING ALL PERIODS BEFORE 12 MONTHS AGO (INCLUDES SINGLE-EPISODE IN TIME PERIOD)

Type: Numeric

N	Value
578	1. YES
259	2. NO
30	9. Unknown
35,442	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episodes with onset prior to the last 12 months; did not meet symptom criteria for mixed mood features before 12 months ago

SECTION 6: ANXIETY (PANIC DISORDER)

N6Q1 - HAD PANIC ATTACK, SUDDENLY FELT FRIGHTENED/OVERWHELMED/NERVOUS AS IF IN GREAT DANGER BUT WERE NOT

Type: Numeric

N	Value
7,616	1. YES
28,601	2. NO
92	9. Unknown

N6Q3 - THOUGHT WERE HAVING HEART ATTACK, BUT DOCTOR SAID JUST NERVES OR PANIC ATTACK

Type: Numeric

N	Value
563	1. YES
28,066	2. NO
64	9. Unknown
7,616	BL. NA, had at least 1 unexpected panic attack

N6Q4 - HAD AT LEAST 2 PANIC ATTACKS THAT HAPPENED FOR NO REASON

Type: Numeric

N	Value
3,847	1. YES
4,301	2. NO
31	9. Unknown
28,130	BL. NA, never or unknown if ever had unexpected panic attack

N6Q6A - HAD TROUBLE CATCHING BREATH, FELT SHORT OF BREATH, FELT LIKE SMOTHERING

Type: Numeric

N	Value
3,190	1. YES
638	2. NO
19	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6B - FELT HEART RACING, POUNDING, OR SKIPPING

Type: Numeric

N	Value
3,597	1. YES
232	2. NO
18	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6C - TREMBLED OR SHOOK

Type: Numeric

N	Value
2,660	1. YES
1,141	2. NO
46	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6D - PERSPIRED OR SWEATED

Type: Numeric

N	Value
2,558	1. YES
1,198	2. NO
91	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6E - FELT AS IF CHOKING

Type: Numeric

N	Value
1,397	1. YES
2,424	2. NO
26	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6F - FELT DIZZY, LIGHTEADED, AS IF MIGHT FAINT

Type: Numeric

N	Value
2,732	1. YES
1,096	2. NO
19	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6G - FELT THINGS AROUND SEEMED UNREAL

Type: Numeric

N	Value
1,714	1. YES
2,100	2. NO
33	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6H - FELT DETACHED FROM THINGS AROUND

Type: Numeric

N	Value
1,919	1. YES
1,877	2. NO
51	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6I - HAD TINGLING OR NUMBNESS IN ANY PART OF BODY

Type: Numeric

N	Value
1,667	1. YES
2,114	2. NO
66	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6J - HAD CHILLS OR FELT HOT

Type: Numeric

N	Value
2,093	1. YES
1,688	2. NO
66	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6K - FELT NAUSEOUS, HAD UPSET STOMACH, FELT MIGHT VOMIT OR HAVE DIARRHEA

Type: Numeric

N	Value
1,994	1. YES
1,827	2. NO
26	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6L - HAD PAIN OR PRESSURE IN CHEST

Type: Numeric

N	Value
2,333	1. YES
1,495	2. NO
19	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6M - FELT MIGHT GO CRAZY OR LOSE CONTROL

Type: Numeric

N	Value
1,980	1. YES
1,850	2. NO
17	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q6N - FELT MIGHT DIE

Type: Numeric

N	Value
1,943	1. YES
1,890	2. NO
14	9. Unknown
32,462	BL. NA, never or unknown if had at least 2 unexpected panic attacks

N6Q7 - DURING WORST EPISODE DID AT LEAST 4 OF THE EXPERIENCES MENTIONED BEGIN SUDDENLY AND BECOME VERY INTENSE WITHIN MINUTES

Type: Numeric

N	Value
3,059	1. YES
381	2. NO
21	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q8A - DURING WORST TIME, HAD AT LEAST 2 SEPARATE PANIC ATTACKS WHEN AT LEAST 4 OF THE EXPERIENCES MENTIONED BEGAN SUDDENLY AND BECAME VERY INTENSE WITHIN MINUTES

Type: Numeric

N	Value
2,573	1. YES
838	2. NO
50	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q8B - AFTER WORST PANIC ATTACKS WORRIED FOR AT LEAST 1 MONTH WOULD HAVE ANOTHER ONE

Type: Numeric

N	Value
2,000	1. YES
1,447	2. NO
14	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q9 - AFTER WORST PANIC ATTACKS WORRIED FOR AT LEAST 1 MONTH ABOUT WHAT MIGHT HAPPEN IF HAD ANOTHER ATTACK

Type: Numeric

N	Value
1,862	1. YES
1,589	2. NO
10	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q10 - MADE CHANGES IN EVERYDAY LIFE/USUAL ACTIVITIES/FUTURE PLANS FOR AT LEAST 1 MONTH AFTER WORST PANIC ATTACKS

Type: Numeric

N	Value
1,611	1. YES
1,830	2. NO
20	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q11A - WAS UPSET BY PANIC ATTACKS/OTHER EXPERIENCES MENTIONED

Type: Numeric

N	Value
2,397	1. YES
1,051	2. NO
13	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q11B - HAD SERIOUS PROBLEMS GETTING ALONG WITH OTHER PEOPLE (ARGUING/AVOIDING PEOPLE MORE THAN USUAL)

Type: Numeric

N	Value
848	1. YES
2,604	2. NO
9	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q11C - HAD SERIOUS PROBLEMS WITH THINGS SUPPOSED TO DO--WORK, SCHOOLWORK, CARING FOR HOME/FAMILY

Type: Numeric

N	Value
1,159	1. YES
2,292	2. NO
10	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q11D - RESTRICTED USUAL ACTIVITIES IN ANY WAY BECAUSE OF PANIC ATTACKS

Type: Numeric

N	Value
1,498	1. YES
1,954	2. NO
9	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q11E - WAS UNABLE TO DO SOMETHING BECAUSE OF PANIC ATTACKS

Type: Numeric

N	Value
1,371	1. YES
2,075	2. NO
15	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q12A - AGE AT ONSET OF FIRST EPISODE

Type: Numeric

N	Value
3,369	5-89. Age
1	90. Age 90+
91	99. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q12B - WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS

Type: Numeric

N	Value
200	1. YES
3,252	2. NO
9	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q12C - AFTER FIRST EPISODE, WORRIED A LOT FOR AT LEAST 1 MONTH/MADE CHANGE IN LIFE AS RESULT OF PANIC ATTACKS

Type: Numeric

N	Value
1,811	1. YES
1,627	2. NO
23	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q13 - NUMBER OF EPISODES

Type: Numeric

N	Value
2,955	1-98. Episodes
506	99. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q14AR - AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON N6Q12A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
3,377	5-89. Age
1	90. Age 90+
83	99. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q14BR - DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N6Q12B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,218	1. Yes
2,228	2. No
15	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q14CR - AFTER ONLY/MOST RECENT EPISODE, WORRIED A LOT FOR AT LEAST 1 MONTH/MADE CHANGE IN LIFE AS RESULT OF PANIC ATTACKS (BASED ON N6Q12C IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,582	1. Yes
1,858	2. No
21	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q15AR - DURATION (DAYS) OF ONLY/MOST RECENT EPISODE (BASED ON N6Q15E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
3,145	1-27030. Days
316	99999. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q15BR - WAS THERE 2+ MONTH PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N6Q15F IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,758	1. Yes
654	2. No
49	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q15CR - DID REMISSION OF ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N6Q15G IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,349	1. Yes
2,055	2. No
57	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q15DR - DURATION (DAYS) OF ONLY/LONGEST EPISODE (BASED ON N6Q15E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
3,073	1-27030. Days
388	99999. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q16 - ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL

Type: Numeric

N	Value
272	1. YES
3,151	2. NO
38	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q17 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
225	1. YES
3,195	2. NO
41	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q18 - ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG

Type: Numeric

N	Value
289	1. YES
3,134	2. NO
38	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q19 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG

Type: Numeric

N	Value
245	1. YES
3,179	2. NO
37	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q20CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N6Q16-N6Q19 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
71	1. Yes
1,131	2. No
16	9. Unknown
35,091	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset in last 12 months

N6Q20DR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N6Q20A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
52	1. Yes
1,150	2. No
16	9. Unknown
35,091	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset in last 12 months

N6Q20ER - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON N6Q20A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
45	1. Yes
1,157	2. No
16	9. Unknown
35,091	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset in last 12 months

N6Q20FR - CONTINUED HAVING PANIC ATTACKS FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N6Q20B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
26	1. Yes
1,176	2. No
16	9. Unknown
35,091	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset in last 12 months

N6Q20GR - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N6Q16-N6Q19 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
219	1. Yes
2,989	2. No
53	9. Unknown
33,048	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset prior to last 12 months

N6Q20HR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N6Q20A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
151	1. Yes
3,055	2. No
55	9. Unknown
33,048	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset prior to last 12 months

N6Q20IR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON N6Q20A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
120	1. Yes
3,083	2. No
58	9. Unknown
33,048	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset prior to last 12 months

N6Q20JR - CONTINUED HAVING PANIC ATTACKS FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N6Q20B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
79	1. Yes
3,123	2. No
59	9. Unknown
33,048	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset prior to last 12 months

N6Q21A - EVER TALKED TO HEALTH PROFESSIONAL FOR HELP WITH PANIC ATTACKS

Type: Numeric

N	Value
2,133	1. YES
1,321	2. NO
7	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q21B - EVER WENT TO A SELF-HELP OR SUPPORT GROUP FOR HELP WITH PANIC ATTACKS

Type: Numeric

N	Value
326	1. YES
3,127	2. NO
8	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q22 - EVER WENT TO EMERGENCY ROOM FOR HELP BECAUSE OF PANIC ATTACKS

Type: Numeric

N	Value
999	1. YES
2,450	2. NO
12	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q23 - EVER STAYED OVERNIGHT OR LONGER IN HOSPITAL BECAUSE OF PANIC ATTACKS

Type: Numeric

N	Value
407	1. YES
3,049	2. NO
5	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q24 - DOCTOR EVER PRESCRIBED MEDICINE/DRUG FOR PANIC ATTACKS

Type: Numeric

N	Value
1,797	1. YES
1,650	2. NO
14	9. Unknown
32,848	BL. NA, worst time did not meet symptom criteria for panic disorder

N6Q25 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
2,368	5-89. Age
1	90. Age 90+
65	99. Unknown
33,875	BL. NA, worst time did not meet symptom criteria for panic disorder; did not seek or unknown if sought help for panic attacks

N6Q26 - SEEK HELP IN THE LAST 12 MONTHS

Type: Numeric

N	Value
987	1. YES
1,444	2. NO
3	9. Unknown
33,875	BL. NA, worst time did not meet symptom criteria for panic disorder; did not seek or unknown if sought help for panic attacks

N6Q27 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,262	1. YES
171	2. NO
1	9. Unknown
33,875	BL. NA, worst time did not meet symptom criteria for panic disorder; did not seek or unknown if sought help for panic attacks

N6Q28CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N6Q28A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
125	1. Yes
1,090	2. No
3	9. Unknown
35,091	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset in last 12 months

N6Q28DR - DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N6Q28B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
72	1. Yes
1,143	2. No
3	9. Unknown
35,091	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset in last 12 months

N6Q28ER - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N6Q28A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
284	1. Yes
2,954	2. No
23	9. Unknown
33,048	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset prior to last 12 months

N6Q28FR - DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N6Q28B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
211	1. Yes
3,025	2. No
25	9. Unknown
33,048	BL. NA, worst time did not meet symptom criteria for panic disorder; had no episode with onset prior to last 12 months

N6Q29 - EVER HAVE A PANIC ATTACK THAT WAS EXPECTED IN A SPECIFIC SITUATION

Type: Numeric

N	Value
3,591	1. YES
32,591	2. NO
127	9. Unknown

N6Q30A - DURING WORST EXPECTED PANIC ATTACKS HAD TROUBLE CATCHING BREATH

Type: Numeric

N	Value
1,583	1. YES
998	2. NO
12	9. Unknown
33,716	BL. NA, never or unknown if ever had expected panic attacks; met symptom criteria for panic disorder

N6Q30B - FELT YOUR HEART RACING, POUNDING OR SKIPPING

Type: Numeric

N	Value
2,192	1. YES
386	2. NO
15	9. Unknown
33,716	BL. NA, never or unknown if ever had expected panic attacks; met symptom criteria for panic disorder

N6Q30C - TREMBLED OR SHOOK

Type: Numeric

N	Value
1,459	1. YES
1,110	2. NO
24	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30D - PERSPIRED OR SWEATED

Type: Numeric

N	Value
1,370	1. YES
1,174	2. NO
49	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30E - FELT AS IF YOU WERE CHOKING

Type: Numeric

N	Value
496	1. YES
2,083	2. NO
14	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30F - FELT DIZZY, LIGHTHEADED, OR AS IF YOU MIGHT FAINT

Type: Numeric

N	Value
1,241	1. YES
1,340	2. NO
12	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30G - FELT THAT THINGS AROUND YOU SEEMED UNREAL

Type: Numeric

N	Value
698	1. YES
1,879	2. NO
16	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30H - FELT THAT YOU WERE DETACHED FROM THINGS AROUND YOU

Type: Numeric

N	Value
773	1. YES
1,804	2. NO
16	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30I - HAD TINGLING OR NUMBNESS IN ANY PART OF YOUR BODY

Type: Numeric

N	Value
547	1. YES
2,011	2. NO
35	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30J - HAD CHILLS OR FELT HOT

Type: Numeric

N	Value
948	1. YES
1,603	2. NO
42	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30K - FELT NAUSEOUS

Type: Numeric

N	Value
1,155	1. YES
1,424	2. NO
14	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30L - HAD PAIN OR PRESSURE IN YOUR CHEST

Type: Numeric

N	Value
912	1. YES
1,667	2. NO
14	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30M - FELT LIKE YOU MIGHT GO CRAZY OR LOSE CONTROL

Type: Numeric

N	Value
814	1. YES
1,770	2. NO
9	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q30N - FELT LIKE YOU MIGHT DIE

Type: Numeric

N	Value
627	1. YES
1,956	2. NO
10	9. Unknown
33,716	BL. NA, never or unknown if had expected panic attacks; met symptom criteria for panic disorder

N6Q31 - DURING WORST EXPECTED PANIC ATTACKS HAD AT LEAST 4 INTENSE AND SUDDEN EXPERIENCES

Type: Numeric

N	Value
1,397	1. YES
415	2. NO
10	9. Unknown
34,487	BL. NA, never or unknown if had expected panic attacks; reported fewer than 4 symptoms during expected attacks; met symptom criteria for panic disorder

SECTION 6A: SPECIFIC ANXIETY (AGORAPHOBIA)

N6AQ1A - EVER FEAR BEING IN A STORE

Type: Numeric

N	Value
1,443	1. YES
34,808	2. NO
58	9. Unknown

N6AQ1B - EVER FEAR BEING AT A MOVIE OR ANOTHER THRATER

Type: Numeric

N	Value
793	1. YES
35,452	2. NO
64	9. Unknown

N6AQ1C - EVER FEAR BEING OUTSIDE YOUR HOME

Type: Numeric

N	Value
1,597	1. YES
34,649	2. NO
63	9. Unknown

N6AQ1D - EVER FEAR BEING AROUND CROWDS

Type: Numeric

N	Value
3,294	1. YES
32,957	2. NO
58	9. Unknown

N6AQ1E - EVER FEAR STANDING IN LINES

Type: Numeric

N	Value
1,612	1. YES
34,637	2. NO
60	9. Unknown

N6AQ1F - EVER FEAR BEING IN WIDE OPEN SPACES

Type: Numeric

N	Value
741	1. YES
35,503	2. NO
65	9. Unknown

N6AQ1G - EVER FEAR TRAVELING ON A TRAIN

Type: Numeric

N	Value
657	1. YES
35,208	2. NO
444	9. Unknown

N6AQ1H - EVER FEAR TRAVELING ON A BUS

Type: Numeric

N	Value
849	1. YES
35,316	2. NO
144	9. Unknown

N6AQ1I - EVER FEAR TRAVELING ON A SHIP

Type: Numeric

N	Value
1,086	1. YES
34,432	2. NO
791	9. Unknown

N6AQ1J - EVER FEAR TRAVELING ON A PLANE

Type: Numeric

N	Value
3,375	1. YES
32,592	2. NO
342	9. Unknown

N6AQ1K - EVER FEAR BEING IN ANY OTHER PLACE OR SITUATION BECAUSE OF ANXIETY

Type: Numeric

N	Value
1,658	1. YES
34,567	2. NO
84	9. Unknown

N6AQ2A - IN ANY OF THESE SITUATIONS, DID YOU ALMOST ALWAYS BECOME VERY ANXIOUS

Type: Numeric

N	Value
2,468	1. YES
1,208	2. NO
12	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ2B - IN THESE SITUATIONS, BECAUSE YOU HAD TO BE THERE, FRIGHTENED THE WHOLE TIME

Type: Numeric

N	Value
1,757	1. YES
1,919	2. NO
12	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ3 - EVER BRING SOMEONE WITH YOU BECAUSE YOU WERE FRIGHTENED

Type: Numeric

N	Value
1,624	1. YES
2,050	2. NO
14	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ4A - EVER AVOID THESE SITUATIONS BECAUSE OF ANXIETY OR FEAR

Type: Numeric

N	Value
2,463	1. YES
1,213	2. NO
12	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ4B - EVER FEEL THAT YOUR FEAR WAS OUT OF PROPORTION IN RELATION TO ACTUAL DANGER

Type: Numeric

N	Value
1,987	1. YES
1,666	2. NO
35	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ4C - EVER FEEL THAT YOUR FEAR WAS EXCESSIVE

Type: Numeric

N	Value
1,837	1. YES
1,808	2. NO
43	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ5A - WHEN YOU WERE IN ANY OF THESE SITUATIONS, EVER HAVE A PANIC ATTACK

Type: Numeric

N	Value
1,261	1. YES
2,408	2. NO
19	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ5B - IN ANY OF THESE SITUATIONS, EVER EXPERIENCE SYMPTOMS OF A PANIC ATTACK

Type: Numeric

N	Value
1,706	1. YES
1,966	2. NO
16	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ5C - EVER FRIGHTENED BECAUSE YOU WERE AFRAID OF LOSING CONTROL/HAVING PANIC ATTACK

Type: Numeric

N	Value
1,675	1. YES
1,986	2. NO
27	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ5D - EVER FRIGHTENED BECAUSE YOU MIGHT NOT FIND HELP IF LOST CONTROL

Type: Numeric

N	Value
1,302	1. YES
2,353	2. NO
33	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ6A - EVER FRIGHTENED BECAUSE YOU MAY NOT BE ABLE TO GET AWAY IF LOST CONTROL

Type: Numeric

N	Value
1,462	1. YES
2,194	2. NO
32	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ6B - EVER AVOID SITUATIONS BECAUSE YOU WERE AFRAID OF PANIC ATTACK

Type: Numeric

N	Value
1,688	1. YES
1,978	2. NO
22	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ7A - DID YOUR FEAR OF THESE SITUATIONS MAKE YOU FEEL VERY UPSET

Type: Numeric

N	Value
2,120	1. YES
1,552	2. NO
16	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ7B - DID FEAR INTERFERE WITH YOUR RELATIONSHIPS WITH OTHER PEOPLE

Type: Numeric

N	Value
1,293	1. YES
2,377	2. NO
18	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ7C - DID FEAR MAKE YOU AVOID SEEING OTHER PEOPLE

Type: Numeric

N	Value
1,501	1. YES
2,173	2. NO
14	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ7D - DID FEAR INTERFERE WITH DOING THINGS YOU WERE SUPPOSED TO DO

Type: Numeric

N	Value
1,189	1. YES
2,485	2. NO
14	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ7E - DID FEAR MAKE YOU RESTRICT YOUR USUAL ACTIVITIES IN ANY WAY

Type: Numeric

N	Value
1,579	1. YES
2,098	2. NO
11	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ7F - DID FEAR MAKE YOU DEPEND ON OTHERS TO TAKE CARE OF YOUR EVERYDAY LIFE

Type: Numeric

N	Value
754	1. YES
2,921	2. NO
13	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ8A - AGE AT ONSET OF FIRST EPISODE

Type: Numeric

N	Value
3,481	5-89. Age
1	90. Age 90+
206	99. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ8B - WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS

Type: Numeric

N	Value
119	1. YES
3,552	2. NO
17	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ8C - NUMBER OF EPISODES

Type: Numeric

N	Value
3,171	1-98. Episodes
517	99. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ9AR - AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON N6AQ8A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
3,477	5-89. Age
1	90. Age 90+
210	99. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ9BR - DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N6AQ8B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
809	1. Yes
2,834	2. No
45	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ10AR - DURATION (WEEKS) OF ONLY/MOST RECENT EPISODE (BASED ON N6AQ11A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
3,302	1-4332. Weeks
386	9999. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ10BR - WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N6AQ11B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,965	1. Yes
1,645	2. No
78	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ10CR - DID REMISSION OF ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N6AQ11C IF ONLY 1 EPISODE)

Type: Numeric

N	Value
999	1. Yes
2,601	2. No
88	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ10DR - DURATION (WEEKS) OF ONLY/LONGEST EPISODE (BASED ON N6AQ11A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
3,235	1-4332. Weeks
453	9999. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ12 - ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL

Type: Numeric

N	Value
194	1. YES
3,447	2. NO
47	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ13 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
169	1. YES
3,478	2. NO
41	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ14 - ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG

Type: Numeric

N	Value
209	1. YES
3,433	2. NO
46	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ15 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG

Type: Numeric

N	Value
192	1. YES
3,452	2. NO
44	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ16CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N6AQ12-N6AQ15 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
50	1. Yes
753	2. No
6	9. Unknown
35,500	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset in last 12 months

N6AQ16DR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N6AQ16A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
41	1. Yes
762	2. No
6	9. Unknown
35,500	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset in last 12 months

N6AQ16ER - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON N6AQ16A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
34	1. Yes
769	2. No
6	9. Unknown
35,500	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset in last 12 months

N6AQ16FR - CONTINUED FEAR/AVOIDANCE FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N6AQ16B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
27	1. Yes
775	2. No
7	9. Unknown
35,500	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset in last 12 months

N6AQ16GR - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N6AQ12-N6AQ15 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
194	1. Yes
3,308	2. No
67	9. Unknown
32,740	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset prior to last 12 months

N6AQ16HR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N6AQ16A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
124	1. Yes
3,373	2. No
72	9. Unknown
32,740	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset prior to last 12 months

N6AQ16IR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON N6AQ16A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
111	1. Yes
3,385	2. No
73	9. Unknown
32,740	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset prior to last 12 months

N6AQ16JR - CONTINUED FEAR/AVOIDANCE FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N6AQ16B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
92	1. Yes
3,402	2. No
75	9. Unknown
32,740	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset prior to last 12 months

N6AQ17A - EVER WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP WITH AGORAPHOBIA

Type: Numeric

N	Value
1,359	1. YES
2,312	2. NO
17	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ17B - EVER WENT TO A SELF-HELP OR SUPPORT GROUP FOR HELP WITH AGORAPHOBIA

Type: Numeric

N	Value
327	1. YES
3,346	2. NO
15	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ18A - EVER WENT TO EMERGENCY ROOM FOR HELP BECAUSE OF AGORAPHOBIA

Type: Numeric

N	Value
360	1. YES
3,316	2. NO
12	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ18B - EVER STAYED OVERNIGHT IN HOSPITAL BECAUSE OF AGORAPHOBIA

Type: Numeric

N	Value
263	1. YES
3,415	2. NO
10	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ19 - DOCTOR EVER PRESCRIBED MEDICINE/DRUG FOR AGORAPHOBIA

Type: Numeric

N	Value
1,157	1. YES
2,511	2. NO
20	9. Unknown
32,621	BL. NA, did not meet symptom criteria for agoraphobia

N6AQ20 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
1,521	5-89. Age
1	90. Age 90+
52	99. Unknown
34,735	BL. NA, did not meet symptom criteria for agoraphobia did not seek or unknown if sought help for agoraphobia;

N6AQ21 - SEEK HELP IN THE LAST 12 MONTHS

Type: Numeric

N	Value
820	1. YES
751	2. NO
3	9. Unknown
34,735	BL. NA, did not meet symptom criteria for agoraphobia; did not seek or unknown if sought help for agoraphobia

N6AQ22 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
1,487	1. YES
87	2. NO
34,735	BL. NA, did not meet symptom criteria for agoraphobia; did not seek or unknown if sought help for agoraphobia

N6AQ24AR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N6AQ23A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
78	1. Yes
728	2. No
3	9. Unknown
35,500	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset in last 12 months

N6AQ24BR - DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N6AQ23B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
50	1. Yes
755	2. No
4	9. Unknown
35,500	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset in last 12 months

N6AQ24CR - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N6AQ23A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
253	1. Yes
3,287	2. No
29	9. Unknown
32,740	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset prior to last 12 months

N6AQ24DR - DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N6AQ23B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
189	1. Yes
3,351	2. No
29	9. Unknown
32,740	BL. NA, did not meet symptom criteria for agoraphobia; had no episode with onset prior to last 12 months

SECTION 7: SOCIAL SITUATIONS (SOCIAL ANXIETY)

N7Q1A - EVER HAD FEAR/AVOIDANCE OF TALKING IN FRONT OF OTHERS

Type: Numeric

N	Value
6,966	1. YES
29,249	2. NO
94	9. Unknown

N7Q1B - EVER HAD FEAR/AVOIDANCE OF CONVERSATIONS WITH PEOPLE YOU DON'T KNOW WELL

Type: Numeric

N	Value
3,439	1. YES
32,796	2. NO
74	9. Unknown

N7Q1C - EVER HAD FEAR/AVOIDANCE OF GOING TO PARTIES/OTHER SOCIAL GATHERINGS

Type: Numeric

N	Value
2,924	1. YES
33,310	2. NO
75	9. Unknown

N7Q1D - EVER HAD FEAR/AVOIDANCE OF EATING OR DRINKING IN PUBLIC

Type: Numeric

N	Value
1,000	1. YES
35,247	2. NO
62	9. Unknown

N7Q1E - EVER HAD FEAR/AVOIDANCE OF WRITING WHILE SOMEONE ELSE WATCHES

Type: Numeric

N	Value
1,428	1. YES
34,793	2. NO
88	9. Unknown

N7Q1F - EVER HAD FEAR/AVOIDANCE OF DATING

Type: Numeric

N	Value
1,867	1. YES
34,307	2. NO
135	9. Unknown

N7Q1G - EVER HAD FEAR/AVOIDANCE OF BEING IN SMALL GROUP SITUATION

Type: Numeric

N	Value
1,170	1. YES
35,060	2. NO
79	9. Unknown

N7Q1H - EVER HAD FEAR/AVOIDANCE OF TAKING PART OR SPEAKING IN CLASS

Type: Numeric

N	Value
5,192	1. YES
31,005	2. NO
112	9. Unknown

N7Q1I - EVER HAD FEAR/AVOIDANCE OF BEING INTERVIEWED

Type: Numeric

N	Value
3,659	1. YES
32,549	2. NO
101	9. Unknown

N7Q1J - EVER HAD FEAR/AVOIDANCE OF TAKING PART OR SPEAKING IN A MEETING

Type: Numeric

N	Value
4,602	1. YES
31,553	2. NO
154	9. Unknown

N7Q1K - EVER HAD FEAR/AVOIDANCE OF PERFORMING IN FRONT OF OTHERS

Type: Numeric

N	Value
5,844	1. YES
30,234	2. NO
231	9. Unknown

N7Q1L - EVER HAD FEAR/AVOIDANCE OF TAKING AN IMPORTANT EXAM

Type: Numeric

N	Value
4,365	1. YES
31,837	2. NO
107	9. Unknown

N7Q1M - EVER HAD FEAR/AVOIDANCE OF SPEAKING TO AUTHORITY FIGURE LIKE TEACHER OR BOSS

Type: Numeric

N	Value
2,791	1. YES
33,432	2. NO
86	9. Unknown

N7Q1N - EVER HAD FEAR/AVOIDANCE OF MEETING NEW PEOPLE

Type: Numeric

N	Value
2,451	1. YES
33,783	2. NO
75	9. Unknown

N7Q1O - EVER HAD FEAR/AVOIDANCE OF TALKING TO PEOPLE AT SOCIAL GATHERINGS

Type: Numeric

N	Value
2,380	1. YES
33,847	2. NO
82	9. Unknown

N7Q1P - EVER HAD FEAR/AVOIDANCE OF ANY OTHER SOCIAL SITUATION

Type: Numeric

N	Value
468	1. YES
35,754	2. NO
87	9. Unknown

N7Q2 - HAD FEAR/AVOIDANCE OF SOCIAL SITUATION DUE TO FEAR OF EMBARRASSMENT AT WHAT YOU MIGHT SAY/DO AROUND OTHERS

Type: Numeric

N	Value
4,768	1. YES
5,651	2. NO
86	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q3 - HAD FEAR/AVOIDANCE OF SOCIAL SITUATION DUE TO FEAR OF BECOMING SPEECHLESS, HAVING NOTHING TO SAY OR SHOWING HOW ANXIOUS YOU WERE

Type: Numeric

N	Value
4,799	1. YES
5,635	2. NO
71	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q4 - HAD FEAR/AVOIDANCE OF SOCIAL SITUATION DUE TO FEAR OF BECOMING REJECTED BY OTHERS BECAUSE OF WHAT YOU MIGHT SAY/DO

Type: Numeric

N	Value
3,934	1. YES
6,508	2. NO
63	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q5 - HAD FEAR/AVOIDANCE OF SOCIAL SITUATION DUE TO FEAR OF OFFENDING PEOPLE

Type: Numeric

N	Value
2,668	1. YES
7,791	2. NO
46	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q6 - WERE ALMOST ALWAYS VERY ANXIOUS/FRIGHTENED WHEN IN THESE SOCIAL SITUATIONS

Type: Numeric

N	Value
4,238	1. YES
6,207	2. NO
60	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q7 - VERY ANXIOUS/FRIGHTED THE WHOLE TIME WHEN HAD TO BE IN THESE SOCIAL SITUATIONS

Type: Numeric

N	Value
2,870	1. YES
7,577	2. NO
58	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q8 - EVER AVOIDED ANY OF THESE SOCIAL SITUATIONS BECAUSE OF STRONG FEAR/ANXIETY OF THEM

Type: Numeric

N	Value
4,676	1. YES
5,789	2. NO
40	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q9 - EVER FELT YOUR STRONG FEAR WAS OUT OF PROPORTION TO THE ACTUAL DANGER

Type: Numeric

N	Value
3,993	1. YES
6,395	2. NO
117	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q10 - EVER FELT YOUR STRONG FEAR OF THESE SITUATIONS WAS EXCESSIVE, UNREALISTIC, IN EXCESS OF ACTUAL DANGER

Type: Numeric

N	Value
3,773	1. YES
6,624	2. NO
108	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q11 - IN SOCIAL SITUATIONS THAT MADE YOU ANXIOUS, EVER HAD A PANIC ATTACK

Type: Numeric

N	Value
1,006	1. YES
9,474	2. NO
25	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q12 - IN SOCIAL SITUATIONS THAT MADE YOU ANXIOUS, EVER HAD SYMPTOMS OF A PANIC ATTACK

Type: Numeric

N	Value
1,868	1. YES
8,615	2. NO
22	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q13 - EVER FRIGHTENED OF SOCIAL SITUATIONS BECAUSE OF FEAR OF HAVING PANIC ATTACK OR SYMPTOMS

Type: Numeric

N	Value
1,611	1. YES
8,851	2. NO
43	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q14 - EVER AVOIDED SOCIAL SITUATIONS FOR FEAR OF HAVING PANIC ATTACK OR SYMPTOMS

Type: Numeric

N	Value
1,633	1. YES
8,837	2. NO
35	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q15A - FEAR/AVOIDANCE OF SOCIAL SITUATIONS EVER MADE YOU VERY UPSET

Type: Numeric

N	Value
3,357	1. YES
7,099	2. NO
49	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q15B - FEAR/AVOIDANCE OF SOCIAL SITUATIONS EVER INTERFERED WITH RELATIONSHIPS WITH OTHERS --ARGUING WITH OR AVOIDING THEM

Type: Numeric

N	Value
2,179	1. YES
8,287	2. NO
39	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q15C - FEAR/AVOIDANCE OF SOCIAL SITUATIONS EVER INTERFERED WITH THINGS SUPPOSED TO DO--WORK, SCHOOLWORK, TAKING CARE OF FAMILY/HOME

Type: Numeric

N	Value
1,744	1. YES
8,730	2. NO
31	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q15D - FEAR/AVOIDANCE OF SOCIAL SITUATIONS EVER RESTRICTED USUAL ACTIVITIES

Type: Numeric

N	Value
1,725	1. YES
8,744	2. NO
36	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q15E - FEAR/AVOIDANCE OF SOCIAL SITUATIONS EVER KEPT YOU FROM DOING SOMETHING YOU WANTED TO DO

Type: Numeric

N	Value
2,580	1. YES
7,883	2. NO
42	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q16 - AGE AT ONSET OF FIRST EPISODE

Type: Numeric

N	Value
9,637	5-88. Age
868	99. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q17A - WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS

Type: Numeric

N	Value
190	1. YES
10,210	2. NO
105	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q17B - NUMBER OF EPISODES

Type: Numeric

N	Value
8,847	1-98. Episodes
1,658	99. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q18AR - AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON N7Q16 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
9,476	5-89. Age
4	90. Age 90+
1,025	99. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q18BR - DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N7Q17A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,525	1. Yes
8,736	2. No
244	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q19AR - DURATION (WEEKS) OF ONLY/MOST RECENT EPISODE (BASED ON N7Q20A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
9,326	1-4634. Weeks
1,179	9999. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q19BR - WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N7Q20B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
5,666	1. Yes
4,484	2. No
355	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q19CR - DID REMISSION OF ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N7Q20C IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,144	1. Yes
7,973	2. No
388	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q19DR - DURATION (WEEKS) OF ONLY/LONGEST EPISODE (BASED ON N7Q20A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
9,202	1-4634. Weeks
1,303	9999. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q21 - ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL

Type: Numeric

N	Value
298	1. YES
10,042	2. NO
165	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q22 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
245	1. YES
10,134	2. NO
126	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q23 - ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG

Type: Numeric

N	Value
289	1. YES
10,065	2. NO
151	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q24 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG

Type: Numeric

N	Value
245	1. YES
10,115	2. NO
145	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q25CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N7Q21-N7Q24 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
46	1. Yes
1,456	2. No
23	9. Unknown
34,784	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset in last 12 months

N7Q25DR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N7Q25A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
27	1. Yes
1,475	2. No
23	9. Unknown
34,784	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset in last 12 months

N7Q25ER - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON N7Q25A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
20	1. Yes
1,482	2. No
23	9. Unknown
34,784	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset in last 12 months

N7Q25FR - CONTINUED FEAR/AVOIDANCE FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N7Q25B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
18	1. Yes
1,484	2. No
23	9. Unknown
34,784	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset in last 12 months

N7Q25GR - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N7Q21-N7Q24 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
301	1. Yes
9,806	2. No
208	9. Unknown
25,994	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset prior to last 12 months

N7Q25HR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N7Q25A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
175	1. Yes
9,926	2. No
214	9. Unknown
25,994	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset prior to last 12 months

N7Q25IR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON N7Q25A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
152	1. Yes
9,948	2. No
215	9. Unknown
25,994	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset prior to last 12 months

N7Q25JR - CONTINUED FEAR/AVOIDANCE FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N7Q25B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
114	1. Yes
9,985	2. No
216	9. Unknown
25,994	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset prior to last 12 months

N7Q26A - EVER WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP WITH SOCIAL PHOBIA

Type: Numeric

N	Value
1,672	1. YES
8,770	2. NO
63	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q26B - EVER WENT TO SELF-HELP/SUPPORT GROUP, USED HOTLINE/INTERNET FOR HELP WITH SOCIAL PHOBIA

Type: Numeric

N	Value
442	1. YES
10,008	2. NO
55	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q27 - EVER WENT TO EMERGENCY ROOM FOR HELP WITH SOCIAL PHOBIA

Type: Numeric

N	Value
299	1. YES
10,152	2. NO
54	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q28 - EVER STAYED OVERNIGHT IN HOSPITAL BECAUSE OF SOCIAL PHOBIA

Type: Numeric

N	Value
242	1. YES
10,215	2. NO
48	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q29 - DOCTOR EVER PRESCRIBED MEDICINE/DRUG FOR SOCIAL PHOBIA

Type: Numeric

N	Value
1,292	1. YES
9,165	2. NO
48	9. Unknown
25,804	BL. NA, never or unknown if ever had fear/avoidance of social situation

N7Q30 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
1,984	5-89. Age
1	90. Age 90+
63	99. Unknown
34,261	BL. NA, never or unknown if ever had fear/avoidance of social situation; did not seek or unknown if sought help for fear/avoidance of social situation

N7Q31 - SEEK HELP IN LAST 12 MONTHS

Type: Numeric

N	Value
988	1. YES
1,060	2. NO
34,261	BL. NA, never or unknown if ever had fear/avoidance of social situation; did not seek or unknown if sought help for fear/avoidance of social situation

N7Q32 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
1,928	1. YES
120	2. NO
34,261	BL. NA, never or unknown if ever had fear/avoidance of social situation; did not seek or unknown if sought help for fear/avoidance of social situation

N7Q33CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N7Q33A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
73	1. Yes
1,446	2. No
6	9. Unknown
34,784	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset in last 12 months

N7Q33DR - DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N7Q33B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
48	1. Yes
1,470	2. No
7	9. Unknown
34,784	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset in last 12 months

N7Q33ER - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N7Q33A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
325	1. Yes
9,899	2. No
91	9. Unknown
25,994	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset prior to last 12 months

N7Q33FR - DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N7Q33B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
214	1. Yes
10,008	2. No
93	9. Unknown
25,994	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode with onset prior to last 12 months

SECTION 8: SPECIFIC SITUATIONS (SPECIFIC PHOBIA)

N8Q1A - EVER HAD FEAR/AVOIDANCE OF INSECTS, SNAKES, BIRDS, OTHER ANIMALS

Type: Numeric

N	Value
8,819	1. YES
27,415	2. NO
75	9. Unknown

N8Q1B1 - EVER HAD FEAR/AVOIDANCE OF HEIGHTS

Type: Numeric

N	Value
7,658	1. YES
28,560	2. NO
91	9. Unknown

N8Q1B2 - EVER HAD FEAR/AVOIDANCE OF BEING ON BRIDGES

Type: Numeric

N	Value
4,105	1. YES
32,123	2. NO
81	9. Unknown

N8Q1C - EVER HAD FEAR/AVOIDANCE OF STORMS

Type: Numeric

N	Value
3,150	1. YES
33,069	2. NO
90	9. Unknown

N8Q1D - EVER HAD FEAR/AVOIDANCE OF BEING IN/ON THE WATER

Type: Numeric

N	Value
3,866	1. YES
32,334	2. NO
109	9. Unknown

N8Q1E - EVER HAD FEAR/AVOIDANCE OF FLYING IN AIRPLANES

Type: Numeric

N	Value
3,978	1. YES
31,944	2. NO
387	9. Unknown

N8Q1F - EVER HAD FEAR/AVOIDANCE OF SEEING SOMEONE INJURED

Type: Numeric

N	Value
4,277	1. YES
31,835	2. NO
197	9. Unknown

N8Q1G - EVER HAD FEAR/AVOIDANCE OF BEING IN CLOSED SPACES

Type: Numeric

N	Value
4,803	1. YES
31,410	2. NO
96	9. Unknown

N8Q1H - EVER HAD FEAR/AVOIDANCE OF SEEING BLOOD

Type: Numeric

N	Value
2,772	1. YES
33,444	2. NO
93	9. Unknown

N8Q1I - EVER HAD FEAR/AVOIDANCE OF GETTING A SHOT OR INJECTION

Type: Numeric

N	Value
2,809	1. YES
33,434	2. NO
66	9. Unknown

N8Q1J - EVER HAD FEAR/AVOIDANCE OF GOING TO THE DENTIST

Type: Numeric

N	Value
3,237	1. YES
33,000	2. NO
72	9. Unknown

N8Q1K - EVER HAD FEAR/AVOIDANCE OF VISITING OR BEING IN A HOSPITAL

Type: Numeric

N	Value
1,875	1. YES
34,365	2. NO
69	9. Unknown

N8Q1L - EVER HAD FEAR/AVOIDANCE OF THUNDER OR LIGHTNING

Type: Numeric

N	Value
2,571	1. YES
33,670	2. NO
68	9. Unknown

N8Q1M - EVER HAD FEAR/AVOIDANCE OF INVASIVE MEDICAL PROCEDURES

Type: Numeric

N	Value
3,054	1. YES
33,028	2. NO
227	9. Unknown

N8Q1N - EVER HAD FEAR/AVOIDANCE OF DRIVING A CAR

Type: Numeric

N	Value
921	1. YES
35,269	2. NO
119	9. Unknown

N8Q10 - EVER HAD FEAR/AVOIDANCE OF CHOKING OR VOMITING

Type: Numeric

N	Value
1,559	1. YES
34,671	2. NO
79	9. Unknown

N8Q1P - EVER HAD FEAR/AVOIDANCE OF ANY OTHER SPECIFIC OBJECT OR SITUATION

Type: Numeric

N	Value
718	1. YES
35,515	2. NO
76	9. Unknown

N8Q2 - BEING NEAR THESE SPECIFIC OBJECTS/SITUATIONS ALMOST ALWAYS MADE YOU NERVOUS/ANXIOUS

Type: Numeric

N	Value
10,910	1. YES
6,306	2. NO
55	9. Unknown
19,038	BL. NA, never or unknown if had fear/avoidance of specific objects/situations

N8Q3 - WHEN NEAR THESE SPECIFIC OBJECTS/SITUATIONS BECAUSE HAD TO BE THERE, WERE VERY FRIGHTENED/NERVOUS/ANXIOUS THE WHOLE TIME

Type: Numeric

N	Value
8,207	1. YES
8,972	2. NO
92	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q4 - EVER AVOIDED ANY OF THESE SPECIFIC OBJECTS/SITUATIONS BECAUSE OF STRONG FEAR OF THEM

Type: Numeric

N	Value
10,504	1. YES
6,713	2. NO
54	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q5 - THOUGHT YOUR FEAR/AVOIDANCE OF THESE SPECIFIC OBJECTS/SITUATIONS OUT OF PROPORTION

Type: Numeric

N	Value
6,480	1. YES
10,673	2. NO
118	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q6 - THOUGHT YOUR FEAR/AVOIDANCE OF THESE SPECIFIC OBJECTS/SITUATIONS WAS EXCESSIVE OR UNREALISTIC

Type: Numeric

N	Value
5,813	1. YES
11,333	2. NO
125	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q7 - WHEN NEAR SPECIFIC OBJECTS/SITUATIONS THAT MADE YOU ANXIOUS, EVER HAD A PANIC ATTACK

Type: Numeric

N	Value
1,357	1. YES
15,894	2. NO
20	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q8 - WHEN NEAR SPECIFIC OBJECTS/SITUATIONS THAT MADE YOU ANXIOUS, EVER EXPERIENCED SYMPTOMS OF A PANIC ATTACK

Type: Numeric

N	Value
2,457	1. YES
14,793	2. NO
21	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q9 - FRIGHTENED OF SPECIFIC OBJECTS/SITUATIONS BECAUSE OF FEAR OF PANIC ATTACK

Type: Numeric

N	Value
2,500	1. YES
14,702	2. NO
69	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q10 - AVOIDED SPECIFIC OBJECTS/SITUATIONS BECAUSE OF FEAR OF HAVING PANIC ATTACK

Type: Numeric

N	Value
2,766	1. YES
14,448	2. NO
57	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q13A - FEAR/AVOIDANCE OF SPECIFIC OBJECTS/SITUATIONS UPSET YOU

Type: Numeric

N	Value
5,176	1. YES
12,038	2. NO
57	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q13B - FEAR/AVOIDANCE OF SPECIFIC OBJECTS/SITUATIONS INTERFERED WITH RELATIONSHIPS

Type: Numeric

N	Value
1,540	1. YES
15,695	2. NO
36	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q13C - FEAR/AVOIDANCE OF SPECIFIC OBJECTS/SITUATIONS INTERFERED WITH THINGS SUPPOSED TO DO: WORK, SCHOOLWORK, TAKING CARE OF FAMILY/HOME

Type: Numeric

N	Value
1,707	1. YES
15,528	2. NO
36	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q13D - FEAR/AVOIDANCE OF SPECIFIC OBJECTS/SITUATIONS RESTRICTED USUAL ACTIVITIES

Type: Numeric

N	Value
2,080	1. YES
15,158	2. NO
33	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q13E - FEAR/AVOIDANCE OF SPECIFIC OBJECTS/SITUATIONS INTERFERED WITH THINGS YOU WANTED TO DO

Type: Numeric

N	Value
2,976	1. YES
14,263	2. NO
32	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q14A - AGE AT ONSET OF FIRST EPISODE

Type: Numeric

N	Value
15,969	5-89. Age
1	90. Age 90+
1,301	99. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q14B - WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS

Type: Numeric

N	Value
235	1. YES
16,938	2. NO
98	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q14C - NUMBER OF EPISODES

Type: Numeric

N	Value
15,150	1-98. Episodes
2,121	99. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q15AR - AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON N8Q14A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
15,813	5-89. Age
3	90. Age 90+
1,455	99. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q15BR - DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N8Q14B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,118	1. Yes
14,874	2. No
279	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q16AR - DURATION (WEEKS) OF ONLY/MOST RECENT EPISODE (BASED ON N8Q17A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
15,436	1-4852. Weeks
1,835	9999. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q16BR - WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N8Q17B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
6,357	1. Yes
10,448	2. No
466	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q16CR - DID REMISSION OF ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N8Q17C IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,571	1. Yes
14,193	2. No
507	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q16DR - DURATION (WEEKS) OF ONLY/LONGEST EPISODE (BASED ON N8Q17A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
15,234	1-4852. Weeks
2,037	9999. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q18 - ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL

Type: Numeric

N	Value
223	1. YES
16,868	2. NO
180	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q19 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
176	1. YES
16,947	2. NO
148	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q20 - ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG

Type: Numeric

N	Value
191	1. YES
16,927	2. NO
153	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q21 - ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG

Type: Numeric

N	Value
169	1. YES
16,963	2. NO
139	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q22CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N8Q18-N8Q21 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
42	1. Yes
2,058	2. No
18	9. Unknown
34,191	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset in last 12 months

N8Q22DR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N8Q18-N8Q21 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
29	1. Yes
2,071	2. No
18	9. Unknown
34,191	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset in last 12 months

N8Q22ER - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON N8Q22A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
20	1. Yes
2,080	2. No
18	9. Unknown
34,191	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset in last 12 months

N8Q22FR - CONTINUED FEAR/AVOIDANCE FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N8Q22B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
21	1. Yes
2,079	2. No
18	9. Unknown
34,191	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset in last 12 months

N8Q22GR - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N8Q18-N8Q21 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
225	1. Yes
16,587	2. No
224	9. Unknown
19,273	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset prior to last 12 months

N8Q22HR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N8Q18-N8Q21 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
131	1. Yes
16,680	2. No
225	9. Unknown
19,273	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset prior to last 12 months

N8Q22IR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON N8Q22A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
110	1. Yes
16,700	2. No
226	9. Unknown
19,273	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset prior to last 12 months

N8Q22JR - CONTINUED FEAR/AVOIDANCE FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/DRUG USE DURING ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N8Q22B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
95	1. Yes
16,714	2. No
227	9. Unknown
19,273	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset prior to last 12 months

N8Q23A - EVER WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP WITH SPECIFIC PHOBIA

Type: Numeric

N	Value
1,215	1. YES
15,978	2. NO
78	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q23B - EVER WENT TO A SELF-HELP OR SUPPORT GROUP FOR HELP WITH SPECIFIC PHOBIA

Type: Numeric

N	Value
275	1. YES
16,937	2. NO
59	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q24A - EVER WENT TO EMERGENCY ROOM FOR HELP WITH SPECIFIC PHOBIA

Type: Numeric

N	Value
244	1. YES
16,974	2. NO
53	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q24B - EVER STAYED OVERNIGHT IN HOSPITAL BECAUSE OF SPECIFIC PHOBIA

Type: Numeric

N	Value
191	1. YES
17,031	2. NO
49	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q25 - DOCTOR EVER PRESCRIBED MEDICINE/DRUG FOR SPECIFIC PHOBIA

Type: Numeric

N	Value
966	1. YES
16,253	2. NO
52	9. Unknown
19,038	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations

N8Q26 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
1,452	5-89. Age
1	90. Age 90+
82	99. Unknown
34,774	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; did not seek or unknown if sought help for fear/avoidance of specific objects/situations

N8Q27 - SEEK HELP IN THE LAST 12 MONTHS

Type: Numeric

N	Value
686	1. YES
845	2. NO
4	9. Unknown
34,774	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; did not seek or unknown if sought help for fear/avoidance of specific objects/situations

N8Q28 - SEEK HELP PRIOR TO THE LAST 12 MONTHS

Type: Numeric

N	Value
1,447	1. YES
88	2. NO
34,774	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; did not seek or unknown if sought help for fear/avoidance of specific objects/situations

N8Q30AR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N8Q29A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
75	1. Yes
2,037	2. No
6	9. Unknown
34,191	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset in last 12 months

N8Q30BR - DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N8Q29B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
50	1. Yes
2,062	2. No
6	9. Unknown
34,191	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset in last 12 months

N8Q30CR - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N8Q29A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
363	1. Yes
16,591	2. No
82	9. Unknown
19,273	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset prior to last 12 months

N8Q30DR - DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N8Q29B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
224	1. Yes
16,728	2. No
84	9. Unknown
19,273	BL. NA, never or unknown if ever had fear/avoidance of specific objects/situations; had no episode with onset prior to last 12 months

SECTION 9: GENERAL ANXIETY (GAD)

N9Q1A - EVER HAD 3+ MONTHS FELT EXTREMELY WORRIED/ANXIOUS ABOUT MANY THINGS

Type: Numeric

N	Value
5,466	1. YES
30,707	2. NO
136	9. Unknown

N9Q1B - EVER HAD 3+ MONTHS FELT EXTREMELY WORRIED/ANXIOUS MOST OF TIME ABOUT MANY THINGS

Type: Numeric

N	Value
1,381	1. YES
29,333	2. NO
129	9. Unknown
5,466	BL. NA, had 3+ month period extremely worried/anxious about many things

N9Q2A - IN WORST PERIOD, OFTEN GOT TIRED EASILY

Type: Numeric

N	Value
4,321	1. YES
2,423	2. NO
103	9. Unknown
29,462	BL. NA, never or unknown if ever had 3+ month period of being worried/anxious

N9Q2B - IN WORST PERIOD, OFTEN HAD TENSE OR ACHING MUSCLES

Type: Numeric

N	Value
3,462	1. YES
3,286	2. NO
99	9. Unknown
29,462	BL. NA, never or unknown if ever had 3+ month period of being worried/anxious

N9Q2C - IN WORST PERIOD, OFTEN BECAME SO RESTLESS YOU FIDGETED, PACED, OR COULDN'T SIT STILL

Type: Numeric

N	Value
3,195	1. YES
3,609	2. NO
43	9. Unknown
29,462	BL. NA, never or unknown if ever had 3+ month period of being worried/anxious

N9Q2D - IN WORST PERIOD, OFTEN FELT KEYED UP OR ON EDGE

Type: Numeric

N	Value
4,036	1. YES
2,753	2. NO
58	9. Unknown
29,462	BL. NA, never or unknown if ever had 3+ month period of being worried/anxious

N9Q2E - IN WORST PERIOD, OFTEN HAD TROUBLE CONCENTRATING/KEEPING MIND ON THINGS

Type: Numeric

N	Value
4,798	1. YES
2,015	2. NO
34	9. Unknown
29,462	BL. NA, never or unknown if ever had 3+ month period of being worried/anxious

N9Q2F - IN WORST PERIOD, OFTEN FELT IRRITABLE/EASILY ANNOYED

Type: Numeric

N	Value
4,612	1. YES
2,189	2. NO
46	9. Unknown
29,462	BL. NA, never or unknown if ever had 3+ month period of being worried/anxious

N9Q2G - IN WORST PERIOD, OFTEN HAD TROUBLE FALLING/STAYING ASLEEP

Type: Numeric

N	Value
4,652	1. YES
2,161	2. NO
34	9. Unknown
29,462	BL. NA, never or unknown if ever had 3+ month period of being worried/anxious

N9Q2H - IN WORST PERIOD, OFTEN HAD SUCH RESTLESS SLEEP YOU WOKE UP TIRED

Type: Numeric

N	Value
4,723	1. YES
2,077	2. NO
47	9. Unknown
29,462	BL. NA, never or unknown if ever had 3+ month period of being worried/anxious

N9Q2I - IN WORST PERIOD, OFTEN HAD TIMES WHEN FORGOT WHAT TALKING ABOUT/MIND WENT BLANK

Type: Numeric

N	Value
3,825	1. YES
2,956	2. NO
66	9. Unknown
29,462	BL. NA, never or unknown if ever had 3+ month period of being worried/anxious

N9Q3A - IN WORST PERIOD, EVER PUT OFF DOING THINGS OR MAKING DECISIONS DUE TO ANXIETY

Type: Numeric

N	Value
3,921	1. YES
2,394	2. NO
36	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q3B - IN WORST PERIOD, OFTEN SEEK REASSURANCE FROM OTHERS BECAUSE OF ANXIETY

Type: Numeric

N	Value
3,541	1. YES
2,784	2. NO
26	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q3C - IN WORST PERIOD, EVER AVOID ACTIVITIES THAT COULD HAVE NEGATIVE CONSEQUENCES

Type: Numeric

N	Value
3,177	1. YES
3,114	2. NO
60	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q3D - IN WORST PERIOD, EVER FIND IT DIFFICULT TO STOP BEING WORRIED OR ANXIOUS

Type: Numeric

N	Value
4,712	1. YES
1,612	2. NO
27	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q3E - IN WORST PERIOD, EVER THINK THAT YOUR WORRYING WAS EXCESSIVE

Type: Numeric

N	Value
3,454	1. YES
2,861	2. NO
36	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q3F - IN WORST PERIOD, EVER SPEND A LOT OF TIME PREPARING FOR ACTIVITIES THAT COULD HAVE NEGATIVE CONSEQUENCES

Type: Numeric

N	Value
2,152	1. YES
4,106	2. NO
93	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q3G - IN WORST PERIOD, EVER WORRY ABOUT WHAT OTHER PEOPLE MIGHT DO OR WHAT WOULD HAPPEN TO THEM

Type: Numeric

N	Value
3,279	1. YES
3,039	2. NO
33	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q4A - DURING ANY OF THESE TIMES EVER HAD A PANIC ATTACK

Type: Numeric

N	Value
1,141	1. YES
5,182	2. NO
28	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q4B - DURING ANY OF THESE TIMES EVER HAD SYMPTOMS OF A PANIC ATTACK

Type: Numeric

N	Value
1,637	1. YES
4,694	2. NO
20	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q5A - IN WORST PERIOD, FELT UPSET

Type: Numeric

N	Value
4,741	1. YES
1,589	2. NO
21	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q5B - IN WORST PERIOD, HAD ARGUMENTS/FRICTION WITH FAMILY, FRIENDS, PEOPLE AT WORK, OR ANYONE ELSE

Type: Numeric

N	Value
2,847	1. YES
3,485	2. NO
19	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q5C - IN WORST PERIOD, HAD DIFFICULTY DOING THINGS SUPPOSED TO DO--WORKING, SCHOOLWORK, TAKING CARE OF HOUSE/FAMILY

Type: Numeric

N	Value
3,024	1. YES
3,313	2. NO
14	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q5D - IN WORST PERIOD, RESTRICTED USUAL ACTIVITIES IN ANY WAY

Type: Numeric

N	Value
3,156	1. YES
3,169	2. NO
26	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q5E - IN WORST PERIOD, FOUND WAS UNABLE TO DO SOMETHING WANTED TO DO

Type: Numeric

N	Value
3,254	1. YES
3,068	2. NO
29	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q5F - IN WORST PERIOD, DEPENDED ON OTHERS TO TAKE CARE OF EVERYDAY RESPONSIBILITIES

Type: Numeric

N	Value
1,317	1. YES
5,022	2. NO
12	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q5G - IN WORST PERIOD, DEPENDED ON OTHERS FOR REASSURANCE AND COMFORT

Type: Numeric

N	Value
2,711	1. YES
3,623	2. NO
17	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q5H - IN WORST PERIOD, AVOIDED PEOPLE BECAUSE YOU DIDN'T WANT TO BE AROUND THEM

Type: Numeric

N	Value
3,464	1. YES
2,870	2. NO
17	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q6A - AGE WHEN FIRST EPISODE BEGAN

Type: Numeric

N	Value
6,089	5-89. Age
4	90. Age 90+
258	99. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q6B - DID FIRST EPISODE BEGIN IN LAST 12 MONTHS

Type: Numeric

N	Value
739	1. YES
5,584	2. NO
28	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q7 - NUMBER OF EPISODES

Type: Numeric

N	Value
5,550	1-77. Episodes
801	99. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q8AR - AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON N9Q6A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
6,090	5-89. Age
5	90. Age 90+
256	99. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q8BR - DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N9Q6B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
1,894	1. Yes
4,393	2. No
64	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q9AR - DURATION (MONTHS) OF ONLY/MOST RECENT EPISODE (BASED ON N9Q9E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
5,921	3-1033. Months
430	9999. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q9BR - WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N9Q9F IF ONLY 1 EPISODE)

Type: Numeric

N	Value
4,155	1. Yes
2,090	2. No
106	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q9CR - DID REMISSION OF ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N9Q9G IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,008	1. Yes
4,216	2. No
127	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q9DR - DURATION (MONTHS) OF ONLY/LONGEST EPISODE (BASED ON N9Q9E IF ONLY 1 EPISODE)

Type: Numeric

N	Value
5,871	3-1033. Months
480	9999. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q10 - ANY EPISODE BEGAN DURING/WITHIN 1 MONTH AFTER DRINKING HEAVILY/MORE THAN USUAL

Type: Numeric

N	Value
299	1. YES
5,701	2. NO
351	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q11 - ANY EPISODE BEGAN DURING/WITHIN 1 MONTH EXPERIENCING BAD AFTEREFFECTS OF DRINKING

Type: Numeric

N	Value
234	1. YES
5,780	2. NO
337	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q12 - ANY EPISODE BEGAN DURING/WITHIN 1 MONTH AFTER USING MEDICINE OR DRUG

Type: Numeric

N	Value
235	1. YES
6,066	2. NO
50	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q13 - ANY EPISODE BEGAN DURING/WITHIN 1 MONTH AFTER EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG

Type: Numeric

N	Value
211	1. YES
6,093	2. NO
47	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q14CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N9Q10-N9Q13 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
77	1. Yes
1,688	2. No
129	9. Unknown
34,415	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset in last 12 months

N9Q14DR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS DURING ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N9Q14A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
50	1. Yes
1,715	2. No
129	9. Unknown
34,415	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset in last 12 months

N9Q14ER - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS DURING ONLY/ALL EPISODE(S) IN LAST 12 MONTHS
(BASED ON N9Q14A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
42	1. Yes
1,723	2. No
129	9. Unknown
34,415	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset in last 12 months

N9Q14FR - CONTINUED TO FEEL WORRIED/ANXIOUS FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/ DRUG USE DURING ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON N9Q14B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
39	1. Yes
1,725	2. No
130	9. Unknown
34,415	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset in last 12 months

N9Q14GR - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER HEAVY DRINKING/DRUG USE (BASED ON N9Q10-N9Q13 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
256	1. Yes
5,046	2. No
310	9. Unknown
30,697	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset prior to last 12 months

N9Q14HR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS DURING ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N9Q14A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
162	1. Yes
5,137	2. No
313	9. Unknown
30,697	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset prior to last 12 months

N9Q14IR - STOPPED HEAVY DRINKING/DRUG USE FOR 1+ MONTHS DURING ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON N9Q14A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
142	1. Yes
5,157	2. No
313	9. Unknown
30,697	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset prior to last 12 months

N9Q14JR - CONTINUED TO FEEL WORRIED/ANXIOUS FOR 1+ MONTHS AFTER STOPPED HEAVY DRINKING/ DRUG USE DURING ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON N9Q14B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
121	1. Yes
5,177	2. No
314	9. Unknown
30,697	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset prior to last 12 months

N9Q15A - EVER GO TO HEALTH PROFESSIONAL/PSYCHIATRIST/OTHER MEDICAL DOCTOR/PSYCHOLOGIST/SOCIAL WORKER/OTHER COUNSELOR/THERAPIST FOR HELP WITH GENERALIZED ANXIETY

Type: Numeric

N	Value
2,107	1. YES
4,222	2. NO
22	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q15B - EVER GO TO SELF-HELP OR SUPPORT GROUP FOR HELP WITH GENERALIZED ANXIETY

Type: Numeric

N	Value
536	1. YES
5,795	2. NO
20	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q16A - EVER GO TO EMERGENCY ROOM FOR HELP WITH GENERALIZED ANXIETY

Type: Numeric

N	Value
277	1. YES
6,052	2. NO
22	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q16B - EVER STAYED OVERNIGHT IN HOSPITAL BECAUSE OF GENERALIZED ANXIETY

Type: Numeric

N	Value
267	1. YES
6,064	2. NO
20	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q17 - DOCTOR EVER PRESCRIBE MEDICINE/DRUG FOR GENERALIZED ANXIETY

Type: Numeric

N	Value
1,740	1. YES
4,590	2. NO
21	9. Unknown
29,958	BL. NA, did not meet symptom criteria for generalized anxiety

N9Q18 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
2,425	5-89. Age
1	90. Age 90+
71	99. Unknown
33,812	BL. NA, did not meet symptom criteria for generalized anxiety; did not seek or unknown if sought help for generalized anxiety

N9Q19 - SEEK HELP IN THE LAST 12 MONTHS

Type: Numeric

N	Value
1,268	1. YES
1,226	2. NO
3	9. Unknown
33,812	BL. NA, did not meet symptom criteria for generalized anxiety; did not seek or unknown if sought help for generalized anxiety

N9Q20 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,304	1. YES
193	2. NO
33,812	BL. NA, did not meet symptom criteria for generalized anxiety; did not seek or unknown if sought help for generalized anxiety

N9Q21CR - ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N9Q21A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
170	1. Yes
1,712	2. No
12	9. Unknown
34,415	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset in last 12 months

N9Q21DR - DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N9Q21B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
116	1. Yes
1,766	2. No
12	9. Unknown
34,415	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset in last 12 months

N9Q21ER - ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N9Q21A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
501	1. Yes
5,075	2. No
36	9. Unknown
30,697	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset prior to last 12 months

N9Q21FR - DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON N9Q21B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
358	1. Yes
5,216	2. No
38	9. Unknown
30,697	BL. NA, did not meet symptom criteria for generalized anxiety; had no episode with onset prior to last 12 months

SECTION 10: USUAL FEELINGS AND ACTIONS (PDs)

N10Q1A1 - HAVE USUALLY GOTTEN ATTACHED TO PEOPLE VERY QUICKLY

Type: Numeric

N	Value
11,509	1. YES
24,552	2. NO
248	9. Unknown

N10Q1B1 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,427	1. YES
34,627	2. NO
255	9. Unknown

N10Q1A2 - RELATIONSHIPS WITH PEOPLE YOU REALLY CARE ABOUT HAVE HAD LOTS OF EXTREME UPS AND DOWNS

Type: Numeric

N	Value
7,832	1. YES
28,302	2. NO
175	9. Unknown

N10Q1B2 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
3,188	1. YES
32,934	2. NO
187	9. Unknown

N10Q1A3 - HAVE OFTEN STARTED OUT THINKING THAT SOMEONE WAS A GREAT PERSON ONLY TO BE DISAPPOINTED WHEN THEY DIDN'T LIVE UP TO YOUR EXPECTATIONS

Type: Numeric

N	Value
12,403	1. YES
23,742	2. NO
164	9. Unknown

N10Q1B3 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
3,637	1. YES
32,493	2. NO
179	9. Unknown

N10Q1A4 - HAVE OFTEN BECOME VERY SAD, ANXIOUS OR ANGRY OVER LITTLE THINGS

Type: Numeric

N	Value
5,654	1. YES
30,519	2. NO
136	9. Unknown

N10Q1B4 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,625	1. YES
33,537	2. NO
147	9. Unknown

N10Q1A5 - OTHER PEOPLE HAVE OFTEN WONDERED WHY YOU GET SO UPSET SO EASILY

Type: Numeric

N	Value
5,121	1. YES
30,945	2. NO
243	9. Unknown

N10Q1B5 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,615	1. YES
33,448	2. NO
246	9. Unknown

N10Q1A6 - HAVE HAD A LOT OF SUDDEN MOOD CHANGES

Type: Numeric

N	Value
3,880	1. YES
32,274	2. NO
155	9. Unknown

N10Q1B6 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,192	1. YES
33,954	2. NO
163	9. Unknown

N10Q1A7 - HAVE NEEDED PEOPLE CLOSE TO YOU TO REASSURE YOU THAT THEY WOULD NEVER LEAVE YOU

Type: Numeric

N	Value
3,994	1. YES
32,159	2. NO
156	9. Unknown

N10Q1B7 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,515	1. YES
34,630	2. NO
164	9. Unknown

N10Q1A8 - HAVE PUT A LOT OF TIME/EFFORT INTO DOING THINGS TO KEEP SOMEONE FROM LEAVING YOU

Type: Numeric

N	Value
4,294	1. YES
31,842	2. NO
173	9. Unknown

N10Q1B8 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,793	1. YES
34,335	2. NO
181	9. Unknown

N10Q1A9 - HAVE OFTEN BECOME FRANTIC WHEN YOU THOUGHT THAT SOMEONE YOU REALLY CARED ABOUT WAS GOING TO LEAVE YOU

Type: Numeric

N	Value
3,426	1. YES
32,738	2. NO
145	9. Unknown

N10Q1B9 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,904	1. YES
34,254	2. NO
151	9. Unknown

N10Q1A10 - HAVE GONE TO EXTREMES TO KEEP PEOPLE FROM LEAVING YOU

Type: Numeric

N	Value
1,599	1. YES
34,571	2. NO
139	9. Unknown

N10Q1B10 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,009	1. YES
35,160	2. NO
140	9. Unknown

N10Q1A11 - HAVE OFTEN HAD TEMPER OUTBURSTS OR GOTTEN SO ANGRY THAT YOU LOSE CONTROL

Type: Numeric

N	Value
3,563	1. YES
32,626	2. NO
120	9. Unknown

N10Q1B11 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,154	1. YES
34,026	2. NO
129	9. Unknown

N10Q1A12 - HAVE HIT PEOPLE OR THROWN THINGS WHEN YOU GOT ANGRY

Type: Numeric

N	Value
5,116	1. YES
31,073	2. NO
120	9. Unknown

N10Q1B12 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,347	1. YES
33,838	2. NO
124	9. Unknown

N10Q1A13 - EVEN LITTLE THINGS HAVE MADE YOU ANGRY/HAVE HAD DIFFICULTY CONTROLLING YOUR ANGER

Type: Numeric

N	Value
3,545	1. YES
32,635	2. NO
129	9. Unknown

N10Q1B13 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,192	1. YES
33,981	2. NO
136	9. Unknown

N10Q1A14 - HAVE BEEN LOTS OF SUDDEN CHANGES IN YOUR PERSONAL GOALS, CAREER PLANS, RELIGIOUS BELIEFS, OR OTHER IMPORTANT ASPECTS OF YOUR LIFE

Type: Numeric

N	Value
4,422	1. YES
31,739	2. NO
148	9. Unknown

N10Q1B14 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,521	1. YES
34,635	2. NO
153	9. Unknown

N10Q1A15 - HAVE BEEN SO DIFFERENT WITH DIFFERENT PEOPLE OR IN DIFFERENT SITUATIONS THAT YOU SOMETIMES DON'T KNOW WHO YOU REALLY ARE

Type: Numeric

N	Value
1,523	1. YES
34,629	2. NO
157	9. Unknown

N10Q1B15 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
830	1. YES
35,317	2. NO
162	9. Unknown

N10Q1A16 - SENSE OF WHO YOU ARE OFTEN CHANGED DEPENDING ON THE SITUATION OR WHOM YOU ARE WITH

Type: Numeric

N	Value
2,256	1. YES
33,882	2. NO
171	9. Unknown

N10Q1B16 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
891	1. YES
35,241	2. NO
177	9. Unknown

N10Q1A17 - ALL OF A SUDDEN HAVE CHANGED YOUR SENSE OF WHO YOU ARE AND WHERE YOU ARE HEADED

Type: Numeric

N	Value
3,897	1. YES
32,227	2. NO
185	9. Unknown

N10Q1B17 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
957	1. YES
35,162	2. NO
190	9. Unknown

N10Q1A18 - HAVE OFTEN FELT LIKE YOUR LIFE HAD NO PURPOSE OR MEANING

Type: Numeric

N	Value
3,108	1. YES
33,054	2. NO
147	9. Unknown

N10Q1B18 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,545	1. YES
34,611	2. NO
153	9. Unknown

N10Q1A19 - HAVE OFTEN FELT EMPTY INSIDE

Type: Numeric

N	Value
3,928	1. YES
32,228	2. NO
153	9. Unknown

N10Q1B19 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,833	1. YES
34,310	2. NO
166	9. Unknown

N10Q1A20 - HAVE OFTEN FELT THAT YOU WEREN'T REAL WHEN UNDER A LOT OF STRESS

Type: Numeric

N	Value
1,485	1. YES
34,624	2. NO
200	9. Unknown

N10Q1B20 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
808	1. YES
35,297	2. NO
204	9. Unknown

N10Q1A21 - HAVE OFTEN FELT LIKE YOU WERE OUTSIDE YOUR BODY WHEN UNDER A LOT OF STRESS

Type: Numeric

N	Value
1,432	1. YES
34,725	2. NO
152	9. Unknown

N10Q1B21 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
636	1. YES
35,517	2. NO
156	9. Unknown

N10Q1A22 - HAVE FELT SUSPICIOUS OR DISTRUSTFUL OF OTHER PEOPLE WHEN UNDER A LOT OF STRESS

Type: Numeric

N	Value
4,852	1. YES
31,312	2. NO
145	9. Unknown

N10Q1B22 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,088	1. YES
34,066	2. NO
155	9. Unknown

N10Q1A23 - HAVE CUT, BURNED, OR SCRATCHED YOURSELF ON PURPOSE WHEN UNDER A LOT OF STRESS

Type: Numeric

N	Value
687	1. YES
35,508	2. NO
114	9. Unknown

N10Q1B23 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
399	1. YES
35,795	2. NO
115	9. Unknown

N10Q1A24 - HAVE TRIED TO HURT OR KILL YOURSELF, OR THREATENED TO DO SO

Type: Numeric

N	Value
1,606	1. YES
34,584	2. NO
119	9. Unknown

N10Q1B24 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,058	1. YES
35,130	2. NO
121	9. Unknown

N10Q1A25 - HAVE GOTTEN INTO SEXUAL RELATIONSHIPS QUICKLY/WITHOUT THINKING ABOUT CONSEQUENCES

Type: Numeric

N	Value
5,048	1. YES
31,059	2. NO
202	9. Unknown

N10Q1B25 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,657	1. YES
34,446	2. NO
206	9. Unknown

N10Q1A26 - HAVE BEEN PERIODS OF YOUR LIFE WHEN YOU OFTEN SPENT TOO MUCH MONEY WHILE SHOPPING OR

GAMBLING

Type: Numeric

N	Value
7,218	1. YES
28,966	2. NO
125	9. Unknown

N10Q1B26 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,289	1. YES
33,891	2. NO
129	9. Unknown

N10Q1A27 - HAVE HAD PERIODS IN YOUR LIFE WHEN YOU DRANK A LOT MORE OR USED A LOT MORE DRUGS THAN YOU MEANT TO

Type: Numeric

N	Value
5,122	1. YES
31,062	2. NO
125	9. Unknown

N10Q1B27 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,579	1. YES
33,601	2. NO
129	9. Unknown

N10Q1A28 - HAVE HAD PERIODS IN YOUR LIFE WHEN YOU OFTEN TOOK TOO MANY RISKS WHEN DRIVING

Type: Numeric

N	Value
3,320	1. YES
32,858	2. NO
131	9. Unknown

N10Q1B28 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,307	1. YES
34,867	2. NO
135	9. Unknown

N10Q1A29 - HAVE OFTEN DONE THINGS IMPULSIVELY, NOT CARING ABOUT THE CONSEQUENCES

Type: Numeric

N	Value
3,928	1. YES
32,254	2. NO
127	9. Unknown

N10Q1B29 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,980	1. YES
34,195	2. NO
134	9. Unknown

N10Q1A30 - HAVE OFTEN ENGAGED IN RECKLESS BEHAVIOR WITHOUT THINKING ABOUT HOW DANGEROUS IT COULD BE

Type: Numeric

N	Value
2,751	1. YES
33,427	2. NO
131	9. Unknown

N10Q1B30 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,346	1. YES
34,827	2. NO
136	9. Unknown

N10Q1A31 - HAVE OFTEN BEEN VERY CRITICAL OF YOURSELF

Type: Numeric

N	Value
10,432	1. YES
25,698	2. NO
179	9. Unknown

N10Q1B31 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,949	1. YES
33,155	2. NO
205	9. Unknown

N10Q1A32 - HAVE OFTEN FELT SLIGHTED OR INSULTED BY OTHERS

Type: Numeric

N	Value
5,506	1. YES
30,663	2. NO
140	9. Unknown

N10Q1B32 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,575	1. YES
33,582	2. NO
152	9. Unknown

N10Q1A33 - HAVE OFTEN FELT THAT PEOPLE IN GENERAL CANNOT BE TRUSTED

Type: Numeric

N	Value
6,427	1. YES
29,669	2. NO
213	9. Unknown

N10Q1B33 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,106	1. YES
33,982	2. NO
221	9. Unknown

N10Q1A331 - HAVE TENDED TO SEE ONLY THE NEGATIVE ASPECTS OF OTHER PEOPLE

Type: Numeric

N	Value
2,122	1. YES
34,029	2. NO
158	9. Unknown

N10Q1B331 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,010	1. YES
35,138	2. NO
161	9. Unknown

N10Q1A332 - HAVE GOTTEN VERY NERVOUS, TENSE OR PANICKY WHEN YOU'VE BEEN UNDER A LOT OF STRESS

Type: Numeric

N	Value
6,728	1. YES
29,431	2. NO
150	9. Unknown

N10Q1B332 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,615	1. YES
33,529	2. NO
165	9. Unknown

N10Q1A333 - HAVE OFTEN FELT MISERABLE OR HOPELESS AND FOUND IT HARD TO GET OUT OF THESE MOODS

Type: Numeric

N	Value
3,625	1. YES
32,549	2. NO
135	9. Unknown

N10Q1B333 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,246	1. YES
33,921	2. NO
142	9. Unknown

N10Q1A334 - HAVE OFTEN WORRIED OR BEEN ANXIOUS ABOUT BEING REJECTED OR ABANDONED BY FAMILY, FRIENDS, OR LOVED ONES

Type: Numeric

N	Value
3,164	1. YES
33,018	2. NO
127	9. Unknown

N10Q1B334 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,055	1. YES
34,121	2. NO
133	9. Unknown

N10Q1A335 - HAVE OFTEN FEARED THE FUTURE BECAUSE IT SEEMED SO UNCERTAIN

Type: Numeric

N	Value
4,614	1. YES
31,551	2. NO
144	9. Unknown

N10Q1B335 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,890	1. YES
34,262	2. NO
157	9. Unknown

N10Q1A34 - AGE WHEN SOME OF THESE EXPERIENCES BEGAN TO HAPPEN AROUND THE SAME TIME

Type: Numeric

N	Value
17,298	5-89. Age
4	90. Age 90+
3,301	99. Unknown
15,706	BL. NA, less than 2 experiences reported among N10Q1A1 - N10Q1A335

N10Q1A35 - AGE AT THE MOST RECENT TIME WHEN HAD ANY OF THESE EXPERIENCES

Type: Numeric

N	Value
17,787	5-89. Age
17	90. Age 90+
2,799	99. Unknown
15,706	BL. NA, less than 2 experiences reported among N10Q1A1 - N10Q1A335

N10Q1A36 - HAVE OFTEN FELT THAT THINGS THAT HAVE NO SPECIAL MEANING TO MOST PEOPLE ARE REALLY MEANT TO GIVE YOU A MESSAGE

Type: Numeric

N	Value
4,535	1. YES
31,278	2. NO
496	9. Unknown

N10Q1B36 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
474	1. YES
35,335	2. NO
500	9. Unknown

N10Q1A37 - HAVE FELT SUSPICIOUS OF PEOPLE, EVEN IF YOU HAVE KNOWN THEM FOR AWHILE

Type: Numeric

N	Value
5,553	1. YES
30,603	2. NO
153	9. Unknown

N10Q1B37 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,635	1. YES
34,515	2. NO
159	9. Unknown

N10Q1A38 - HAVE OFTEN FELT THAT YOU ARE BEING WATCHED/STARED AT WHEN AROUND PEOPLE

Type: Numeric

N	Value
4,113	1. YES
32,062	2. NO
134	9. Unknown

N10Q1B38 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,164	1. YES
34,999	2. NO
146	9. Unknown

N10Q1A39 - HAVE EVER FELT THAT YOU COULD MAKE THINGS HAPPEN JUST BY MAKING A WISH OR THINKING ABOUT THEM

Type: Numeric

N	Value
2,647	1. YES
33,517	2. NO
145	9. Unknown

N10Q1B39 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
277	1. YES
35,884	2. NO
148	9. Unknown

N10Q1A40 - HAVE HAD PERSONAL EXPERIENCES WITH THE SUPERNATURAL

Type: Numeric

N	Value
3,878	1. YES
32,204	2. NO
227	9. Unknown

N10Q1B40 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
340	1. YES
35,737	2. NO
232	9. Unknown

N10Q1A41 - HAVE BELIEVED THAT YOU HAVE A "SIXTH SENSE" THAT ALLOWS YOU TO KNOW AND PREDICT THINGS THAT OTHERS CAN'T

Type: Numeric

N	Value
3,474	1. YES
32,645	2. NO
190	9. Unknown

N10Q1B41 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
281	1. YES
35,833	2. NO
195	9. Unknown

N10Q1A42 - HAVE SENSED THAT SOME FORCE IS AROUND YOU, EVEN THOUGH YOU CANNOT SEE ANYONE

Type: Numeric

N	Value
5,838	1. YES
30,272	2. NO
199	9. Unknown

N10Q1B42 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
370	1. YES
35,739	2. NO
200	9. Unknown

N10Q1A43 - HAVE OFTEN SEEN AURAS OR ENERGY FIELDS AROUND PEOPLE

Type: Numeric

N	Value
1,354	1. YES
34,800	2. NO
155	9. Unknown

N10Q1B43 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
114	1. YES
36,039	2. NO
156	9. Unknown

N10Q1A44 - HAVE OFTEN THOUGHT THAT OBJECTS OR SHADOWS ARE REALLY PEOPLE OR ANIMALS, OR THAT NOISES ARE ACTUALLY PEOPLE'S VOICES

Type: Numeric

N	Value
1,134	1. YES
35,005	2. NO
170	9. Unknown

N10Q1B44 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
209	1. YES
35,929	2. NO
171	9. Unknown

N10Q1A45 - PEOPLE HAVE THOUGHT YOU ARE ODD, ECCENTRIC OR STRANGE

Type: Numeric

N	Value
3,756	1. YES
32,144	2. NO
409	9. Unknown

N10Q1B45 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
565	1. YES
35,329	2. NO
415	9. Unknown

N10Q1A46 - PEOPLE HAVE THOUGHT YOU ACT STRANGELY

Type: Numeric

N	Value
2,923	1. YES
33,013	2. NO
373	9. Unknown

N10Q1B46 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
584	1. YES
35,349	2. NO
376	9. Unknown

N10Q1A47 - HAVE HAD VERY FEW PEOPLE THAT YOU'RE REALLY CLOSE TO OUTSIDE OF IMMEDIATE FAMILY

Type: Numeric

N	Value
10,445	1. YES
25,688	2. NO
176	9. Unknown

N10Q1B47 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
710	1. YES
35,416	2. NO
183	9. Unknown

N10Q1A48 - HAVE OFTEN FELT NERVOUS OR ANXIOUS WHEN WITH OTHER PEOPLE EVEN IF YOU HAVE KNOWN THEM FOR AWHILE

Type: Numeric

N	Value
2,280	1. YES
33,897	2. NO
132	9. Unknown

N10Q1B48 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
737	1. YES
35,436	2. NO
136	9. Unknown

N10Q1A49 - HAS BEEN UNUSUAL FOR YOU TO SHOW EMOTION

Type: Numeric

N	Value
4,088	1. YES
32,045	2. NO
176	9. Unknown

N10Q1B49 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,249	1. YES
34,874	2. NO
186	9. Unknown

N10Q1A50 - HAVE HAD TROUBLE EXPRESSING YOUR EMOTIONS AND FEELINGS

Type: Numeric

N	Value
4,500	1. YES
31,652	2. NO
157	9. Unknown

N10Q1B50 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,952	1. YES
34,181	2. NO
176	9. Unknown

N10Q1A51 - PEOPLE HAVE THOUGHT YOU HAVE STRANGE IDEAS

Type: Numeric

N	Value
3,636	1. YES
32,291	2. NO
382	9. Unknown

N10Q1B51 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
533	1. YES
35,389	2. NO
387	9. Unknown

N10Q1A52 - HAVE OFTEN FOUND IT DIFFICULT TO TRUST OTHER PEOPLE

Type: Numeric

N	Value
6,667	1. YES
29,480	2. NO
162	9. Unknown

N10Q1B52 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
2,070	1. YES
34,061	2. NO
178	9. Unknown

N10Q1A53 - HAVE PREFERRED TO BE ALONE RATHER THAN BEING WITH OTHER PEOPLE

Type: Numeric

N	Value
8,074	1. YES
27,940	2. NO
295	9. Unknown

N10Q1B53 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,275	1. YES
34,726	2. NO
308	9. Unknown

N10Q1A54 - HAVE FREQUENTLY BEEN SURPRISED ABOUT HOW OTHER PEOPLE REACT TO THINGS YOU DO/SAY

Type: Numeric

N	Value
3,302	1. YES
32,817	2. NO
190	9. Unknown

N10Q1B54 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
849	1. YES
35,263	2. NO
197	9. Unknown

N10Q1A55 - HAVE HAD DIFFICULTY SETTING REALISTIC GOALS IN YOUR PERSONAL LIFE, CAREER PLANS OR OTHER IMPORTANT ASPECTS OF YOUR LIFE

Type: Numeric

N	Value
2,654	1. YES
33,464	2. NO
191	9. Unknown

N10Q1B55 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,303	1. YES
34,809	2. NO
197	9. Unknown

N10Q1A56 - PEOPLE HAVE TOLD YOU THAT YOUR EXPRESSIONS DIDN'T FIT SITUATION YOU WERE IN/HOW YOU SAID YOU WERE FEELING

Type: Numeric

N	Value
2,433	1. YES
33,664	2. NO
212	9. Unknown

N10Q1B56 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
852	1. YES
35,242	2. NO
215	9. Unknown

N10Q1A561 - HAVE OFTEN HAD PERSONAL GOALS THAT OTHERS SAID WERE UNREALISTIC/MADE NO SENSE

Type: Numeric

N	Value
2,671	1. YES
33,446	2. NO
192	9. Unknown

N10Q1B561 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
673	1. YES
35,439	2. NO
197	9. Unknown

N10Q1A562 - HAVE OFTEN CHANGED YOUR MIND ABOUT WHAT'S WORTHWHILE OR IMPORTANT

Type: Numeric

N	Value
4,521	1. YES
31,624	2. NO
164	9. Unknown

N10Q1B562 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
842	1. YES
35,298	2. NO
169	9. Unknown

N10Q1A563 - PEOPLE HAVE OFTEN COMMENTED THAT YOU SAID THINGS THAT SEEMED STRANGE/OUT OF PLACE

Type: Numeric

N	Value
2,330	1. YES
33,814	2. NO
165	9. Unknown

N10Q1B563 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
615	1. YES
35,524	2. NO
170	9. Unknown

N10Q1A564 - PEOPLE HAVE SAID YOU WERE A COLD PERSON WHO DIDN'T SEEM TO CARE ABOUT OTHERS

Type: Numeric

N	Value
2,466	1. YES
33,678	2. NO
165	9. Unknown

N10Q1B564 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
849	1. YES
35,289	2. NO
171	9. Unknown

N10Q1A565 - HAVE OFTEN THOUGHT THAT OTHER PEOPLE MEANT TO HARM YOU IN SOME WAY

Type: Numeric

N	Value
1,863	1. YES
34,301	2. NO
145	9. Unknown

N10Q1B565 - EVER TROUBLED YOU OR CAUSED PROBLEMS AT WORK/SCHOOL/WITH FAMILY/OTHER PEOPLE

Type: Numeric

N	Value
1,005	1. YES
35,154	2. NO
150	9. Unknown

N10Q1A57 - AGE WHEN SOME OF THESE EXPERIENCES BEGAN TO HAPPEN AROUND THE SAME TIME

Type: Numeric

N	Value
13,065	5-89. Age
2	90. Age 90+
2,876	99. Unknown
20,366	BL. NA, less than 2 experiences reported among N10Q1A36 - N10Q1A565

N10Q1A58 - AGE THE MOST RECENT TIME YOU HAD ANY OF THESE EXPERIENCES

Type: Numeric

N	Value
13,484	5-89. Age
14	90. Age 90+
2,445	99. Unknown
20,366	BL. NA, less than 2 experiences reported among N10Q1A36 - N10Q1A565

SECTION 11A: CONDUCT DISORDER AND ANTISOCIAL PERSONALITY DISORDER (BEHAVIOR)

N11AQ1A1 - OFTEN CUT CLASS, NOT GO TO CLASS OR GO TO SCHOOL AND LEAVE WITHOUT PERMISSION

Type: Numeric

N	Value
9,992	1. YES
26,145	2. NO
172	9. Unknown

N11AQ1B1 - HAPPEN BEFORE AGE 13

Type: Numeric

N	Value
1,760	1. YES
34,366	2. NO
183	9. Unknown

N11AQ1C1 - HAPPEN SINCE AGE 13

Type: Numeric

N	Value
9,454	1. YES
26,682	2. NO
173	9. Unknown

N11AQ1A2 - STAY OUT LATE AT NIGHT EVEN THOUGH PARENTS TOLD YOU TO STAY HOME

Type: Numeric

N	Value
8,834	1. YES
27,300	2. NO
175	9. Unknown

N11AQ1B2 - HAPPEN BEFORE AGE 13

Type: Numeric

N	Value
1,251	1. YES
34,873	2. NO
185	9. Unknown

N11AQ1C2 - HAPPEN SINCE AGE 13

Type: Numeric

N	Value
8,641	1. YES
27,491	2. NO
177	9. Unknown

N11AQ1A3 - OFTEN BULLY OR PUSH PEOPLE AROUND OR TRY TO MAKE THEM AFRAID OF YOU

Type: Numeric

N	Value
1,200	1. YES
34,961	2. NO
148	9. Unknown

N11AQ1B3 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
889	1. YES
35,267	2. NO
153	9. Unknown

N11AQ1C3 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
755	1. YES
35,406	2. NO
148	9. Unknown

N11AQ1A4 - RUN AWAY FROM HOME OVERNIGHT AT LEAST TWICE OR RUN AWAY AND STAY AWAY FOR A LONGER TIME

Type: Numeric

N	Value
2,450	1. YES
33,708	2. NO
151	9. Unknown

N11AQ1B4 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,331	1. YES
34,819	2. NO
159	9. Unknown

N11AQ1C4 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,723	1. YES
34,435	2. NO
151	9. Unknown

N11AQ1A5 - HAVE A TIME WHEN ABSENT FROM WORK A LOT, OTHER THAN WHEN SICK, CARING FOR SOMEONE WHO WAS SICK OR ON MILITARY DUTY

Type: Numeric

N	Value
1,294	1. YES
34,853	2. NO
162	9. Unknown

N11AQ1B5 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
112	1. YES
36,035	2. NO
162	9. Unknown

N11AQ1C5 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,270	1. YES
34,877	2. NO
162	9. Unknown

N11AQ1A6 - MORE THAN ONCE QUIT A JOB WITHOUT KNOWING WHERE WOULD FIND ANOTHER ONE

Type: Numeric

N	Value
4,553	1. YES
31,597	2. NO
159	9. Unknown

N11AQ1B6 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
167	1. YES
35,983	2. NO
159	9. Unknown

N11AQ1C6 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
4,507	1. YES
31,643	2. NO
159	9. Unknown

N11AQ1A7 - MAKE SPUR OF THE MOMENT DECISIONS: QUITTING SCHOOL, MOVING OR CHANGING JOBS

Type: Numeric

N	Value
4,709	1. YES
31,447	2. NO
153	9. Unknown

N11AQ1B7 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
447	1. YES
35,706	2. NO
156	9. Unknown

N11AQ1C7 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
4,621	1. YES
31,534	2. NO
154	9. Unknown

N11AQ1A8 - TRAVEL FROM PLACE TO PLACE FOR 1+ MONTHS WITHOUT ADVANCE PLANS OR WITHOUT KNOWING HOW LONG WOULD BE GONE OR WHERE WOULD WORK

Type: Numeric

N	Value
1,596	1. YES
34,554	2. NO
159	9. Unknown

N11AQ1B8 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
196	1. YES
35,954	2. NO
159	9. Unknown

N11AQ1C8 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,548	1. YES
34,602	2. NO
159	9. Unknown

N11AQ1A9 - HAVE TIME LASTING 1+ MONTHS WHEN HAD NO REGULAR PLACE TO LIVE

Type: Numeric

N	Value
1,767	1. YES
34,388	2. NO
154	9. Unknown

N11AQ1B9 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
234	1. YES
35,920	2. NO
155	9. Unknown

N11AQ1C9 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,683	1. YES
34,472	2. NO
154	9. Unknown

N11AQ1A101 - HAVE TIME LASTING 1+ MONTHS WHEN LIVED WITH OTHERS BECAUSE DID NOT HAVE OWN PLACE TO LIVE

Type: Numeric

N	Value
5,432	1. YES
30,721	2. NO
156	9. Unknown

N11AQ1B101 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
566	1. YES
35,585	2. NO
158	9. Unknown

N11AQ1C101 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
5,261	1. YES
30,892	2. NO
156	9. Unknown

N11AQ1A102 - OFTEN DO RISKY OR DANGEROUS THINGS, NOT CARING ABOUT CONSEQUENCES

Type: Numeric

N	Value
2,858	1. YES
33,281	2. NO
170	9. Unknown

N11AQ1B102 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,087	1. YES
35,043	2. NO
179	9. Unknown

N11AQ1C102 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
2,688	1. YES
33,450	2. NO
171	9. Unknown

N11AQ1A11 - HAVE A TIME WHEN YOU LIED A LOT, OTHER THAN TO AVOID BEING HURT

Type: Numeric

N	Value
3,263	1. YES
32,853	2. NO
193	9. Unknown

N11AQ1B11 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,806	1. YES
34,287	2. NO
216	9. Unknown

N11AQ1C11 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
2,745	1. YES
33,367	2. NO
197	9. Unknown

N11AQ1A12 - USE A FALSE OR MADE-UP NAME OR ALIAS

Type: Numeric

N	Value
1,483	1. YES
34,661	2. NO
165	9. Unknown

N11AQ1B12 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
359	1. YES
35,783	2. NO
167	9. Unknown

N11AQ1C12 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,376	1. YES
34,767	2. NO
166	9. Unknown

N11AQ1A13 - SCAM OR CON SOMEONE FOR MONEY, TO AVOID RESPONSIBILITY OR JUST FOR FUN

Type: Numeric

N	Value
735	1. YES
35,414	2. NO
160	9. Unknown

N11AQ1B13 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
223	1. YES
35,924	2. NO
162	9. Unknown

N11AQ1C13 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
673	1. YES
35,476	2. NO
160	9. Unknown

N11AQ1A14 - DO THINGS THAT COULD EASILY HAVE HURT YOU OR SOMEONE ELSE, LIKE SPEEDING OR DRIVING OR USING HEAVY MACHINERY WHILE DRUNK OR HIGH

Type: Numeric

N	Value
3,711	1. YES
32,433	2. NO
165	9. Unknown

N11AQ1B14 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
377	1. YES
35,764	2. NO
168	9. Unknown

N11AQ1C14 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
3,666	1. YES
32,478	2. NO
165	9. Unknown

N11AQ1A15 - HAVE UNPROTECTED SEX OTHER THAN WITH SPOUSE OR IN COMMITTED RELATIONSHIP

Type: Numeric

N	Value
7,689	1. YES
28,328	2. NO
292	9. Unknown

N11AQ1B15 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,362	1. YES
34,645	2. NO
302	9. Unknown

N11AQ1C15 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
7,542	1. YES
28,475	2. NO
292	9. Unknown

N11AQ1A16 - HAVE DRIVER'S LICENSE SUSPENDED OR REVOKED FOR MOVING VIOLATIONS

Type: Numeric

N	Value
3,939	1. YES
32,195	2. NO
175	9. Unknown

N11AQ1B16 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
67	1. YES
36,065	2. NO
177	9. Unknown

N11AQ1C16 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
3,919	1. YES
32,215	2. NO
175	9. Unknown

N11AQ1A17 - DESTROY OR DAMAGE SOMEONE ELSE'S PROPERTY (CAR, HOME, ETC.)

Type: Numeric

N	Value
1,842	1. YES
34,302	2. NO
165	9. Unknown

N11AQ1B17 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
576	1. YES
35,566	2. NO
167	9. Unknown

N11AQ1C17 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,627	1. YES
34,517	2. NO
165	9. Unknown

N11AQ1A18 - START FIRE ON PURPOSE TO DESTROY SOMEONE ELSE'S PROPERTY OR JUST TO SEE IT BURN

Type: Numeric

N	Value
683	1. YES
35,469	2. NO
157	9. Unknown

N11AQ1B18 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
480	1. YES
35,671	2. NO
158	9. Unknown

N11AQ1C18 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
345	1. YES
35,806	2. NO
158	9. Unknown

N11AQ1A19 - FAIL TO PAY OFF DEBTS -- LIKE MOVING TO AVOID RENT, NOT MAKING PAYMENTS ON LOAN OR MORTGAGE, FAILING TO PAY ALIMONY OR CHILD SUPPORT

Type: Numeric

N	Value
2,459	1. YES
33,685	2. NO
165	9. Unknown

N11AQ1B19 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
36,144	2. No
165	9. Unknown

N11AQ1C19 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
2,459	1. Yes
33,685	2. No
165	9. Unknown

N11AQ1A20 - STEAL SOMETHING FROM SOMEONE/SOMEPLACE WHEN NO ONE WAS AROUND

Type: Numeric

N	Value
2,008	1. YES
34,126	2. NO
175	9. Unknown

N11AQ1B20 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,207	1. YES
34,926	2. NO
176	9. Unknown

N11AQ1C20 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,362	1. YES
34,769	2. NO
178	9. Unknown

N11AQ1A21 - FORGE A CHECK OR ANY OTHER DOCUMENT

Type: Numeric

N	Value
549	1. YES
35,595	2. NO
165	9. Unknown

N11AQ1B21 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
86	1. YES
36,058	2. NO
165	9. Unknown

N11AQ1C21 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
505	1. YES
35,639	2. NO
165	9. Unknown

N11AQ1A22 - BREAK INTO SOMEONE ELSE'S HOUSE, BUILDING OR CAR

Type: Numeric

N	Value
978	1. YES
35,164	2. NO
167	9. Unknown

N11AQ1B22 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
451	1. YES
35,691	2. NO
167	9. Unknown

N11AQ1C22 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
710	1. YES
35,431	2. NO
168	9. Unknown

N11AQ1A23 - SHOPLIFT

Type: Numeric

N	Value
4,634	1. YES
31,511	2. NO
164	9. Unknown

N11AQ1B23 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
3,330	1. YES
32,801	2. NO
178	9. Unknown

N11AQ1C23 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
2,193	1. YES
33,947	2. NO
169	9. Unknown

N11AQ1A24 - STEAL FROM SOMEONE DIRECTLY: MUG OR SNATCH A PURSE OR WALLET

Type: Numeric

N	Value
286	1. YES
35,859	2. NO
164	9. Unknown

N11AQ1B24 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
119	1. YES
36,026	2. NO
164	9. Unknown

N11AQ1C24 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
226	1. YES
35,919	2. NO
164	9. Unknown

N11AQ1A25 - MAKE MONEY ILLEGALLY, LIKE SELLING STOLEN PROPERTY OR SELLING DRUGS

Type: Numeric

N	Value
2,012	1. YES
34,114	2. NO
183	9. Unknown

N11AQ1B25 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
364	1. YES
35,762	2. NO
183	9. Unknown

N11AQ1C25 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,933	1. YES
34,192	2. NO
184	9. Unknown

N11AQ1A26 - USE SOMEONE'S CREDIT CARD WITHOUT THEIR PERMISSION

Type: Numeric

N	Value
457	1. YES
35,688	2. NO
164	9. Unknown

N11AQ1B26 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
77	1. YES
36,067	2. NO
165	9. Unknown

N11AQ1C26 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
423	1. YES
35,722	2. NO
164	9. Unknown

N11AQ1A27 - STEAL ONLINE OR SCAM OVER THE TELEPHONE

Type: Numeric

N	Value
68	1. YES
36,080	2. NO
161	9. Unknown

N11AQ1B27 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
17	1. YES
36,131	2. NO
161	9. Unknown

N11AQ1C27 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
62	1. YES
36,086	2. NO
161	9. Unknown

N11AQ1A28 - DO SOMETHING YOU COULD HAVE BEEN ARRESTED FOR, REGARDLESS OF WHETHER CAUGHT OR NOT

Type: Numeric

N	Value
5,696	1. YES
30,409	2. NO
204	9. Unknown

N11AQ1B28 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,705	1. YES
34,391	2. NO
213	9. Unknown

N11AQ1C28 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
5,363	1. YES
30,742	2. NO
204	9. Unknown

N11AQ1A29 - FORCE SOMEONE TO ENGAGE IN ANY SEXUAL ACTIVITY WITH YOU AGAINST THEIR WILL

Type: Numeric

N	Value
67	1. YES
36,070	2. NO
172	9. Unknown

N11AQ1B29 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
21	1. YES
36,116	2. NO
172	9. Unknown

N11AQ1C29 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
57	1. YES
36,080	2. NO
172	9. Unknown

N11AQ1A30 - GET INTO A LOT OF FIGHTS THAT YOU STARTED

Type: Numeric

N	Value
1,226	1. YES
34,919	2. NO
164	9. Unknown

N11AQ1B30 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
784	1. YES
35,360	2. NO
165	9. Unknown

N11AQ1C30 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
991	1. YES
35,154	2. NO
164	9. Unknown

N11AQ1A31 - PHYSICALLY HURT ANOTHER PERSON IN ANY OTHER WAY ON PURPOSE

Type: Numeric

N	Value
2,729	1. YES
33,415	2. NO
165	9. Unknown

N11AQ1B31 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,377	1. YES
34,759	2. NO
173	9. Unknown

N11AQ1C31 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
2,254	1. YES
33,886	2. NO
169	9. Unknown

N11AQ1A32 - HARASS, THREATEN OR BLACKMAIL SOMEONE

Type: Numeric

N	Value
757	1. YES
35,393	2. NO
159	9. Unknown

N11AQ1B32 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
257	1. YES
35,890	2. NO
162	9. Unknown

N11AQ1C32 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
701	1. YES
35,449	2. NO
159	9. Unknown

N11AQ1A33 - GET INTO A FIGHT THAT CAME TO SWAPPING BLOWS WITH SOMEONE LIKE A HUSBAND, WIFE, BOYFRIEND OR GIRLFRIEND

Type: Numeric

N	Value
2,593	1. YES
33,551	2. NO
165	9. Unknown

N11AQ1B33 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
471	1. YES
35,672	2. NO
166	9. Unknown

N11AQ1C33 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
2,462	1. YES
33,682	2. NO
165	9. Unknown

N11AQ1A34 - USE A WEAPON LIKE A STICK, KNIFE OR GUN IN A FIGHT

Type: Numeric

N	Value
1,345	1. YES
34,799	2. NO
165	9. Unknown

N11AQ1B34 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
408	1. YES
35,733	2. NO
168	9. Unknown

N11AQ1C34 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,216	1. YES
34,927	2. NO
166	9. Unknown

N11AQ1A35 - HIT SOMEONE SO HARD THAT YOU INJURED THEM OR THEY HAD TO SEE A DOCTOR

Type: Numeric

N	Value
2,315	1. YES
33,743	2. NO
251	9. Unknown

N11AQ1B35 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
651	1. YES
35,402	2. NO
256	9. Unknown

N11AQ1C35 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
2,050	1. YES
34,007	2. NO
252	9. Unknown

N11AQ1A36 - HURT AN ANIMAL OR PET ON PURPOSE

Type: Numeric

N	Value
569	1. YES
35,583	2. NO
157	9. Unknown

N11AQ1B36 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
427	1. YES
35,723	2. NO
159	9. Unknown

N11AQ1C36 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
242	1. YES
35,909	2. NO
158	9. Unknown

N11AQ1A37 - HAVE A TIME WHEN NOT WORKING AND OTHERS THOUGHT YOU SHOULD HAVE BEEN

Type: Numeric

N	Value
5,337	1. YES
30,725	2. NO
247	9. Unknown

N11AQ1B37 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
292	1. YES
35,768	2. NO
249	9. Unknown

N11AQ1C37 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
5,267	1. YES
30,795	2. NO
247	9. Unknown

N11AQ1A38 - OFTEN FEEL THAT THE WORLD REVOLVES AROUND YOU

Type: Numeric

N	Value
1,283	1. YES
34,838	2. NO
188	9. Unknown

N11AQ1B38 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
689	1. YES
35,425	2. NO
195	9. Unknown

N11AQ1C38 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,096	1. YES
35,024	2. NO
189	9. Unknown

N11AQ1A39 - OFTEN EXAGGERATE, CHANGE FACTS, OR STRETCH TRUTH TO MAKE A BETTER STORY

Type: Numeric

N	Value
3,763	1. YES
32,365	2. NO
181	9. Unknown

N11AQ1B39 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
2,326	1. YES
33,751	2. NO
232	9. Unknown

N11AQ1C39 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
3,362	1. YES
32,761	2. NO
186	9. Unknown

N11AQ1A40 - OFTEN CHARM, FLIRT, OR SAY WHATEVER NEEDED TO GET OTHERS TO DO WHAT YOU WANT

Type: Numeric

N	Value
4,672	1. YES
31,436	2. NO
201	9. Unknown

N11AQ1B40 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,922	1. YES
34,138	2. NO
249	9. Unknown

N11AQ1C40 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
4,565	1. YES
31,543	2. NO
201	9. Unknown

N11AQ1A41 - OFTEN GET ANGRY EVEN OVER LITTLE THINGS

Type: Numeric

N	Value
3,810	1. YES
32,325	2. NO
174	9. Unknown

N11AQ1B41 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,915	1. YES
34,163	2. NO
231	9. Unknown

N11AQ1C41 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
3,621	1. YES
32,513	2. NO
175	9. Unknown

N11AQ1A42 - TEND TO DO THINGS WITHOUT THINKING ABOUT THEM VERY MUCH, JUST TO KEEP FROM BEING BORED

Type: Numeric

N	Value
2,770	1. YES
33,331	2. NO
208	9. Unknown

N11AQ1B42 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,576	1. YES
34,482	2. NO
251	9. Unknown

N11AQ1C42 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
2,562	1. YES
33,537	2. NO
210	9. Unknown

N11AQ1A43 - FIND IT DIFFICULT TO ENTER INTO RELATIONSHIPS WHERE COULDN'T CONTROL OTHER PERSON

Type: Numeric

N	Value
1,291	1. YES
34,806	2. NO
212	9. Unknown

N11AQ1B43 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
215	1. YES
35,875	2. NO
219	9. Unknown

N11AQ1C43 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,267	1. YES
34,829	2. NO
213	9. Unknown

N11AQ1A44 - TEND TO DO THINGS WITHOUT THINKING ABOUT WHAT WOULD HAPPEN AS A RESULT

Type: Numeric

N	Value
2,244	1. YES
33,877	2. NO
188	9. Unknown

N11AQ1B44 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
1,251	1. YES
34,844	2. NO
214	9. Unknown

N11AQ1C44 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
2,102	1. YES
34,019	2. NO
188	9. Unknown

N11AQ1A45 - OFTEN TRY TO GET REVENGE IF SOMEONE DID SOMETHING YOU DIDN'T LIKE

Type: Numeric

N	Value
1,909	1. YES
34,220	2. NO
180	9. Unknown

N11AQ1B45 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
964	1. YES
35,154	2. NO
191	9. Unknown

N11AQ1C45 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
1,739	1. YES
34,390	2. NO
180	9. Unknown

N11AQ1A46 - OFTEN FEEL GOOD ABOUT SELF AFTER GAINING SOMETHING AT ANOTHER'S EXPENSE

Type: Numeric

N	Value
849	1. YES
35,267	2. NO
193	9. Unknown

N11AQ1B46 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
404	1. YES
35,704	2. NO
201	9. Unknown

N11AQ1C46 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
793	1. YES
35,323	2. NO
193	9. Unknown

N11AQ1A47 - OFTEN GET PEOPLE TO DO WHAT YOU WANTED BY MAKING THEM AFRAID NOT TO

Type: Numeric

N	Value
484	1. YES
35,639	2. NO
186	9. Unknown

N11AQ1B47 - HAPPEN BEFORE AGE 15

Type: Numeric

N	Value
239	1. YES
35,881	2. NO
189	9. Unknown

N11AQ1C47 - HAPPEN SINCE AGE 15

Type: Numeric

N	Value
426	1. YES
35,697	2. NO
186	9. Unknown

N11AQ1D - AGE AT FIRST TIME SOME OF THESE EXPERIENCES BEGAN TO HAPPEN

Type: Numeric

N	Value
11,677	3-50. Age
1,971	99. Unknown
22,661	BL. NA, did not report at least 3 lifetime experiences

N11AQ2 - DID ANY OF EXPERIENCES BEFORE AGE 15 CAUSE PROBLEMS WITH FAMILY OR FRIENDS OR AT SCHOOL OR WITH THE LAW

Type: Numeric

N	Value
1,905	1. YES
2,417	2. NO
154	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ3A - DID AT LEAST ONE EXPERIENCE HAPPEN BEFORE AGE 10

Type: Numeric

N	Value
938	1. YES
3,335	2. NO
203	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ3B - DID AT LEAST 3 EXPERIENCES BEFORE AGE 15 HAPPEN AROUND THE SAME TIME OR WITHIN A ONE-YEAR PERIOD

Type: Numeric

N	Value
2,383	1. YES
1,674	2. NO
419	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ3C - EVER TALK TO A COUNSELOR, THERAPIST, DOCTOR, PSYCHOLOGIST, OR OTHER PERSON ABOUT EXPERIENCES BEFORE AGE 15

Type: Numeric

N	Value
775	1. YES
3,579	2. NO
122	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ3D - EVER REGRET ANY EXPERIENCES BEFORE AGE 15, WISH THEY HAD NEVER HAPPENED

Type: Numeric

N	Value
2,606	1. YES
1,745	2. NO
125	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ3E - BEFORE AGE 15, EVER FEEL YOU HAD A RIGHT TO DO ANY OF THESE THINGS

Type: Numeric

N	Value
1,655	1. YES
2,628	2. NO
193	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ3F - BEFORE AGE 15, EVER FEEL OTHER PEOPLE DESERVED WHAT THEY GOT

Type: Numeric

N	Value
1,888	1. YES
2,374	2. NO
214	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ3G - BEFORE AGE 15, WERE YOU INTERESTED OR CONCERNED ABOUT HOW WELL YOU WERE DOING AT SCHOOL, WORK OR IN OTHER ACTIVITIES

Type: Numeric

N	Value
2,561	1. YES
1,804	2. NO
111	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ3H - BEFORE AGE 15, DID YOU SHOW VERY LITTLE EMOTION OR FEELINGS TO OTHERS

Type: Numeric

N	Value
1,493	1. YES
2,792	2. NO
191	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ3I - BEFORE AGE 15, DID YOU TEND TO CARE VERY LITTLE ABOUT HOW OTHERS FELT

Type: Numeric

N	Value
1,309	1. YES
3,036	2. NO
131	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ4A - DID ANY EXPERIENCES BEFORE AGE 15 HAPPEN WHILE OR AFTER DRINKING HEAVILY

Type: Numeric

N	Value
237	1. YES
4,199	2. NO
40	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ4B - DID ALL EXPERIENCES BEFORE AGE 15 ONLY HAPPEN WHILE OR AFTER DRINKING HEAVILY

Type: Numeric

N	Value
70	1. YES
4,365	2. NO
41	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ5A - DID ANY EXPERIENCES BEFORE AGE 15 HAPPEN WHILE OR AFTER USING A MEDICINE OR DRUG

Type: Numeric

N	Value
377	1. YES
3,969	2. NO
130	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ5B - DID ALL EXPERIENCES BEFORE AGE 15 HAPPEN ONLY WHILE OR AFTER USING A MEDICINE OR DRUG

Type: Numeric

N	Value
126	1. YES
4,212	2. NO
138	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ5C - DID ANY EXPERIENCES BEFORE AGE 15 HAPPEN DURING A PERIOD WHEN FELT EXTREMELY EXCITED/ELATED/REVVED UP OR ENERGETIC/IRRITABLE OR EASILY ANNOYED

Type: Numeric

N	Value
91	1. YES
4,376	2. NO
9	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ5D - DID ALL EXPERIENCES BEFORE AGE 15 HAPPEN ONLY DURING PERIODS WHEN FELT EXTREMELY EXCITED/ELATED/REVVED UP OR ENERGETIC/IRRITABLE OR EASILY ANNOYED

Type: Numeric

N	Value
32	1. YES
4,427	2. NO
17	9. Unknown
31,833	BL. NA, did not report at least 3 experiences before age 15

N11AQ6A - DID ANY EXPERIENCES SINCE AGE 15 HAPPEN WHILE OR AFTER DRINKING HEAVILY

Type: Numeric

N	Value
1,969	1. YES
10,592	2. NO
264	9. Unknown
23,484	BL. NA, did not report at least 3 experiences since age 15

N11AQ6B - DID ALL EXPERIENCES SINCE AGE 15 HAPPEN ONLY WHILE OR AFTER DRINKING HEAVILY

Type: Numeric

N	Value
659	1. YES
11,891	2. NO
275	9. Unknown
23,484	BL. NA, did not report at least 3 experiences since age 15

N11AQ7A - DID ANY EXPERIENCES SINCE AGE 15 HAPPEN WHILE OR AFTER USING A MEDICINE OR DRUG

Type: Numeric

N	Value
1,225	1. YES
11,364	2. NO
236	9. Unknown
23,484	BL. NA, did not report at least 3 experiences since age 15

N11AQ7B - DID ALL EXPERIENCES SINCE AGE 15 HAPPEN ONLY WHILE OR AFTER USING A MEDICINE OR DRUG

Type: Numeric

N	Value
416	1. YES
12,165	2. NO
244	9. Unknown
23,484	BL. NA, did not report at least 3 experiences since age 15

N11AQ7C - EVER TALK TO A COUNSELOR, THERAPIST, DOCTOR, PSYCHOLOGIST, OR OTHER PERSON ABOUT EXPERIENCES SINCE AGE 15

Type: Numeric

N	Value
1,529	1. YES
11,145	2. NO
151	9. Unknown
23,484	BL. NA, did not report at least 3 experiences since age 15

N11AQ7D - DID ANY EXPERIENCES SINCE AGE 15 HAPPEN DURING A PERIOD WHEN FELT EXTREMELY EXCITED/ELATED/REVVED UP OR ENERGETIC/IRRITABLE OR EASILY ANNOYED

Type: Numeric

N	Value
371	1. YES
12,420	2. NO
34	9. Unknown
23,484	BL. NA, did not report at least 3 experiences since age 15

N11AQ7E - DID ALL EXPERIENCES SINCE AGE 15 HAPPEN ONLY DURING PERIODS WHEN FELT EXTREMELY EXCITED/ELATED/REVVED UP OR ENERGETIC/IRRITABLE OR EASILY ANNOYED

Type: Numeric

N	Value
48	1. YES
12,735	2. NO
42	9. Unknown
23,484	BL. NA, did not report at least 3 experiences since age 15

N11AQ8A - SINCE TIME WHEN DESTROYED PROPERTY, STOLE SOMETHING OR MISTREATED/HARMED ANOTHER PERSON, HAVE YOU REGRETTED DOING THESE THINGS OR WISHED THEY NEVER HAPPENED

Type: Numeric

N	Value
4,378	1. YES
2,255	2. NO
62	9. Unknown
29,614	BL. NA, did not report at least 3 experiences since age 15; did not report at least 1 experience when destroyed property, stole something or mistreated/harmed another person

N11AQ8B - DID YOU FEEL YOU HAD A RIGHT TO DO ANY OF THESE THINGS (DESTROY PROPERTY, STEAL SOMETHING, MISTREAT/HARM ANOTHER PERSON)

Type: Numeric

N	Value
2,453	1. YES
4,152	2. NO
90	9. Unknown
29,614	BL. NA, did not report at least 3 experiences since age 15; did not report at least 1 experience when destroyed property, stole something or mistreated/harmed another person

N11AQ8C - EVER FEEL OTHER PEOPLE DESERVED WHAT THEY GOT

Type: Numeric

N	Value
2,831	1. YES
3,746	2. NO
118	9. Unknown
29,614	BL. NA, did not report at least 3 experiences since age 15; did not report at least 1 experience when destroyed property, stole something or mistreated/harmed another person

N11AQ9 - SINCE AGE 15, WERE YOU INTERESTED OR CONCERNED ABOUT HOW WELL YOU WERE DOING AT SCHOOL, WORK OR IN OTHER ACTIVITIES

Type: Numeric

N	Value
9,392	1. YES
4,131	2. NO
125	9. Unknown
22,661	BL. NA, did not report at least 3 lifetime experiences

N11AQ10 - SINCE AGE 15, DID YOU SHOW VERY LITTLE EMOTION OR FEELINGS TO OTHERS

Type: Numeric

N	Value
2,670	1. YES
10,757	2. NO
221	9. Unknown
22,661	BL. NA, did not report at least 3 lifetime experiences

N11AQ11 - SINCE AGE 15, DID YOU TEND TO CARE VERY LITTLE ABOUT HOW OTHERS FELT

Type: Numeric

N	Value
2,012	1. YES
11,459	2. NO
177	9. Unknown
22,661	BL. NA, did not report at least 3 lifetime experiences

N11AQ12 - WAS THERE EVER A TIME WHEN YOU NO LONGER HAD ANY OF THE EXPERIENCES YOU JUST MENTIONED

Type: Numeric

N	Value
7,308	1. YES
5,589	2. NO
751	9. Unknown
22,661	BL. NA, did not report at least 3 lifetime experiences

N11AQ13 - AGE WHEN NO LONGER HAD ANY OF THESE EXPERIENCES

Type: Numeric

N	Value
6,613	10-84. Age
695	99. Unknown
29,001	BL. NA, did not report at least 3 lifetime experiences; never or unknown if ever had complete offset of experiences

N11AQ14A - BEFORE AGE 18, EVER IN JAIL, PRISON, OR JUVENILE DETENTION CENTER

Type: Numeric

N	Value
1,544	1. YES
34,579	2. NO
186	9. Unknown

N11AQ14BR - TOTAL DURATION (DAYS) IN JAIL OR JUVENILE DETENTION CENTER BEFORE AGE 18

Type: Numeric

N	Value
1,512	1-2922. Days
32	99999. Unknown
34,765	BL. NA, never or unknown if ever incarcerated in jail or juvenile detention center before age 18

N11AQ15A - SINCE AGE 18, EVER IN JAIL, PRISON, OR CORRECTIONAL FACILITY

Type: Numeric

N	Value
4,130	1. YES
31,991	2. NO
188	9. Unknown

N11AQ15BR - TOTAL DURATION (DAYS) IN JAIL OR CORRECTIONAL FACILITY SINCE AGE 18

Type: Numeric

N	Value
4,076	1-6209. Days
54	99999. Unknown
32,179	BL. NA, never or unknown if ever incarcerated in jail or correctional facility since age 18

SECTION 11B: FAMILY HISTORY (IV) OF ANTISOCIAL PERSONALITY DISORDER OR BEHAVIOR

N11BQ1 - BLOOD/NATURAL FATHER EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
4,048	1. YES
28,885	2. NO
3,376	9. Unknown

N11BQ2 - BLOOD/NATURAL MOTHER EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
2,132	1. YES
32,403	2. NO
1,774	9. Unknown

N11BQ3B - NUMBER OF FULL BROTHERS WHO EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
35,016	0-9. Number
1,293	99. Unknown

N11BQ3C - ANY FULL BROTHERS EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
4,559	1. YES
30,582	2. NO
1,168	9. Unknown

N11BQ4B - NUMBER OF FULL SISTERS WHO EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
35,179	0-11. Number
1,130	99. Unknown

N11BQ4C - ANY FULL SISTERS EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
2,698	1. YES
32,562	2. NO
1,049	9. Unknown

N11BQ5B - NUMBER OF NATURAL SONS WHO EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
35,816	0-7. Number
493	99. Unknown

N11BQ5C - ANY NATURAL SONS EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
1,888	1. YES
33,981	2. NO
440	9. Unknown

N11BQ6B - NUMBER OF NATURAL DAUGHTERS WHO EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
35,869	0-6. Number
440	99. Unknown

N11BQ6C - ANY NATURAL DAUGHTERS EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
1,191	1. YES
34,713	2. NO
405	9. Unknown

N11BQ7B - NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
27,297	0-12. Number
9,012	99. Unknown

N11BQ7C - ANY OF NATURAL FATHER'S FULL BROTHERS EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
2,691	1. YES
26,048	2. NO
7,570	9. Unknown

N11BQ8B - NUMBER OF NATURAL FATHER'S FULL SISTERS WHO EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
28,051	0-10. Number
8,258	99. Unknown

N11BQ8C - ANY OF NATURAL FATHER'S FULL SISTERS EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
1,452	1. YES
27,785	2. NO
7,072	9. Unknown

N11BQ9B - NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
30,070	0-10. Number
6,239	99. Unknown

N11BQ9C - ANY OF NATURAL MOTHER'S FULL BROTHERS EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
3,163	1. YES
27,752	2. NO
5,394	9. Unknown

N11BQ10B - NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
30,695	0-10. Number
5,614	99. Unknown

N11BQ10C - ANY OF NATURAL MOTHER'S FULL SISTERS EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
2,074	1. YES
29,319	2. NO
4,916	9. Unknown

N11BQ11 - NATURAL GRANDFATHER ON FATHER'S SIDE EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
922	1. YES
24,985	2. NO
10,402	9. Unknown

N11BQ12 - NATURAL GRANDMOTHER ON FATHER'S SIDE EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
457	1. YES
26,227	2. NO
9,625	9. Unknown

N11BQ13 - NATURAL GRANDFATHER ON MOTHER'S SIDE EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
999	1. YES
26,634	2. NO
8,676	9. Unknown

N11BQ14 - NATURAL GRANDMOTHER ON MOTHER'S SIDE EVER HAD BEHAVIOR PROBLEMS

Type: Numeric

N	Value
633	1. YES
27,937	2. NO
7,739	9. Unknown

SECTION 12: TRAUMATIC EXPERIENCES (PTSD)

N12Q1A - EVER EXPERIENCE A STRESSFUL OR TRAUMATIC EVENT PERSONALLY (CARD 45A)

Type: Numeric

N	Value
17,505	1. YES
18,587	2. NO
217	9. Unknown

N12Q1B - EVER WITNESS A STRESSFUL OR TRAUMATIC EVENT (CARD 45B)

Type: Numeric

N	Value
17,415	1. YES
18,663	2. NO
231	9. Unknown

N12Q1C - EVER BEEN REPEATEDLY EXPOSED TO TRAUMATIC OR STERESSFUL EVENTS (CARD 45B)

Type: Numeric

N	Value
4,720	1. YES
31,371	2. NO
218	9. Unknown

N12Q1D - EVER PERSONALLY EXPERIENCE, WITNESS OR BECOME EXPOSED TO ANY OTHER KIND OF TRAUMATIC EVENT THAT COULD HAVE CAUSED DEATH, SERIOUS INJURY

Type: Numeric

N	Value
5,095	1. YES
30,967	2. NO
247	9. Unknown

N12Q2A - EVER LEARN THAT ANY EVENT ON CARD 45B HAPPENED TO A RELATIVE OR CLOSE FRIEND

Type: Numeric

N	Value
14,195	1. YES
21,840	2. NO
274	9. Unknown

N12Q2B - EVER LEARN THAT ANY OTHER EVENT HAPPENED TO A RELATIVE OR CLOSE FRIEND

Type: Numeric

N	Value
7,882	1. YES
28,158	2. NO
269	9. Unknown

N12Q31 - TRAUMATIC OR STRESSFUL EVENT 1 (REFER TO NESARC-III DATA NOTES FOR EVENT DESCRIPTION)

Type: Numeric

N	Value
23,936	1-34.
12,373	BL. NA, never personally experienced/learned of friend/family experiencing any traumatic or stressful events

N12Q32 - TRAUMATIC OR STRESSFUL EVENT 2 (REFER TO NESARC-III DATA NOTES FOR EVENT DESCRIPTION)

Type: Numeric

N	Value
15,967	1-34.
20,342	BL. NA, never experienced any traumatic or stressful events; only had 1 traumatic event

N12Q33 - TRAUMATIC OR STRESSFUL EVENT 3 (REFER TO NESARC-III DATA NOTES FOR EVENT DESCRIPTION)

Type: Numeric

N	Value
10,925	1-34.
25,384	BL. NA, never experienced any traumatic or stressful events; had fewer than 3 traumatic events

N12Q34 - TRAUMATIC OR STRESSFUL EVENT 4 (REFER TO NESARC-III DATA NOTES FOR EVENT DESCRIPTION)

Type: Numeric

N	Value
7,488	1-34.
28,821	BL. NA, never experienced any traumatic or stressful events; had fewer than 4 traumatic events

N12Q4 - MOST STRESSFUL OR TRAUMATIC EVENT (REFER TO NESARC-III DATA NOTES FOR EVENT DESCRIPTION)

Type: Numeric

N	Value
23,819	1-34.
117	99. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5A - AFTER MOST STRESSFUL EVENT, DID YOU KEEP INVOLUNTARILY REMEMBERING IT

Type: Numeric

N	Value
13,035	1. YES
10,783	2. NO
118	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5B - DID YOU HAVE DISTRESSING MEMORIES OF THE EVENT

Type: Numeric

N	Value
11,345	1. YES
12,469	2. NO
122	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5C - DID YOU HAVE BAD DREAMS ABOUT IT?

Type: Numeric

N	Value
6,144	1. YES
17,644	2. NO
148	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5D - DID YOU FEEL YOU WERE RELIVING IT?

Type: Numeric

N	Value
5,113	1. YES
18,691	2. NO
132	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5E - DID YOU FIND YOURSELF REACTING TO SIGHTS/SOUNDS AS IF YOU WERE EXPERIENCING IT AGAIN

Type: Numeric

N	Value
3,972	1. YES
19,824	2. NO
140	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5F - DID YOU GET UPSET WHEN YOU WERE REMINDED OF IT

Type: Numeric

N	Value
7,843	1. YES
15,963	2. NO
130	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5G - DID YOU HAVE PHYSICAL REACTIONS WHEN REMINDED OF IT

Type: Numeric

N	Value
4,515	1. YES
19,286	2. NO
135	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5H - AFTER MOST STRESSFUL EVENT, DID YOU GET SO UPSET THAT YOU DIDN'T KNOW WHAT YOU WERE DOING

Type: Numeric

N	Value
2,132	1. YES
21,679	2. NO
125	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5I - DID YOU TRY TO STOP THINKING ABOUT IT

Type: Numeric

N	Value
7,261	1. YES
16,521	2. NO
154	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5J - DID YOU TRY TO AVOID CONVERSATIONS ABOUT IT

Type: Numeric

N	Value
5,619	1. YES
18,176	2. NO
141	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5K - DID YOU AVOID PLACES/PEOPLE THAT REMINDED YOU OF IT

Type: Numeric

N	Value
4,337	1. YES
19,471	2. NO
128	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5L - WERE YOU UNABLE TO RECALL SOME IMPORTANT PART OF IT

Type: Numeric

N	Value
3,319	1. YES
20,454	2. NO
163	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5M - DID YOU FEEL THAT THE FUTURE WOULD NOT BE WHAT YOU EXPECTED

Type: Numeric

N	Value
3,789	1. YES
19,891	2. NO
256	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5N - DID YOU FEEL THAT THE WORLD WAS A COMPLETELY DANGEROUS PLACE

Type: Numeric

N	Value
2,903	1. YES
20,886	2. NO
147	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q50 - DID YOU FEEL THAT NO ONE COULD EVER BE TRUSTED

Type: Numeric

N	Value
2,827	1. YES
20,970	2. NO
139	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5P - DID YOU FEEL THAT YOUR NERVES WERE COMPLETELY SHOT

Type: Numeric

N	Value
3,803	1. YES
19,988	2. NO
145	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5Q - DID YOU FEEL YOU WERE TO BLAME FOR THE EVENT OR THE RESULT OF THE EVENT

Type: Numeric

N	Value
2,820	1. YES
20,974	2. NO
142	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5R - DID YOU FEEL THAT OTHERS WERE TO BLAME

Type: Numeric

N	Value
7,451	1. YES
16,301	2. NO
184	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5S - DID YOU OFTEN FEEL MORE FRIGHTENED THAN USUAL

Type: Numeric

N	Value
3,990	1. YES
19,793	2. NO
153	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5T - DID YOU OFTEN FEEL MORE ANGRY THAN USUAL

Type: Numeric

N	Value
5,200	1. YES
18,579	2. NO
157	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5U - DID YOU FEEL MORE GUILTY OR ASHAMED THAN USUAL

Type: Numeric

N	Value
3,257	1. YES
20,529	2. NO
150	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5V - DID YOU OFTEN FEEL MORE HORRIFIED THAN USUAL

Type: Numeric

N	Value
2,951	1. YES
20,827	2. NO
158	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5W - DID YOU HAVE LESS INTEREST/PARTICIPATION IN ACTIVITIES YOU USUALLY ENJOYED

Type: Numeric

N	Value
3,468	1. YES
20,312	2. NO
156	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5X - AFTER MOST STRESSFUL EVENT, DID YOU FEEL EMOTIONALLY DISTANT/CUT OFF

Type: Numeric

N	Value
4,345	1. YES
19,425	2. NO
166	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5Y - DID YOU FEEL THAT YOU COULDN'T BE POSITIVE ABOUT YOURSELF

Type: Numeric

N	Value
3,156	1. YES
20,608	2. NO
172	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5Z - WERE YOU UNABLE TO HAVE POSITIVE, LOVING FEELINGS

Type: Numeric

N	Value
2,653	1. YES
21,124	2. NO
159	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5AA - AFTER MOST STRESSFUL EVENT, WERE YOU MORE ANGRY/IRRITABLE THAN USUAL

Type: Numeric

N	Value
2,763	1. YES
21,006	2. NO
167	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5BB - DID YOU FIND THAT YOU WERE MORE RECKLESS OR DOING SOMETHING WHERE SOMEONE MIGHT BE HURT

Type: Numeric

N	Value
1,508	1. YES
22,280	2. NO
148	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5CC - DID YOU FIND YOURSELF BEING MORE WATCHFUL/ALERT

Type: Numeric

N	Value
6,108	1. YES
17,656	2. NO
172	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5DD - WERE YOU MORE JUMPY/EASILY STARTLED THAN USUAL

Type: Numeric

N	Value
3,387	1. YES
20,381	2. NO
168	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5EE - DID YOU HAVE TROUBLE CONCENTRATING

Type: Numeric

N	Value
4,254	1. YES
19,515	2. NO
167	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5FF - DID YOU HAVE TROUBLE FALLING/STAYING ASLEEP

Type: Numeric

N	Value
5,065	1. YES
18,672	2. NO
199	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q5GG - DID YOU FEEL THAT YOU LOST YOUR SOUL FOREVER

Type: Numeric

N	Value
1,358	1. YES
22,412	2. NO
166	9. Unknown
12,373	BL. NA, never experienced any traumatic or stressful events

N12Q6AR - NUMBER OF WEEKS FROM MOST STRESSFUL EVENT TO ONSET OF REACTIONS

Type: Numeric

N	Value
2,722	1-3131. Weeks
107	9999. Unknown
33,480	BL. NA, did not meet symptom criteria for PTSD

N12Q6B - AGE WHEN FIRST HAPPENED

Type: Numeric

N	Value
2,746	5-88. Age
83	99. Unknown
33,480	BL. NA, did not meet symptom criteria for PTSD

N12Q6C - DID SOME OF THESE EXPERIENCES LAST AT LEAST A MONTH

Type: Numeric

N	Value
2,453	1. YES
327	2. NO
49	9. Unknown
33,480	BL. NA, did not meet symptom criteria for PTSD

N12Q8A - DID REACTIONS TO WORST STRESSFUL EVENT UPSET YOU A LOT

Type: Numeric

N	Value
1,986	1. YES
446	2. NO
21	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q8B - DID REACTIONS TO WORST STRESSFUL EVENT DISTRESS YOU A LOT

Type: Numeric

N	Value
1,996	1. YES
441	2. NO
16	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q8C - DID REACTIONS TO WORST STRESSFUL EVENT INTERFERE WITH DAILY LIFE

Type: Numeric

N	Value
1,879	1. YES
557	2. NO
17	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q8D - DID REACTIONS TO WORST STRESSFUL EVENT MAKE IT HARDER TO DO DAILY ACTIVITIES

Type: Numeric

N	Value
1,551	1. YES
890	2. NO
12	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q8E - DID REACTIONS TO WORST STRESSFUL EVENT CAUSE PROBLEMS IN RELATIONSHIPS

Type: Numeric

N	Value
1,801	1. YES
638	2. NO
14	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q8F - DID REACTIONS TO WORST STRESSFUL EVENT CAUSE PROBLEMS AT WORK OR SCHOOL

Type: Numeric

N	Value
1,290	1. YES
1,148	2. NO
15	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q9 - AGE AT ONSET OF FIRST EPISODE

Type: Numeric

N	Value
2,400	5-88. Age
53	99. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q10 - DID FIRST EPISODE BEGIN IN LAST 12 MONTHS?

Type: Numeric

N	Value
130	1. YES
2,315	2. NO
8	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q11 - EVENT THAT TRIGGERED FIRST EPISODE (REFER TO NESARC-III DATA NOTES FOR EVENT DESCRIPTION)

Type: Numeric

N	Value
2,438	1-34. Refer to Data Notes
15	99. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q12R - WEEKS FROM TRIGGERING EVENT TO ONSET OF FIRST EPISODE

Type: Numeric

N	Value
2,070	1-2348. Weeks
383	9999. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q13A - SINCE FIRST PERIOD BEGAN, HAVE ALL REACTIONS GONE AWAY?

Type: Numeric

N	Value
832	1. YES
1,610	2. NO
11	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q13B - DID REMISSION OF FIRST EPISODE BEGIN IN LAST 12 MONTHS?

Type: Numeric

N	Value
189	1. YES
2,251	2. NO
13	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q14 - NUMBER OF SEPARATE EPISODES

Type: Numeric

N	Value
1,947	1-98. Episodes
506	99. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q16R - AGE AT ONSET OF ONLY/MOST RECENT EPISODE (BASED ON N12Q9 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,321	5-88. Age
132	99. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q17R - DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N12Q10 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
587	1. Yes
1,829	2. No
37	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q18R - EVENT THAT TRIGGERED ONLY/MOST RECENT EPISODE (BASED ON N12Q11 IF ONLY 1 EPISODE) (REFER TO NESARC-III DATA NOTES FOR EVENT DESCRIPTION)

Type: Numeric

N	Value
2,388	1-34. Refer to Data Notes
65	99. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q19R - WEEKS FROM TRIGGERING EVENT TO ONSET OF ONLY/MOST RECENT EPISODE (BASED ON N12Q12 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,015	1-2609. Weeks
438	9999. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q20R - SINCE ONLY/MOST RECENT PERIOD BEGAN, HAVE ALL REACTIONS GONE AWAY (BASED ON N12Q13A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
859	1. Yes
1,558	2. No
36	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q21R - DID REMISSION OF ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N12Q13B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
255	1. Yes
2,157	2. No
41	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q22AR - DURATION (MONTHS) OF ONLY/MOST RECENT EPISODE (BASED ON N12Q15 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,197	1-840. Months
256	9999. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q22BR - DURATION (MONTHS) OF ONLY/LONGEST EPISODE (BASED ON N12Q15 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,179	1-805. Months
274	9999. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q22C - HAD A PANIC ATTACK DURING ANY OF THESE EPISODES

Type: Numeric

N	Value
655	1. YES
1,773	2. NO
25	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q22D - HAD SYMPTOMS OF A PANIC ATTACK DURING ANY OF THESE EPISODES

Type: Numeric

N	Value
842	1. YES
1,584	2. NO
27	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q23A - EVER GO TO ANY KIND OF COUNSELOR/THERAPIST/DOCTOR TO GET HELP FOR PTSD

Type: Numeric

N	Value
1,281	1. YES
1,162	2. NO
10	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q23B - EVER GO TO ANY KIND OF SELF-HELP GROUP TO GET HELP FOR PTSD

Type: Numeric

N	Value
401	1. YES
2,045	2. NO
7	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q24 - EVER A PATIENT IN HOSPITAL OVERNIGHT BECAUSE OF PTSD

Type: Numeric

N	Value
276	1. YES
2,166	2. NO
11	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q25 - EVER GO TO EMERGENCY ROOM FOR HELP WITH PTSD?

Type: Numeric

N	Value
286	1. YES
2,158	2. NO
9	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q26 - DOCTOR EVER PRESCRIBE MEDICINES/DRUGS TO HELP WITH PTSD

Type: Numeric

N	Value
778	1. YES
1,666	2. NO
9	9. Unknown
33,856	BL. NA, did not meet symptom and/or duration criteria for PTSD

N12Q27 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
1,362	5-79. Age
36	99. Unknown
34,911	BL. NA, did not meet symptom and/or duration criteria for PTSD ; did not seek or unknown if sought help for PTSD

N12Q28 - SEEK HELP IN THE LAST 12 MONTHS

Type: Numeric

N	Value
561	1. YES
832	2. NO
5	9. Unknown
34,911	BL. NA, did not meet symptom and/or duration criteria for PTSD ; did not seek or unknown if sought help for PTSD

N12Q29 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
1,323	1. YES
75	2. NO
34,911	BL. NA, did not meet symptom and/or duration criteria for PTSD ; did not seek or unknown if sought help for PTSD

SECTION 13: BACKGROUND INFORMATION - III

N13Q1A - BEFORE AGE 18, HOW OFTEN WERE YOU MADE TO DO CHORES THAT WERE TOO DIFFICULT OR DANGEROUS FOR SOMEONE YOUR AGE

Type: Numeric

N	Value
28,807	1. NEVER
3,445	2. ALMOST NEVER
2,046	3. SOMETIMES
805	4. FAIRLY OFTEN
1,030	5. VERY OFTEN
176	9. Unknown

N13Q1B - HOW OFTEN WERE YOU LEFT ALONE OR UNSUPERVISED WHEN YOU WERE TOO YOUNG TO BE ALONE, THAT IS, BEFORE YOU WERE 10 YEARS OLD

Type: Numeric

N	Value
28,084	1. NEVER
3,629	2. ALMOST NEVER
2,307	3. SOMETIMES
1,098	4. FAIRLY OFTEN
902	5. VERY OFTEN
289	9. Unknown

N13Q1C - BEFORE AGE 18, HOW OFTEN DID YOU GO WITHOUT THINGS YOU NEEDED LIKE CLOTHES, SHOES OR SCHOOL SUPPLIES BECAUSE A PARENT/OTHER ADULT LIVING IN YOUR HOME SPENT THE MONEY ON THEMSELVES

Type: Numeric

N	Value
31,817	1. NEVER
2,004	2. ALMOST NEVER
1,342	3. SOMETIMES
502	4. FAIRLY OFTEN
460	5. VERY OFTEN
184	9. Unknown

N13Q1D - BEFORE YOU WERE 18, HOW OFTEN DID A PARENT/OTHER ADULT LIVING IN YOUR HOME MAKE YOU GO HUNGRY OR NOT PREPARE REGULAR MEALS

Type: Numeric

N	Value
33,375	1. NEVER
1,381	2. ALMOST NEVER
861	3. SOMETIMES
296	4. FAIRLY OFTEN
232	5. VERY OFTEN
164	9. Unknown

N13Q1E - BEFORE YOU WERE 18, HOW OFTEN DID A PARENT/OTHER ADULT LIVING IN YOUR HOME IGNORE OR FAIL TO GET YOU MEDICAL TREATMENT WHEN YOU WERE SICK OR HURT

Type: Numeric

N	Value
33,310	1. NEVER
1,527	2. ALMOST NEVER
803	3. SOMETIMES
262	4. FAIRLY OFTEN
234	5. VERY OFTEN
173	9. Unknown

N13Q1F - BEFORE YOU WERE 18, HOW OFTEN DID A PARENT/OTHER ADULT LIVING IN YOUR HOME SWEAR AT OR INSULT YOU OR SAY HURTFUL THINGS

Type: Numeric

N	Value
23,857	1. NEVER
5,100	2. ALMOST NEVER
4,324	3. SOMETIMES
1,465	4. FAIRLY OFTEN
1,362	5. VERY OFTEN
201	9. Unknown

N13Q1G - BEFORE YOU WERE 18, HOW OFTEN DID A PARENT/OTHER ADULT LIVING IN YOUR HOME THREATEN TO HIT OR THROW SOMETHING AT YOU BUT DIDN'T DO IT

Type: Numeric

N	Value
24,608	1. NEVER
4,779	2. ALMOST NEVER
4,514	3. SOMETIMES
1,279	4. FAIRLY OFTEN
928	5. VERY OFTEN
201	9. Unknown

N13Q1H - BEFORE YOU WERE 18, HOW OFTEN DID A PARENT/OTHER ADULT LIVING IN YOUR HOME ACT IN ANY OTHER WAY THAT MADE YOU AFRAID YOU WOULD BE PHYSICALLY HURT

Type: Numeric

N	Value
27,168	1. NEVER
3,826	2. ALMOST NEVER
3,000	3. SOMETIMES
1,100	4. FAIRLY OFTEN
1,013	5. VERY OFTEN
202	9. Unknown

N13Q1I - BEFORE YOU WERE 18, HOW OFTEN DID A PARENT/OTHER ADULT LIVING IN YOUR HOME PUSH, GRAB, SHOVE, SLAP OR HIT YOU

Type: Numeric

N	Value
23,680	1. NEVER
5,745	2. ALMOST NEVER
4,515	3. SOMETIMES
1,214	4. FAIRLY OFTEN
947	5. VERY OFTEN
208	9. Unknown

N13Q1J - BEFORE YOU WERE 18, HOW OFTEN DID A PARENT/OTHER ADULT LIVING IN YOUR HOME HIT YOU SO HARD THAT YOU HAD MARKS OR BRUISES OR WERE INJURED

Type: Numeric

N	Value
29,598	1. NEVER
2,957	2. ALMOST NEVER
2,233	3. SOMETIMES
631	4. FAIRLY OFTEN
681	5. VERY OFTEN
209	9. Unknown

N13Q1K - BEFORE YOU WERE 18, HOW OFTEN DID YOUR FATHER/OTHER ADULT MALE PUSH, GRAB, SLAP OR THROW SOMETHING AT YOUR MOTHER/OTHER ADULT FEMALE

Type: Numeric

N	Value
29,318	1. NEVER
2,414	2. ALMOST NEVER
2,399	3. SOMETIMES
907	4. FAIRLY OFTEN
665	5. VERY OFTEN
606	9. Unknown

N13Q1L - BEFORE YOU WERE 18, HOW OFTEN DID YOUR FATHER/OTHER ADULT MALE KICK, BITE, HIT YOUR MOTHER/OTHER ADULT FEMALE WITH A FIST OR SOMETHING HARD

Type: Numeric

N	Value
31,539	1. NEVER
1,412	2. ALMOST NEVER
1,548	3. SOMETIMES
613	4. FAIRLY OFTEN
552	5. VERY OFTEN
645	9. Unknown

N13Q1M - BEFORE YOU WERE 18, HOW OFTEN DID YOUR FATHER/OTHER ADULT MALE REPEATEDLY HIT YOUR MOTHER/OTHER ADULT FEMALE FOR AT LEAST A FEW MINUTES

Type: Numeric

N	Value
32,516	1. NEVER
1,035	2. ALMOST NEVER
1,128	3. SOMETIMES
462	4. FAIRLY OFTEN
462	5. VERY OFTEN
706	9. Unknown

N13Q1N - BEFORE YOU WERE 18, HOW OFTEN DID YOUR FATHER/OTHER ADULT MALE THREATEN YOUR MOTHER/OTHER ADULT FEMALE WITH A KNIFE/GUN OR USE A KNIFE/ GUN TO HURT HER

Type: Numeric

N	Value
34,087	1. NEVER
753	2. ALMOST NEVER
506	3. SOMETIMES
142	4. FAIRLY OFTEN
196	5. VERY OFTEN
625	9. Unknown

N13Q2A - BEFORE YOU WERE 18, HOW OFTEN DID AN ADULT/OTHER PERSON TOUCH OR FONDLE YOU IN A SEXUAL WAY WHEN YOU DIDN'T WANT THEM TO OR WERE TOO YOUNG TO KNOW WHAT WAS HAPPENING

Type: Numeric

N	Value
32,195	1. NEVER
1,667	2. ALMOST NEVER
1,279	3. SOMETIMES
413	4. FAIRLY OFTEN
332	5. VERY OFTEN
423	9. Unknown

N13Q2B - BEFORE YOU WERE 18, HOW OFTEN DID AN ADULT/OTHER PERSON HAVE YOU TOUCH THEIR BODY IN A SEXUAL WAY WHEN YOU DIDN'T WANT TO OR WERE TOO YOUNG TO KNOW WHAT WAS HAPPENING

Type: Numeric

N	Value
33,452	1. NEVER
1,054	2. ALMOST NEVER
854	3. SOMETIMES
285	4. FAIRLY OFTEN
233	5. VERY OFTEN
431	9. Unknown

N13Q2C - BEFORE YOU WERE 18, HOW OFTEN DID AN ADULT/OTHER PERSON ATTEMPT TO HAVE SEXUAL INTERCOURSE WITH YOU WHEN YOU DIDN'T WANT THEM TO OR WERE TOO YOUNG TO KNOW WHAT WAS HAPPENING

Type: Numeric

N	Value
33,406	1. NEVER
1,123	2. ALMOST NEVER
821	3. SOMETIMES
275	4. FAIRLY OFTEN
229	5. VERY OFTEN
455	9. Unknown

N13Q2D - BEFORE YOU WERE 18, HOW OFTEN DID AN ADULT/OTHER PERSON ACTUALLY HAVE SEXUAL INTERCOURSE WITH YOU WHEN YOU DIDN'T WANT THEM TO OR WERE TOO YOUNG TO KNOW WHAT WAS HAPPENING

Type: Numeric

N	Value
34,049	1. NEVER
778	2. ALMOST NEVER
595	3. SOMETIMES
208	4. FAIRLY OFTEN
197	5. VERY OFTEN
482	9. Unknown

N13Q3A - BEFORE AGE 18, FELT THERE WAS SOMEONE IN FAMILY WHO WANTED ME TO BE A SUCCESS

Type: Numeric

N	Value
1,957	1. NEVER TRUE
1,021	2. RARELY TRUE
2,724	3. SOMETIMES TRUE
6,977	4. OFTEN TRUE
23,363	5. VERY OFTEN TRUE
267	9. Unknown

N13Q3B - BEFORE AGE 18, FELT THERE WAS SOMEONE IN FAMILY WHO HELPED ME FEEL I WAS IMPORTANT OR SPECIAL

Type: Numeric

N	Value
1,369	1. NEVER TRUE
1,165	2. RARELY TRUE
2,997	3. SOMETIMES TRUE
7,312	4. OFTEN TRUE
23,264	5. VERY OFTEN TRUE
202	9. Unknown

N13Q3C - BEFORE AGE 18, MY FAMILY WAS A SOURCE OF STRENGTH AND SUPPORT

Type: Numeric

N	Value
1,419	1. NEVER TRUE
1,713	2. RARELY TRUE
3,870	3. SOMETIMES TRUE
7,149	4. OFTEN TRUE
21,964	5. VERY OFTEN TRUE
194	9. Unknown

N13Q3D - BEFORE AGE 18, FELT I WAS PART OF A CLOSE-KNIT FAMILY

Type: Numeric

N	Value
1,798	1. NEVER TRUE
2,036	2. RARELY TRUE
3,908	3. SOMETIMES TRUE
6,604	4. OFTEN TRUE
21,786	5. VERY OFTEN TRUE
177	9. Unknown

N13Q3E - BEFORE AGE 18, SOMEONE IN MY FAMILY BELIEVED IN ME

Type: Numeric

N	Value
1,048	1. NEVER TRUE
988	2. RARELY TRUE
2,621	3. SOMETIMES TRUE
6,542	4. OFTEN TRUE
24,890	5. VERY OFTEN TRUE
220	9. Unknown

N13Q4A - BEFORE YOU WERE 18, PARENT/OTHER ADULT LIVING IN HOME WAS A PROBLEM DRINKER/ ALCOHOLIC

Type: Numeric

N	Value
8,407	1. YES
27,650	2. NO
252	9. Unknown

N13Q4B - BEFORE YOU WERE 18, PARENT/OTHER ADULT LIVING IN HOME HAD SIMILAR PROBLEMS WITH DRUGS

Type: Numeric

N	Value
2,272	1. YES
33,728	2. NO
309	9. Unknown

N13Q5 - BEFORE YOU WERE 18, PARENT/OTHER ADULT LIVING IN HOME WENT TO JAIL OR PRISON

Type: Numeric

N	Value
3,069	1. YES
32,965	2. NO
275	9. Unknown

N13Q6 - BEFORE YOU WERE 18, PARENT/OTHER ADULT LIVING IN HOME WAS TREATED/ HOSPITALIZED FOR A MENTAL ILLNESS

Type: Numeric

N	Value
1,921	1. YES
34,118	2. NO
270	9. Unknown

N13Q7 - BEFORE YOU WERE 18, PARENT/OTHER ADULT LIVING IN HOME ATTEMPTED SUICIDE

Type: Numeric

N	Value
1,159	1. YES
34,849	2. NO
301	9. Unknown

N13Q8 - BEFORE YOU WERE 18, PARENT/OTHER ADULT LIVING IN HOME ACTUALLY COMMITTED SUICIDE

Type: Numeric

N	Value
331	1. YES
35,787	2. NO
191	9. Unknown

SECTION 14: MEDICAL CONDITIONS AND PRACTICES

N14Q1 - NUMBER OF TIMES STAYED IN HOSPITAL OVERNIGHT IN LAST 12 MONTHS (EXCLUDING DELIVERY OF HEALTHY LIVEBORN INFANT)

Type: Numeric

N	Value
36,153	0-15. Number
156	99. Unknown

N14Q2 - NUMBER OF DAYS SPENT IN HOSPITAL IN LAST 12 MONTHS (EXCLUDING DELIVERY OF HEALTHY LIVEBORN INFANT)

Type: Numeric

N	Value
36,133	0-360. Days
176	999. Unknown

N14Q3 - NUMBER OF TIMES TREATED IN EMERGENCY ROOM IN LAST 12 MONTHS

Type: Numeric

N	Value
36,121	0-10. Number
188	99. Unknown

N14Q4 - NUMBER OF INJURIES IN LAST 12 MONTHS THAT CAUSED YOU TO SEEK MEDICAL HELP OR CUT DOWN USUAL ACTIVITIES FOR MORE THAN HALF A DAY

Type: Numeric

N	Value
36,118	0-12. Number
191	99. Unknown

N14Q5 - BEST DESCRIPTION OF YOUR SEXUAL ATTRACTION TO OTHER PEOPLE

Type: Numeric

N	Value
15,054	1. ONLY ATTRACTED TO FEMALES
544	2. MOSTLY ATTRACTED TO FEMALES
582	3. EQUALLY ATTRACTED TO FEMALES AND MALES
1,074	4. MOSTLY ATTRACTED TO MALES
18,720	5. ONLY ATTRACTED TO MALES
335	9. Unknown

N14Q6 - GENDER OF SEXUAL PARTNERS IN ENTIRE LIFE

Type: Numeric

N	Value
18,871	1. ONLY MALES
14,710	2. ONLY FEMALES
1,455	3. BOTH MALES AND FEMALES
908	4. NEVER HAD SEX
365	9. Unknown

N14Q7 - CATEGORY THAT BEST DESCRIBES YOUR SEXUAL ORIENTATION

Type: Numeric

N	Value
34,644	1. HETEROSEXUAL (STRAIGHT)
586	2. GAY OR LESBIAN
566	3. BISEXUAL
199	4. NOT SURE
314	9. Unknown

N14Q8A - HAD SEX IN THE PAST 12 MONTHS

Type: Numeric

N	Value
25,739	1. YES
8,904	2. NO
758	9. Unknown
908	BL. NA, never had sex in his/her entire life

N14Q8B - DURING THE LAST 12 MONTHS HAD SEX WITH ONLY MALES, ONLY FEMALES, OR BOTH

Type: Numeric

N	Value
13,499	1. ONLY MALES
11,997	2. ONLY FEMALES
227	3. BOTH MALES AND FEMALES
16	9. Unknown
10,570	BL. NA, did not have or unknown if had sex in the last 12 months; never had sex

N14Q8C - DURING THE LAST 12 MONTHS HAD SEX WITH SOMEONE WHO YOU KNEW OR SUSPECTED WAS AN INJECTION DRUG USER

Type: Numeric

N	Value
262	1. YES
25,451	2. NO
26	9. Unknown
10,570	BL. NA, did not have or unknown if had sex in the last 12 months; never had sex

N14Q8D - HOW OFTEN USED A CONDOM WHEN HAD SEX IN THE LAST 12 MONTHS

Type: Numeric

N	Value
15,435	1. NEVER
1,405	2. ALMOST NEVER
2,193	3. SOMETIMES
1,458	4. FAIRLY OFTEN
5,062	5. VERY OFTEN
186	9. Unknown
10,570	BL. NA, did not have or unknown if had sex in the last 12 months; never had sex

N14Q8E - HAD SEX WITH A MALE PARTNER DURING THE LAST 12 MONTHS WHO YOU KNEW OR SUSPECTED HAD SEX WITH OTHER MALE PARTNERS

Type: Numeric

N	Value
138	1. YES
12,919	2. NO
6,964	9. Unknown
16,288	BL. NA, did not have or unknown if had sex in the last 12 months; never had sex; males; females who had sex with only females

N14Q11 - AGE WHEN FIRST HAD SEX

Type: Numeric

N	Value
33,335	5-71. Age
2,066	99. Unknown
908	BL. NA, never had sex in his/her entire life

N14Q12A1 - HOW OFTEN EXPERIENCED DISCRIMINATION OBTAINING HEALTH CARE OR HEALTH INSURANCE COVERAGE BECAUSE ASSUMED TO BE GAY, LESBIAN OR BISEXUAL DURING THE LAST 12 MONTHS

Type: Numeric

N	Value
3,272	1. NEVER
105	2. ALMOST NEVER
75	3. SOMETIMES
17	4. FAIRLY OFTEN
18	5. VERY OFTEN
664	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12B1 - HOW OFTEN HAPPENED BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,242	1. NEVER
120	2. ALMOST NEVER
84	3. SOMETIMES
15	4. FAIRLY OFTEN
23	5. VERY OFTEN
667	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12A2 - HOW OFTEN EXPERIENCED DISCRIMINATION IN HOW TREATED WHEN OBTAINED HEALTH CARE BECAUSE ASSUMED TO BE GAY, LESBIAN OR BISEXUAL IN LAST 12 MONTHS

Type: Numeric

N	Value
3,278	1. NEVER
102	2. ALMOST NEVER
74	3. SOMETIMES
12	4. FAIRLY OFTEN
12	5. VERY OFTEN
673	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12B2 - HOW OFTEN HAPPENED BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,226	1. NEVER
126	2. ALMOST NEVER
93	3. SOMETIMES
19	4. FAIRLY OFTEN
13	5. VERY OFTEN
674	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12A3 - HOW OFTEN EXPERIENCED DISCRIMINATION IN PUBLIC, LIKE ON THE STREET, IN STORES OR IN RESTAURANTS, BECAUSE ASSUMED TO BE GAY, LESBIAN OR BISEXUAL IN LAST 12 MONTHS

Type: Numeric

N	Value
3,092	1. NEVER
168	2. ALMOST NEVER
163	3. SOMETIMES
31	4. FAIRLY OFTEN
24	5. VERY OFTEN
673	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12B3 - HOW OFTEN HAPPENED BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,967	1. NEVER
218	2. ALMOST NEVER
223	3. SOMETIMES
36	4. FAIRLY OFTEN
32	5. VERY OFTEN
675	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12A4 - HOW OFTEN EXPERIENCED DISCRIMINATION IN ANY OTHER SITUATION BECAUSE ASSUMED TO BE GAY, LESBIAN OR BISEXUAL IN LAST 12 MONTHS

Type: Numeric

N	Value
3,238	1. NEVER
106	2. ALMOST NEVER
103	3. SOMETIMES
13	4. FAIRLY OFTEN
15	5. VERY OFTEN
676	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12B4 - HOW OFTEN HAPPENED BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,171	1. NEVER
133	2. ALMOST NEVER
137	3. SOMETIMES
16	4. FAIRLY OFTEN
15	5. VERY OFTEN
679	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12A5 - HOW OFTEN WERE YOU CALLED NAMES BECAUSE ASSUMED GAY/BISEXUAL IN LAST 12 MONTHS

Type: Numeric

N	Value
3,106	1. NEVER
174	2. ALMOST NEVER
152	3. SOMETIMES
26	4. FAIRLY OFTEN
20	5. VERY OFTEN
673	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12B5 - HOW OFTEN HAPPENED BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
2,908	1. NEVER
252	2. ALMOST NEVER
250	3. SOMETIMES
40	4. FAIRLY OFTEN
30	5. VERY OFTEN
671	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12A6 - HOW OFTEN WERE MADE FUN OF, PICKED ON, PUSHED, SHOVED, HIT, OR THREATENED WITH HARM BECAUSE ASSUMED GAY/BISEXUAL IN LAST 12 MONTHS

Type: Numeric

N	Value
3,282	1. NEVER
98	2. ALMOST NEVER
73	3. SOMETIMES
11	4. FAIRLY OFTEN
12	5. VERY OFTEN
675	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q12B6 - HOW OFTEN HAPPENED BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
3,110	1. NEVER
179	2. ALMOST NEVER
147	3. SOMETIMES
20	4. FAIRLY OFTEN
20	5. VERY OFTEN
675	9. Unknown
32,158	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners

N14Q13 - USUALLY ACCEPTED OR TRIED TO DO SOMETHING ABOUT IT WHEN TREATED UNFAIRLY

Type: Numeric

N	Value
440	1. ACCEPT IT
342	2. TRY TO DO SOMETHING ABOUT IT
18	9. Unknown
35,509	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners; never or unknown if ever experienced discrimination

N14Q14 - USUALLY TALKED TO OTHER PEOPLE OR KEPT IT TO YOURSELF WHEN TREATED UNFAIRLY

Type: Numeric

N	Value
510	1. TALK TO OTHER PEOPLE
281	2. KEEP IT TO YOURSELF
9	9. Unknown
35,509	BL. NA, self-identified heterosexuals who are only attracted to the opposite sex and either never had sex or had sex only with opposite-sex partners; never or unknown if ever experienced discrimination

N14Q15A - EVER BEEN TESTED FOR HIV OR AIDS

Type: Numeric

N	Value
20,098	1. YES
15,653	2. NO
558	9. Unknown

N14Q15B - EVER TESTED POSITIVE FOR HIV OR AIDS

Type: Numeric

N	Value
235	1. YES
35,495	2. NO
579	9. Unknown

N14Q16A1 - HAD CIRRHOSIS OF THE LIVER IN LAST 12 MONTHS

Type: Numeric

N	Value
179	1. YES
35,979	2. NO
151	9. Unknown

N14Q16B1 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
131	1. YES
36,027	2. NO
151	9. Unknown

N14Q16A2 - HAD ANY OTHER FORM OF LIVER DISEASE IN LAST 12 MONTHS

Type: Numeric

N	Value
391	1. YES
35,774	2. NO
144	9. Unknown

N14Q16B2 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
365	1. YES
35,799	2. NO
145	9. Unknown

N14Q16A3 - HAD HARDENING OF ARTERIES OR ARTERIOSCLEROSIS IN LAST 12 MONTHS

Type: Numeric

N	Value
534	1. YES
35,572	2. NO
203	9. Unknown

N14Q16B3 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
462	1. YES
35,639	2. NO
208	9. Unknown

N14Q16A4 - HAD DIABETES OR SUGAR DIABETES IN LAST 12 MONTHS

Type: Numeric

N	Value
3,584	1. YES
32,556	2. NO
169	9. Unknown

N14Q16B4 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
3,519	1. YES
32,619	2. NO
171	9. Unknown

N14Q16A5 - HAD HIGH BLOOD PRESSURE OR HYPERTENSION IN LAST 12 MONTHS

Type: Numeric

N	Value
9,263	1. YES
26,870	2. NO
176	9. Unknown

N14Q16B5 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
8,990	1. YES
27,141	2. NO
178	9. Unknown

N14Q16A6 - HAD HIGH CHOLESTEROL IN LAST 12 MONTHS

Type: Numeric

N	Value
6,861	1. YES
29,105	2. NO
343	9. Unknown

N14Q16B6 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
6,722	1. YES
29,243	2. NO
344	9. Unknown

N14Q16A7 - HAD HIGH TRIGLYCERIDES IN LAST 12 MONTHS

Type: Numeric

N	Value
2,627	1. YES
32,723	2. NO
959	9. Unknown

N14Q16B7 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
2,565	1. YES
32,783	2. NO
961	9. Unknown

N14Q16A8 - HAD CHEST PAIN OR ANGINA IN LAST 12 MONTHS

Type: Numeric

N	Value
2,710	1. YES
33,461	2. NO
138	9. Unknown

N14Q16B8 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
1,536	1. YES
34,627	2. NO
146	9. Unknown

N14Q16A9 - HAD RAPID HEARTBEAT OR TACHYCARDIA IN LAST 12 MONTHS

Type: Numeric

N	Value
2,474	1. YES
33,682	2. NO
153	9. Unknown

N14Q16B9 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
1,650	1. YES
34,502	2. NO
157	9. Unknown

N14Q16A10 - HAD HEART ATTACK OR MYOCARDIAL INFARCTION IN LAST 12 MONTHS

Type: Numeric

N	Value
335	1. YES
35,838	2. NO
136	9. Unknown

N14Q16B10 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
311	1. YES
35,861	2. NO
137	9. Unknown

N14Q16A11 - HAD ANY OTHER FORM OF HEART DISEASE IN LAST 12 MONTHS

Type: Numeric

N	Value
1,597	1. YES
34,554	2. NO
158	9. Unknown

N14Q16B11 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
1,532	1. YES
34,619	2. NO
158	9. Unknown

N14Q16A12 - HAD A STOMACH ULCER IN LAST 12 MONTHS

Type: Numeric

N	Value
1,053	1. YES
35,097	2. NO
159	9. Unknown

N14Q16B12 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
944	1. YES
35,206	2. NO
159	9. Unknown

N14Q16A13 - HAD SEXUALLY TRANSMITTED/VENEREAL DISEASE IN LAST 12 MONTHS

Type: Numeric

N	Value
359	1. YES
35,798	2. NO
152	9. Unknown

N14Q16B13 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
325	1. YES
35,832	2. NO
152	9. Unknown

N14Q16A14 - HAD EPILEPSY OR SEIZURE DISORDER IN LAST 12 MONTHS

Type: Numeric

N	Value
346	1. YES
35,837	2. NO
126	9. Unknown

N14Q16B14 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
321	1. YES
35,862	2. NO
126	9. Unknown

N14Q16A15 - HAD ARTHRITIS IN LAST 12 MONTHS

Type: Numeric

N	Value
7,634	1. YES
28,482	2. NO
193	9. Unknown

N14Q16B15 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
6,507	1. YES
29,603	2. NO
199	9. Unknown

N14Q16A16 - HAD A STROKE IN LAST 12 MONTHS

Type: Numeric

N	Value
331	1. YES
35,848	2. NO
130	9. Unknown

N14Q16B16 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
297	1. YES
35,882	2. NO
130	9. Unknown

N14Q16A17 - HAD PROBLEMS FALLING ASLEEP OR STAYING ASLEEP IN LAST 12 MONTHS

Type: Numeric

N	Value
9,480	1. YES
26,705	2. NO
124	9. Unknown

N14Q16B17 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
2,791	1. YES
33,386	2. NO
132	9. Unknown

N14Q16A18 - HAD LIVER CANCER IN LAST 12 MONTHS

Type: Numeric

N	Value
40	1. YES
36,130	2. NO
139	9. Unknown

N14Q16B18 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
27	1. YES
36,143	2. NO
139	9. Unknown

N14Q16A19 - HAD BREAST CANCER IN LAST 12 MONTHS

Type: Numeric

N	Value
217	1. YES
35,959	2. NO
133	9. Unknown

N14Q16B19 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
208	1. YES
35,968	2. NO
133	9. Unknown

N14Q16A20 - HAD CANCER OF THE MOUTH, TONGUE, THROAT OR ESOPHAGUS IN LAST 12 MONTHS

Type: Numeric

N	Value
73	1. YES
36,104	2. NO
132	9. Unknown

N14Q16B20 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
63	1. YES
36,114	2. NO
132	9. Unknown

N14Q16A21 - HAD ANY OTHER CANCER IN LAST 12 MONTHS

Type: Numeric

N	Value
1,087	1. YES
35,076	2. NO
146	9. Unknown

N14Q16B21 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
1,050	1. YES
35,113	2. NO
146	9. Unknown

N14Q16A22 - HAD ANEMIA IN LAST 12 MONTHS

Type: Numeric

N	Value
2,079	1. YES
34,047	2. NO
183	9. Unknown

N14Q16B22 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
1,983	1. YES
34,143	2. NO
183	9. Unknown

N14Q16A23 - HAD FIBROMYALGIA IN LAST 12 MONTHS

Type: Numeric

N	Value
819	1. YES
35,294	2. NO
196	9. Unknown

N14Q16B23 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
731	1. YES
35,381	2. NO
197	9. Unknown

N14Q16A24 - HAD REFLEX SYMPATHETIC DYSTROPHY (RSD) OR COMPLEX REGIONAL PAIN SYNDROME (CRPS) IN LAST 12 MONTHS

Type: Numeric

N	Value
343	1. YES
35,713	2. NO
253	9. Unknown

N14Q16B24 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
299	1. YES
35,756	2. NO
254	9. Unknown

N14Q16A25 - HAD ANY OTHER NERVE PROBLEM IN LEGS, ARMS OR BACK IN LAST 12 MONTHS

Type: Numeric

N	Value
4,240	1. YES
31,900	2. NO
169	9. Unknown

N14Q16B25 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
3,446	1. YES
32,685	2. NO
178	9. Unknown

N14Q16A26 - HAD BOWEL PROBLEMS, LIKE INFLAMMATORY BOWEL DISEASE (IBD) OR IRRITABLE BOWEL SYNDROME (IBS), IN LAST 12 MONTHS

Type: Numeric

N	Value
1,547	1. YES
34,619	2. NO
143	9. Unknown

N14Q16B26 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
1,262	1. YES
34,903	2. NO
144	9. Unknown

N14Q16A27 - HAD OSTEOPOROSIS IN LAST 12 MONTHS

Type: Numeric

N	Value
1,391	1. YES
34,721	2. NO
197	9. Unknown

N14Q16B27 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
1,321	1. YES
34,789	2. NO
199	9. Unknown

N14Q16A28 - HAD LUNG PROBLEMS LIKE CHRONIC BRONCHITIS, EMPHYSEMA, PNEUMONIA, OR INFLUENZA IN LAST 12 MONTHS

Type: Numeric

N	Value
2,053	1. YES
34,114	2. NO
142	9. Unknown

N14Q16B28 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
1,926	1. YES
34,241	2. NO
142	9. Unknown

N14Q16A29 - HAD PANCREATITIS IN LAST 12 MONTHS

Type: Numeric

N	Value
135	1. YES
36,027	2. NO
147	9. Unknown

N14Q16B29 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
126	1. YES
36,036	2. NO
147	9. Unknown

N14Q16A30 - HAD TUBERCULOSIS IN LAST 12 MONTHS

Type: Numeric

N	Value
53	1. YES
36,126	2. NO
130	9. Unknown

N14Q16B30 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
49	1. YES
36,130	2. NO
130	9. Unknown

N14Q16A31 - HAD A SERIOUS OR TRAUMATIC BRAIN INJURY IN LAST 12 MONTHS

Type: Numeric

N	Value
193	1. YES
35,880	2. NO
236	9. Unknown

N14Q16B31 - DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS

Type: Numeric

N	Value
175	1. YES
35,898	2. NO
236	9. Unknown

N14Q16C - EVER BEEN PRESCRIBED OR USED MEDICAL MARIJUANA

Type: Numeric

N	Value
583	1. YES
35,607	2. NO
119	9. Unknown

N14Q16D - USED MEDICAL MARIJUANA IN THE LAST 12 MONTHS

Type: Numeric

N	Value
445	1. YES
138	2. NO
35,726	BL. NA, never or unknown if ever prescribed or used medical marijuana

N14Q16E - USED MEDICAL MARIJUANA BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
484	1. YES
99	2. NO
35,726	BL. NA, never or unknown if ever prescribed or used medical marijuana

N14Q16F - HOW MANY HOURS DID YOU SLEEP DURING A TYPICAL DAY IN THE PAST 30 DAYS

Type: Numeric

N	Value
35,999	1-23. Hours
310	99. Unknown

N14Q16G - DID A DOCTOR OR OTHER HEALTH PROFESSIONAL TELL YOU THAT YOU HAD SCHIZOPHRENIA OR A PSYCHOTIC ILLNESS OR EPISODE IN THE LAST 12 MONTHS

Type: Numeric

N	Value
337	1. YES
35,838	2. NO
134	9. Unknown

N14Q16H - DID THIS HAPPEN BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
842	1. YES
35,289	2. NO
178	9. Unknown

N14Q17A - PROVIDED PERSONAL CARE OR HELP WITH DAILY ACTIVITIES TO ANOTHER PERSON BECAUSE OF A HEALTH CONDITION OR LIMITATION DURING THE LAST 12 MONTHS

Type: Numeric

N	Value
5,073	1. YES
31,111	2. NO
125	9. Unknown

N14Q17B - IS THE PERSON FOR WHOM YOU PROVIDED CARE LIVING IN YOUR HOME, IN ANOTHER HOME OR IN A HEALTH CARE INSTITUTION

Type: Numeric

N	Value
2,081	1. OWN HOME
2,596	2. ANOTHER HOME
386	3. HEALTH CARE INSTITUTION
10	9. Unknown
31,236	BL. NA, did not provide or unknown if provided personal care to another person in the last 12 months

N14Q17C - WHAT IS THIS PERSON'S RELATIONSHIP TO YOU

Type: Numeric

N	Value
958	1. HUSBAND, WIFE, SPOUSE, PARTNER
1,504	2. PARENT OR STEP-PARENT
375	3. CHILD, STEPCHILD, FOSTER CHILD, SON-IN-LAW OR DAUGHTER-IN-LAW
253	4. BROTHER, SISTER
793	5. OTHER BLOOD RELATIVE OR IN-LAW
713	6. FRIEND
473	7. OTHER NON-RELATIVE
4	9. Unknown
31,236	BL. NA, did not provide or unknown if provided personal care to another person in the last 12 months

N14Q17D - HOW OFTEN DID YOU PROVIDE CARE OR ASSISTANCE TO THIS PERSON DURING THE LAST 12 MONTHS

Type: Numeric

N	Value
1,917	1. EVERY DAY
519	2. NEARLY EVERY DAY
602	3. 3 TO 4 TIMES A WEEK
442	4. 2 TIMES A WEEK
402	5. ONCE A WEEK
328	6. 2 TO 3 TIMES A MONTH
172	7. ONCE A MONTH
166	8. 7 TO 11 TIMES IN THE LAST YEAR
222	9. 3 TO 6 TIMES IN THE LAST YEAR
285	10. 1 TO 2 TIMES IN THE LAST YEAR
18	99. Unknown
31,236	BL. NA, did not provide or unknown if provided personal care to another person in the last 12 months

N14Q17ER - HOW LONG HAVE YOU BEEN PROVIDING CARE OR ASSISTANCE TO THIS PERSON (WEEKS)

Type: Numeric

N	Value
5,030	1-2609. Weeks
43	9999. Unknown
31,236	BL. NA, did not provide or unknown if provided personal care to another person in the last 12 months

N14Q18A - EVER ATTEMPTED SUICIDE IN YOUR ENTIRE LIFE

Type: Numeric

N	Value
1,995	1. YES
34,176	2. NO
138	9. Unknown

N14Q18B - AGE AT FIRST SUICIDE ATTEMPT

Type: Numeric

N	Value
1,936	5-75. Age
59	99. Unknown
34,314	BL. NA, never or unknown if ever attempted suicide

N14Q18C - AGE AT MOST RECENT SUICIDE ATTEMPT

Type: Numeric

N	Value
1,924	5-78. Age
71	99. Unknown
34,314	BL. NA, never or unknown if ever attempted suicide

N14Q18D - HOW MANY TIMES ATTEMPTED SUICIDE

Type: Numeric

N	Value
1,952	1-20. Number
43	99. Unknown
34,314	BL. NA, never or unknown if ever attempted suicide

N14Q19A - PREGNANT AT THIS TIME

Type: Numeric

N	Value
415	1. YES
13,637	2. NO
246	9. Unknown
22,011	BL. NA, male; female aged 56 or older

N14Q19B - WERE YOU PREGNANT AT ANY TIME DURING THE LAST YEAR

Type: Numeric

N	Value
1,324	1. YES
12,752	2. NO
222	9. Unknown
22,011	BL. NA, male; female aged 56 or older

N14Q19C - ANY COMPLICATIONS WITH THIS MOST RECENT PREGNANCY OR DURING DELIVERY

Type: Numeric

N	Value
252	1. YES
1,068	2. NO
4	9. Unknown
34,985	BL. NA, male; female aged 56 or older; not pregnant or unknown if pregnant at this time/in last year

N14Q20A - MIX UP THE SEQUENCE WHEN DOING SEVERAL THINGS IN A ROW

Type: Numeric

N	Value
21,259	1. NOT AT ALL
7,853	2. A LITTLE
4,864	3. SOMEWHAT
1,225	4. A LOT
737	5. VERY MUCH
371	9. Unknown

N14Q20B - TRY TO PLAN FOR THE FUTURE

Type: Numeric

N	Value
2,343	1. NOT AT ALL
4,148	2. A LITTLE
8,964	3. SOMEWHAT
9,506	4. A LOT
11,149	5. VERY MUCH
199	9. Unknown

N14Q20C - HAVE TROUBLE DOING TWO THINGS AT ONCE, MULTI-TASKING

Type: Numeric

N	Value
23,187	1. NOT AT ALL
7,245	2. A LITTLE
3,798	3. SOMEWHAT
1,104	4. A LOT
762	5. VERY MUCH
213	9. Unknown

N14Q20D - AM AN ORGANIZED PERSON

Type: Numeric

N	Value
2,430	1. NOT AT ALL
4,374	2. A LITTLE
11,111	3. SOMEWHAT
7,666	4. A LOT
10,531	5. VERY MUCH
197	9. Unknown

N14Q20E - SAVE MONEY ON A REGULAR BASIS

Type: Numeric

N	Value
4,891	1. NOT AT ALL
7,193	2. A LITTLE
11,084	3. SOMEWHAT
6,244	4. A LOT
6,681	5. VERY MUCH
216	9. Unknown

N14Q20F - ONLY HAVE TO MAKE A MISTAKE ONCE IN ORDER TO LEARN FROM IT

Type: Numeric

N	Value
1,816	1. NOT AT ALL
4,338	2. A LITTLE
8,862	3. SOMEWHAT
8,166	4. A LOT
12,882	5. VERY MUCH
245	9. Unknown

N14Q20G - SOMETIMES LOSE TRACK OF WHAT I'M DOING

Type: Numeric

N	Value
13,743	1. NOT AT ALL
12,589	2. A LITTLE
7,209	3. SOMEWHAT
1,689	4. A LOT
882	5. VERY MUCH
197	9. Unknown

N14Q20H - THINK ABOUT THE CONSEQUENCES OF AN ACTION BEFORE DO IT

Type: Numeric

N	Value
2,037	1. NOT AT ALL
3,297	2. A LITTLE
6,242	3. SOMEWHAT
10,997	4. A LOT
13,515	5. VERY MUCH
221	9. Unknown

N14Q20I - HAVE TROUBLE SUMMING UP INFORMATION IN ORDER TO MAKE A DECISION WITH IT

Type: Numeric

N	Value
18,830	1. NOT AT ALL
8,910	2. A LITTLE
6,075	3. SOMEWHAT
1,429	4. A LOT
807	5. VERY MUCH
258	9. Unknown

N14Q20J - START THINGS, BUT THEN LOSE INTEREST AND DO SOMETHING ELSE

Type: Numeric

N	Value
15,553	1. NOT AT ALL
11,499	2. A LITTLE
6,448	3. SOMEWHAT
1,750	4. A LOT
849	5. VERY MUCH
210	9. Unknown

N14Q20K - USE STRATEGIES TO REMEMBER THINGS

Type: Numeric

N	Value
7,322	1. NOT AT ALL
6,773	2. A LITTLE
9,265	3. SOMEWHAT
7,442	4. A LOT
5,251	5. VERY MUCH
256	9. Unknown

N14Q20L - MONITOR MYSELF SO THAT CAN CATCH ANY MISTAKES

Type: Numeric

N	Value
5,086	1. NOT AT ALL
6,095	2. A LITTLE
10,172	3. SOMEWHAT
8,733	4. A LOT
5,924	5. VERY MUCH
299	9. Unknown

SECTION 15A: FAMILY HISTORY (V) (ANXIETY DISORDER)

N15AQ1 - BLOOD/NATURAL FATHER EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
3,941	1. YES
26,561	2. NO
5,807	9. Unknown

N15AQ2 - BLOOD/NATURAL MOTHER EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
7,161	1. YES
25,656	2. NO
3,492	9. Unknown

N15AQ3B - NUMBER OF FULL BROTHERS WHO EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
33,644	0-8. Number
2,665	99. Unknown

N15AQ3C - ANY FULL BROTHERS EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
3,855	1. YES
29,967	2. NO
2,487	9. Unknown

N15AQ4B - NUMBER OF FULL SISTERS WHO EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
33,997	0-12. Number
2,312	99. Unknown

N15AQ4C - ANY FULL SISTERS EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
4,567	1. YES
29,538	2. NO
2,204	9. Unknown

N15AQ5B - NUMBER OF NATURAL SONS WHO EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
35,295	0-7. Number
1,014	99. Unknown

N15AQ5C - ANY NATURAL SONS EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
2,253	1. YES
33,118	2. NO
938	9. Unknown

N15AQ6B - NUMBER OF NATURAL DAUGHTERS WHO EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
35,385	0-11. Number
924	99. Unknown

N15AQ6C - ANY NATURAL DAUGHTERS EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
2,382	1. YES
33,071	2. NO
856	9. Unknown

N15AQ7B - NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
25,519	0-20. Number
10,790	99. Unknown

N15AQ7C - ANY OF NATURAL FATHER'S FULL BROTHERS EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
1,906	1. YES
25,053	2. NO
9,350	9. Unknown

N15AQ8B - NUMBER OF NATURAL FATHER'S FULL SISTERS WHO EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
26,365	0-9. Number
9,944	99. Unknown

N15AQ8C - ANY OF NATURAL FATHER'S FULL SISTERS EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
2,158	1. YES
25,387	2. NO
8,764	9. Unknown

N15AQ9B - NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
28,096	0-12. Number
8,213	99. Unknown

N15AQ9C - ANY OF NATURAL MOTHER'S FULL BROTHERS EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
2,621	1. YES
26,349	2. NO
7,339	9. Unknown

N15AQ10B - NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
28,976	0-9. Number
7,333	99. Unknown

N15AQ10C - ANY OF NATURAL MOTHER'S FULL SISTERS EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
3,263	1. YES
26,413	2. NO
6,633	9. Unknown

N15AQ11 - NATURAL GRANDFATHER ON FATHER'S SIDE EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
1,059	1. YES
22,674	2. NO
12,576	9. Unknown

N15AQ12 - NATURAL GRANDMOTHER ON FATHER'S SIDE EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
1,587	1. YES
22,989	2. NO
11,733	9. Unknown

N15AQ13 - NATURAL GRANDFATHER ON MOTHER'S SIDE EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
1,372	1. YES
23,957	2. NO
10,980	9. Unknown

N15AQ14 - NATURAL GRANDMOTHER ON MOTHER'S SIDE EVER HAD ANXIETY PROBLEMS

Type: Numeric

N	Value
2,416	1. YES
23,977	2. NO
9,916	9. Unknown

SECTION 17: LOW WEIGHT (EATING DISORDERS)

N17Q1 - LOWEST WEIGHT SINCE REACHED CURRENT HEIGHT

Type: Numeric

N	Value
35,012	51-410. Pounds
1,297	999. Unknown

N17Q3 - AGE WHEN FIRST REACHED THAT WEIGHT

Type: Numeric

N	Value
6,784	10-89. Age
8	90. Age 90+
214	99. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q4A - AT LOW WEIGHT RESTRICTED AMOUNT OF FOOD NOT TO GAIN WEIGHT

Type: Numeric

N	Value
610	1. YES
6,331	2. NO
65	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q4B - RESTRICTED AMOUNT OF FOOD PRIOR TO LOW WEIGHT IN ORDER TO LOSE WEIGHT

Type: Numeric

N	Value
480	1. YES
6,464	2. NO
62	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q5 - WHEN AT LOW WEIGHT WAS AFRAID OF GAINING WEIGHT

Type: Numeric

N	Value
633	1. YES
6,316	2. NO
57	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q6A - WHEN AT LOW WEIGHT THOUGHT YOU LOOKED FAT

Type: Numeric

N	Value
312	1. YES
6,628	2. NO
66	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q6B - THOUGHT WEIGHT OR BODY SHAPE WAS ONE OF MOST IMPORTANT THINGS ABOUT YOU

Type: Numeric

N	Value
670	1. YES
6,271	2. NO
65	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q6C - THOUGHT WEIGHT MIGHT HAVE BEEN UNHEALTHY

Type: Numeric

N	Value
1,090	1. YES
5,848	2. NO
68	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q6D - BELIEVED OTHER PEOPLE THOUGHT YOUR WEIGHT WAS UNHEALTHY

Type: Numeric

N	Value
1,185	1. YES
5,716	2. NO
105	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q6E - CONSTANTLY WEIGHED YOUR SELF/TOOK BODY MEASUREMENTS

Type: Numeric

N	Value
465	1. YES
6,477	2. NO
64	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q7A - AFTER YOU REACHED LOW WEIGHT ATE UNUSUALLY LARGE AMOUNT OF FOOD WITHIN 2-HOURS

Type: Numeric

N	Value
316	1. YES
6,616	2. NO
74	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q7B - VOMITED OR USED LAXATIVES OR OTHER MEDICINES AFTER ATE LARGE AMOUNT OF FOOD

Type: Numeric

N	Value
47	1. YES
6,821	2. NO
138	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q7C - DIETED, FASTED, OR EXERCISED A LOT AFTER EATING LARGE AMOUNTS OF FOOD

Type: Numeric

N	Value
71	1. YES
6,797	2. NO
138	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q7D - VOMITED OR USED LAXATIVES OR OTHER MEDICINES AFTER ATE SMALL AMOUNT OF FOOD

Type: Numeric

N	Value
105	1. YES
6,838	2. NO
63	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q7E - DIETED, FASTED, OR EXERCISED A LOT AFTER EATING SMALL AMOUNTS OF FOOD

Type: Numeric

N	Value
299	1. YES
6,642	2. NO
65	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q7F - DIETED, FASTED, OR EXERCISED A LOT AFTER EATING ANY AMOUNT OF FOOD

Type: Numeric

N	Value
347	1. YES
6,591	2. NO
68	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q7G - ANY OF ABOVE EXPERIENCES HAPPENED REPEATEDLY FOR AT LEAST 3 MONTHS

Type: Numeric

N	Value
313	1. YES
112	2. NO
3	9. Unknown
35,881	BL. NA, did not meet symptom criteria for low weight; did not eat or unknown if ate unusually large amounts of food and/or tried to prevent weight gain

N17Q8A - LOW WEIGHT MADE YOU UPSET

Type: Numeric

N	Value
439	1. YES
6,501	2. NO
66	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q8B - LOW WEIGHT INTERFERED WITH NORMAL DAILY ACTIVITIES

Type: Numeric

N	Value
198	1. YES
6,739	2. NO
69	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q8C - LOW WEIGHT CAUSED ANY SERIOUS PROBLEMS GETTING ALONG WITH OTHER PEOPLE

Type: Numeric

N	Value
123	1. YES
6,817	2. NO
66	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q8D - LOW WEIGHT CAUSED ANY SERIOUS PROBLEMS DOING THINGS YOU WERE SUPPOSED TO DO

Type: Numeric

N	Value
94	1. YES
6,843	2. NO
69	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q9 - AGE WHEN FIRST EPISODE BEGAN

Type: Numeric

N	Value
5,477	5-89. Age
2	90. Age 90+
1,527	99. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q10 - DID FIRST EPISODE BEGIN IN LAST 12 MONTHS

Type: Numeric

N	Value
228	1. YES
6,316	2. NO
462	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q11 - NUMBER OF EPISODES

Type: Numeric

N	Value
5,068	1-30. Episodes
1,938	99. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q12R - AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON N17Q9 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
5,275	5-89. Age
5	90. Age 90+
1,726	99. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q13R - ONLY/MOST RECENT EPISODE BEGAN IN THE LAST 12 MONTHS (BASED ON N17Q10 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
375	1. Yes
5,934	2. No
697	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q14R - DURATION (WEEKS) OF ONLY/MOST RECENT EPISODE (BASED ON N17Q18 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
5,586	1-3915. Weeks
1,420	9999. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q15R - WAS THERE 2+ MONTH PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N17Q19 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
2,058	1. Yes
3,877	2. No
1,071	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q16R - DID REMISSION OF ONLY/MOST RECENT EPISODE BEGIN IN THE LAST 12 MONTHS (BASED ON N17Q20 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
278	1. Yes
5,641	2. No
1,087	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q17R - DURATION (WEEKS) OF ONLY/LONGEST EPISODE AT LOW WEIGHT (BASED ON N17Q18 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
5,707	1-4853. Weeks
1,299	9999. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q21A - EVER WENT TO COUNSELOR/THERAPIST/DOCTOR/PSYCHOLOGIST/OTHER FOR HELP WITH LOW WEIGHT

Type: Numeric

N	Value
378	1. YES
6,424	2. NO
204	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q21B - EVER WENT TO A SELF-HELP/SUPPORT GROUP/HOTLINE/INTERNET CHAT ROOM FOR HELP WITH LOW WEIGHT

Type: Numeric

N	Value
44	1. YES
6,793	2. NO
169	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q22 - EVER STAYED OVERNIGHT IN A HOSPITAL BECAUSE OF LOW WEIGHT

Type: Numeric

N	Value
62	1. YES
6,784	2. NO
160	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q23 - EVER WENT TO AN EMERGENCY ROOM FOR HELP DUE TO LOW WEIGHT

Type: Numeric

N	Value
36	1. YES
6,811	2. NO
159	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q24 - DOCTOR EVER PRESCRIBED MEDICINE/DRUGS TO HELP FOR LOW WEIGHT

Type: Numeric

N	Value
126	1. YES
6,723	2. NO
157	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q25 - EVER WENT TO OVEREATERS ANONYMOUS OR ANY OTHER 12-STEP GROUP FOR LOW WEIGHT

Type: Numeric

N	Value
26	1. YES
6,828	2. NO
152	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

N17Q26 - AGE AT FIRST TIME SOUGHT HELP

Type: Numeric

N	Value
407	5-89. Age
1	90. Age 90+
28	99. Unknown
35,873	BL. NA, did not meet symptom criteria for low weight; did not seek or unknown if sought help for low weight

N17Q27 - SEEK HELP IN THE LAST 12 MONTHS

Type: Numeric

N	Value
81	1. YES
354	2. NO
1	9. Unknown
35,873	BL. NA, did not meet symptom criteria for low weight; did not seek or unknown if sought help for low weight

N17Q28 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
411	1. YES
25	2. NO
35,873	BL. NA, did not meet symptom criteria for low weight; did not seek or unknown if sought help for low weight

N17Q29 - EVER WENT TO A GROUP THAT ENCOURAGED YOU TO BE EXTREMELY THIN OR LOSE WEIGHT

Type: Numeric

N	Value
22	1. YES
6,831	2. NO
153	9. Unknown
29,303	BL. NA, did not meet symptom criteria for low weight

SECTION 18: EATING AND OVEREATING (EATING DISORDERS)

N18Q1 - EVER ATE AN UNUSUALLY LARGE AMOUNT OF FOOD WITHIN ANY 2 HOUR PERIOD

Type: Numeric

N	Value
5,271	1. YES
30,833	2. NO
205	9. Unknown

N18Q2 - EVER ATE AN UNUSUALLY LARGE AMOUNT OF FOOD AT LEAST ONCE A WEEK FOR 3+ WEEKS

Type: Numeric

N	Value
1,740	1. YES
3,515	2. NO
16	9. Unknown
31,038	BL. NA, did not eat unusually large amounts of food within 2 hours

N18Q3A - WHEN ATE UNUSUALLY LARGE AMOUNT OF FOOD, FELT YOU COULD NOT STOP EATING

Type: Numeric

N	Value
717	1. YES
1,018	2. NO
5	9. Unknown
34,569	BL. NA, did not eat unusually large amounts of food within 2 hours at least once a week for 3+ weeks

N18Q3B - FELT THAT BODY SHAPE OR WEIGHT WAS ONE OF THE MOST IMPORTANT THINGS ABOUT YOU

Type: Numeric

N	Value
357	1. YES
355	2. NO
5	9. Unknown
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q3C - FOUND THAT YOU ATE MUCH MORE QUICKLY THAN USUAL

Type: Numeric

N	Value
546	1. YES
168	2. NO
3	9. Unknown
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q3D - FOUND THAT YOU ATE UNTIL YOU FELT UNCOMFORTABLE

Type: Numeric

N	Value
633	1. YES
83	2. NO
1	9. Unknown
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q3E - ATE LARGE AMOUNTS OF FOOD EVEN THOUGH YOU WEREN'T HUNGRY

Type: Numeric

N	Value
590	1. YES
125	2. NO
2	9. Unknown
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q3F - ATE ALONE BECAUSE MIGHT BE EMBARRASSED OVER LARGE AMOUNT OF FOOD

Type: Numeric

N	Value
337	1. YES
379	2. NO
1	9. Unknown
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q3G - FELT DISGUSTED WITH YOURSELF ABOUT EATING SO MUCH

Type: Numeric

N	Value
499	1. YES
216	2. NO
2	9. Unknown
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q4A - DURING ANY TIMES OF OVEREATING TRIED TO KEEP FROM GAINING WEIGHT BY PURGING

Type: Numeric

N	Value
151	1. YES
566	2. NO
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q4B - DURING ALL TIMES OF OVEREATING TRIED TO KEEP FROM GAINING WEIGHT BY PURGING

Type: Numeric

N	Value
97	1. YES
620	2. NO
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q5 - EVER OVERATE WITHIN A 2 HOUR PERIOD AND PURGED FOR 3+ MONTHS

Type: Numeric

N	Value
102	1. YES
615	2. NO
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q6 - WHILE OVEREATING AND PURGING, FELT WEIGHT OR BODY SHAPE WAS ONE OF MOST IMPORTANT THINGS ABOUT YOU

Type: Numeric

N	Value
101	1. YES
613	2. NO
3	9. Unknown
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

N18Q7A - EATING LARGE AMOUNTS OF FOOD AND PURGING MADE YOU VERY UPSET

Type: Numeric

N	Value
113	1. YES
38	2. NO
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q7B - INTERFERED WITH NORMAL DAILY ACTIVITIES

Type: Numeric

N	Value
77	1. YES
73	2. NO
1	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q7C - CAUSED SERIOUS PROBLEMS WITH OTHER PEOPLE

Type: Numeric

N	Value
44	1. YES
107	2. NO
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q7D - CAUSED ANY SERIOUS PROBLEMS DOING THINGS YOU WERE SUPPOSED TO DO

Type: Numeric

N	Value
47	1. YES
104	2. NO
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q8A - AGE AT FIRST EPISODE OF OVEREATING AND PURGING

Type: Numeric

N	Value
145	9-68. Age
6	99. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q8B - FIRST EPISODE OCCURRED IN THE LAST 12 MONTHS

Type: Numeric

N	Value
4	1. YES
145	2. NO
2	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q9 - NUMBER OF EPISODES OF OVEREATING AND PURGING

Type: Numeric

N	Value
123	1-36. Episodes
28	99. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q10R - AGE AT ONLY/MOST RECENT EPISODE (BASED ON N18Q8A IF ONLY 1 EPISODE)

Type: Numeric

N	Value
141	12-68. Age
10	99. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q11R - ONLY/MOST RECENT EPISODE BEGAN IN THE LAST 12 MONTHS (BASED ON N18Q8B IF ONLY 1 EPISODE)

Type: Numeric

N	Value
29	1. Yes
118	2. No
4	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q12AR - DURATION (MONTHS) OF ONLY/MOST RECENT EPISODE (BASED ON N18Q16 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
137	3-636. Months
14	9999. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q12BR - WAS THERE 2+ MONTH PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N18Q18 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
115	1. Yes
32	2. No
4	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q13R - DID REMISSION OF ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N18Q19 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
43	1. Yes
103	2. No
5	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q14R - DURATION (MONTHS) OF ONLY/LONGEST PERIOD OF OVEREATING AND PURGING (BASED ON N18Q16 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
131	3-636. Months
20	9999. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q15R - USUAL NUMBER OF DAYS IN A WEEK ATE LARGE AMOUNTS AND PURGED (BASED ON N18Q17 IF ONLY 1 EPISODE)

Type: Numeric

N	Value
137	1-7. Days
14	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q20A - EVER WENT TO COUNSELOR/THERAPIST/DOCTOR/PSYCHOLOGIST/OTHER PERSON FOR HELP WITH OVEREATING AND/OR PURGING

Type: Numeric

N	Value
71	1. YES
78	2. NO
2	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q20B - EVER WENT TO SELF-HELP/SUPPORT GROUP/HOTLINE/INTERNET CHAT ROOM FOR HELP WITH OVEREATING AND/OR PURGING

Type: Numeric

N	Value
38	1. YES
111	2. NO
2	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q21A - EVER STAYED OVERNIGHT IN HOSPITAL BECAUSE OF OVEREATING AND/OR PURGING

Type: Numeric

N	Value
19	1. YES
130	2. NO
2	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q21B - EVER WENT TO EMERGENCY ROOM FOR HELP WITH OVEREATING AND/OR PURGING

Type: Numeric

N	Value
7	1. YES
143	2. NO
1	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q22A - DOCTOR EVER PRESCRIBED MEDICINES/DRUG FOR OVEREATING AND/OR PURGING

Type: Numeric

N	Value
28	1. YES
122	2. NO
1	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q22B - EVER WENT TO OVEREATERS ANONYMOUS/12-STEP GROUP FOR HELP WITH OVEREATING AND/OR PURGING

Type: Numeric

N	Value
27	1. YES
123	2. NO
1	9. Unknown
36,158	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating

N18Q23 - AGE AT FIRST TIME SOUGHT HELP FOR OVEREATING AND PURGING

Type: Numeric

N	Value
80	8-65. Age
3	99. Unknown
36,226	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating; did not seek or unknown if sought help for binge eating and/or purging

N18Q24 - SEEK HELP IN THE LAST 12 MONTHS

Type: Numeric

N	Value
20	1. YES
61	2. NO
2	9. Unknown
36,226	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating; did not seek or unknown if sought help for binge eating and/or purging

N18Q25 - SEEK HELP BEFORE 12 MONTHS AGO

Type: Numeric

N	Value
82	1. YES
1	2. NO
36,226	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never engaged in purging during periods of binge eating; did not seek or unknown if sought help for binge eating and/or purging

N18Q26 - EVER ANY OTHER 3 MONTH+ PERIOD WHEN YOU ATE LARGE AMOUNTS OF FOOD AT LEAST ONCE/WEEK WITHOUT DOING THINGS TO KEEP FROM GAINING WEIGHT

Type: Numeric

N	Value
17	1. YES
36	2. NO
1	9. Unknown
36,255	BL. NA, did not meet symptom criteria for binge eating; never or always engaged in purging during periods of binge eating

N18Q27A - EATING LARGE AMOUNTS OF FOOD WITHOUT PURGING MADE YOU VERY UPSET (BASED ON N18Q7A WHEN NEVER PURGED)

Type: Numeric

N	Value
257	1. YES
324	2. NO
2	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q27B - INTERFERED WITH NORMAL DAILY ACTIVITIES (BASED ON N18Q7B WHEN NEVER PURGED)

Type: Numeric

N	Value
173	1. YES
409	2. NO
1	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q27C - CAUSED SERIOUS PROBLEMS WITH OTHER PEOPLE (BASED ON N18Q7C WHEN NEVER PURGED)

Type: Numeric

N	Value
49	1. YES
533	2. NO
1	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q27D - CAUSED ANY SERIOUS PROBLEMS DOING THINGS YOU WERE SUPPOSED TO DO (BASED ON N18Q7D WHEN NEVER PURGED)

Type: Numeric

N	Value
76	1. YES
507	2. NO
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q28A - WHEN EATING LARGE AMOUNTS OF FOOD WITHOUT PURGING, FELT THAT BODY SHAPE OR WEIGHT WAS ONE OF THE MOST IMPORTANT THINGS ABOUT YOU (BASED ON N18Q3B IF NEVER PURGED)

Type: Numeric

N	Value
247	1. Yes
331	2. No
5	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q28B - AGE AT FIRST EPISODE OF OVEREATING WITHOUT PURGING (BASED ON N18Q8A WHEN NEVER PURGED)

Type: Numeric

N	Value
551	5-75. Age
32	99. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q29 - FIRST EPISODE OCCURRED IN THE LAST 12 MONTHS (BASED ON N18Q8B WHEN NEVER PURGED)

Type: Numeric

N	Value
34	1. YES
549	2. NO
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q30 - NUMBER OF EPISODES OF OVEREATING WITHOUT PURGING

Type: Numeric

N	Value
447	1-98. Episodes
136	99. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q31R - AGE AT ONLY/MOST RECENT EPISODE (BASED ON N18Q28B IF ONLY 1 EPISODE; BASED ON N18Q10/N18Q8A (1 EPISODE) WHEN NEVER PURGED)

Type: Numeric

N	Value
548	5-77. Age
35	99. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q32R - ONLY/MOST RECENT EPISODE BEGAN IN THE LAST 12 MONTHS (BASED ON N18Q29 IF ONLY 1 EPISODE; BASED ON N18Q11/N18Q8B (1 EPISODE) WHEN NEVER PURGED)

Type: Numeric

N	Value
190	1. Yes
386	2. No
7	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q33AR - DURATION (MONTHS) OF ONLY/MOST RECENT EPISODE (BASED ON N18Q37 IF ONLY 1 EPISODE; BASED ON N18Q12A/N18Q16 (1 EPISODE) WHEN NEVER PURGED)

Type: Numeric

N	Value
531	3-937. Months
52	9999. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q33BR - WAS THERE 2+ MONTH PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON N18Q39 IF ONLY 1 EPISODE; BASED ON N18Q12B/N18Q18 (1 EPISODE) WHEN NEVER PURGED)

Type: Numeric

N	Value
417	1. Yes
156	2. No
10	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q34R - DID REMISSION OF ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON N18Q40 IF ONLY 1 EPISODE; BASED ON N18Q13/N18Q19 (1 EPISODE) WHEN NEVER PURGED)

Type: Numeric

N	Value
247	1. Yes
324	2. No
12	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q35R - DURATION (MONTHS) OF ONLY/LONGEST TIME IN ENTIRE LIFE ATE LARGE AMOUNTS OF FOOD (BASED ON N18Q37 IF ONLY 1 EPISODE; BASED ON N18Q14/N18Q16 (1 EPISODE) WHEN NEVER PURGED)

Type: Numeric

N	Value
517	3-937. Months
66	9999. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q36R - USUAL NUMBER OF DAYS IN A WEEK ATE LARGE AMOUNTS WITHOUT PURGING (BASED ON N18Q38 IF ONLY 1 EPISODE; BASED ON N18Q15/N18Q17 (1 EPISODE) WHEN NEVER PURGED)

Type: Numeric

N	Value
545	1-7. Days
38	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q41A - EVER WENT TO COUNSELOR/THERAPIST/DOCTOR/PSYCHOLOGIST/OTHER PERSON FOR HELP WITH OVEREATING (BASED ON N18Q20A WHEN NEVER PURGED)

Type: Numeric

N	Value
118	1. YES
464	2. NO
1	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q41B - EVER WENT TO SELF-HELP/SUPPORT GROUP/HOTLINE/INTERNET CHAT ROOM FOR HELP WITH OVEREATING (BASED ON N18Q20B WHEN NEVER PURGED)

Type: Numeric

N	Value
84	1. YES
498	2. NO
1	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q42A - EVER STAYED OVERNIGHT IN HOSPITAL BECAUSE OF OVEREATING (BASED ON N18Q21A WHEN NEVER PURGED)

Type: Numeric

N	Value
17	1. YES
565	2. NO
1	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q42B - EVER WENT TO EMERGENCY ROOM FOR HELP WITH OVEREATING (BASED ON N18Q21B WHEN NEVER PURGED)

Type: Numeric

N	Value
4	1. YES
578	2. NO
1	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q43A - DOCTOR EVER PRESCRIBED MEDICINES/DRUGS FOR OVEREATING (BASED ON N18Q22A WHEN NEVER PURGED)

Type: Numeric

N	Value
64	1. Yes
519	2. No
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q43B - EVER WENT TO OVEREATERS ANONYMOUS OR ANY 12-STEP PROGRAM FOR OVEREATING (BASED ON N18Q22B WHEN NEVER PURGED)

Type: Numeric

N	Value
50	1. Yes
516	2. No
17	9. Unknown
35,726	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging

N18Q44 - AGE AT FIRST TIME SOUGHT HELP FOR OVEREATING WITHOUT PURGING (BASED ON N18Q23 WHEN NEVER PURGED)

Type: Numeric

N	Value
170	8-77. Age
6	99. Unknown
36,133	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging; did not seek or unknown if sought help for binge eating without purging

N18Q45 - SEEK HELP IN LAST 12 MONTHS (BASED ON N18Q24 WHEN NEVER PURGED)

Type: Numeric

N	Value
69	1. YES
107	2. NO
36,133	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging; did not seek or unknown if sought help for binge eating without purging

N18Q46 - SEEK HELP BEFORE 12 MONTHS AGO (BASED ON N18Q25 WHEN NEVER PURGED)

Type: Numeric

N	Value
165	1. YES
11	2. NO
36,133	BL. NA, did not meet symptom and/or frequency criteria for binge eating; never or unknown if ever engaged in binge eating without purging; did not seek or unknown if sought help for binge eating without purging

N18Q47 - EVER WENT TO SELF-HELP/SUPPORT GROUP/HOTLINE/INTERNET CHAT ROOM THAT ENCOURAGED BEING EXTREMELY THIN AND GAVE ADVICE ON LOSING WEIGHT (INCLUDES N17Q29 IF FILLED)

Type: Numeric

N	Value
46	1. YES
669	2. NO
2	9. Unknown
35,592	BL. NA, did not meet symptom and/or frequency criteria for binge eating

VARUNIT - PSU

Type: Numeric

N	Value
36,309	1-3 PSU

VARSTRAT - Stratum

Type: Numeric

N	Value
36,309	1-100 Stratum