

# 12082 - Extending COS/G130M Coverage Down to 900A with Two New Central

# Wavelengths.

Cycle: 17, Proposal Category: CAL/COS

(Calibration)

(Availability Mode: RESTRICTED)

# **INVESTIGATORS**

Name	Institution	E-Mail
Dr. Steven N. Osterman (PI)	University of Colorado at Boulder	steven.osterman@colorado.edu
Dr. Steven V. Penton (CoI) (AdminUSPI) (Contact)	University of Colorado at Boulder	Steven.Penton@colorado.edu
Dr. Derck L. Massa (CoI)	Space Telescope Science Institute	massa@stsci.edu
Dr. Jason Mcphate (CoI)	University of California - Berkeley	mcphate@berkeley.edu

# **VISITS**

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
01	(1) WD0320-539 DARK	COS/FUV COS/NUV S/C	1	09-Jul-2010 22:01:57.0	yes
21	(4) GD-561 DARK	COS/FUV COS/NUV S/C	1	09-Jul-2010 22:02:07.0	yes
22	(4) GD-561 DARK	COS/FUV COS/NUV S/C	2	09-Jul-2010 22:02:17.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
30	(5) WD-0439+466 DARK	COS/FUV COS/NUV S/C	1	09-Jul-2010 22:02:26.0	yes
31	(5) WD-0439+466 DARK	COS/FUV COS/NUV S/C	1	09-Jul-2010 22:02:36.0	yes
32	(5) WD-0439+466 DARK	COS/FUV COS/NUV S/C	2	09-Jul-2010 22:02:44.0	yes

8 Total Orbits Used

### **ABSTRACT**

These exploratory observations will provide sensitivity, wavelength range, and resolution measurements for two new COS FUV G130M central wavelength settings. These new settings will extend COS/G130M coverage down to 9050 in two new bandpasses; 940-1237A (HotBLUE) and 900-1196A (Super-BLUE). The modes are chosen to provide continuous coverage from 900A to the existing coverage in the G130M/1291A setting with sufficient overlap in each mode for cross-calibration purposes. No focus adjustments will be made for these settings, as this is deemed an unnecessary risk to COS.

These new modes have the potential to provide greater than FUSE sensitivity at moderate (1,000-5,000) resolution.

Three WD targets are defined;

- 1) GD50 (GSC-04717-00588; a well observed standard WD)
- 2) WD0320-539 (GSC-08493-00891, one of the targets used in exploring the G140L sensitivity),
- 3) REJ0503-289 (WD-5001-289 = GSC-04717-00588, a hot EUVE bright WD)
- 4) GD561
- 5) WD0439+466 (FUVB ONLY)

But only targets 2,4 and 5 are used at this time.

In the observations section, G130M/1291A is a placeholder for the new settings.

#### **OBSERVING DESCRIPTION**

After a NUV Imaging TA:

- 1) we switch to the FUV,
- 2) redefine the G130M/1291 setting to the one of the experimental settings
- 3) observe for N sec at four FP-POS positions using FP=AUTO
- 4 redefine the G130M/1291 setting to the other experimental setting
- 5) observe for M sec at four FP-POS positions using FP=AUTO
- 6) restore the G130M/1291 definition

----- Version 2 -----

In the new version, there are 5 new visits, but only 2 are scheduled to be used (21, one orbit & 32, two-orbits).

Visit 21: GD561, one orbit

Visit 22: GD561, original two-orbit version

Visit 30: WD0439+466, one-orbit version with ACQ/IMAGE only

Visit 31: WD0439+466, one-orbit version with ACQ/IMAGE+3x3 ACQ/SEARCH

Visit 32: WD0439+466, two-orbit version with ACQ/IMAGE+3x3 ACQ/SEARCH

The coordinates for WD0439+466 are uncertain, so an ACQ/SEARCH was added to Visit 30 to create Visit 31. However, there is probably not enough signal in Visit 31 to accurately measure the resolution. Visit 32 (two-orbit) was created to achieve sufficient S/N. WD0439 is too bright to have the A segments on, so we need the one-orbit version of GD561 to obtain information about the A segment.

Visit 21 should be executed first, with a 14-23 days delay before executing Visit 32

### **CALIBRATION JUSTIFICATION**

These exploratory observations will provide sensitivity, wavelength range, and resolution measurements for two new COS FUV G130M central wavelength settings. These new settings will extend COS/G130M coverage down to 900A in two new bandpasses; 1021-1171A (BLUE) and 905-1055A (Super-BLUE). The modes are chosen to provide continuous coverage from 900A to the existing coverage in the G130M/1291A setting with approximately 30A of overlap in each mode for cross-calibration purposes. No focus adjustments will be made for these settings, as this is deemed an unnecessary risk to COS (we use the existing 1291A focus)

\*\*\*\*\* The setting have been adjusted for all visits after Visit 01, the new settings are G130M/1055 (900-1197A, SuperBLUE) and G130M/1096 (940-1237A, HotBlue). \*\*\*\*\*\*

### **ADDITIONAL COMMENTS**

Expected Count Rates/Total Counts For Visit 01 (the other count rates are given in the Visit Comments)

-----

Estimated			Total Total per				
Mode	CountRate	Time	Coun	its	20p-RE		S/N = sqrt(per 20p-RE)
SuperBLUE-B	60	888	5.3E+04	76.1	1	8.7	
SuperBLUE-A	8400	888	7.5E+06	10656	5.0 10	03.2	
BLUE-B	4800	80	3.8E+05	548.	6 2	23.4	
BLUE-A	10650	80	8.5E+05	1217	.1 3	34.9	

Total expected counts = 8.7e+06

Proposal 12082, Visit 01, completed Sat Jul 10 02:02:49 GMT 2010 Diagnostic Status: Warning Scientific Instruments: COS/NUV, COS/FUV, S/C

Special Requirements: (none)

(Visit 01) Warning (Orbit Planner): INEFFICIENT ORDERING OF FP-POS POSITIONS

(WD0320-539-BLUE (01.004)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.


**Diagnostics** (WD030-539-SuperBLUE (01.006)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.

S	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(1)	WD0320-539	RA: 03 22 14.8010 (50.5616708d)	Proper Motion RA: 0.00101s/yr	V=14.9	Reference Frame: ICRS
ā			Dec: -53 45 15.98 (-53.75444d)	Proper Motion Dec: -0.066"/yr	F(1000)=0.8E-12,	
15		00891	Equinox: J2000	Epoch of Position: 2000	F(1250)=0.5E-12	
Ιğ		Alt Name2: EUVEJ0322- 53.7				
ĬĚ			1	1: FIRE STOOK A 1 111 DOD		
ш	Con	nments: Flux from FUSE+STIS. Co	ordinates from 11491. Target previously observe	d in FUV with COS, so there should be no BOP of	constraints.	

#	۱ ا	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Regs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1		WD0320-53	(1) WD0320-539	COS/NUV, ACQ/SEARCH, BOA	MIRRORA	SCAN-SIZE=3;	GS ACQ SCENARI		30 Secs	
		9-ACQ/SEA RCH				CENTER=FLUX-W	O BASE1B3		[==>]	
	-	KC11				T-FLR;				[1]
	7	C/N_40	20-7006 420500	2201		STEP-SIZE=1.767				
2			0 in 20s (COS.A28588 (1) WD0320-539	COS/NUV, ACQ/IMAGE, BOA	MIRRORA				45 Secs	
1	ç	9-ACQ/IMA	(1) WD0320-337	COS/NOV, ACQ/IMAGE, BOA	MIKKOKA				[==>]	[1]
		GE	) f DOA : MIDDODA	A : 45- (COS 4205927)						[1]
3		special Com	- P	A in 45s (COS.A285827) S/C, DATA, NONE			SPEC COM INSTR		10 Secs	
	I	manding to t	DAKK	5/C, DATA, NONE			ELCENTPATCH;		[==>]	
		urn 1291 int o BLUE					QESIPARM ACTIO N REPLACE;		1>1	
							QESIPARM CENT WAVE 1291;			
							QESIPARM TEST WAVE 1184;			[1]
							QESIPARM STEP 8 040;			[-]
							QESIPARM RES1 2 474:			
							QESIPARM RES2 7			
	Comm	nents: Special	Commanding to over	cwrite the G130M/1291 settings with th	ne G130M/1184 (BI	IJE) settings OSM1 sho		of 8040 +45 steps from	n the G130M-1300A position of 7995. T	L This shifts t
h h	e Seg	gment B cover	rage to 1021-1171A, a	and segment A to 1184-1324Å.			, r			T
3 4		WD0320-53 9-BLUE	(1) WD0320-539	COS/FUV, TIME-TAG, PSA	G130M	BUFFER-TIME=11 0;			80 Secs	
ן נ		DLCL			1291 A	FLASH=S0030D02			$[==>(Split\ 1)]$	
						0;			$[==>(Split\ 2)]$	[1]
						FP-POS=AUTO			$[==>(Split\ 3)]$	
	7		d DI w	G	/ II / C		A 771 1 1111	6 4 20	[==>(Split 4)]	00.420571
		ients: This is i 3=88)	the Blue setting expos	ure. Segment A is about 10,000 count.	s/s. Use the focus p	oostion for G130M/1291	A. The lamp will be on	for the entire 20 secon	nds of each exposure. BT=132 from CO	ا/S.A285
S	OL is	s required to	set qelogsheet.minwav	ve to 1184						
5		Special Com		S/C, DATA, NONE			SPEC COM INSTR		10 Secs	
		manding to t					ELCENTPATCH;		f==>1	
	(	urn 1291 int o SuperBLU E					QESIPARM ACTIO N REPLACE;			
							QESIPARM CENT WAVE 1291;			
							QESIPARM TEST WAVE 1066;			[1]
							QESIPARM STEP 8 088;			
							QESIPARM RES1 2 726;			
							QESIPARM RES2 7 365			
0	Comm )M-13	nents: Special 300A position	Commanding to over of 7995. This shifts th	rwrite the G130M/1291 settings with th he Segment B coverage to 905-1055A, .	e G130M/1066 (Sup and Segment A to co	perBLUE) settings. Spec over 1066-1208A. Use t	cial commanding is use he focus postion for G1	d to move OSM1 to th 30M/1291A.	ne position of 8088, this is +89 steps from	m the G13

Proposal 12082 (STScI Edit Number: 2, Created: Friday, July 9, 2010 9:02:48 PM EST) - Overview WD030-539 (1) WD0320-539 -SuperBLU E COS/FUV, TIME-TAG, PSA G130M 888 Secs BUFFER-TIME=11 2; 1291 A  $[==>(Split\ 1)]$ FLASH=S0200D03 [==>(Split 2)][1]  $[==>(Split\ 3)]$ FP-POS=AUTO [==>(Split 4)]Comments: This is the Super-Blue setting. Use the focus postion for G130M/1291A. Thirty second lamp exposure every 200 seconds. BT=132 from COS.A285713 (\*2/3=88) SQL is required to set qelogsheet.minwave to 1066. Special Com DARK S/C, DATA, NONE SPEC COM INSTR 10 Secs manding to ELCENTPATCH; [==>] RESTORE 1 QESIPARM ACTIO 291 N RESTORE; [1] QESIPARM CENT WAVE 1291

Comments: Special Commanding to restore the G130M/1291 settings.



## Proposal 12082 - Visit 01 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths.

Proposal 12082, Visit 21, implementation Sat Jul 10 02:02:50 GMT 2010

Diagnostic Status: Warning

Scientific Instruments: COS/NUV, COS/FUV, S/C Special Requirements: BEFORE 01-AUG-2010:00:00:00

Comments: This is the original one-orbit version of the GD561 observation, both segments are on, but the intent here is to measure the resolution and wavelength scale of the FUV A segments. The expected count rates

(based upon sensitivities measured in Visit 1) are:

G130M/1055/FUVB: 77 counts/s G130M/1055/FUVA: 9600 counts/s G130M/1096/FUVB: 131 counts/s G130M/1096/FUVA: 16163 counts/s

For 800s for G130M/1055 and 760s for G130M/1096, therefore, we expect G130M/1055/FUVB: 62000 counts / 2000 RE ~ 31 cts/RE ~ S/N = 5-6 per RE G130M/1055/FUVB: 7.8E6 counts / 2000 RE ~ 4000 cts/RE ~ S/N = 62 per RE G130M/1096/FUVB: 7.1 counts / 2000 RE ~ 50 cts/RE ~ S/N = 7 per RE G130M/1096/FUVA: 78.7 counts / 2000 RE ~ 6142 cts/RE ~ S/N = 78 per RE

#### (Visit 21) Warning (Orbit Planner): INEFFICIENT ORDERING OF FP-POS POSITIONS

(GD561-G130M/1096 (21.003)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.

(GD561-G130M/1055 (21.005)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.


	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous			
ပ္ပ	(4)	GD-561	RA: 23 45 2.2600 (356.2594167d)	Proper Motion RA: -	V=14.52	Reference Frame: ICRS			
l g		Alt Name1:	Dec: +80 56 59.70 (80.94992d)	0.011867089769517026s/yr	F(1350)=7E-13,				
ar		WD2342+806	Equinox: J2000	Proper Motion Dec: 0.0040"/yr	F(1200)=8E-13,				
15		Alt Name2: GSC04614- 01431		Epoch of Position: 2000	F(1100)=13E-13,				
Ιĕ		01431			F(900)=5E-13				
<u>i</u>									
	There are no other targets in the field of GD561, no BOT constraints.								

The Proper motions come from 2005ApJS..161..394F (Farihi et al) as reported by SIMBAD.

Proposal 12082 - Visit 01 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths. **Target** Label Config, Mode, Aperture Spectral Els. Opt. Params. Special Regs. Groups Exp. Time/[Actual Dur.] Orbit GD561-AC (4) GD-561 COS/NUV, ACO/IMAGE, BOA MIRRORA 21 Secs Q/IMAGE f = = > 1[1] Comments: S/N=60 in 23s (COS.A322789) for BOA+MIRRORA SPEC COM INSTR 10 Secs Special Com DARK S/C, DATA, NONE ELCENTPATCH; manding to t [==>] urn 1291 int **QESIPARM ACTIO** o G130M/10 N REPLACE; **OESIPARM CENT** WAVE 1291; **OESIPARM TEST** WAVE 1096: [1] **QESIPARM STEP 8** 078; **OESIPARM RES12** 665; **OESIPARM RES27** 312 Comments: Special Commanding to overwrite the G130M/1291 settings with the G130M/1096A (HotBLUE) settings. Special commanding is used to move OSM1 to the position of 8078, this is +83 steps from the G130M/1096A (HotBLUE) settings. 0M-1300A position of 7995. This shifts the Segment B coverage to 940-1081A, and Segment A to cover 1096-1238A. Use the focus position for G130M/1291A. RES1=2665, RES2=7312 GD561-G13 (4) GD-561 COS/FUV, TIME-TAG, PSA G130M BUFFER-TIME=91; 728 Secs 0M/1096 1291 A FLASH=S0140D03  $[==>(Split\ 1)]$ 0; I = > (Split 2)I[1] FP-POS=AUTO Exposures [==>(Split 3)]f==>(Split 4)Comments: This is the Blue setting exposure. Segment B is about 130 counts/s. Segment A is about 16,163 counts/s. Use the focus postion for G130M/1291A. The lamp will be on twice for 30 seconds of each exposure BT=132 from COS.A (\*2/3=88) SQL is required to set qelogsheet.minwave to 1096 SPEC COM INSTR Special Com DARK S/C, DATA, NONE 10 Secs manding to t ELCENTPATCH; [==>] urn 1291 int **OESIPARM ACTIO** o G130M/10 N REPLACE: 55 OESIPARM CENT **WAVE 1291**; **QESIPARM TEST** WAVE 1055; [1] **OESIPARM STEP 8** 095: **QESIPARM RES1 2** 750; **OESIPARM RES27** Comments: Special commanding to overwrite the G130M/1291 settings with the G130M/1055A (SuperBLUE) settings. OSM1 should be set to position of 8095, +100 steps from the G130M-1300A position of 7995. This s shifts the Segment B coverage to 900-1041A, and Segment A to 1055-1196A. RES1= 2750, RES2= 7402

Proposal 12082 - Visit 01 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths. GD561-G13 (4) GD-561 COS/FUV, TIME-TAG, PSA BUFFER-TIME=23 728 Secs G130M 0M/1055 6; 1291 A [==>(Split 1)] FLASH=S0150D03 [==>(Split 2)][1] [==>(Split 3)]FP-POS=AUTO [==>(Split 4)]Comments: This is the Super-Blue setting. Use the focus postion for G130M/1291A. Thirty second lamp exposure every 150 seconds. Simulations based upon the measured sensitivity of Visit 1 indicates a maximum flux of 80 cts/s (Segment B) and < 10000 (Segment A). Total predicted count rate is 9675 ct/s. Maximum BT = 2.35E6/9675 = 243s. We are using BT=238, so there is a very real chance that the buffer will overflow, we are ok with this. SQL is required to set gelogsheet.minwave to 1055. Special Com DARK S/C, DATA, NONE SPEC COM INSTR 10 Secs manding to RESTORE 1 291 ELCENTPATCH; *[==>1* **OESIPARM ACTIO** N RESTORE; [1] QESIPARM CENT **WAVE 1291** 

Comments: Special Commanding to restore the G130M/1291 settings.



## Proposal 12082 - Visit 21 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths.

Proposal 12082, Visit 22, implementation Sat Jul 10 02:02:51 GMT 2010

Diagnostic Status: Warning

**Diagnostics** 

Scientific Instruments: COS/NUV, COS/FUV, S/C

Special Requirements: ON HOLD

Comments: This is the original two-orbit version of the GD561 observation. This has been replaced by Visit 21, but is retained for possible future use.

On Hold Comments: This two-orbit visit is on hold for possible future use.

(Visit 22) Warning (Orbit Planner): INEFFICIENT ORDERING OF FP-POS POSITIONS

(GD561-G130M/1096 (22.003)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.


(GD561-G130M/1055 (22.005)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.

	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous			
ixed Targe		GD-561 Alt Name1: WD2342+806 Alt Name2: GSC04614- 01431	RA: 23 45 2.2600 (356.2594167d) Dec: +80 56 59.70 (80.94992d) Equinox: J2000	Proper Motion RA: - 0.011867089769517026s/yr Proper Motion Dec: 0.0040"/yr Epoch of Position: 2000	V=14.52 F(1350)=7E-13, F(1200)=8E-13, F(1100)=13E-13, F(900)=5E-13	Reference Frame: ICRS			
"	Comments: F(1200,1350) from IUE, F(900, 1100) from FUSE There are no other targets in the field of GD561, no BOT constraints.								
			pJS161394F (Farihi et al) as reported by	SIMBAD.					

Proposal 12082 - Visit 21 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths. **Target** Label Config, Mode, Aperture Spectral Els. Opt. Params. Special Regs. Groups Exp. Time/[Actual Dur.] Orbit GD561-AC (4) GD-561 COS/NUV, ACO/IMAGE, BOA MIRRORA 23 Secs Q/IMAGE f = = > 1[1] Comments: S/N=60 in 23s (COS.A322789) for BOA+MIRRORA SPEC COM INSTR 10 Secs Special Com DARK S/C, DATA, NONE manding to t ELCENTPATCH; [==>] urn 1291 int **QESIPARM ACTIO** o G130M/10 N REPLACE; **OESIPARM CENT** WAVE 1291; **OESIPARM TEST** WAVE 1096: [1] **QESIPARM STEP 8** 078; **OESIPARM RES12** 665; **OESIPARM RES27** 312 Comments: Special Commanding to overwrite the G130M/1291 settings with the G130M/1096 (HotBLUE) settings. Special commanding is used to move OSM1 to the position of 8078, this is +83 steps from the G130 M-1300A position of 7995. This shifts the Segment B coverage to 940-1081A, and Segment A to cover 1096-1238A. Use the focus postion for G130M/1291A. RES1=2665, RES2=7312 BUFFER-TIME=12 GD561-G13 (4) GD-561 COS/FUV, TIME-TAG, PSA G130M 2404 Secs 0M/1096 3; 1291 A  $[==>(Split\ 1)]$ FLASH=S0500D02 I = > (Split 2)I[1] Exposures [==>(Split 3)]FP-POS=AUTO f==>(Split 4)Comments: This is the Blue setting exposure. Segment B is about 130 counts/s. Segment A is about 16,163 counts/s. Use the focus postion for G130M/1291A. The lamp will be on 20 seconds at the start, and again eve ry at 500s. BT=123 for efficiency. SQL is required to set qelogsheet.minwave to 1096 Special Com DARK S/C, DATA, NONE SPEC COM INSTR 10 Secs manding to t ELCENTPATCH; [==>] urn 1291 int **OESIPARM ACTIO** o G130M/10 N REPLACE: OESIPARM CENT **WAVE 1291**; **QESIPARM TEST** WAVE 1055; [1] **OESIPARM STEP 8** 095: **QESIPARM RES1 2** 750; **OESIPARM RES27** Comments: Special Commanding to overwrite the G130M/1291 settings with the G130M/1055 (SuperBLUE) settings. OSM1 should be set to position of 8095, +100 steps from the G130M-1300A position of 7995. This shifts the Segment B coverage to 940-1081A, and segment A to 1096-1238A. *RĚS1*= 275Ŏ, *RES2*= 7402

Proposal 12082 - Visit 21 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths. GD561-G13 (4) GD-561 0M/1055 COS/FUV, TIME-TAG, PSA BUFFER-TIME=20 2914 Secs G130M 6; 1291 A [==>(Split 1)] FLASH=S0500D03 [==>(Split 2)][2]  $\int ==>(Split\ 3)$ FP-POS=AUTO [==>(Split 4)]Comments: This is the Super-Blue setting. Use the focus postion for G130M/1291A. Thirty second lamp exposure every 500 seconds. Simulations based upon the measured sensitivity of Visit 1 indicate a maximum flux of 80 cts/s (Segment B) and < 10000 (Segment A). BT is short, so no chance of overflowing. SQL is required to set gelogsheet.minwave to 1055. SPEC COM INSTR Special Com DARK S/C, DATA, NONE 10 Secs ELCENTPATCH; manding to [==>] RESTORE 1 **OESIPARM ACTIO** 291 N RESTORE; [2] QESIPARM CENT WAVE 1291

Comments: Special Commanding to restore the G130M/1291 settings.



## Proposal 12082 - Visit 22 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths.

Proposal 12082, Visit 30, implementation Sat Jul 10 02:02:51 GMT 2010

Diagnostic Status: Warning

Scientific Instruments: COS/NUV, COS/FUV, S/C

Special Requirements: ON HOLD

Comments: This is the one-orbit, ACQ/IMAGE only version for WD0439+366. This visit is on-hold and is not to be executed at this time, but may be executed at a later date once the coordinates are better known.

G130M/1055/FUVB: 549 counts/s G130M/1055/FUVA: 60690 counts/s G130M/1096/FUVB: 932 counts/s G130M/1096/FUVA: 90866 counts/s

Therefore, we need to turn the FUVA segment off.

We are able to get 646s for G130M/1055 and 630s for G130M/1096, therefore, we expect:

G130M/1055/FUVB: 560,000 counts / 2000 RE ~ 294 cts/RE ~S/N = 13 per RE  $G130M/1096/FUVB: 350,000 counts / 2000 RE \sim 177 cts/RE \sim S/N = 17 per RE$ 

On Hold Comments: This Visit is on hold for possible future use (after target coordinates are better understood).

#### (Visit 30) Warning (Orbit Planner): INEFFICIENT ORDERING OF FP-POS POSITIONS

**Diagnostics** (WD0439-G130M/1096 (30.003)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.

(WD0439-G130M/1055 (30.005)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.

eous									
Frame: ICRS									
Comments: The coordinates of this target are a bit uncertian:									

04 43 21.268 +46 42 05.80 from Kerber et al. 2003 using GSCII +46 42 06.10 STIS Coordinates for E140M observation 04 43 21.27 04 43 21.36 +46 42 04.7 FUSE coordinates

04 43 20.9 +46 42 05 SIMBAD coordinates for CS

04 43 21.268 +46 42 05.80 SIMABD coordinates for center of PN

We are using the average of Kerber 2003 and SIMBAD/CS. 04 43 21.0840 +46 42 05.40

Proper Motions are from Kerber 2008


Targets

F(920)=6E-12, F(1160)=7.3E-12 (FUSE), F(1260)=6E-12 (STIS)

Proposal 12082 - Visit 22 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths. Target Label Config, Mode, Aperture Spectral Els. Opt. Params. Special Regs. Groups Exp. Time/[Actual Dur.] Orbit WD0439-A (5) WD-0439+466 COS/NUV, ACO/IMAGE, BOA MIRRORB 15 Secs CQ/IMAGE I = = > 1[1] Comments: COS.A324825: Signal/Noise Ratio = 60.00 -> Time = 13.2691 Detailed Information Count rate Total counts Associated noise (counts/s) (counts) (counts) Counts in box of 9 x 9 pixels Source 271.331 3,600.32 60.00 Background 0.024 0.32 0.57 Sky 8.823E-5 1.17E-3 0.03 Dark Current 0.024 0.32 0.57 Total in selected region 271.356 3,600.65 60.01 Brightest pixel 37.661 Count rate entire detector 716.153 Special Com DARK S/C, DATA, NONE SPEC COM INSTR 10 Secs manding to t ELCENTPATCH; I = = > 1urn 1291 int **OESIPARM ACTIO** o G130M/10 N REPLACE; 96 QESIPARM CENT WAVE 1291; **OESIPARM TEST** WAVE 1096; [1] **OESIPARM STEP 8 QESIPARM RES12** Exposures 665; **OESIPARM RES27** Comments: Special Commanding to overwrite the G130M/1291 settings with the G130M/1096A (HotBLUE) settings. Special commanding is used to move OSM1 to the position of 8078, this is +83 steps from the G130M/1096A (HotBLUE) settings. 0M-1300A position of 7995. This shifts the Segment B coverage to 940-1081A, and Segment A to cover 1096-1238A. Use the focus postion for G130M/1291A. RES1=2665, RES2=7312 WD0439-G (5) WD-0439+466 COS/FUV, TIME-TAG, PSA G130M BUFFER-TIME=30 630 Secs 130M/1096 0; 1291 A  $[==>(Split\ 1)]$ FLASH=S0100D02 I = > (Split 2)I[1] I = > (Split 3)IFP-POS=AUTO; [==>(Split 4)]SEGMENT=B Comments: This is the HotBlue (G130M/1096) setting exposure. Segment B is about 932 counts/s. Segment A is about >90000 counts/s/AND must be turned off. Use the focus postion for G130M/1291A. The lamp wi ll be on for 20 seconds, twice. BT is long for efficiency. SQL is required to set qelogsheet.minwave to 1096

18

<u>posal 12082 - Vi</u>	<u>sit 22 - E</u>	Extending COS/G130N	<u> 1 Coverage</u>	Down to 900A v	<u>vith Two New Centra</u>	<u>l Wavelengths.</u>	
4 Special Com DARK	ζ	S/C, DATA, NONE			SPEC COM INSTR	10 Secs	
manding to t urn 1291 int o G130M/10				ELCENTPATCH; QESIPARM ACTIO N REPLACE;	[==>]		
55					QESIPARM CENT WAVE 1291;		
					QESIPARM TEST WAVE 1055;		[1]
					QESIPARM STEP 8 095;		
					QESIPARM RES1 2 750;		
					QESIPARM RES2 7 402		
	ige to 940-108 2	31A, and segment A to 1096-1238A.  COS/FUV, TIME-TAG, PSA	G130M	BUFFER-TIME=30		5, +100 steps from the G130M-1300A po	
130M/1055			1291 A	0;		[==>(Split 1)]	
				FLASH=S0100D02 0:	$[==>(Split\ 2)]$		
				FP-POS=AUTO:		$[==>(Split\ 3)]$	[1]
				SEGMENT=B		$[==>(Split\ 4)]$	
	e measured se	g (G130M/1055). Use the focus post ensitivity of Visit 1 indicate a maximi we to 1055.				l off). BT is long for efficiency.	
6 Special Com DARK	<u> </u>	S/C, DATA, NONE		SPEC COM INSTR	10 Secs		
manding to RESTORE 1 291	ESTORE 1			ELCENTPATCH; QESIPARM ACTIO N RESTORE;	[==>]	[1]	
					QESIPARM CENT WAVE 1291		
Comments: Special Comm	anding to rest	tore the G130M/1291 settings.				<u>-</u>	'



## Proposal 12082 - Visit 30 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths.

**Proposal 12082, Visit 31, implementation**Sat Jul 10 02:02:52 GMT 2010

**Diagnostic Status: Warning** 

Scientific Instruments: COS/NUV, COS/FUV, S/C

Special Requirements: ON HOLD

Comments: This is the one-orbit, ACQ/IMAGE+3x3 ACQ/SEARCH version for WD0439+366. This visit is on-hold and is not to be executed at this time, but may be used based upon the results of the GD561

observations

G130M/1055/FUVB: 549 counts/s G130M/1055/FUVA: 60690 counts/s G130M/1096/FUVB: 932 counts/s G130M/1096/FUVA: 90866 counts/s

Therefore, we need to turn the FUVA segment off.

We are able to get 500s for G130M/1055 and 460s for G130M/1096, therefore, we expect:

G130M/1055/FUVB: 4.3E5 counts / 2000 RE ~ 137 cts/RE ~S/N = 11 per RE G130M/1096/FUVB: 2.7E5 counts / 2000 RE ~ 214 cts/RE ~S/N = 15 per RE

A S/N of 11/RE may not allow us to measure the resolution and wavelength scale to sufficient accuracy.

On Hold Comments: This visit is a repeat of Visit 30, but with a 3x3 ACQ/Search. It is possible that this visit will be substituted for visit 32 if the results of Visit 21 result is lower resolution that expected.


#### (Visit 31) Warning (Orbit Planner): INEFFICIENT ORDERING OF FP-POS POSITIONS

(WD0439-G130M/1096 (31.004)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.

(WD0439-G130M/1055 (31.006)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.

Proposal 12082 - Visit 30 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths. Label Target Config, Mode, Aperture Spectral Els. Opt. Params. Special Regs. Groups Exp. Time/[Actual Dur.] Orbit WD0439-A (5) WD-0439+466 COS/NUV, ACO/SEARCH, BOA MIRRORB SCAN-SIZE=3; 13 Secs CQ/SEARC STEP-SIZE=1.767 *[==>1* [1] Η Comments: COS.A324825: Signal/Noise Ratio = 60.00 -> Time = 13.2691 Detailed Information Count rate Total counts Associated noise (counts/s) (counts) (counts) Counts in box of 9 x 9 pixels Source 271.331 3,600.32 60.00 Background 0.024 0.32 0.57 Sky 8.823E-5 1.17E-3 0.03 Dark Current 0.024 0.32 0.57 Total in selected region 271.356 3,600.65 60.01 Brightest pixel 37.661 Count rate entire detector 716.153 WD0439-A (5) WD-0439+466 COS/NUV, ACQ/IMAGE, BOA MIRRORB 15 Secs CO/IMAGE [1] I = = > 1Comments: COS.A324825: Signal/Noise Ratio = 60.00 -> Time = 13.2691 Special Com DARK S/C, DATA, NONE SPEC COM INSTR 10 Secs manding to t ELCENTPATCH; *[==>1* urn 1291 int **OESIPARM ACTIO** o G130M/10 N REPLACE; **OESIPARM CENT** WAVE 1291: OESIPARM TEST Exposures **WAVE 1096**; [1] **OESIPARM STEP 8** 078; **QESIPARM RES12** 665; **QESIPARM RES27** Comments: Special Commanding to overwrite the G130M/1291 settings with the G130M/1096A (HotBLUE) settings. Special commanding is used to move OSM1 to the position of 8078, this is +83 steps from the G130M/1096A (HotBLUE) settings. 0M-1300A position of 7995. This shifts the Segment B coverage to 940-1081A, and Segment A to cover 1096-1238A. Use the focus position for G130M/1291A. RES1=2665, RES2=7312 WD0439-G (5) WD-0439+466 COS/FUV, TIME-TAG, PSA G130M BUFFER-TIME=40 460 Secs 130M/1096 1291 A I = > (Split 1)1FLASH=S0090D02 I = > (Split 2)I[1]  $I==>(Split\ 3)I$ FP-POS=AUTO; [==>(Split 4)]SEGMENT=B Comments: This is the HotBlue (G130M/1096) setting exposure. Segment B is about 932 counts/s. Segment A is about >90000 counts/s/AND must be turned off. Use the focus postion for G130M/1291A. The lamp wi ll be on for 20 seconds, twice. BT is long for efficiency. SQL is required to set qelogsheet.minwave to 1096

oosal 12082 - Visit 3	<u>80 - Extending COS/G130N</u>	<u>/I Coverage</u>	Down to 900A v	vith Two New Central	l Wavelengths.		
5 Special Com DARK	S/C, DATA, NONE			SPEC COM INSTR	10 Secs		
manding to t urn 1291 int o G130M/10				ELCENTPATCH; QESIPARM ACTIO N REPLACE;	[==>]		
55				QESIPARM CENT WAVE 1291;			
				QESIPARM TEST WAVE 1055;		[1]	
				QESIPARM STEP 8 095;			
				QESIPARM RES1 2 750;			
				QESIPARM RES2 7 402			
	g to overwrite the G130M/1291 settings with 040-1081A, and segment A to 1096-1238A. 0+466 COS/FUV, TIME-TAG, PSA	G130M	BUFFER-TIME=40		500 Secs		
130M/1055		1291 A	0;		[==>(Split 1)]		
			FLASH=S0100D02 0:		$[==>(Split\ 2)]$		
			- ,	FP-POS=AUTO;	$[==>(Split\ 3)]$	[1]	
			SEGMENT=B		$[==>(Split\ 4)]$		
Comments: This is the Super-Blu Simulations based upon the meas SQL is required to set qelogsheet	e setting (G130M/1055). Use the focus post. sured sensitivity of Visit 1 indicate a maximi t.minwave to 1055.	ion for G130M/129 ım flux of140 cts/s	91A. Twenty second lamp e. (Segment B) and > 60000	xposure every 100 seconds. (Segment A, which must be turned	off). BT is long for efficiency.		
7 Special Com DARK	S/C, DATA, NONE			SPEC COM INSTR	10 Secs		
manding to RESTORE 1 291				ELCENTPATCH;  QESIPARM ACTIO N RESTORE;	[==>]	[1]	
					QESIPARM CENT WAVE 1291		[1]
Comments: Special Commanding	g to restore the G130M/1291 settings.					l .	



# Proposal 12082 - Visit 31 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths.

Proposal 12082, Visit 32, implementation Sat Jul 10 02:02:53 GMT 2010

Diagnostic Status: Warning

Scientific Instruments: COS/NUV, COS/FUV, S/C

Special Requirements: SCHED 40%; AFTER 21 BY 13 D TO 25 D

Comments: This is the two-orbit, ACQ/IMAGE+3x3 ACQ/SEARCH version for WD0439+366.

G130M/1055/FUVB: 549 counts/s G130M/1055/FUVA: 60690 counts/s G130M/1096/FUVB: 932 counts/s G130M/1096/FUVA: 90866 counts/s

Therefore, we need to turn the FUVA segment off.

We are able to get 2630s for G130M/1055 and 1404s for G130M/1096, therefore, we expect:

G130M/1055/FUVB: 1.4E6 counts / 2000 RE ~ 722cts/RE ~S/N = 27 per RE  $G130M/1096/FUVB: 78.7 counts / 2000 RE \sim 654cts/RE \sim S/N = 26 per RE$ 

At this S/N, we should be able to adequately determine the resolution and wavelength scale.

#### (Visit 32) Warning (Orbit Planner): INEFFICIENT ORDERING OF FP-POS POSITIONS

(WD0439-G130M/1096 (32.004)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.

Diagnos (WD0439-G130M/1055 (32.006)) Warning (Form): FP-POS=AUTO requires input of TOTAL exposure time for all four automatically-generated exposures. However, BUFFER-TIME must be specified for a single exposure, and will be applied to each of the four automatically-generated exposures.

	# N	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(5) V	WD-0439+466	RA: 04 43 21.0840 (70.8378500d)	Proper Motion RA: 0.002284439000557604s/yr	V=12.67	Reference Frame: ICRS				
		Alt Name1: CSI+46- 04397	Dec: +46 42 5.40 (46.70150d)		F(920)=6E-12,					
			Equinox: J2000	Proper Motion Dec: - 0.0133499999999999999999999999999999999999	F(1160)=7.3E-12 (FUSE), F(1260)=6E-12 (STIS)					
ध	A	Alt Name2: SH2-216		Epoch of Position: 2000						
rge	Comments: The coordinates of this target are a bit uncertian:									
ixed Ta	04 43 21.268 04 43 21.27 04 43 21.36 04 43 20.9 04 43 21.268	+46 42 06.10 STIS Coo +46 42 04.7 FUSE coord +46 42 05 SIMBAD	per et al. 2003 using GSCII ordinates for E140M observation dinates coordinates for CS O coordinates for center of PN							
	We are using the average of Kerber 2003 and SIMBAD/CS. 04 43 21.0840 +46 42 05.40									
	Proper Motio	ons are from Kerber 2008								
F(920)=6E-12, F(1160)=7.3E-12 (FUSE), F(1260)=6E-12 (STIS)										

Proposal 12082 - Visit 31 - Extending COS/G130M Coverage Down to 900A with Two New Central Wavelengths. Label Target Config, Mode, Aperture Spectral Els. Opt. Params. Special Regs. Groups Exp. Time/[Actual Dur.] Orbit WD0439-A (5) WD-0439+466 COS/NUV, ACO/SEARCH, BOA MIRRORB SCAN-SIZE=3; 13 Secs CQ/SEARC STEP-SIZE=1.767 *[==>1* [1] Η Comments: COS.A324825: Signal/Noise Ratio = 60.00 -> Time = 13.2691 Detailed Information Count rate Total counts Associated noise (counts/s) (counts) (counts) Counts in box of 9 x 9 pixels Source 271.331 3,600.32 60.00 Background 0.024 0.32 0.57 Sky 8.823E-5 1.17E-3 0.03 Dark Current 0.024 0.32 0.57 Total in selected region 271.356 3,600.65 60.01 Brightest pixel 37.661 Count rate entire detector 716.153 WD0439-A (5) WD-0439+466 COS/NUV, ACQ/IMAGE, BOA MIRRORB 16 Secs CO/IMAGE [1] I = = > 1Comments: COS.A324825: Signal/Noise Ratio = 60.00 -> Time = 13.2691 Special Com DARK S/C, DATA, NONE SPEC COM INSTR 10 Secs manding to t ELCENTPATCH; *[==>1* urn 1291 int **OESIPARM ACTIO** o G130M/10 N REPLACE; **OESIPARM CENT** WAVE 1291: OESIPARM TEST Exposures **WAVE 1096**; [1] **OESIPARM STEP 8** 078; **QESIPARM RES12** 665; **QESIPARM RES27** Comments: Special Commanding to overwrite the G130M/1291 settings with the G130M/1096A (HotBLUE) settings. Special commanding is used to move OSM1 to the position of 8078, this is +83 steps from the G130M/1096A (HotBLUE) settings. 0M-1300A position of 7995. This shifts the Segment B coverage to 940-1081A, and Segment A to cover 1096-1238A. Use the focus position for G130M/1291A. RES1=2665, RES2=7312 WD0439-G (5) WD-0439+466 COS/FUV, TIME-TAG, PSA G130M BUFFER-TIME=25 1436 Secs 130M/1096 1291 A I = > (Split 1)1FLASH=S0200D02 I = > (Split 2)I[1]  $I==>(Split\ 3)I$ FP-POS=AUTO; [==>(Split 4)]SEGMENT=B Comments: This is the HotBlue (G130M/1096) setting exposure. Segment B is about 932 counts/s. Segment A is about >90000 counts/s AND must be turned off. Use the focus postion for G130M/1291A. The lamp wil l be on for 20 seconds each 200. BT is long for efficiency. SQL is required to set qelogsheet.minwave to 1096

26

pc	<u>sal 12082 -</u>	<u> Visit 31 - E</u>	Extending COS/G130N	<u>/I Coverage</u>	Down to 900A v	<u>vith Two New Centra</u>	ll Wavelengths.	
5	Special Com DA	ARK	S/C, DATA, NONE			SPEC COM INSTR	10 Secs	
	manding to t urn 1291 int o G130M/10 55					ELCENTPATCH; QESIPARM ACTIO N REPLACE;	[==>]	
						QESIPARM CENT WAVE 1291;		
						QESIPARM TEST WAVE 1055;		[1]
				QESIPAI 095;	QESIPARM STEP 8 095;			
						QESIPARM RES1 2 750;		
						QESIPARM RES2 7 402		
hifi		verage to 940-108 7402	81A, and segment A to 1096-1238A.  COS/FUV, TIME-TAG, PSA	G130M	BUFFER-TIME=50	, , , , , , , , , , , , , , , , , , , ,	5, +100 steps from the G130M-1300A po	
	130M/1055			1291 A	1; FLASH=S0500D02 0;		[==>(Split 1)]	
							$[==>(Split\ 2)]$	
					FP-POS=AUTO:		$[==>(Split\ 3)]$	[2]
					SEGMENT=B		[==>(Split 4)]	
Sin		n the measured se	g (G130M/1055). Use the focus post ensitivity of Visit 1 indicate a maximi ave to 1055.				l off). BT is long for efficiency.	
7	Special Com DA	ARK	S/C, DATA, NONE			SPEC COM INSTR	10 Secs	
	manding to RESTORE 1 291					ELCENTPATCH; OESIPARM ACTIO	[==>]	
ì						N RESTORE;		[2]
						QESIPARM CENT WAVE 1291		
Co	mments: Special Co	mmanding to res	tore the G130M/1291 settings.					

