

# 13193 - COS Side 2 Initial FUV Checkout

Cycle: 31, Proposal Category: CAL/COS (Availability Mode: RESTRICTED)

# **INVESTIGATORS**

Name	Institution
Dr. Svea S Hernandez (PI) (ESA Member) (Contact)	Space Telescope Science Institute - ESA - JWST
Dr. David J. Sahnow (CoI)	Space Telescope Science Institute
Dr. Marc Rafelski (CoI) (Contact)	Space Telescope Science Institute
Elaine M Frazer (CoI) (Contact)	Space Telescope Science Institute
Dr. Kate Rowlands (CoI) (ESA Member) (Contact)	Space Telescope Science Institute - ESA - JWST

## **VISITS**

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
01	NONE WAVE	COS COS/FUV	1	29-Sep-2023 10:01:03.0	yes
02	(1) AZV75	COS/FUV	2	29-Sep-2023 10:01:04.0	yes
03	(2) PG0832+676	COS/FUV COS/NUV	2	29-Sep-2023 10:01:06.0	yes
04	(3) BD+631964	COS/FUV COS/NUV	4	29-Sep-2023 10:01:08.0	yes

<sup>9</sup> Total Orbits Used

## **ABSTRACT**

This program will execute in the event of a failure of the COS side 1 electronics, after the instrument has been restored using side 2 (MEB2) electronics. The purpose of this program

Proposal 13193 (STScI Edit Number: 10, Created: Friday, September 29, 2023 at 9:01:08 AM Eastern Standard Time) - Overview is to confirm that the aperture placement and grating translation (focus) using side 2 electronics produces the expected results: namely, spectra are being placed on the detector where they should be, and the commanded focus is the best focus.

#### **OBSERVING DESCRIPTION**

Program is split into two parts; the first will test the aperture X and Y locations and the second will verify the focus. The first test will involve internal exposures which replicate previously obtained XAPER and YAPER offsets, to verify that the commanded offsets have the same results as obtained previously.

The test of XAPER translation from side 1 to side 2 will be done using internal wavecal exposures at different lifetime positions (XAPER values). The locations in cross-dispersion space from program 12677 ("COS/FUV Mapping of Stray PtNe Lamp Light Through FCA") on side 1 will be compared with the expected locations on side 2.

The test of YAPER translation will perform internal wavecal exposures offset in the dispersion direction to replicate the YAPER offset exposures in program 12795 visit 2

 $("Second\ COS\ FUV\ Lifetime\ Position:\ Verification\ of\ Aperture\ and\ FUV\ Spectrum\ Placement\ \{FENA2\}").$ 

The second part of the program will obtain spectra of an external target using two configurations with widely separated focus values to confirm that the commanded focus remains the best focus.

Note that no explicit test of target acquisition in the FUV is to be performed, as verification of NUV alignment should suffice for this purpose, and no TA parameters are side-dependent. Nonetheless, an FUV TA will be used to acquire the target for the focus verification; this is to be used as a fail-safe. After the FUV spectra are obtained in this program, an NUV image will be obtained as additional verification of FUV aperture location.

----- Calibration Justification -----

This program will execute in the event of a failure of the COS side 1 electronics, after the instrument has been restored using side 2 electronics. The purpose of this program is to confirm that the aperture placement and grating translation (focus)

Proposal 13193 (STScI Edit Number: 10, Created: Friday, September 29, 2023 at 9:01:08 AM Eastern Standard Time) - Overview using side 2 electronics produces the expected results: namely, spectra are being placed on the detector where they should be, and the commanded focus is the best focus.

----- Additional Comments -----

Program should execute only after program 13190 ("COS FUV Detector Recovery After MEB Side Switch") completes.

\*\* this version of the program does not contain any constraints except those related to the FUV recovery program (13190), following a success oriented approach - C. Oliveira Aug 28 2013 \*\*

The data obtained in the first part of this program, which confirms the aperture placement in the dispersion and cross-dispersion directions will be compared to data taken at similar offsets in programs 12677 and 12795. The analysis of these data will take into account the uncertainties in the spectrum placement due to OSM1 uncertainties in both the dispersion (up to 1/2 FP-POS) and cross-dispersion directions (up to +/- 2 pix). The data obtained in the second part of the program will be compared to data obtained with side 1 electronics in the program that verified the resolution at the lifetime position in use at the time that the side switch occurs. The data obtained with side 2 electronics can also be compared to archival STIS data of AzV75, convolved with the LSF appropriate to the lifetime position in use at the time the side switch occurs, particularly if the program that checked the resolution did not use the cenwaves that will be tested in this program.

Comparison data for visit 02:

Visit 02 G130M/1222 data will be compared with AzV75/G130M/1222/LP4 data from Program 15366 Visit 01 Vitit 02 G130M/1327 data will be compared with AzV75/G130M/1327 data from Program 14842 Visit 01, exposures 13, 14, 15, and 16

\*\*\*COS2025 notes\*\*\*

Before executing this program, we need to check if the spectral windows used for the spectral resolution analysis are affected by gain sag. If this is the case, we may want to raise the HV before taking observations. This was not necessary in the original design of this program, i.e. before COS2025 policies were implemented, because small areas of gain sag were spread across the detector and the HV was raised according to those areas. Now, with COS2025 in place, the gain sag regions are concentrated in only a few regions and HV is raised only when the continuum in certain regions is becoming sagged.

\*\*\*February 2019: One Gyro Contingency Visits Added\*\*\*:

Proposal 13193 (STScI Edit Number: 10, Created: Friday, September 29, 2023 at 9:01:08 AM Eastern Standard Time) - Overview Two additional contingency visits were added to this program, which contain targets that can be used if HST is operating in one-gyro mode and AzV75 is not visible. Under one-gyro mode, AzV75 is not continuously visible. The two targets added (PG0832+676 and BD+631964) were chosed to have visibility windows that complement AzV75 under one-gyro operations, such that this program can be be executed at any time. The side-1 electronics LP4 spectral resolution comparison data for both targets was obtained with Program 15682 (PI James).

## PLEASE NOTE:

- If HST is operating under three-gyro mode, do NOT execute contingency visits 03 or 04.
- If HST is operating under one-gyro mode at the time of side-1 electronics failure, AND AzV75 is not visible, only contingency Visit 03 OR Visit 04 should be executed (depending on which target is visible), along with Visit 01.

# Comparison data for contingency visits 03 and 04:

Visit 03 PG0832/G130M/1222&1327 data will be compared with PG0832/G130M/1222&1327/LP4 data from Program 15682 Visit 01 Visit 04 BD63\_1964/G130M/1222&1327 data will be compared with BD63\_1964/G130M/1222&1327/LP4 data from Program 15682 Visit 02

In accordance with the COS2030 rules, and the commissioning of LP5 and LP6 the following changes were made:

Changed the target acquisition in Visit 02 that is taken with the G130M/1291 mode from LP4 to LP5.

Turned off segment B for all G130M/1327 exposures and moved them to LP5.

WE ADVISE CAREFUL CONSIDERATION OF THESE VISITS AND THEIR COMPARISION DATA/MEASUREMENTS BEFORE EXECUTING THIS PROGRAM.

<sup>\*\*</sup>September 2022 LP5/6 updates\*\*

Proposal 13193 - XAPER, YAPER test (01) - COS Side 2 Initial FUV Checkout

Proposal 13193, XAPER, YAPER test (01), implementation Fri Sep 29 14:01:08 GMT 2023

**Diagnostic Status: Warning** 

Scientific Instruments: COS, COS/FUV Special Requirements: SCHED 100%

Visit

Comments: This visit will perform internal wavecal exposures to replicate XAPER and YAPER moves done previously. Comparison to extant data will ensure that MEB1 ->MEB2 translation is producing the expected results. We start with XAPER offsets (moves in the cross-dispersion direction), then proceed to YAPER offsets (dispersion direction). The XAPER offsets replicate internal exposures from PID 12677, "COS/FUV Mapping of Stray PtNe Lamp Light Through FCA". The XAPER offsets are -21, -63, -84, +21, +42, +84. Light leaks were observed to occur for XAPER offsets greater than -105, and the largest XAPER offset used here is -84. These offsets are with respect to the original lifetime position, so LIFETIME-POS=ORIG is selected. The YAPER offsets replicate exposures from PID 12795, "Second COS FUV Lifetime Position: Verification of Aperture and FUV Spectrum Placement {FENA2}". These offsets are also specified relative to the original lifetime position, so LIFETIME-POS=ORIG is selected. The YAPER offsets are +29, +18, +10, 0, -10, -18, -29. The tests in 12795 were of external target spectra, so only the wavecal portion is replicated here. The XAPER value in use for 12795 is used here, although it is not strictly speaking necessary. CURRENT=low was used in the 12677 and 12795 exposures due to concerns about light leaks, however since none were found at the offsets being used in this program we use the default (CURRENT=medium) value. Special commanding ELNOAPMAIN is required after exposures which use an aperture offset to prevent the aperture being returned to the default value after the exposure. In cy24, definition of LIFETIME\_POS was changed from (ORIGINAL, ALTERNATE and BEST) to (LP1, LP2, LP3,...LP8). Since V01 needs to execute at LP1, LIFETIME\_POS was updated to LP1.


(XAPER, YAPER test (01)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Proposal 13193 - XAPER, YAPER test (01) - COS Side 2 Initial FUV Checkout

#	Label (ETC Run	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	XAPER sta		COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;			8 Secs (8 Secs)	
	ting exposu e	ır		1291 A	LIFETIME-POS=L P1	,		[==>]	[1]
2	XAPER of	fs NONE	COS, ALIGN/APER		XAPER=-21;			0.0 Secs (0 Secs)	
	et of -21				YAPER=0			[==>]	[1]
3	XAPER-21		COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;			8 Secs (8 Secs)	
	G130M/12 1 exposure			1291 A	LIFETIME-POS=L P1	ı		[==>]	[1]
4	XAPER of	fs NONE	COS, ALIGN/APER		XAPER=-63;			0.0 Secs (0 Secs)	
	et of -63				YAPER=0			[==>]	[1]
5	XAPER-63		COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;			8 Secs (8 Secs)	
	G130M/12 1 exposure			1291 A	LIFETIME-POS=L P1			[==>]	[1]
6	XAPER of	fs NONE	COS, ALIGN/APER		XAPER=-84;			0.0 Secs (0 Secs)	
	et of -84				YAPER=0			[==>]	[1]
7	XAPER-84		COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;			8 Secs (8 Secs)	
	G130M/12 1 exposure			1291 A	LIFETIME-POS=L P1			[==>]	[1]
8	XAPER of	fs NONE	COS, ALIGN/APER		XAPER=+21;			0.0 Secs (0 Secs)	
	et of +21				YAPER=0			[==>]	[1]
9	XAPER+2		COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;			8 Secs (8 Secs)	
9	G130M/12 1 exposure			1291 A	LIFETIME-POS=L P1			[==>]	[1]
10	) XAPER of	fs NONE	COS, ALIGN/APER		XAPER=+42;			0.0 Secs (0 Secs)	
	et of +42				YAPER=0			[==>]	[1]
11	XAPER+4		COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;			8 Secs (8 Secs)	
	G130M/12 1 exposure			1291 A	LIFETIME-POS=L P1			[==>]	[1]
12	2 XAPER of	fs NONE	COS, ALIGN/APER		XAPER=+84;			0.0 Secs (0 Secs)	
	et of +84				YAPER=0			[==>]	[1]
13			COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;			8 Secs (8 Secs)	
	G130M/12 1 exposure			1291 A	LIFETIME-POS=L P1			[==>]	[1]
14	YAPER of	fs NONE	COS, ALIGN/APER		XAPER=-73;			0.0 Secs (0 Secs)	
	et of +29 (0)				YAPER=29			[==>]	[1]
15			COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;			8 Secs (8 Secs)	
	G130M/13 9 exposure			1309 A	LIFETIME-POS=L P1			[==>]	[1]
16	YAPER of	fs NONE	COS, ALIGN/APER		XAPER=-73;			0.0 Secs (0 Secs)	
	et of +18 (0)				YAPER=18			[==>]	[1]
17	YAPER+1	8 WAVE	COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;			8.0 Secs (8 Secs)	
	G130M/13 9 exposure			1309 A	LIFETIME-POS=L P1			[==>]	[1]
18	YAPER of	fs NONE	COS, ALIGN/APER		XAPER=-73;			0.0 Secs (0 Secs)	
	et of +10		•		YAPER=10			[==>]	£2.7
	(0)							,	[1]

Proposal 13193 - XAPER, YAPER test (01) - COS Side 2 Initial FUV Checkout

19	YAPER+10 WAVE	COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;	8.0 Secs (8 Secs)	
	G130M/130 9 exposure		1309 A	LIFETIME-POS=L P1	[==>]	[1]
20	YAPER offs NONE	COS, ALIGN/APER		XAPER=-73;	0.0 Secs (0 Secs)	
	et of 0 (0)			YAPER=0	[==>]	[1]
21	YAPER+0 WAVE	COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;	8.0 Secs (8 Secs)	
	G130M/130 9 exposure		1309 A	LIFETIME-POS=L P1	[==>]	[1]
22	YAPER offe NONE	COS, ALIGN/APER		XAPER=-73;	0.0 Secs (0 Secs)	
	st of -10 (0)			YAPER=-10	[==>]	[1]
23	YAPER-10 WAVE	0M/130	G130M	FP-POS=3;	8.0 Secs (8 Secs)	
	G130M/130 9 exposure		1309 A	LIFETIME-POS=L P1	[==>]	[1]
24	YAPER offs NONE	COS, ALIGN/APER		XAPER=-73;	0.0 Secs (0 Secs)	
	et of -18 (0)			YAPER=-18	[==>]	[1]
25	YAPER-18 WAVE	COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;	8.0 Secs (8 Secs)	
	G130M/130 9 exposure		1309 A	LIFETIME-POS=L P1	[==>]	[1]
26	YAPER offs NONE	COS, ALIGN/APER		XAPER=-73;	0.0 Secs (0 Secs)	
	et of -29 (0)			YAPER=-29	[==>]	[1]
27	YAPER-29 WAVE	COS/FUV, TIME-TAG, WCA	G130M	FP-POS=3;	8.0 Secs (8 Secs)	
	G130M/130 9 exposure		1309 A	LIFETIME-POS=L PI	[==>]	[1]



## Proposal 13193 - focus verification: AzV75 (02) - COS Side 2 Initial FUV Checkout

Proposal 13193, focus verification: AzV75 (02), implementation Fri Sep 29 14:01:08 GMT 2023

**Diagnostic Status: Warning**Scientific Instruments: COS/FUV

Special Requirements: SCHED 100%

Comments: This visit obtains external target observations to confirm that the focus using MEB2 remains the best focus. High S/N observations at two cenwaves with widely separated focus values are used to confirm the spectral quality. The target is AzV75 which has been observed previously in the GI30M/1222 and GI30M/1327 settings, which have best focus values at lifetime position 2 of -810 and +631, respectively. The target has been observed in these settings in PIDs 12805 (GI30M/1327) and I3070 (GI30M/1222). An FUV target acquisition is performed, which serves two purposes: (1) it confirms that target acquisitions are not affected by the MEB switch and will be the first FUV target acquisition once the switch occurs, and (2) the FUV dispersed light target acquisition obviates the need for orient restrictions due to a yellow supergiant 16' away from the target.

Regarding the BOT, there is an object at 00:50:30.99 -72:52:21.0, 2MASSJ00503106-7252207, J=11.673, which Simbad says is a yellow supergiant, O5.5 spectral type. It is ~16" away from AzV75. An ETC calculation for a dispersed light target acquisition for the target in the PSA, in which this object might fall in the BOA, shows that there is no safety issue (COS.sa.461620). Thus there is no need for an orient restriction, such as is employed for the imaging target acquisitions of this object in the wavelength scale monitoring programs.

Under operating conditions current in the Spring of 2013 the target used in this visit has continuous visibility through April 2015. Target visibility should be re-evaluated if the operating conditions change, i.e., if for instance one of the gyros is no longer in use at the time this program executes.

Diagnostics

(focus verification: AzV75 (02)) Warning (Orbit Planner): ORBITAL VISIBILITY OVERRUN

(focus verification: AzV75 (02)) Warning (Orbit Planner): ORBITAL VISIBILITY OVERRUN

ြ	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	
gets	(1)	AZV75	RA: 00 50 32.3920 (12.6349667d)		V=12.79	Reference Frame: ICRS	
_			Dec: -72 52 36.48 (-72.87680d)				
₽			Equinox: J2000				


Comments:


Category=CALIBRATION
Description=[FOCUS TEST]

Extended=NÖ

Proposal 13193 - focus verification: AzV75 (02) - COS Side 2 Initial FUV Checkout

S.sa.458	(1) AZV75 (1) AZV75	COS/FUV, ACQ/SEARCH, PSA	G130M 1291 A	STEP-SIZE=1.767; SCAN-SIZE=3; CENTER=FLUX-W T-FLR;	7		0.2 Secs (0.2 Secs) [==>]	
Q/PEAK	(1) AZV75	CONTINUACODE AVAIR DO	1291 A	CENTER=FLUX-W T-FLR;	7		[==>]	
Q/PEAK	(1) AZV75	CONTINUACODE AVANT PRA		T-FLR;	T			
	(1) AZV75	CONTENT A CONTEAUNT DO		LIEETIME DOG I				[1]
	(1) AZV75	COC/ELIN ACO/DEAKAR BOA		LIFETIME-POS=L P5				
S sa 458		COS/FUV, ACQ/PEAKXD, PSA	G130M	LIFETIME-POS=LF	•		0.2 Secs (0.2 Secs)	
5.54.756			1291 A	5; NUM-POS=3			[==>]	[1]
s: APT 25.	1.1 includes the	COS APT Requirements - PEAKXD Upda	te: Added optiona	l parameter NUM-POS=	1			
Q/PEAK	(1) AZV75	COS/FUV, ACQ/PEAKD, PSA	G130M	NUM-POS=5;			0.2 Secs (0.2 Secs)	
S sa 458			1291 A	STEP-SIZE=0.9;			[==>]	
J.54. 150				CENTER=FLUX-W T-FLR;	7			[1]
				LIFETIME-POS=L P5				
0M-132	(1) AZV75	COS/FUV, TIME-TAG, PSA	G130M	BUFFER-TIME=12			350. Secs (984 Secs)	
S en 196			1327 A	8.;			[==>246.0 Secs (Split 1)]	
5.sp. <del>4</del> 70				<i>,</i>			[==>246.0 Secs (Split 2)]	
				,			[==>246.0 Secs (Split 3)]	[1]
				LIFETIME-POS=L P5;			[==>246.0 Secs (Split 4)]	
				SEGMENT=A				
s: The ETO	C calculation giv ne 15000 cps scre	res a warning that the glocal count rate for eening limit. Previous observations confir	r each segment excom that this object i	eeds the segment/stripe l is not variable and is safe	imit for irregularly- to observe.	variable sources. Th	e count rates are ~9000 cps on each of FUV	VA and FU
0M-122	(1) AZV75	COS/FUV, TIME-TAG, PSA	G130M	FP-POS=ALL;			480. Secs (1960 Secs)	
S cn 458			1222 A	BUFFER-TIME=12			[==>490.0 Secs (Split 1)]	
3.sp.436				0;			[==>490.0 Secs (Split 2)]	
				FLASH=YES;			[==>490.0 Secs (Split 3)]	[2]
				LIFETIME-POS=L P4			[==>490.0 Secs (Split 4)]	
S:: (2)// S (3): (3): (3): (4): (4): (4): (4): (4): (4): (4): (4	PEAK .sa.458 .M-132 .sp.496 .The ETG below th M-122 .sp.458	PEAK (1) AZV75  a.sa.458  M-132 (1) AZV75  b.sp.496  The ETC calculation gives below the 15000 cps scr. M-122 (1) AZV75  a.sp.458	PEAK (1) AZV75 COS/FUV, ACQ/PEAKD, PSA  S.sa.458  M-132 (1) AZV75 COS/FUV, TIME-TAG, PSA  S.sp.496  The ETC calculation gives a warning that the glocal count rate for below the 15000 cps screening limit. Previous observations confinately M-122 (1) AZV75 COS/FUV, TIME-TAG, PSA  S.sp.458  The ETC calculation gives a warning that the glocal count rate for the ETC calculation gives a warning that the glocal count rate for	PEAK (1) AZV75 COS/FUV, ACQ/PEAKD, PSA G130M 1291 A  M-132 (1) AZV75 COS/FUV, TIME-TAG, PSA G130M 1327 A  The ETC calculation gives a warning that the glocal count rate for each segment exc below the 15000 cps screening limit. Previous observations confirm that this object of m-122 (1) AZV75 COS/FUV, TIME-TAG, PSA G130M 1222 A	PEAK (1) AZV75 COS/FUV, ACQ/PEAKD, PSA G130M NUM-POS=5;  .sa.458  1291 A STEP-SIZE=0.9;  CENTER=FLUX-W T-FLR;  LIFETIME-POS=L P5  M-132 (1) AZV75 COS/FUV, TIME-TAG, PSA G130M BUFFER-TIME=12 8.; FLASH=YES; FP-POS=ALL; LIFETIME-POS=L P5; SEGMENT=A  The ETC calculation gives a warning that the glocal count rate for each segment exceeds the segment/stripe libelow the 15000 cps screening limit. Previous observations confirm that this object is not variable and is safe M-122 (1) AZV75 COS/FUV, TIME-TAG, PSA G130M FP-POS=ALL; .sp.458  1222 A BUFFER-TIME=12 0; FLASH=YES; LIFETIME-POS=L P4  The ETC calculation gives a warning that the glocal count rate for segment A exceeds the segment/stripe limit.	LifeTime-Pos=L P5  M-132 (1) AZV75 COS/FUV, TIME-TAG, PSA G130M BUFFER-TIME=12 Sp.496  M-132 (1) AZV75 COS/FUV, TIME-TAG, PSA G130M BUFFER-TIME=12 Sp.496  FLASH=YES; FP-POS=ALL; LifeTime-Pos=L P5; SEGMENT=A  The ETC calculation gives a warning that the glocal count rate for each segment exceeds the segment/stripe limit for irregularly-telow the 15000 cps screening limit. Previous observations confirm that this object is not variable and is safe to observe.  M-122 (1) AZV75 COS/FUV, TIME-TAG, PSA G130M FP-POS=ALL; Sp.458  1222 A BUFFER-TIME=12 0; FLASH=YES; LIFETIME-POS=L P4  The ETC calculation gives a warning that the glocal count rate for segment A exceeds the segment/stripe limit for irregularly-var.	PEAK (1) AZV75 COS/FUV, ACQ/PEAKD, PSA G130M NUM-POS=5;  .sa.458  .sa.458	PEAK (1) AZV75 COS/FUV, ACQ/PEAKD, PSA G130M NUM-POS=5; .sa.458  1291 A STEP-SIZE=0.9; CENTER=FLUX-W T-FLR; LIFETIME-POS=L PS  M-132 (1) AZV75 COS/FUV, TIME-TAG, PSA G130M BUFFER-TIME=12 .sp.496  M-132 (1) AZV75 COS/FUV, TIME-TAG, PSA G130M BUFFER-TIME=12 .sp.496






<u>Pro</u>	posal 13193 - focus	verification: PG0832 continger	ncy (03) - COS Side 2 Initial F	UV Checkout	
	Proposal 13193, focus verification	on: PG0832 contingency (03), implementation			Fri Sep 29 14:01:09 GMT 20
isit	Diagnostic Status: Warning				
Ϊ́	Scientific Instruments: COS/FUV	, COS/NUV			
	Special Requirements: SCHED 10	00%			
Diagnostics	(focus verification: PG0832 conti	ngency (03)) Warning (Orbit Planner): ORBITAL	. VISIBILITY OVERRUN		
	# Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
ts	(2) PG0832+676	RA: 08 37 34.7328 (129.3947200d)	Proper Motion RA: -0.942 mas/yr	V=14.12+/-0.1	Reference Frame: ICRS
§		Dec: +67 24 13.59 (67.40378d)	Proper Motion Dec: -2.994 mas/yr		
Targets		Equinox: J2000	Epoch of Position: 2000		
Fixed .	Comments: Coordinate and prope Gaia DR2 Category=STAR Description=[POST-AGB STAR] Extended=NO	er motion information taken from SIMBAD: http://	//simbad.u-strasbg.fr/simbad/sim-id?Ident=%404	11127&Name=PG%200832%2	2b676&submit=submit

Proposal 13193 - focus verification: PG0832 contingency (03) - COS Side 2 Initial FUV Checkout

#	ŧ I	Label ETC Run)	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	ii b ((	mage_acq_ ooa COS.ta.116	(2) PG0832+676	COS/NUV, ACQ/IMAGE, BOA	MIRRORA				48 Secs (48 Secs) [==>]	[1]
		1669)	20 march od							1
2	2 1	ents: S/N of 1222_1 COS.sp.116 1670)	(2) PG0832+676	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=20 0; FP-POS=1; LIFETIME-POS=L P4			400 Secs (400 Secs) [==>]	[1]
	Comm	ents: S/N of	60 per resel @ 1250.	A when FP-POS combined		F4				
3	3 1	1222_2 COS.sp.116 1670)	(2) PG0832+676	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=20 0; FP-POS=2; LIFETIME-POS=L P4			400 Secs (400 Secs)  [==>]	[1]
(	Comm	ents: S/N of	60 per resel when Fi	P-POS combined						
4	(	1222_3 COS.sp.116 1670)	(2) PG0832+676	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=20 0; FP-POS=3; LIFETIME-POS=L P4			400 Secs (400 Secs) [==>]	[1]
	Comm	ents: S/N of	60 per resel when Fi	P-POS combined		14				1
Exposures	(0	222_4 COS.sp.116 (670)	(2) PG0832+676	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=20 0; FP-POS=4; LIFETIME-POS=L			400 Secs (400 Secs) [==>]	[1]
	~	anta, C/M of	60 per resel when Fi	D DOC sombined		P4				
6	5 1 (0 1	1327_1 COS.sp.116 1673)	(2) PG0832+676	COS/FUV, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=16 2; FP-POS=1; LIFETIME-POS=L P5; SEGMENT=A			480 Secs (485 Secs) [==>485.0 Secs ]	[2]
7				A when FP-POS combined	G130M	DUEEED TIME 16			490 C (495 C)	
	(	1327_2 COS.sp.116 1673)	(2) PG0832+676	COS/FUV, TIME-TAG, PSA	1327 A	BUFFER-TIME=16 2; FP-POS=2; LIFETIME-POS=L P5; SEGMENT=A			480 Secs (485 Secs) [==>485.0 Secs ]	[2]
(	Comm	ents: S/N of	60 per resel when Fi	P-POS combined		220112111-11				1
C	Comm	ents: S/N of	60 per resel when Fi	P-POS combined		SEUMEN I=A				1

Proposal 13193 - focus verification: PG0832 contingency (03) - COS Side 2 Initial FUV Checkout

003ai 13133 100	as vermeation.	1 COOSE CONTINE	Citcy (00)	OCO GIGE 2 ITILIAL I OV CHECKOUL		
8 1327_3 (2) PG0 (COS.sp.116 1673)	332+676 COS/FUV	, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=16 2; FP-POS=3; LIFETIME-POS=L P5; SEGMENT=A	480 Secs (485 Secs) [==>485.0 Secs]	[2
Comments: S/N of 60 per re 9 1327_4 (2) PG0 (COS.sp.116 1673)		ned ', TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=16 2; FP-POS=4; LIFETIME-POS=L P5; SEGMENT=A	480 Secs (485 Secs) [==>485.0 Secs ]	[2



<u>Pr</u>	o	oosal 13193 - focus	verification: BD63 1964 contin	ngency (04) - COS Side 2 Initi	al FUV Checkout	
		Proposal 13193, focus verificat	ion: BD63_1964 contingency (04), implementati	ion		Fri Sep 29 14:01:09 GMT 2023
Visit	<b>5</b>	Diagnostic Status: Warning				
5	•	Scientific Instruments: COS/FU	V, COS/NUV			
		Special Requirements: SCHED	100%			
SS	3	(focus verification: BD63_1964	contingency (04)) Warning (Orbit Planner): ORBI	TAL VISIBILITY OVERRUN		
i.	5	(focus verification: BD63_1964	contingency (04)) Warning (Orbit Planner): ORBI	TAL VISIBILITY OVERRUN		
2	2	(focus verification: BD63_1964	contingency (04)) Warning (Orbit Planner): ORBI	TAL VISIBILITY OVERRUN		
ag	3	(focus verification: BD63_1964	contingency (04)) Warning (Orbit Planner): ORBI	TAL VISIBILITY OVERRUN		
قا	5					
	j	# Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
9	3	(3) BD+631964	RA: 23 17 21.5627 (349.3398446d)	Proper Motion RA: -6.765 mas/yr	V=8.49	Reference Frame: ICRS
argets	2		Dec: +64 07 16.17 (64.12116d)	Proper Motion Dec: -0.753 mas/yr		
, e	3		Equinox: J2000	Epoch of Position: 2000		
=	<u>,</u>	Comments: Coordinates and pro	per motion information taken from SIMBAD:			
× ě		http://simbad.u-strasbg.fr/simba Gaia DR2.	d/sim-id?Ident=BD%2B631964&NbIdent=1&Raa	lius=2&Radius.unit=arcmin&submit=submit+id		
ĮΪ	-	Category=STAR				
		Description=[B0-B2 III-I] Extended=NO				

Proposal 13193 - focus verification: BD63 1964 contingency (04) - COS Side 2 Initial FUV Checkout

] Orl	Exp. Time (Total)/[Actual Dur.]	Groups	Special Reqs.	Opt. Params.	Spectral Els.	Config,Mode,Aperture	Target n)	Label (ETC Run
	32 Secs (32 Secs)				MIRRORA	COS/NUV, ACQ/IMAGE, BOA	q_ (3) BD+631964	
[1	[==>]						16	boa (COS.ta.11 1678)
							of 40 reached	Comments: S/N o
	995 Secs (1007 Secs)			BUFFER-TIME=27	G130M	COS/FUV, TIME-TAG, PSA	(3) BD+631964	1222_1
	[==>1007.0 Secs ]			6;	1222 A		16	(COS.sp.11 7582)
[1				FP-POS=1; LIFETIME-POS=L P4				7302)
						when FP-POS combined	of 40 per resel @1180A	Comments: S/N o
	995 Secs (1007 Secs)			BUFFER-TIME=27	G130M	COS/FUV, TIME-TAG, PSA	(3) BD+631964	1222_2
	$[==>1007.0 \ Secs \ ]$			6;	1222 A		16	(COS.sp.11 7582)
[1				FP-POS=2;				,
				LIFETIME-POS=L P4				
L .						when FP-POS combined	of 40 per resel @1180A	Comments: S/N o
	1190 Secs (1146 Secs)			BUFFER-TIME=27	G130M	COS/FUV, TIME-TAG, PSA	(3) BD+631964	1222_3
	[==>1146.0  Secs  ]			6;	1222 A		16	(COS.sp.11 7582)
[2				FP-POS=3;				1362)
1-				LIFETIME-POS=L P4				
				14		when FP-POS combined	of 40 ner resel @ 1180	Comments: S/N a
	1190 Secs (1146 Secs)			BUFFER-TIME=27	G130M	COS/FUV, TIME-TAG, PSA	(3) BD+631964	1222 4
	J=>1146.0  Secs  J			6;	1222 A	000,101,11112 1110,1211	16	(COS.sp.11
[2	l villione sees j			FP-POS=4;	12211			7582)
12				LIFETIME-POS=L				
				P4		I ED DOG II I	. (40 1.01100	
	1190 Secs (1160 Secs)			BUFFER-TIME=14	G130M	When FP-POS combined COS/FUV, TIME-TAG, PSA	(3) BD+631964	1327_1
	[==>1160.0 Secs ]			5;	1327 A	COS/FUV, THVIE-TAG, FSA	31	(COS.sp.13
	[>1100.0 Secs ]			FP-POS=1;	1327 A			4278)
[3				LIFETIME-POS=L				
				P5;				
				SEGMENT=A				
					t variable	50A when FP-POS combined at 1180A egularly variable sources. Target is no	of 50-60 per resel @11 untrate exceeded for irr	Comments: S/N o
	1190 Secs (1160 Secs)			BUFFER-TIME=14	G130M	COS/FUV, TIME-TAG, PSA	(3) BD+631964	1327_2
	J = > 1160.0  Secs  J			5;	1327 A	000,101,11112 1110,1211	31	(COS.sp.13
	l vilous sees j			FP-POS=2;	102/11			4278)
[3				LIFETIME-POS=L				
				P5;				
ļ				SEGMENT=A		504 1 ED DOG 1: 1 11004		
				SEGWENT-A		50A when FP-POS combined at 1180A	of 50-60 per resel @11	Comments: S/N o

Proposal 13193 - focus verification: BD63 1964 contingency (04) - COS Side 2 Initial FUV Checkout

(C	327_3 (3) BD+631964 COS.sp.131 278)	COS/FUV, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=14 5; FP-POS=3; LIFETIME-POS=L P5; SEGMENT=A	1190 Secs (1160 Secs) [==>1160.0 Secs]	[4]
9 13 (C	nts: S/N of 50-60 per resel @115 327_4 (3) BD+631964 COS.sp.131 278)	50A when FP-POS combined at 1180A COS/FUV, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=14 5; FP-POS=4; LIFETIME-POS=L P5; SEGMENT=A	1190 Secs (1160 Secs) [==>1160.0 Secs]	[4]

