



14437 - COS FUV Internal/External Wavelength Scale Monitor

Cycle: 23, Proposal Category: CAL/COS

(Calibration)

(Availability Mode: RESTRICTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Paule G. Sonnentrucker (PI) (ESA Member) (Contact)	Space Telescope Science Institute - ESA	sonnentr@stsci.edu
Dr. Cristina Oliveira (CoI)	Space Telescope Science Institute	oliveira@stsci.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) AV75 DARK	COS/FUV COS/NUV S/C	3	09-Apr-2016 21:17:44.0	yes
51	(1) AV75 DARK	COS/FUV COS/NUV S/C	3	09-Apr-2016 21:17:49.0	yes

6 Total Orbits Used

ABSTRACT

This program monitors the offset between the internal and external dispersion solutions. This offset is referred to as DELTA in the wavelength dispersion reference file and corrects for the shift between the WCA and PSA in TV03 versus the shift between WCA and PSA on orbit. Analysis indicates that DELTA is independent of cenwave and FP-POS for a given grating, but is grating and stripe dependent. To monitor this, the program observes selected cenwaves at multiple FP-POS positions.

OBSERVING DESCRIPTION

To continue monitoring the COS/FUV dispersion solutions at new lifetime position 3, we re-instate the full monitoring program that was adopted in Cycle 21 program 13522. This comprehensive monitoring includes taking spectra with the G130M/1096-1222-1291 and 1327, the G160M/1577 and 1623 and the G140L/1280 and 1105. FP-POS are alternated between exposures to fulfill our S/N requirements and mitigate the effects of gain sag. Orients have been put in place to avoid two field objects that are too bright for the PSA/MIRRORA when performing the TA with the BOA. The detailed clearance of the target and crowded field was done in the CS review of calibration program 13070. Data from calibration programs in previous cycles were used for updating the Cycle 23 ETC calculations.

To mitigate future issues with GS acquisition for this target and field we added a ACQ/SEARCH in the TA sequence. Such change was applied to P13931 (LCAL2) as well with success. This change should be carried forward for this target to avoid future failures (see HOPR 83980).


Proposal 14437 - Visit 01 - COS FUV Internal/External Wavelength Scale Monitor


Sun Apr 10 01:17:51 GMT 2016

Visit	Proposal 14437, Visit 01, failed Diagnostic Status: Warning Scientific Instruments: S/C, COS/FUV, COS/NUV Special Requirements: SCHED 100%; ORIENT 270D TO 60 D; ORIENT 165D TO 165 D; BETWEEN 14-MAR-2016:00:00:00 AND 23-MAR-2016:00:00:00					
	(Visit 01) Warning (Form): For the best data quality, it is strongly recommended that all four FP-POS positions be used when observing at a given COS CENWAVE setting.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(1)	AV75	RA: 00 50 32.3900 (12.6349583d) Dec: -72 52 36.48 (-72.87680d) Equinox: J2000		V=12.79	Reference Frame: ICRS
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Extended=NO						

Proposal 14437 - Visit 01 - COS FUV Internal/External Wavelength Scale Monitor

Exposures	#	Label (ETC Run)	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	(COS.ta.751 258)	(1) AV75	COS/NUV, ACQ/IMAGE, BOA	MIRRORA					13.0 Secs (13 Secs)	
									[==>]	[1]	
	2	(COS.sp.751 604)	(1) AV75	COS/FUV, TIME-TAG, PSA	G130M 1096 A	BUFFER-TIME=29 0; FP-POS=2				620. Secs (620 Secs)	
									[==>]	[1]	
	3	(COS.sp.751 604)	(1) AV75	COS/FUV, TIME-TAG, PSA	G130M 1096 A	BUFFER-TIME=29 0; FP-POS=4				620. Secs (620 Secs)	
									[==>]	[1]	
	4	(COS.sp.751 610)	(1) AV75	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=12 0; FP-POS=1				226. Secs (226 Secs)	
									[==>]	[1]	
	5	(COS.sp.751 610)	(1) AV75	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=12 0; FP-POS=3				226. Secs (226 Secs)	
									[==>]	[2]	
	6	(COS.sp.751 619)	(1) AV75	COS/FUV, TIME-TAG, PSA	G130M 1291 A	BUFFER-TIME=12 0; FP-POS=2				191. Secs (191 Secs)	
									[==>]	[2]	
	7	(COS.sp.751 619)	(1) AV75	COS/FUV, TIME-TAG, PSA	G130M 1291 A	BUFFER-TIME=12 0; FP-POS=4				191. Secs (191 Secs)	
									[==>]	[2]	
	8	(COS.sp.751 620)	(1) AV75	COS/FUV, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=12 0; FP-POS=1				192. Secs (192 Secs)	
								[==>]	[2]		
9	(COS.sp.751 620)	(1) AV75	COS/FUV, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=12 0; FP-POS=3				192. Secs (192 Secs)		
								[==>]	[2]		
10	(COS.sp.751 626)	(1) AV75	COS/FUV, TIME-TAG, PSA	G160M 1577 A	BUFFER-TIME=12 4; FP-POS=2				305 Secs (305 Secs)		
								[==>]	[2]		
11	(COS.sp.751 626)	(1) AV75	COS/FUV, TIME-TAG, PSA	G160M 1577 A	BUFFER-TIME=12 4; FP-POS=4				305. Secs (305 Secs)		
								[==>]	[3]		
12	(COS.sp.751 627)	(1) AV75	COS/FUV, TIME-TAG, PSA	G160M 1623 A	BUFFER-TIME=15 4; FP-POS=1				369. Secs (369 Secs)		
								[==>]	[3]		
13	(COS.sp.751 627)	(1) AV75	COS/FUV, TIME-TAG, PSA	G160M 1623 A	BUFFER-TIME=15 4; FP-POS=3				369. Secs (369 Secs)		
								[==>]	[3]		
14	(COS.sp.751 629)	(1) AV75	COS/FUV, TIME-TAG, PSA	G140L 1280 A	BUFFER-TIME=80; FP-POS=3				80. Secs (80 Secs)		
								[==>]	[3]		
15		DARK	S/C, DATA, NONE				QASISTATES COS FUV HVLOW HVL OW		1 Secs (1 Secs)		
								[==>]	[3]		
<i>Comments: Eliminates SPSS induced reconfiguration gaps.</i>											
16	(COS.sp.751 630)	(1) AV75	COS/FUV, TIME-TAG, PSA	G140L 1105 A	BUFFER-TIME=80; FP-POS=3				80 Secs (80 Secs)		
								[==>]	[3]		





Proposal 14437 - Visit 51 - COS FUV Internal/External Wavelength Scale Monitor

Sun Apr 10 01:17:51 GMT 2016

Visit	<p>Proposal 14437, Visit 51 Diagnostic Status: Warning Scientific Instruments: S/C, COS/FUV, COS/NUV Special Requirements: SCHED 100%; ORIENT 275D TO 60 D; ORIENT 160D TO 165 D; BETWEEN 01-JUN-2016:00:00:00 AND 16-JUL-2016:00:00:00 <i>Comments: This is a repeat of V01 (HOPR83980). The TA failed due to GS issues. To mitigate future issues with the acquisition of this target we added a ACQ/SEARCH in the TA sequence. Such change was applied to P13931 (LCAL2) as well with success. This change should be carried forward for this target to avoid future failures.</i></p>																
	<p>(Visit 51) Warning (Form): For the best data quality, it is strongly recommended that all four FP-POS positions be used when observing at a given COS CENWAVE setting.</p>																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>AV75</td> <td>RA: 00 50 32.3900 (12.6349583d) Dec: -72 52 36.48 (-72.87680d) Equinox: J2000</td> <td></td> <td>V=12.79</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(1)	AV75	RA: 00 50 32.3900 (12.6349583d) Dec: -72 52 36.48 (-72.87680d) Equinox: J2000		V=12.79	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(1)	AV75	RA: 00 50 32.3900 (12.6349583d) Dec: -72 52 36.48 (-72.87680d) Equinox: J2000		V=12.79	Reference Frame: ICRS												
<p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Extended=NO</i></p>																	

Proposal 14437 - Visit 51 - COS FUV Internal/External Wavelength Scale Monitor

#	Label (ETC Run)	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
Exposures	1	(COS.ta.794 (1) AV75 967)	COS/NUV, ACQ/SEARCH, BOA	MIRRORA	STEP-SIZE=1.767; SCAN-SIZE=2; CENTER=FLUX-W T			7.3 Secs (7.3 Secs) [==>]	[1]
	2	(COS.ta.751 (1) AV75 258)	COS/NUV, ACQ/IMAGE, BOA	MIRRORA				13.0 Secs (13 Secs) [==>]	[1]
	3	(COS.sp.751 (1) AV75 604)	COS/FUV, TIME-TAG, PSA	G130M 1096 A	BUFFER-TIME=29 0; FP-POS=2			620. Secs (620 Secs) [==>]	[1]
	4	(COS.sp.751 (1) AV75 604)	COS/FUV, TIME-TAG, PSA	G130M 1096 A	BUFFER-TIME=29 0; FP-POS=4			620. Secs (620 Secs) [==>]	[1]
	5	(COS.sp.751 (1) AV75 610)	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=12 0; FP-POS=1			226. Secs (226 Secs) [==>]	[1]
	6	(COS.sp.751 (1) AV75 610)	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=12 0; FP-POS=3			226. Secs (226 Secs) [==>]	[2]
	7	(COS.sp.751 (1) AV75 619)	COS/FUV, TIME-TAG, PSA	G130M 1291 A	BUFFER-TIME=12 0; FP-POS=2			191. Secs (191 Secs) [==>]	[2]
	8	(COS.sp.751 (1) AV75 619)	COS/FUV, TIME-TAG, PSA	G130M 1291 A	BUFFER-TIME=12 0; FP-POS=4			191. Secs (191 Secs) [==>]	[2]
	9	(COS.sp.751 (1) AV75 620)	COS/FUV, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=12 0; FP-POS=1			192. Secs (192 Secs) [==>]	[2]
	10	(COS.sp.751 (1) AV75 620)	COS/FUV, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=12 0; FP-POS=3			192. Secs (192 Secs) [==>]	[2]
	11	(COS.sp.751 (1) AV75 626)	COS/FUV, TIME-TAG, PSA	G160M 1577 A	BUFFER-TIME=12 4; FP-POS=2			305 Secs (305 Secs) [==>]	[2]
	12	(COS.sp.751 (1) AV75 626)	COS/FUV, TIME-TAG, PSA	G160M 1577 A	BUFFER-TIME=12 4; FP-POS=4			305. Secs (305 Secs) [==>]	[3]
	13	(COS.sp.751 (1) AV75 627)	COS/FUV, TIME-TAG, PSA	G160M 1623 A	BUFFER-TIME=15 4; FP-POS=1			369. Secs (369 Secs) [==>]	[3]
	14	(COS.sp.751 (1) AV75 627)	COS/FUV, TIME-TAG, PSA	G160M 1623 A	BUFFER-TIME=15 4; FP-POS=3			369. Secs (369 Secs) [==>]	[3]
	15	(COS.sp.751 (1) AV75 629)	COS/FUV, TIME-TAG, PSA	G140L 1280 A	BUFFER-TIME=80; FP-POS=3			80. Secs (80 Secs) [==>]	[3]
	16	DARK	S/C, DATA, NONE				QASISTATES COS FUV HVLOW HVL OW	1 Secs (1 Secs) [==>]	[3]

Comments: Eliminates SPSS induced reconfiguration gaps.

Proposal 14437 - Visit 51 - COS FUV Internal/External Wavelength Scale Monitor

17	(COS.sp.751 (1) AV75 630)	COS/FUV, TIME-TAG, PSA	G140L 1105 A	BUFFER-TIME=80; FP-POS=3	80 Secs (80 Secs) [==>]	[3]
----	------------------------------	------------------------	-----------------	-----------------------------	----------------------------	-----

