

**Situation report period covered – 01 April 2024– 21 April 2024**

*This report provides an update of the African swine fever (ASF) situation, according to the information submitted through the World Animal Health Information System of the World Organisation for Animal Health (WAHIS) between 01 April 2024 and 21 April 2024.*

**Key messages and Recommendations**

- During the period covered by this report **one country in Europe** reported new ASF events, while **one country in Africa** and **eight countries in Europe** updated their ongoing events. No new events or updates on ongoing events have been provided by countries in the Americas, Asia, and Oceania. **Twelve** new outbreaks were reported in domestic pigs and **117** in wild boar.
- **Cote D'Ivoire** notified an event outside the period covered by this report (event start date March 13). Cote D'Ivoire notified the **first occurrence of ASF in a zone** (Sassandra-Marahoué administrative division). The source of the event was identified as the introduction of new live animals. This report is not considered in the statistics below as it started before the period covered by this situation report. In addition, before the period covered by the report, Russia notified three recurrences of ASF in different zones.
- Since January 2022, **10** countries have reported ASF as a first occurrence in the country, while **10** countries have reported its spread to new zones.
- During the period covered by this report, **one** country reported the recurrence of ASF: Ukraine.
- ASF continues to represent a global threat and WOAHA highlights the importance of implementing strict biosecurity, an early reporting and response system, and maintaining a high level of disease awareness among all actors involved in the value chain.
- There are countries that have approved or are conducting field trials of the use of modified live vaccine candidates against ASF Genotype II. As with all vaccines, [WOAH stresses the importance of using only high-quality vaccines](#) with demonstrated effectiveness and safety, in accordance with standards in the Terrestrial Manual.
- The use of non-compliant and poor-quality vaccines may not confer any protection against ASF and risks spreading vaccine viruses that could result in acute or chronic disease. These vaccine viruses could also recombine with field strains to generate novel strains that could evade detection and result in acute, chronic and persistent ASF infections.
- Any vaccination strategy for ASF should be undertaken as part of a well-designed vaccination programme that considers factors including the local epidemiology of ASF, the expected objectives and the adequacy and sustainability of the relevant technical, financial and human resources. The vaccination programme should also include post-vaccination

surveillance and monitoring as well as an exit strategy for the cessation of vaccination, as per [Chapter 4.18](#) of the Terrestrial Code.

- WOAHA urges its Members to continue to promptly notify the occurrence of ASF and to share the relevant epidemiological information, including information on any newly detected recombinant strains and vaccination trials that can facilitate transparency and assist the global control of the disease.

### Recent updates (01/04/2024 – 21/04/2024)

To describe the current disease situation of ASF, this section covers: (a) a list of new events which started during the period (reported through INs); (b) information on events that started before the period but were still ongoing during the period (reported through FURs); (c) new events which started before the period but were reported through INs during the period and (d) the geographic distribution of new outbreaks that started during the period. This information is based on INs and FURs received by the World Organisation for Animal Health (WOAH). The outbreaks are displayed on a map in Figure 1.

#### **New events by world region (reported through INs)**

(see Figure 1)

##### Europe

Ukraine reported three recurrences of the disease (events started on 03, 08, and 16 April respectively in Odessa, Poltava, and Donets'k administrative divisions)

##### Asia, Africa, Americas, and Oceania

No new events reported

#### **On-going events for which there were new outbreaks, by world region (reported through FURs)**

(see Figure 1):

##### Africa

One country updated its ongoing event: South Africa

##### Europe

Eight countries updated their ongoing events: Greece, Hungary, Italy, Latvia, Poland, Romania, Sweden, and Ukraine.

##### Asia, Americas, and Oceania

No ongoing events updated

The number of outbreaks, cases and losses during the period covered by this report are displayed in table 1.

**Table 1: Summary of the number of outbreaks, cases and animal losses caused by ASF in the different world regions during the reporting period.**

	Outbreaks		Cases		Losses*
	Domestic pigs	Wild boar	Domestic pigs	Wild boar	Domestic pigs
<b>Africa</b>	1	0	155	0	155
<b>Americas</b>	0	0	0	0	0
<b>Asia</b>	0	0	0	0	0
<b>Europe</b>	11	117	56	160	85
<b>Oceania</b>	0	0	0	0	0
<b>Total</b>	12	117	211	160	240

\*Losses (deaths + animals killed and disposed of): this figure refers to losses in the establishments affected by the outbreaks and it does not include the animals culled in areas around the outbreak for controlling the disease.

### Recent updates outside reporting period

Events, reported through INs, which started before the reporting period, but reported during the reporting period of the previous situation report are listed here to capture any new events whose outbreaks would not be captured otherwise.

#### **New events by world region (reported through INs) which started before the reporting period**

##### Africa

Cote D'Ivoire reported the first occurrence of the disease in a zone (in Sassandra-Marahoué administrative division, event started on 13 March).

##### Europe

Russia reported three recurrences of the disease (events started on 22, 23, and 24 March respectively in Khabarovsk, Khanty-Mansiy, and Chelyabinsk administrative divisions)

##### Americas, Asia, and Oceania

No new events reported

### Self-declaration of freedom for ASF submitted during the reporting period

Twenty-one self-declarations from 20 countries are currently active (Table 2)

**Table 2: African swine fever self-declarations of freedom submitted to WOA that are still active. The table shows the date since which the declaration has been active and whether it covers the whole country, a zone or a compartment. The table is sorted with the most recent self-declaration at the top.**

Member	From	Country/zone/ compartment
Mexico	21-03-24	Country
Azerbaijan	22-01-24	Country
Netherlands	14-02-23	Country
Ireland	09-11-23	Country
United States of America	06-10-21	Country
United States of America	06-10-21	Zone
Belgium	01-10-20	Country
Canada	03-07-19	Country
Kazakhstan	22-10-18	Country
Mauritius	23-04-12	Country
Austria	01-11-07	Country
Cyprus	01-11-07	Country
Denmark	01-11-07	Country
Finland	01-11-07	Country
France	01-11-07	Country
Italy	01-11-07	Zone
Luxembourg	01-11-07	Country
Portugal	01-11-07	Country
Slovenia	01-11-07	Country
Spain	01-11-07	Country
United Kingdom	01-11-07	Country




Figure 1: Map of ASF outbreaks which started during 01 April 2024 – 21 April 2024 in domestic animals and wildlife. Zoomed views of areas where updates occurred in the last period are provided as well.

### Summary of the ASF situation by world region (2022-2024)

In total, since January 2022 ASF has been reported as present in five different world regions in 53 countries, affecting more than 490,000 pigs and more than 19,000 wild boars (data reported through INs and FURs), with more than 1,392,000 animal losses. Further details, split by world region, are included in Table 3.

**Table 3: Summary of the number of outbreaks, cases and animal losses caused by ASF in the different world regions since January 2022 (data reported through INs and FURs – these figures cover only epizootic situations while additional information reported through SMR for enzootic situations are not included here because of submission delays).**

	Outbreaks		Cases		Losses*
	Domestic pigs	Wild boar	Domestic pigs	Wild boar	Domestic pigs
<b>Africa</b>	164	0	24,682	0	32,461
<b>Americas</b>	53	0	355	0	4,940
<b>Asia</b>	1,817	102	65,046	500	353,187
<b>Europe</b>	4,556	12,480	400,238	18,680	1,002,061
<b>Oceania</b>	0	0	0	0	0
<b>Total</b>	6,590	12,582	490,321	19,180	1,392,649

\*Losses (deaths + animals killed and disposed of): this figure refers to losses in the establishments affected by the outbreaks and it does not include the animals culled in areas around the outbreak for controlling the disease.

#### More information and WOAAH resources

- [ASF webpage](#)
- [Awareness communication tools](#)
- WOAAH *Terrestrial Animal Health Code*
- WOAAH [Manual](#) of Diagnostic Tests and Vaccines for Terrestrial Animals
- ASF Reference Laboratory [summary](#) of available PoC kits to guide field workers, practitioners and decision-makers in their use

For any press inquiry on ASF, you can email us at [media@woah.org](mailto:media@woah.org)