

## Study measures toughness of bettong and potoroo foods to aid in conservation efforts

July 8 2024



Long-nosed Potoroo (Potorous tridactylus) photographed at Cleland Wildlife Park, South Australia . Credit: Peripitus, <u>CC BY-SA</u>



From sifting through topsoil for native truffles to cracking open hard shells of seeds and nuts to munch on the tasty kernels, Australia bettongs and potoroos are described as "ecosystem engineers" in a two-way relationship between their rich diet and environmental health.

However, with native ecosystems and potoroid marsupial numbers in decline, ecology and evolution experts led by Flinders University are working to understand how difficult it is to bite into the foods these leading foragers seek out.

This information can be used to assess their ability to survive in conservation or new reserves, or in the formulation of captive diets, explains Dr. Rex Mitchell, research associate at the College of Science and Engineering at Flinders University.

"Revitalizing the populations and distributions of bettongs and potoroos is really important for maintaining biodiversity and healthy ecosystems in Australia," says Dr. Rex Mitchell.

"Important to these <u>conservation efforts</u> is a clearer understanding of the hardness and toughness of potoroid diets from various habitats, and comparing these with farmed foods or dietary supplements commonly used in captivity."

Australia's potoroid marsupials have built a rich gastronomic preference, living on a diverse menu of nutritious and easily digested wild foods including roots and tubers, fruit, fungi, seeds, leaves and even <a href="mailto:small">small</a> animals and insects. Digging up these delicacies leads to vegetation and nutrient mixing in soils, <a href="mailto:seed">seed</a> and fungi dispersal across the landscape, and plant regeneration.

All this makes them invaluable contributors to ecosystem function.



Field work was undertaken in the New England region of NSW and the Simpson Desert in South Australia was undertaken to measure the food mechanical properties of potoroo and bettong diets, to compare their diets to commercially available alternatives as possible substitutes or additional food sources.

The <u>article</u>, "The mechanical properties of bettong and potoroo foods," has been published in the journal *Australian Mammology*.

"An intriguing behavior of potoroids such as the woylie (Bettongia penicillata) and burrowing bettong (B. lesueur) was their ability to crack open the extremely resistant shells of sandalwood and quandong seeds to access the kernels inside," says Dr. Mitchell, who tested the power needed to crack open the shells.

Some of these required upwards of 1,000 Newtons (or about 100 kg) of direct force to crack with testing machinery in the lab.

"But the jaws of bettongs are much smaller, which makes the feat even more remarkable," says Dr. Mitchell.

"It turns out the shells of dried seeds are less tough but more stiff than fresh shells, which might make them easier to crack open. This would explain why bettongs often cache or hoard the seeds to crack open later."

"New knowledge of native animals' food mechanical properties and the comparable farmed foods will continue to inform development of better captive breed regimes and feed formulations," the researcher says.

Farmed foods such as commercial nuts, mushrooms, potatoes, dried and fresh fruits were tested in the research—along side the wild foods known to be eaten by potoroids in the wild.



**More information:** D. Rex Mitchell et al, The mechanical properties of bettong and potoroo foods, *Australian Mammalogy* (2024). DOI: 10.1071/AM24006

## Provided by Flinders University

Citation: Study measures toughness of bettong and potoroo foods to aid in conservation efforts (2024, July 8) retrieved 22 July 2024 from <a href="https://phys.org/news/2024-07-toughness-bettong-potoroo-foods-aid.html">https://phys.org/news/2024-07-toughness-bettong-potoroo-foods-aid.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.